

DAILY RAINFALL

HEREFORD

1911-20

ALMELEY		1913-14, 19-20
BARTESTREE	HAGLEY PARK	1912
BODENHAM	PIGEON HSE	1911 - 15.
BRAMPTON	BRYAN	1911.
BRIDSTOW	ASHE LEIGH	1920
BRILLEY	VICARAGE	1911 - 1920
BROMYARD	BUCKENHILL	1911 - 1920
BROMYARD	ROWDEN ABBEY	1911 - 1920
BROMYARD	NORTON THE ROYAL OAK	1913 - 1915
BROMYARD	DUMBLETON COTT	1911 - 1920
BULLINGHAM	LOWER	1913 - 1915
BURGHILL	MANOR	1911 - 1920
CREDENHILL		1911 - 1920
CREDENHILL	STRETTON SUGWAS	1911 - 1920
CREDENHILL		1911.
EYTON		1918 - 1920
EYTON	OLD HALL	1914, 1916, 1919-20
FOWNHORE	LOWER HSE	1911 - 16, 1918-20
HEREFORD	WHITE HORSE ST.	1911.
HEREFORD	QUARRY HSE	1911 - 14

HEREFORD	ST NICHOLAS ST	1917-18
HEREFORD	RICHMOND RD	1911-16
HEREFORD	BROADLANDS	1911-15
HEREFORD	HOLMER HALL	1911-20
HEREFORD	BREINTON COURT	1911-20
HEREFORD	BROOMY HILL	1919-20
HEREFORD	BROOMY HILL BARTON LODGE	1914-17
HEREFORD	BARTON HSE	1919-20
HEREFORD	BELMONT ABBEY	1911-17, 1919-20
HUNTINGTON	COURT	1911-1918
KENTCHURCH	RECTORY	1911-1920
KIMBOLTON	GRANTSFIELD	1913-1920
KINGTON	GRAVEL HILL	1911-1920
KINGTON	LYNHALES	1911-15, 1917
LEDBURY	UNDERDOWN	1911-1920
LEDBURY	WELLINGTON HEATH	1911-1920
LEDBURY	ORCHARDLEIGH	1911-1920
LEINTWARDINE		1911-1920
LEOMINSTER	FARM	1911-1919
MARDEN	CO-OP FRUIT FARM	1911-1914

MUCH MARCLE THE MOUNT	1911 - 1920
OCLE DYCHARD OCLE-COURT	1911 - 1920
OLD COLWALL	1914 - 1917
PEMBRIDGE BYLETTIS	1911 - 1920
PEMBRIDGE 'MARSTON	1911 - 1919
PENCOMBE RECTORY	1917 - 1920
ROSS	1912 - 1913
ROSS BIRCHLEA / THE CRAIG	1911 - 1920
ROSS ON WYE OBSERVATORY	1915 - 1920
TOWNHOPE MORNEY CROSS	1917 - 1920
WALFORD ON WYE VICARAGE	1911 - 1915
WALFORD HILL COURT GDN	1919 - 1920
WEOBLEY SCH URSA HSE	1914 - 1920
WESTON UNDER PENYARD	1911 - 1919
WHITBOURNE COURT	1911 - 1912
WHITNEY - ON-WYE.	1911 - 1920
WOOLHOPE THE HYDE	1911 - 1920

REGI

ALMELEY

HEREFORD

1913, 14, 19, 20

Kept at Almeley
in the County of Hereford
by B. G. Bona

3
ng. 2° 57' 37"
9 am.
n Almeley
e five in.
above Ground one ft. — in.
" Sea Level 396 ft.

Jan. 1, following.

IMPORTANT NOTE

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0'02	0'02	0'07	0'01	-	0'11	-	-	0'23	-	0'06	0'01	1
2	'02	'25	'04	'09	'25	-	-	-	'14	1'13	'21	'01	2
3	'04	'03	'09	-	'32	-	-	-	-	-	-	'07	3
4	'74	'09	'01	-	'07	-	'02	-	'60	'45	'07	'27	4
5	'04	'08	'02	-	'12	'05	'10	-	'07	'28	'18	'02	5
6	'05	'08	'16	-	'17	'04	'01	-	-	'37	-	'29	6
7	-	'28	'01	-	'20	'10	-	-	-	'32	'13	'01	7
8	'02	'16	-	-	'31	'04	'02	'09	-	'17	-	-	8
9	-	'37	'01	'01	'21	'43	'04	'12	'11	-	'28	'01	9
10	'24	-	-	~~'07~~	'07	-	-	'11	-	'32	'11	-	10
11	'47	'01	-	'41	'11	'01	-	-	-	'02	'41	-	11
12	-	-	-	-	'21	-	-	-	'01	-	'12	'01	12
13	- ?	-	'22	'02	~~- ?~~	-	-	'01	'45	-	'17	-	13
14	'17	-	'43	'08	~~- ?~~	-	-	'01	'04	'13	'06	-	14
15	'04	-	'65	'65	'01	-	-	'06	'06	-	'06	'01	15
16	'06	'01	'55	'02	-	-	-	'04	-	-	-	-	16
17	'01	'01	'26	'13	-	-	'05	-	-	'01	'03	-	17
18	'13	-	'21	'17	-	-	'02	-	-	-	'03	-	18
19	'20	-	'14	'01	-	'01	'08	-	'02	'11	-	-	19
20	'24	-	'48	'17	-	'01	-	-	-	'12	'45	-	20
21	-	-	'14	'13	'05	-	'08	'02	-	-	'17	-	21
22	'63	-	'94	-	-	'10	-	'44	'48	-	'01	-	22
23	'03	-	'04	-	-	'01	-	'01	'32	-	'04	'01	23
24	'10	-	-	'04	-	-	-	-	-	-	'07	-	24
25	-	'01	-	'20	-	-	-	-	'12	'04	'02	'01	25
26	-	'02	-	'59	'07	'03	-	'11	'02	-	-	'28	26
27	'01	-	'15	'08	-	-	-	-	-	'59	-	'01	27
28	'19	-	'10	'39	-	-	-	-	-	'15	-	'04	28
29	-	-	~~'53~~	'37	'05	-	-	'01	-	'17	-	-	29
30	'17	-	'53	-	'04	-	-	'26	-	'39	'12	-	30
31	'05	-	'22	-	-	-	-	'02	-	'01	-	-	31
Total	3'67	1'42	5'47	3'57	2'26	0'94	0'42	1'31	2'67	4'78	2'80	1'06	YEAR'S TOTAL 30'37
Rain Days.	23	14	23	19	16	12	9	14	14	18	21	15	198

REGI

Lat. $52^{\circ} 9' 47''$ Long. $2^{\circ} 57' 57''$
Time of Observation 9 am.
Nearest Railway Station *Almley*
Diameter of Rain Gauge *five* in.
Height of top of Gauge above Ground *one* ft. — in.
" " " " Sea Level *396* ft.

FORM A
BRITISH RAINFALL
15 JAN 1914

Kept at *Almley*
in the County of *Hereford*
by *B. G. Ronalds*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.02	0.02	0.07	0.01	-	0.11	-	-	0.23	-	0.06	0.01	1
2	.02	.25	.04	.09	.25	-	-	-	.14	1.13	.21	.01	2
3	.04	.03	.09	-	.32	-	-	-	-	-	-	.07	3
4	.74	.09	.01	-	.07	-	.02	-	.60	.45	.07	.27	4
5	.04	.08	.02	-	.12	.05	.10	-	.07	.28	.18	.02	5
6	.05	.08	.16	-	.17	.04	.01	-	-	.37	-	.29	6
7	-	.28	.01	-	.20	.10	-	-	-	.32	.13	.01	7
8	.02	.16	-	-	.31	.04	.02	.09	-	.17	-	-	8
9	-	.37	.01	.01	.21	.43	.04	.12	.71	-	.28	.01	9
10	.24	-	-	~~0.01~~	.07	-	-	.11	-	.32	.11	-	10
11	.47	.01	-	.41	.11	.01	-	-	-	.02	.41	-	11
12	-	-	-	-	.21	-	-	-	.01	-	.12	.01	12
13	- ?	-	.22	.02	~~0.01~~	-	-	.01	.45	-	.17	-	13
14	.17	-	.43	.08	~~0.01~~	-	-	.01	.04	.13	.06	-	14
15	.04	-	.65	.65	.01	-	-	.06	.06	-	.06	.01	15
16	.06	.01	.55	.02	-	-	-	.04	-	-	-	-	16
17	.01	.01	.26	.13	-	-	.05	-	-	.01	.03	-	17
18	.13	-	.21	.17	-	-	.02	-	-	-	.03	-	18
19	.20	-	.14	.01	-	.01	.08	-	.02	.11	-	-	19
20	.24	-	.48	.17	-	.01	-	-	-	.12	.45	-	20
21	-	-	.14	.13	.05	-	.08	.02	-	-	.17	-	21
22	.63	-	.94	-	-	.10	-	.44	.48	-	.01	-	22
23	.03	-	.04	-	-	.01	-	.01	.32	-	.04	.01	23
24	.10	-	-	.04	-	-	-	-	-	-	.07	-	24
25	-	.01	-	.20	-	-	-	-	.12	.04	.02	.01	25
26	-	.02	-	.59	.07	.03	-	.11	.02	-	-	.28	26
27	.01	-	.15	.08	-	-	-	-	-	.59	-	.01	27
28	.19	-	.10	.39	-	-	-	-	-	.15	-	.04	28
29	-	~~0.01~~	~~0.01~~	.37	.05	-	-	.01	-	.17	-	-	29
30	.17	~~0.01~~	~~0.01~~	.53	-	.04	-	.26	-	.39	.12	-	30
31	.05	-	.22	-	-	-	-	.02	-	.01	-	-	31
Total	3.67	1.42	5.47	3.57	2.26	0.94	0.42	1.31	2.67	4.78	2.80	1.06	YEAR'S TOTAL 30.37
Rain Days.	23	14	23	19	16	12	9	14	14	18	21	15	198

REGISTER OF RAINFALL IN 1914

Kept at almaley
in the County of Hereford
by B. G. Bonalds

Lat. 52° 10' Long. 2° 57' W
Time of Observation 9.0 am
Nearest Railway Station almaley G.W.R.
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 396 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.08	.01	—	.06	.27	.72	—	—	.10	.05	1
2	—	—	.01	—	—	—	1.01	.29	—	—	.37	.28	2
3	—	—	.08	.08	.22	—	.03	.03	—	—	—	.24	3
4	0.11	—	.04	.04	.08	—	.33	.02	—	—	.63	.67	4
5	.12	—	.13	.28	.25	—	.05	—	—	—	.16	.01	5
6	.02	.05	—	.07	.03	—	—	.03	—	—	.02	.17	6
7	—	.11	.29	.18	.21	—	.26	.73	.02	—	—	.39	7
8	.01	—	.03	.01	.08	.41	.04	.07	—	—	—	.16	8
9	.06	.05	.04	.17	.04	1.14	—	.06	.01	—	—	—	9
10	—	.19	.02	.26	.02	.13	—	—	.22	—	—	—	10
11	—	.24	.14	—	.03	.06	.10	—	.05	—	.47	.53	11
12	—	.52	.14	—	—	—	.06	—	.22	—	.12	.20	12
13	—	.22	.10	.01	—	—	.11	—	.14	.31	.15	.16	13
14	—	.48	.15	—	—	—	—	.01	—	.03	.16	—	14
15	—	—	.26	—	—	—	—	.02	.13	.03	.08	—	15
16	—	—	.01	—	—	—	.06	—	.07	—	—	—	16
17	.01	.11	.14	—	—	—	.01	—	.14	—	—	.58	17
18	—	—	.33	—	—	—	.01	—	—	—	—	.18	18
19	—	.03	.03	—	—	—	1.01	—	.06	—	.06	.11	19
20	—	.34	.02	—	—	.07	—	.02	—	—	—	.17	20
21	—	.31	—	—	—	.05	.14	.06	—	.23	—	—	21
22	—	.11	—	—	.16	.02	.04	.08	—	.55	—	—	22
23	—	.13	.05	—	.06	—	.03	—	—	.29	—	—	23
24	—	—	.06	—	—	—	.12	.44	—	.06	.02	—	24
25	.08	—	.08	—	—	—	.05	.38	—	.35	.01	.21	25
26	—	—	.01	—	—	—	.01	.01	—	.13	.13	.34	26
27	.01	—	—	—	—	—	.01	—	—	.01	.39	.63	27
28	.05	.06	.04	—	.07	—	—	—	—	.01	.01	.61	28
29	.03	~~X~~	.12	—	.09	—	—	—	—	.09	.21	.01	29
30	.01	~~X~~	.10	—	—	—	—	.01	—	.07	.47	.56	30
31	.39	~~X~~	—	~~X~~	—	~~X~~	.12	—	~~X~~	.25	~~X~~	.10	31
Total	.90	2.95	2.50	1.11	1.34	1.94	3.87	2.38	1.06	2.41	3.56	6.36	YEAR'S TOTAL 30.38
Rain Days.	12	15	26	10	13	8	22	17	10	14	18	22	187

THE BUNGALOW,
ALMELEY, EARDISLEY,
HEREFORDSHIRE.

Rainfall in 1919

Inches

FEB 22

date	Jan	Feb	Mar	ap.	May	June	July	Aug.	Sept	Oct	Nov	Dec
1	0.27	-	.04	-	.09	-	.15	-	-	.13	.01	.32
2	.11	-	.08	-	-	-	.07	-	.11	-	.05	.07
3	-	-	.10	-	-	.14	.01	-	-	-	.05	.15
4	.01	.11	.27	-	-	-	.09	.04	.13	-	-	.10
5	.06	.34	-	-	.04	-	-	-	-	.01	-	.35
6	.26	.09	.18	-	.01	-	-	-	-	-	.01	.20
7	.11	-	.08	.04	-	-	-	-	-	-	.01	.03
8	.23	-	.08	.07	-	.07	-	-	-	-	-	-
9	.16	-	-	.07	-	-	-	-	.01	-	-	-
10	.16	-	.63	-	.02	-	-	-	.01	.03	.03	.15
11	.01	-	1.71	.02	.05	-	.22	-	-	.03	-	-
12	.01	-		.03	-	.39	-	-	.07	-	.03	.02
13	.14	.01	-	.15	-	-	-	-	.82	.04	-	.08
14	.33	.03	-	.41	-	-	-	-	.47	.01	-	.08
15	.57	.07	-	.06	.02	-	-	.12	-	-	-	.51
16	.18	1.31	-	.01	-	-	-	.05	-	-	.06	.01
17	.01	.91	-	-	-	.02	-	.03	-	-	.24	-
18	.06	-	.71	-	-	-	.01	.20	.01	-	.02	.03
19	.17	.21	.87	-	-	.16	1.13	.35	.15	.01	.26	.01
20	.18	.01	.45	-	-	-	-	.07	-	-	.13	.10
21	-	.44	.01	-	-	-	.13	-	.01	-	-	.10
22	-	.02	-	-	-	-	-	-	.18	-	.01	.17
23	-	-	-	-	-	-	-	-	-	.61	.05	.03
24	.03	-	-	.06	.06	.03	-	-	-	.40	.21	.17
25	.03	-	-	.10	.05	-	-	.97	.01	-	.19	.02
26	-	-	.12	.21	-	.07	-	.10	.03	-	-	.26
27	.02	-	.09	.33	-	-	-	.61	-	-	.01	.09
28	.03	-	.15	-	-	-	-	.30	-	-	.01	.34
29	.05	-	-	.02	-	-	-	.01	-	.14	.11	.19
30	-	-	.01	.04	-	.08	-	.11	-	-	.10	.17
31	-	-	-	-	-	-	.01	-	-	-	-	-

Total Inches	3.19	3.55	5.58	1.62	.34	.96	1.82	2.96	2.01	1.41	1.59	3.75
Days of Rain	24	12	18	15	8	8	9	13	13	10	20	26
	28.78							176 days.				

REGISTER OF RAINFALL IN 1920.

Kept at Almeley ALMELEY
in the County of Hereford
by B. B. Ronalds

Lat. 52° 10' Long. 2° 58'
Time of Observation 9.0 am.
Nearest Railway Station Kimnersley M.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 396 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	.03	.15	.27	-	.33	-	.12	.11	-	.39	1
2	.06	-	.02	.11	-	-	.65	-	.01	.19	-	.20	2
3	.05	.02	-	.23	.06	-	.83	-	.02	.86	-	.06	3
4	-	-	.02	-	-	-	.01	.38	-	.29	-	-	4
5	-	-	.11	.09	.07	-	.42	.08	-	.27	-	-	5
6	-	-	.22	-	.08	-	.11	-	-	.23	-	.02	6
7	-	-	+	.09	-	-	.08	-	-	-	-	-	7
8	.33	.09	}	.77	.13	-	.20	.16	-	-	-	-	8
9	.35	.11		.51	-	-	.02	-	-	-	-	-	9
10	.42	.17		.06 ⁺	-	.52	.08	-	-	.02	.02	.02	10
11	.18	.03	.08	.56	.19	-	.08	-	-	-	-	-	11
12	.14	.04	.02	.09	-	.66	-	.09	-	.01	.07	-	12
13	.10	.01	.21	.18	-	.05	-	-	-	-	-	-	13
14	-	.01	.62	.35	-	.94	.12	-	.33	.16	.40	.07	14
15	-	.09	.04	.54	.09	.02	-	-	.02	-	.13	-	15
16	-	-	.01	.27	.08	.61	.18	-	.14	.72	.03	-	16
17	.04	-	.01	-	.16	.37	-	.05	.91	.24	-	.01	17
18	.11	-	-	.03	.05	.07	-	.03	.61	-	-	.02	18
19	.05	.35	-	.10	.02	.09	.01	-	-	-	-	-	19
20	.01	.26	-	.20	-	.06	-	-	-	-	-	.05	20
21	-	-	-	.02	-	-	.28	-	-	.01	-	.15	21
22	.04	-	-	.11	-	-	.05	.18	-	.01	.01	.25	22
23	-	-	.01	-	-	-	.21	.02	-	-	-	.35	23
24	.03	.01	.13	-	-	-	-	-	-	-	.03	.18	24
25	.03	.02	.19	-	-	-	.90	-	-	-	-	-	25
26	.09	.03	.35	.01	-	-	.01	-	-	.01	.12	.07	26
27	.28	-	.22	.03	.03	.31	.10	-	-	-	.07	.47	27
28	.84	-	.18	.01	.23	.06	-	-	-	-	-	.07	28
29	.14	-	.20	.02	.16	.03	.20	-	-	-	.06	.53	29
30	.05	~~X~~	.28	.03	.01	.10	.01	-	.33	-	.39	.20	30
31	.11	~~X~~	.08	~~X~~	-	~~X~~	.01	-	~~X~~	.64	~~X~~	.07	31
TOTAL	3.45	1.24	4.09	4.50	1.63	3.89	4.89	0.99	2.49	3.77	1.33	3.18	YEAR'S TOTAL 35.45
Days with 01 in. or more	21	14	23	23	15	14	23	8	9	15	11	19	195
Days with 04 in. or more	1	7	15	16	12	12	17	6	6	10	7	15	140

REG

BARTREE

HAGLEY PARK
HEREFORD12
long.FORM A.
BRITISH RAINFALL
JAN 1913

Key at

in the County of

by

IMPORTANT NOTE

1912

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1						.04							1
2			.87								.03		2
3		.02						.04					3
4					.05								4
5										.27			5
6	.45			.30			.46						6
7									.08			.15	7
8						2.86							8
9			1.42								.24		9
10		.74						1.87					10
11					.33								11
12										.03			12
13	.61			.16			.13						13
14									.11			.77	14
15						.13							15
16			.76								.16		16
17		.37						.37					17
18					.67								18
19										.07			19
20	1.74			.01			.10						20
21									.01			.51	21
22						.19							22
23			1.11								.59		23
24		.26						2.10					24
25					1.57								25
26										.59			26
27	.70			.00			.69						27
28									.00			1.06	28
29		.16				.92							29
30			.22	.00		.44			.64		.79		30
31	.01		.04		.01		1.98	2.24		1.82		.31	31
Total	3.51	1.55	3.92	.47	2.63	4.58	3.36	6.62	.84	2.78	1.31	2.80	34.37
Rain Days.													

YEARS TOTAL

REGISTER OF RAINFALL

12

FORM A.
BRITISH RAINFALL

JAN 1913

Kept at

Hagley Park
Hereford
J. Alford

in the County of

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1						.04							1
2			.37								.03		2
3		.02						.04					3
4					.05								4
5										.27			5
6	.45			.30			.46						6
7									.08			.15	7
8						2.86							8
9			1.42								.24		9
10		.74						1.87					10
11					.33								11
12										.03			12
13	.61			.16			.13						13
14									.11			.77	14
15						.13							15
16			.76								.16		16
17		.37						.37					17
18					.67								18
19										.07			19
20	1.74			.01			.10						20
21									.01			.51	21
22						.19							22
23			1.11								.59		23
24		.26						2.10					24
25					1.57								25
26										.59			26
27	.70			.00			.69						27
28									.00			1.06	28
29		.16				.92							29
30			.22	.00		.44			.64		.79		30
31	.01		.04		.01		1.98	2.24		1.82		.31	31
Total	3.51	1.55	3.92	.47	2.63	4.58	3.36	6.62	.84	2.78	1.31	2.80	34.37
Rain Days.													

YEARS TOTAL

Taken weekly, and at the end
of each month

REGIS

BODENHAM

PIGEON HSE

HEREFORD

1911 - 1915

Kept at Pigeon House

in the County of Bodenham

by R.C. Bailey

FORM A2.
BRITISH RAINFALL.

5-JAN 1912

in.
Ground ft. 9 in.
Sea Level 230 ft. about.
Name Jimmore
Distance 1 1/4 miles Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.02	.03	-	-	-	.21	-	-	.10	-	1
2	.04	-	-	.01	-	-	-	.10	-	.04	.06	.04	2
3	-	-	-	.02	.54	.40	-	-	-	-	.01	.13	3
4	-	-	.13	.01	-	-	-	.08	.12	.03	.09	.32	4
5	.06	-	.02	.01	-	-	-	.03	-	.03	.04	-	5
6	.13	-	.07	-	-	-	-	.03	-	.01	.12	.55	6
7	.01	-	-	-	-	-	-	-	-	-	.34	-	7
8	.16	-	.15	-	-	-	-	-	-	-	.28	.52	8
9	.09	-	.06	-	-	-	-	-	-	-	.32	.14	9
10	.01	.06	.18	-	-	-	-	-	-	-	.01	.57	10
11	.09	-	-	-	-	-	-	-	-	-	.43	.14	11
12	-	.01	.44	-	-	-	-	-	.19	-	.15	.08	12
13	-	-	.02	-	.06	-	-	-	.14	-	.02	.50	13
14	-	-	-	-	.01	-	-	-	-	-	-	.82	14
15	-	-	.02	-	-	-	-	-	-	-	.10	.06	15
16	-	-	-	-	-	.12	-	-	-	-	.10	.10	16
17	-	.01	.02	-	-	.02	-	-	-	-	.09	.78	17
18	-	.18	.12	.12	-	.02	-	-	-	.02	.02	.19	18
19	.01	.02	-	.15	-	.14	-	.01	.52	.31	.01	.30	19
20	.01	.04	-	.04	-	-	-	.01	.19	.03	-	.38	20
21	-	.06	.35	.01	-	-	-	1.04	.07	.21	-	.07	21
22	-	.03	.02	.03	-	.04	-	-	-	.18	.01	.40	22
23	.01	.19	.07	-	-	.54	-	-	.20	.07	-	.11	23
24	-	.08	.01	.03	-	.44	-	.10	.01	.10	-	.10	24
25	-	.09	-	.02	-	.01	-	-	-	-	-	.15	25
26	-	.24	-	.24	1.11	-	-	.19	-	.25	.15	.13	26
27	-	.08	.24	.11	-	-	-	.26	.14	-	.10	.08	27
28	-	.16	-	.22	-	-	-	-	-	-	.11	-	28
29	-	-	-	.04	-	.08	.06	.01	.16	.26	.01	-	29
30	-	-	.03	.05	.02	.02	.11	.03	-	.21	.01	.02	30
31	-	-	.01	-	.10	-	.02	.01	-	.07	-	-	31
Total	.60	1.25	1.98	1.14	1.84	2.73	.19	2.09	1.68	1.82	2.68	6.71	TOTAL for year 24.78
No. of Rain Days.	11	14	19	17	6	11	3	14	10	15	24	25	169.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL

5 - JAN 1912

Kept at Pigeon House
in the County of Bodenham, Herefordshire
by R.C. Bailey

Pattern
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 9 ft. about
" " " Sea Level 230 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Linmore
Distance 1 1/4 miles Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.02	.03	—	—	—	.21	—	—	.10	—	1
2	.04	—	—	.01	—	—	—	.10	—	.04	.06	.04	2
3	—	—	—	.02	.54	.40	—	—	—	—	.01	.13	3
4	—	—	.13	.01	—	—	—	.08	.12	.03	.09	.32	4
5	.06	—	.02	.01	—	—	—	.08	—	.03	.04	—	5
6	.13	—	.07	—	—	—	—	.03	—	.01	.12	.55	6
7	.01	—	—	—	—	—	—	—	—	—	.34	—	7
8	.16	—	.15	—	—	—	—	—	—	—	.28	.52	8
9	.09	—	.06	—	—	—	—	—	—	—	.32	.14	9
10	.01	.06	.18	—	—	—	—	—	—	—	.01	.57	10
11	.09	—	—	—	—	—	—	—	—	—	.43	.14	11
12	—	.01	.44	—	—	—	—	—	.19	—	.15	.08	12
13	—	—	.02	—	.06	—	—	—	.14	—	.02	.53	13
14	—	—	—	—	.01	—	—	—	—	—	—	.82	14
15	—	—	.02	—	—	—	—	—	—	—	.10	.06	15
16	—	—	—	—	—	.12	—	—	—	—	.10	.10	16
17	—	.01	.02	—	—	.92	—	—	—	—	.09	.78	17
18	—	.18	.12	.12	—	.02	—	—	—	.02	.02	.19	18
19	.01	.02	—	.15	—	.14	—	.01	.52	.31	.01	.39	19
20	.01	.04	—	.04	—	—	—	.01	.19	.03	—	.38	20
21	—	.06	.35	.01	—	—	—	1.04	.07	.21	—	.07	21
22	—	.03	.02	.03	—	.04	—	—	—	.18	.01	.40	22
23	.01	.19	.07	—	—	.54	—	—	.20	.07	—	.11	23
24	—	.08	.01	.03	—	.44	—	.10	.01	.10	—	.10	24
25	—	.09	—	.02	—	.01	—	—	—	—	—	.15	25
26	—	.24	—	.24	1.11	—	—	.19	—	.25	.15	.13	26
27	—	.08	.24	.11	—	—	—	.26	.14	—	.10	.08	27
28	—	.16	—	.22	—	—	—	—	—	—	.11	—	28
29	—	—	—	.04	—	.08	.06	.01	.16	.26	.01	—	29
30	—	—	.03	.05	.02	.02	.11	.03	—	.21	.01	.02	30
31	—	—	.01	—	.10	—	.02	.01	—	.07	—	—	31
Total	.60	1.25	1.98	1.14	1.84	2.73	.19	2.09	1.68	1.82	2.68	6.71	TOTAL for year 24.78
No. of Rain Days.	11	14	19	17	6	11	3	14	10	15	24	25	24.78

REGISTER OF RAINFALL IN 1912.

Kept at Pigeon House Bodenham
in the County of Hereford.
by R.C. Bailey

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Dimmore G.W. & N.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 8 1/2 ft.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.21	—	—	.83	.01	.08	.02	.09	—	.09	1
2	—	.01	.14	.04	—	.35	.17	.24	—	—	—	—	2
3	—	—	.03	—	.11	.12	.06	.24	.01	—	.06	.01	3
4	.23	—	.64	—	.10	.04	—	.11	—	—	.15	—	4
5	.31	.08	.19	—	.13	—	—	.30	—	—	.01	.01	5
6	.14	.08	.02	—	—	.10	—	.40	—	—	—	—	6
7	.01	.24	.08	—	.09	.49	—	.03	.01	—	—	—	7
8	.39	.15	.16	.01	—	.05	.05	.66	.05	—	—	.01	8
9	.05	.01	.41	.06	—	.07	—	.27	—	—	—	.39	9
10	.14	.03	—	.01	—	—	—	.15	—	—	.06	—	10
11	—	.04	.01	—	—	—	—	—	—	.02	.10	.52	11
12	.02	.16	.08	.03	.15	—	—	—	—	—	—	.02	12
13	.01	—	.01	—	—	.03	—	.03	.06	.01	—	.02	13
14	.10	—	.43	—	—	.17	—	.08	—	—	—	—	14
15	.08	.12	.04	—	.45	—	—	.01	—	—	—	.07	15
16	.81	—	.07	—	—	—	—	.07	.01	.06	.02	.01	16
17	.61	—	.09	—	—	.02	—	.36	—	—	.04	.20	17
18	.05	—	—	—	—	—	—	.12	—	—	.01	.02	18
19	.11	.02	.04	—	—	.02	.15	.28	—	.01	—	.02	19
20	.02	—	.31	—	—	—	.09	.24	—	.23	.02	—	20
21	.01	.01	.37	—	.84	—	—	.49	—	.18	—	—	21
22	.28	.07	.15	—	.10	—	.37	.32	—	—	—	.17	22
23	.15	.14	.41	—	—	.06	.12	.23	—	.03	.08	.06	23
24	.05	.01	—	—	—	.18	.03	.05	—	—	—	.18	24
25	—	—	—	—	—	.17	—	.99	—	.02	.23	.41	25
26	—	.10	.02	—	—	.02	.28	1.14	—	.75	.16	.47	26
27	—	—	—	—	—	.45	.63	—	—	.74	—	.28	27
28	—	.04	.02	—	—	.17	.49	.49	.16	.23	.40	.31	28
29	—	.03	.08	—	—	.44	.06	.03	.55	.07	—	—	29
30	—	—	.05	—	—	.09	.07	—	—	.26	—	—	30
31	.01	—	.23	—	.06	—	.62	.02	—	—	—	.01	31
Total	3.58	1.34	4.29	.15	2.03	3.87	3.20	7.43	.87	2.70	1.34	3.28	34.08
Rain Days.	21	18	26	5	9	20	15	27	8	14	13	21	197

REG~~ISTER~~ OF RAINFALL IN 1913

BRITISH RAINFALL
FORM A.
2-JAN 1914

Kept at Pigeon House
in the County of Bodurham & Hereford
by Richard Crawshaw Bailey

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Brimmore
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 9 in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.04	.09	.09	.15	—	—	—	.57	—	.06	—	1
2	—	.22	—	.07	—	—	—	—	.09	—	.16	—	2
3	—	.02	.05	—	.57	—	—	—	—	—	.01	.11	3
4	.03	.02	—	—	.25	—	—	—	.74	.49	.07	.26	4
5	.05	.07	—	—	.11	.10	.13	—	—	.37	.06	.01	5
6	.01	.09	.09	—	.23	.09	.04	—	—	.25	—	.44	6
7	—	.21	—	—	.17	.03	—	—	—	.36	—	.02	7
8	.01	.18	—	—	.09	.03	.01	.05	—	.15	—	.01	8
9	—	.42	—	.01	.07	.14	.03	—	.22	—	.23	.02	9
10	.24	.01	—	.03	.05	—	—	.15	—	.11	.15	.01	10
11	.57	—	—	.40	.08	—	—	.05	—	.03	.36	—	11
12	—	—	—	—	.29	—	—	—	.01	—	.31	—	12
13	.06	—	.24	—	.02	—	—	.02	.31	—	.30	—	13
14	.22	—	.46	.16	—	—	—	.03	.03	.08	.03	—	14
15	.04	.04	.50	.92	—	—	—	.03	.21	—	.02	—	15
16	.03	.01	.65	.04	—	—	—	.06	.01	—	—	—	16
17	.03	—	.22	.10	—	.01	.18	—	.01	—	—	—	17
18	.03	—	.16	.09	.02	—	.03	—	.02	—	.03	—	18
19	.10	—	.10	—	—	.06	.04	—	.06	.01	—	—	19
20	.14	—	.36	.12	—	—	—	—	.01	.02	.35	—	20
21	—	—	.21	.15	.08	—	.16	—	—	—	.20	—	21
22	.74	—	.68	.01	—	.11	—	.68	—	—	—	—	22
23	.02	—	.03	—	—	—	—	.03	.45	—	.07	.02	23
24	.07	—	—	.03	—	.02	—	—	.05	—	.06	—	24
25	—	.01	—	.16	—	—	—	—	—	.01	—	.01	25
26	—	—	—	.46	—	—	—	.29	.07	—	—	.10	26
27	.01	.01	.15	.28	—	—	—	—	—	.13	—	.02	27
28	.68	—	.28	.31	.10	—	—	—	—	.06	—	.02	28
29	—	—	.47	.48	—	—	—	.04	—	.08	—	.01	29
30	.12	—	—	.01	—	—	—	—	—	.88	.12	.02	30
31	.04	—	.22	—	—	—	—	.07	—	.06	—	—	31
Total	3.65	1.32	4.96	3.92	2.28	.59	.62	1.50	2.86	3.09	2.59	1.08	YEAR'S TOTAL 28.46
Rain Days.	22	14	18	20	15	9	8	12	16	16	18	15	183

REGISTER OF RAINFALL IN 1914

Kept at Pigeon House Bodenham

in the County of Hereford

by Richard C. Bailey

Lat. 52° 6' Long. 20 41' W

Time of Observation 9 a.m.

Nearest Railway Station Tinmore G.W. & N.W.R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 7 ft.

" " " " Sea Level 225 ft.

FORM A.
BRITISH RAINFALL
JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.01	.02	.03		.02	.42	.15			.03	.07	1
2			.01		.01		.46	.11			.34	.31	2
3				.08	.14		.02	.01			.01	.15	3
4	.14		.01	.06	.10		.28	.06			.39	.51	4
5	.13		.02	.12	.28		.09				.03		5
6		.04		.02	.03	.01	.24					.09	6
7	.01	.12	.28	.16	.24		.24	.16	.04			.40	7
8			.01	.01	.05	.66	.01	.02				.03	8
9	.05	.01	.09	.16	.08	<u>1.13</u>		.04	.21				9
10		.11	.01	.15	.01	.11			.31				10
11		.12	.18	.01	.14	.14			.01		.30	.63	11
12		.26	.15				.19		.21		.03	.14	12
13		.12	.24				.06		.10	.39	.13	.22	13
14		.26	.33	.02						.08	.10		14
15	.01	.03	.13					.04	.03		.02		15
16			.02				.01		.10				16
17		.08	.02									.20	17
18			.09			.01	.05		.01	.01		.45	18
19		.02	.02			.03	.75		.02		.08	.07	19
20		.32	.07				.01					.15	20
21		.26	.01			.07	.01	.70		.12		.01	21
22		.05	.07			.08	.03	.06		.21			22
23		.05	.08		.76					.16			23
24			.08		.09		.01	.18		.03	.01		24
25	.08		.07				.04	.37		.25	.01	.08	25
26			.02				.02			.02	.16	.26	26
27	.05									.07	.46	.30	27
28	.02	.03	.05		.07					.18	.02	.67	28
29	.01		.08		.10					.06			29
30		X	.05	.01	.08					.11	.62	.40	30
31	.25	X		X		X	.13		X	24 no rain 25-31	X	.04	31
Total	.75	1.89	2.24	.83	2.21	2.26	3.10	1.90	1.04	1.69	2.77	5.21	25.89
Rain Days.	10	17	24	12	15	10	20	12	10	13	14	21	184

REGISTER OF RAINFALL IN 1915

Kept at The Pigeon House Bodenham
in the County of Hereford
by Richard C. Bailey

Lat. 52° 10' N. Long. 2 41' W.
Time of Observation 9 a.m.
Nearest Railway Station Sinmore
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level 225 ft.

FORM A.
BRITISH RAINFALL
4-JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.30	.09	—	—	.19	—	.07	.05	.08	.23	—	.08	1
2	.10	.12	.15	.17	—	.12	—	1.43	—	.14	—	.10	2
3	.65	.05	.01	.05	—	—	.83	.07	—	—	—	.17	3
4	.01	.03	—	.02	.34	—	.40	.13	—	—	—	.63	4
5	—	.49	—	.01	—	—	—	.06	—	—	—	.48	5
6	.13	.02	—	.17	—	—	.62	.03	—	—	—	.10	6
7	.09	.30	—	.06	.22	—	.20	.08	—	—	—	.29	7
8	.23	.34	—	.02	—	—	.03	.02	—	—	.13	—	8
9	.11	.36	—	.09	—	—	—	—	—	—	.21	.44	9
10	.20	.01	.04	.08	—	—	—	—	—	.06	.03	—	10
11	.04	—	—	.04	.16	—	—	—	—	—	1.09	.01	11
12	.12	.21	—	.15	.24	—	—	.25	—	.12	.45	.01	12
13	—	.75	—	—	.74	—	—	.12	.03	—	—	.01	13
14	—	.02	—	—	—	—	—	.03	.08	—	—	.09	14
15	.22	—	—	—	.08	—	.05	.16	.01	.06	.07	.22	15
16	.07	.24	—	—	.21	—	1.11	.03	—	—	—	.02	16
17	—	.19	—	—	.67	—	—	—	—	—	—	—	17
18	—	.46	.03	—	—	—	—	—	—	—	—	—	18
19	—	—	—	—	.14	—	.11	—	—	.01	—	—	19
20	.04	—	—	.06	—	—	—	—	—	.02	—	.12	20
21	.05	.02	—	—	—	—	.15	—	—	.13	—	.02	21
22	.05	.03	.17	.22	—	—	.30	—	—	—	—	.21	22
23	.02	.05	.03	—	—	.04	.14	—	—	.86	—	.40	23
24	—	—	—	.03	—	—	.87	—	.38	.80	—	.32	24
25	—	—	.01	—	—	.27	—	—	—	.04	—	.18	25
26	—	.04	—	—	—	—	.14	—	.05	—	—	.44	26
27	—	.02	—	—	—	.01	.23	—	—	.42	—	.07	27
28	—	.18	—	—	—	.01	—	.07	.14	.02	—	.02	28
29	—	—	—	—	—	—	—	—	—	—	.06	.08	29
30	.08	X	—	—	—	.12	—	—	—	.21	.08	.09	30
31	—	X	—	X	—	X	.04	—	X	1.10	X	.47	31
Total	2.51	4.02	.44	1.17	2.99	.57	5.29	2.53	.77	4.12	2.12	5.07	31.60
Rain Days.	18	22	7	14	10	6	16	14	7	15	8	26	163

YEAR'S TOTAL

REC

BRAMPTON BRYAN
HEREFORDKept at *Brampton*
in the County of *Hereford*
by *Bar*

1911

951
pp 9 in.
above Ground 1 ft. in.
Sea Level 450 ft.
9 a.m.
Name *Bue Rnell*
Distance *1 1/4* Direction *N.W.*FORM A2.
BRITISH RAINFALL
27 FEB 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				0.05								0.05	1
2		0.06									0.05		2
3			0.03	0.14								0.42	3
4		0.14									0.04	0.92	4
5	0.05		0.02	0.03				0.98				0.12	5
6		0.24						0.02			0.22	0.48	6
7		0.14		0.16									7
8	0.45		0.14						0.01		0.19	0.62	8
9				0.04							0.05	0.22	9
10		0.35									0.45	0.42	10
11		0.20	0.14								0.15		11
12				0.20								0.31	12
13											0.09	0.40	13
14	0.40		0.13									1.02	14
15	0.20								0.03		0.65	0.45	15
16				0.04	0.60						0.10		16
17	0.30		0.50		0.12							0.42	17
18		0.10									0.12	0.62	18
19			0.20	0.06	0.26							0.65	19
20	0.05		0.05								0.06	0.34	20
21		0.05								0.25			21
22			0.35		0.13	0.04				0.32	0.03	0.14	22
23	0.04		0.10							0.05			23
24		0.03	0.05							0.02		0.46	24
25	0.15									0.06	0.11	0.16	25
26			0.40					0.04		0.34		0.51	26
27		0.06	0.30	0.12	0.60			0.05		0.02	0.02	0.34	27
28	0.03		0.10	0.05				0.41		0.26			28
29				0.14						0.52	0.14	0.02	29
30	0.04				0.55					0.56		0.15	30
31		0.34								0.48		0.46	31
Total	1.74	1.74	2.54	1.012	2.26	0.04		1.53	0.04	2.91	2.53	10.63	TOTAL for year 27.11
No. of Rain Days	10	11	14	11	6	1		5	2	11	16	24	24.17

RECORDED RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
27 FEB 1912

Kept at Brampton Brian
in the County of Berkshire R. & G.
by Larry Fisher.

RAIN GAUGE Pattern
Diameter of top 9 in.
Height of top above Ground 1 ft.
" " " Sea Level 450 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Bucknell
Distance 1 1/4 Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2		0.06		0.05							0.05	0.05	2
3			0.03	0.14								0.42	3
4		0.14									0.07	0.92	4
5	0.05		0.02	0.03				0.98				0.12	5
6		0.24						0.02			0.22	0.48	6
7		0.14		0.16									7
8	0.45		0.14						0.01		0.19	0.62	8
9				0.04							0.05	0.22	9
10		0.35									0.45	0.72	10
11		0.20	0.14								0.15		11
12				0.20								0.31	12
13											0.09	0.40	13
14	0.40		0.13									1.02	14
15	0.20								0.03		0.65	0.75	15
16				0.04	0.60						0.10		16
17	0.30		0.50		0.12							0.72	17
18		0.10									0.12	0.62	18
19			0.20	0.06	0.26							0.65	19
20	0.05		0.05								0.06	0.34	20
21		0.05								0.25			21
22			0.35		0.13	0.04				0.32	0.03	0.14	22
23	0.04		0.10							0.05			23
24		0.03	0.05							0.02		0.46	24
25	0.15									0.06	0.11	0.16	25
26			0.40					0.04		0.34		0.51	26
27		0.06	0.30	0.12	0.60			0.05		0.02	0.02	0.34	27
28	0.03		0.10	0.05				0.41		0.26			28
29				0.14						0.52	0.14	0.02	29
30	0.04				0.55					0.56		0.15	30
31		0.34								0.48		0.46	31
Total	1.74	1.74	2.54	1.012	2.26	0.04		1.53	0.04	2.91	2.53	10.63	TOTAL for year 27.11
No. of Rain Days	10	11	14	11	6	1		5	2	11	16	24	24.17

RECORD

BRIDSTOW

ANIZATION.

O.

4 JAN 1920

Kept at *Ashe Leigh*

in the County of *Wiltshire*

by *Major L.*

ASHE LEIGH

HEREFORD

IMPORTANT NOTE.

If an Observer prefers not to take the reading at 9 a.m. on 1st of this paragraph. Full instructions and particulars as to the British post-free on application Square, London, N.W. 1.

Rec

1920

a.m. *Press*

Gauge *5* in.

re Ground *1* ft. *14* in.

Sea Level *200* ft.

tered to the previous day.

sted to add
the end of
rain gauges,
Observers,
62, Camden

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.22	.22		.23		.04	.65			1
2			.03	.08			.20		.03	.02		.53	2
3	.12			.14			1.10			.62		.16	3
4				.03				.29		.28			4
5			.17	.04	.06		.20	.05		.15			5
6			.25				.19						6
7							.08						7
8		.07		.56	.09		.43					.03	8
9	.21			.41			.05						9
10	.65	.06		.19		.32							10
11	.17		.17	.18	.31	.05	.23				.03		11
12		.08		.15		.21							12
13			.32	.17				.01					13
14			.49	.35		1.60			.28	.10	.28		14
15		.09	.07	1.06		.04			.08	.24			15
16				.04	.13	.13	.26		.20	.41			16
17				.35	.21	.68	.4		.45	.24			17
18				.35	.08			.24	.37				18
19	.18	.17		.12	.15	.10						.08	19
20		.08		.12								.10	20
21				.01						.08		.17	21
22				.08				.15				.24	22
23							.41					.27	23
24			.27								.04		24
25			.15				.67						25
26	.15	.07	.36			.04	.11					.60	26
27	.65	.03	.15	.04	.02								27
28	.75		.13		.39	.25	.02				.08		28
29	.49		.18				.12					.52	29
30	.07		.16	.07		.10	.03				.28	.15	30
31	.04		.18							.37		.07	31
TOTAL	3.48	.62	3.08	4.29	1.51	2.67	4.33	.74	1.45	3.18	.71	2.92	YEAR'S TOTAL 28.98
Days with .01 in. or more	71	8	15	20	9	12	16	5	7	11	5	12	133

REGISTER OF RAINFALL IN 1920.

Kept at Ashby Lough Pass
in the County of Hampford
by Major G. S. P. Cox

Lat. _____ Long _____
Time of Observation 9 a.m.
Nearest Railway Station Pass
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.22	.22		.23		.04	.65			1
2			.03	.08			.20		.03	.02		.53	2
3	.12			.14			1.10			.62		.16	3
4				.03				.29		.28			4
5			.17	.04	.06		.20	.05		.15			5
6			.25				.19						6
7							.08						7
8		.07		.56	.09		.43					.03	8
9	.21			.41			.05						9
10	.65	.06		.19		.32							10
11	.17		.17	.18	.31	.05	.23				.03		11
12		.05		.15		.21							12
13			.32	.17				.01					13
14			.49	.35		1.60			.28	.10	.28		14
15		.09	.07	1.06		.04			.08	.24			15
16				.04	.13	.13	.26		.20	.41			16
17				~~.04~~	.21	.68	.4		.45	.24			17
18				.35	.08			.24	.37				18
19	.18	.17		~~.04~~	~~.08~~	.15						.08	19
20		.08		.12		.10						.10	20
21				.01						.08		.17	21
22				.08				.15				.24	22
23							.41					.27	23
24			.27								.04		24
25			.15				.67						25
26	.15	.07	.36			.04	.11					.60	26
27	.65	.03	.15	.04	.02								27
28	.75		.13		.39	.25	.02				.08		28
29	.49		.18				.12					.52	29
30	.07	~~X~~	.16	.07		.10	.03				.28	.15	30
31	.04	~~X~~	.18	~~X~~		~~X~~			~~X~~	.37	~~X~~	.07	31
TOTAL	3.48	.62	3.08	4.29	1.51	2.67	4.33	.74	1.45	3.18	.71	2.92	YEAR'S TOTAL 28.98
Days with ".01 in. or more	71	8	15	20	9	12	16	5	7	11	5	12	133

REG

Kept at *Brilley Vic*
 in the County of *NA*
 by *Rw. W.*

BRILLEY
 VICARAGE
 HEREFORD
 1911-1920

knowdon
 5 in.
 Above Ground 1 ft. in.
 Sea Level *590* ft.
 A.M.
 Name *Whitney-on-Wye*
 Distance *1 1/4* Direction *South*

FORM A2
 BRITISH RAINFALL
 2 - JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	<i>.02</i>	<i>—</i>	<i>.12</i>	<i>.01</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.23</i>	<i>—</i>	<i>—</i>	<i>.02</i>	<i>—</i>	1
2	<i>.01</i>	<i>—</i>	<i>.01</i>	<i>.01</i>	<i>.10</i>	<i>—</i>	<i>—</i>	<i>.09</i>	<i>—</i>	<i>.02</i>	<i>.06</i>	<i>.13</i>	2
3	<i>—</i>	<i>—</i>	<i>—</i>	<i>.03</i>	<i>.77</i>	<i>—</i>	<i>.05</i>	<i>.02</i>	<i>.05</i>	<i>—</i>	<i>.09</i>	<i>.13</i>	3
4	<i>—</i>	<i>—</i>	<i>.10</i>	<i>.01</i>	<i>.12</i>	<i>—</i>	<i>—</i>	<i>.13</i>	<i>—</i>	<i>—</i>	<i>.20</i>	<i>.28</i>	4
5	<i>.04</i>	<i>—</i>	<i>.04</i>	<i>.01</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.10</i>	<i>—</i>	<i>.15</i>	<i>.12</i>	<i>.03</i>	5
6	<i>.14</i>	<i>—</i>	<i>.07</i>	<i>.01</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.05</i>	<i>—</i>	<i>—</i>	<i>.15</i>	<i>.21</i>	6
7	<i>.01</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.32</i>	<i>.01</i>	7
8	<i>.06</i>	<i>—</i>	<i>.15</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.37</i>	<i>.34</i>	8
9	<i>.06</i>	<i>—</i>	<i>.01</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.38</i>	<i>.15</i>	9
10	<i>.01</i>	<i>.04</i>	<i>.12</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.02</i>	<i>.72</i>	10
11	<i>.12</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.07</i>	<i>—</i>	<i>.42</i>	<i>.26</i>	11
12	<i>—</i>	<i>.01</i>	<i>.33</i>	<i>—</i>	<i>.21</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.32</i>	<i>.01</i>	<i>.61</i>	<i>.14</i>	12
13	<i>—</i>	<i>—</i>	<i>.01</i>	<i>—</i>	<i>.01</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.09</i>	<i>.05</i>	<i>.05</i>	<i>.49</i>	13
14	<i>—</i>	<i>.04</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.05</i>	<i>—</i>	<i>.64</i>	14
15	<i>—</i>	<i>.05</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.01</i>	<i>.26</i>	<i>.26</i>	15
16	<i>—</i>	<i>—</i>	<i>.01</i>	<i>—</i>	<i>—</i>	<i>.11</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.01</i>	<i>.13</i>	<i>.07</i>	16
17	<i>—</i>	<i>.03</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>1.07</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.27</i>	<i>.76</i>	17
18	<i>.01</i>	<i>.49</i>	<i>.10</i>	<i>.24</i>	<i>—</i>	<i>.14</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.04</i>	<i>—</i>	<i>.28</i>	18
19	<i>—</i>	<i>.04</i>	<i>—</i>	<i>.24</i>	<i>—</i>	<i>.23</i>	<i>—</i>	<i>.04</i>	<i>.70</i>	<i>.18</i>	<i>—</i>	<i>.25</i>	19
20	<i>.01</i>	<i>.06</i>	<i>—</i>	<i>.07</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.08</i>	<i>.04</i>	<i>—</i>	<i>.34</i>	20
21	<i>—</i>	<i>.17</i>	<i>.29</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.25</i>	<i>.19</i>	<i>.42</i>	<i>—</i>	<i>.10</i>	21
22	<i>—</i>	<i>.03</i>	<i>.02</i>	<i>.03</i>	<i>—</i>	<i>.03</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.37</i>	<i>.01</i>	<i>.47</i>	22
23	<i>.01</i>	<i>.26</i>	<i>.10</i>	<i>.01</i>	<i>—</i>	<i>.07</i>	<i>—</i>	<i>—</i>	<i>.21</i>	<i>.21</i>	<i>—</i>	<i>.20</i>	23
24	<i>—</i>	<i>.03</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.04</i>	<i>—</i>	<i>.12</i>	<i>.01</i>	<i>.08</i>	<i>—</i>	<i>.15</i>	24
25	<i>.01</i>	<i>.28</i>	<i>—</i>	<i>.13</i>	<i>—</i>	<i>.24</i>	<i>—</i>	<i>—</i>	<i>.03</i>	<i>.01</i>	<i>—</i>	<i>.17</i>	25
26	<i>—</i>	<i>.17</i>	<i>—</i>	<i>.35</i>	<i>.41</i>	<i>.05</i>	<i>—</i>	<i>.17</i>	<i>—</i>	<i>.27</i>	<i>.08</i>	<i>.15</i>	26
27	<i>—</i>	<i>.10</i>	<i>.25</i>	<i>.11</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.26</i>	<i>.22</i>	<i>—</i>	<i>.04</i>	<i>.14</i>	27
28	<i>—</i>	<i>.24</i>	<i>.01</i>	<i>.20</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>.10</i>	<i>—</i>	28
29	<i>—</i>	<i>—</i>	<i>—</i>	<i>.17</i>	<i>—</i>	<i>—</i>	<i>.10</i>	<i>.01</i>	<i>.20</i>	<i>.42</i>	<i>.01</i>	<i>—</i>	29
30	<i>—</i>	<i>—</i>	<i>.03</i>	<i>.01</i>	<i>.04</i>	<i>.16</i>	<i>.01</i>	<i>.01</i>	<i>—</i>	<i>.29</i>	<i>.02</i>	<i>.01</i>	30
31	<i>—</i>	<i>—</i>	<i>.01</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>.08</i>	<i>—</i>	<i>—</i>	31
Total	<i>.51</i>	<i>2.04</i>	<i>1.78</i>	<i>1.64</i>	<i>1.66</i>	<i>2.14</i>	<i>.18</i>	<i>1.50</i>	<i>2.17</i>	<i>2.71</i>	<i>3.73</i>	<i>6.88</i>	TOTAL for year
No. of Rain Days	<i>13</i>	<i>16</i>	<i>19</i>	<i>17</i>	<i>7</i>	<i>10</i>	<i>4</i>	<i>14</i>	<i>12</i>	<i>19</i>	<i>22</i>	<i>27</i>	<i>180</i>

REGISTER OF RAINFALL IN 1912

FORM A2
BRITISH RAINFALL
2 - JAN 1912

Kept at Brilley Vicarage,
in the County of Hereford.
by Rw. W. Head.

Pattern Snowdon
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 590 ft.
Time of Observation 9 A.M.
Nearest Railway Station { Name Whitney-on-Wye
Distance 1 1/4 Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	—	.12	.01	—	—	—	.23	—	—	.02	—	1
2	.01	—	.01	.01	.10	—	—	.09	—	.02	.06	.13	2
3	—	—	—	.03	.77	—	.05	.02	.05	—	.09	.13	3
4	—	—	.10	.01	.12	—	—	.13	—	—	.20	.28	4
5	.04	—	.04	.01	—	—	—	.10	—	.15	.12	.03	5
6	.14	—	.07	.01	—	—	—	.05	—	—	.15	.21	6
7	.01	—	—	—	—	—	—	—	—	—	.32	.01	7
8	.06	—	.15	—	—	—	—	—	—	—	.37	.34	8
9	.06	—	.01	—	—	—	—	—	—	—	.38	.15	9
10	.01	.04	.12	—	—	—	—	—	—	—	.02	.72	10
11	.12	—	—	—	—	—	—	—	.07	—	.42	.26	11
12	—	.01	.33	—	.21	—	—	—	.32	.01	.61	.14	12
13	—	—	.01	—	.01	—	—	—	.09	.05	.05	.49	13
14	—	.04	—	—	—	—	—	—	—	.05	—	.64	14
15	—	.05	—	—	—	—	—	—	—	.01	.26	.26	15
16	—	—	.01	—	—	.11	—	—	—	.01	.13	.07	16
17	—	.03	—	—	—	1.07	—	—	—	—	.27	.76	17
18	.01	.49	.10	.24	—	.14	—	—	—	.04	—	.28	18
19	—	.04	—	.24	—	.23	—	.04	.70	.18	—	.25	19
20	.01	.06	—	.07	—	—	—	—	.08	.04	—	.34	20
21	—	.17	.29	—	—	—	—	.25	.19	.42	—	.10	21
22	—	.03	.02	.03	—	.03	—	—	—	.37	.01	.47	22
23	.01	.26	.10	.01	—	.07	—	—	.21	.21	—	.20	23
24	—	.03	—	—	—	.04	—	.12	.01	.08	—	.15	24
25	.01	.28	—	.13	—	.24	—	—	.03	.01	—	.17	25
26	—	.17	—	.35	.41	.05	—	.17	—	.27	.08	.15	26
27	—	.10	.25	.11	—	—	—	.26	.22	—	.04	.14	27
28	—	.24	.01	.20	—	—	—	.02	—	—	.10	—	28
29	—	—	—	.17	—	—	.10	.01	.20	.42	.01	—	29
30	—	—	.03	.01	.04	.16	.01	.01	—	.29	.02	.01	30
31	—	—	.01	—	—	—	.02	—	—	.08	—	—	31
Total	.57	2.04	1.78	1.64	1.66	2.14	.18	1.50	2.17	2.71	3.73	6.88	TOTAL for year
No. of Rain Days	13	16	19	17	7	70	4	14	12	19	22	27	180

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

Kept at Brilley Vicarage
in the County of Hereford
by Rev. W. Head.

Pattern Snowdon
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 590 ft.
Time of Observation 9 A.M.
Nearest Railway Station { Name Whitney-on-Wye
Distance 1 1/4 Direction South

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.21	—	—	.80	.01	.03	.02	.07	—	.16	1
2	—	.01	.30	.01	.02	.66	.22	—	—	—	—	.02	2
3	.04	—	.02	—	.03	.12	.01	1.02	.03	—	.02	.03	3
4	.38	—	.64	—	.17	.02	—	.11	—	—	.22	.02	4
5	.20	—	.30	.01	.06	.01	—	.52	.02	—	—	.02	5
6	.25	.20	.02	—	.07	—	—	.54	—	—	.01	.04	6
7	.03	.21	.04	—	.11	.62	.14	.03	—	—	—	.02	7
8	.56	.20	.11	.08	—	.04	—	.38	.01	.01	—	.01	8
9	.11	.02	.50	.17	—	.14	.01	.37	—	.01	.03	.44	9
10	.36	.06	.01	.01	—	.16	.01	.17	—	—	.08	—	10
11	.01	.07	.01	—	—	—	—	—	—	.01	.07	.73	11
12	—	.27	.11	.08	.09	.03	.05	—	—	—	—	.03	12
13	.02	.01	—	.01	—	—	—	.02	.06	.14	—	.10	13
14	.01	.01	.53	—	—	—	—	.14	—	.01	—	.03	14
15	.12	.13	.01	.01	.46	.16	—	—	—	—	.01	.34	15
16	.55	—	.14	—	.04	.01	—	.09	—	—	—	.07	16
17	.30	.01	.05	—	—	.09	—	.27	—	.09	—	.40	17
18	.36	.05	.04	—	—	—	—	.17	—	.04	.07	.13	18
19	.05	.04	.02	—	—	.02	.11	.30	—	.05	—	.02	19
20	.03	—	.39	—	—	.04	.11	.04	—	.21	.02	.02	20
21	.02	.02	.32	—	.57	—	.02	.43	—	.42	—	.01	21
22	.17 ^s	.14	.03	—	.34	.01	.33	.44	—	.02	.03	.13	22
23	.42 ^s	.08	.46	—	—	.11	.11	.27	—	.12	.12	.03	23
24	.20	.01	.01	—	—	.16	.06	.04	—	.01	—	.37	24
25	.01	—	—	—	—	.17	.02	1.20	—	.02	.42	.45	25
26	—	.16	—	—	—	—	.10	1.25	—	.81	.47	.40	26
27	—	.02	.15	—	—	.22	1.58	—	—	.87	—	.39	27
28	—	.12	—	.01	—	.18	.52	.57	.40	.24	.29	.13	28
29	—	.05	.26	—	—	.07	.13	.20	.60	.15	—	.02	29
30	—	—	.07	—	—	.05	.51	—	.01	.49	—	.01	30
31	.01	—	.13	—	.29	—	.05	.04	—	.02	—	.03	31
Total	4.21	1.89	4.88	.39	2.25	3.89	4.10	8.64	1.15	3.81	1.86	4.60	TOTAL for year 41.67
No. of Rain Days.	23	22	27	9	12	23	20	25	8	21	14	30	234

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.

Kept at Bulley Vicarage
in the County of Hereford
by Rev. W. Head.

Pattern Snowdon
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 590 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Whitney-on-Wye
Distance 1 1/2 m. Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.05	.14	.02	—	—	—	—	.16	—	.11	.01	1
2	.01	.29	.08	.06	.04	—	—	—	.07	1.17	.32	.02	2
3	.06	.02	.11	.01	.27	—	—	—	—	.02	.01	.17	3
4	.67	.09	.02	—	.06	—	.05	—	.68	.89	.05	.55	4
5	.08	.09	.03	—	.22	.21	—	—	.07	.34	.22	.06	5
6	.04	.16	.20	—	.07	.07	.08	—	—	.56	—	.35	6
7	.01	.48	.06	—	.26	.13	—	—	—	.33	.09	.01	7
8	.01	.19	.01	—	.39	.05	—	.03	—	.17	.01	—	8
9	—	.33	.02	—	.14	.56	.15	.15	.04	—	.21	.02	9
10	.25	.01	.02	.12	.08	—	—	.21	—	.30	.04	—	10
11	.45	.01	—	.36	.12	.02	—	.01	—	.03	.37	.01	11
12	—	—	—	—	.27	—	—	.01	.01	.01	.27	—	12
13	.02	—	.35	.03	.03	—	—	—	.36	—	.26	—	13
14	.21	—	.45	.13	—	—	—	.01	.03	.15	.05	—	14
15	.06	.01	.71	.92	—	—	—	.34	—	—	.11	.03	15
16	.13	.02	.40	.07	—	—	—	.01	—	.01	—	—	16
17	.05	—	.32	.17	—	—	—	—	—	—	.08	—	17
18	.15	—	.25	.19	.02	.01	.05	—	—	—	.08	.01	18
19	.17	—	.18	—	.01	.04	.05	—	.02	.14	.01	—	19
20	.19	—	.58	.17	—	.01	—	—	—	.08	.59	—	20
21	.01	—	.19	.07	.08	—	.17	.02	—	.03	.19	—	21
22	.60	—	.91	—	—	.14	—	.44	.49	—	.01	—	22
23	.02	—	.03	—	—	.05	—	.04	.17	—	.06	—	23
24	.11	—	.01	.02	—	—	—	—	—	.01	.12	—	24
25	.01	.03	—	.22	—	—	—	—	.09	.05	.04	.07	25
26	.01	—	—	.54	.60	—	—	.06	.02	.01	—	.41	26
27	.03	—	.12	.15	—	—	—	—	—	.87	—	.08	27
28	.21	—	.28	.31	.07	—	—	—	—	.20	—	.10	28
29	.01	—	.42	.43	.05	—	—	.02	—	.31	—	—	29
30	.17	—	—	—	—	—	—	—	—	.32	.15	—	30
31	.07	—	.25	—	.05	—	—	.02	—	.01	—	—	31
Total	3.85	1.78	6.14	3.99	2.83	1.29	.55	1.37	2.21	6.01	3.45	1.90	TOTAL FOR YEAR 35.37
No. of Rain Days.	29	14	26	19	19	11	6	14	13	23	24	15	213

REGISTER OF RAINFALL IN 1914

Kept at Brilley Vicarage,
in the County of Hereford.
by Rev. W. Head.

Lat. 52° 8' 5" N Long. 3° 4' 50" W
Time of Observation 9 a.m.
Nearest Railway Station Whitney-on-Wye. 14 1/2 m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 590 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.03	.09	.02	—	.08	.24	.57	—	—	.11	.08	1
2	—	—	.07	—	.02	—	1.00	.33	—	—	.48	.30	2
3	.01	—	.21	.13	.31	—	—	.05	—	—	.01	.32	3
4	.28	.01	.11	.07	.21	—	.30	.07	—	—	.60	.17	4
5	.20	—	.14	.39	.18	—	—	—	—	—	.43	.01	5
6	.07	.06	.01	.07	.04	—	.31	.01	—	—	.03	.18	6
7	—	.07	.32	.20	.30	.02	.08	.11	.05	—	—	.57	7
8	.01	—	.08	.01	.20	.52	—	.26	—	—	—	.18	8
9	.10	.09	.10	.22	.07	1.00	—	.17	.11	—	.02	—	9
10	—	.14	.03	.32	.06	.10	—	—	.22	—	.56	—	10
11	—	.26	.26	.01	.08	.14	.06	—	.01	—	.44	.61	11
12	—	.73	.13	—	—	—	—	—	.25	—	.16	.29	12
13	—	.44	.32	—	—	—	.16	—	.17	.32	.29	.18	13
14	—	.49	.23	—	—	—	—	—	.01	.03	.15	—	14
15	.01	.01	.35	—	—	—	.06	.03	.11	.02	.09	—	15
16	—	.01	.03	—	—	—	—	—	.06	—	—	.02	16
17	—	.18	.16	—	—	—	.05	—	.16	—	—	.08	17
18	.03	.01	.45	—	—	.12	—	—	.05	—	—	.29	18
19	—	.02	.07	—	—	—	.73	—	.05	—	.06	.15	19
20	—	.33	.12	—	—	.12	—	.01	—	—	—	.25	20
21	—	.40	.01	—	—	.03	.48	.20	—	.21	—	—	21
22	—	.23	.08	.03	.02	.05	.10	.10	—	.25	—	—	22
23	—	.15	.06	—	.05	—	.05	.01	—	.64	—	—	23
24	.02	—	.06	.01	—	—	.10	.31	—	.06	.03	—	24
25	.14	—	.09	—	.02	—	.07	.44	—	.25	.02	.17	25
26	.01	.01	.06	—	—	—	.07	.01	.01	.16	.14	.30	26
27	.02	—	.01	—	—	—	—	—	—	.05	.56	.75	27
28	.05	.07	.03	—	.09	—	.10	—	—	.04	.04	.56	28
29	.08	—	.16	—	.09	—	—	—	—	.09	.34	.01	29
30	.03	—	.21	.01	—	—	—	—	—	.08	.58	.31	30
31	.34	—	—	—	—	—	.16	—	—	.44	—	.19	31
Total	1.40	3.74	4.05	1.49	1.74	2.18	4.12	2.68	1.26	2.64	5.14	6.87	37.31
Rain Days.	16	21	30	13	15	10	18	16	13	14	21	23	210

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915

Kept at Bulley Vicarage
in the County of Hereford.
by Rev W. Head.

Lat. 52° 6' 5" N Long. 3° 4' 50" W
Time of Observation 9 a.m.
Nearest Railway Station Whitney 1 1/4
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 590 ft.

2357
FORM A.
BRITISH RAINFALL
8 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.48	.10	.09	—	.19	—	—	.15	.14	.35	.01	.14	1
2	.19	.22	.25	.17	—	.07	—	.91	.02	.13	—	.15	2
3	.18	.03	.05	.08	.07	—	.57	.01	—	—	—	.25	3
4	.07	.29	—	—	.17	—	.21	.02	—	—	—	1.00	4
5	.01	.44	.01	.01	—	—	.03	.09	—	—	—	.57	5
6	.14	.08	.01	.19	—	—	.66	.10	—	—	—	.16	6
7	.22	.52	—	.09	1.59	—	.11	.05	—	.01	—	.54	7
8	.38	.40	—	.06	—	—	—	.02	—	—	.18	—	8
9	.06	.67	—	.07	—	—	—	—	—	.01	.50	.77	9
10	.36	.06	.03	.07	—	—	—	.02	—	.09	.14	.02	10
11	.12	—	.03	—	—	—	—	.03	—	.01	1.39	.04	11
12	.05	.18	—	.07	.69	—	—	.05	.01	—	.56	—	12
13	.02	1.02	—	—	.84	—	—	.06	.04	.03	.05	.04	13
14	.01	.01	—	—	—	—	—	.05	.06	—	.02	.27	14
15	.65	—	—	—	.10	—	.08	.20	—	.03	.06	.06	15
16	.05	.32	—	—	.60	—	1.39	.11	—	.01	—	.01	16
17	—	.10	.02	—	1.09	—	—	—	—	—	—	.01	17
18	.01	.52	.02	—	—	—	—	—	—	—	—	—	18
19	—	.02	—	.05	.04	—	.41	—	—	—	—	—	19
20	.17	—	—	.02	—	—	.03	—	—	.01	—	.04	20
21	.14	—	—	.02	—	—	.25	—	—	.10	—	.01	21
22	.03	—	.24	.07	—	—	.37	—	—	.01	—	.35	22
23	.07	.05	.10	—	—	.03	.01	—	—	.70	—	.37	23
24	—	—	.14	.08	—	—	—	—	.25	1.10	—	.62	24
25	—	—	—	—	—	.43	.17	—	—	.01	—	.32	25
26	—	.07	—	—	—	—	.29	—	.05	.01	—	.55	26
27	—	.20	—	—	—	.12	.36	—	—	.35	—	.20	27
28	—	.30	.01	—	—	.10	—	—	.15	.03	—	.03	28
29	—	X	—	—	—	.28	—	.01	—	.02	.27	.07	29
30	.12	X	—	.01	—	.47	.05	—	—	.64	.16	.21	30
31	.01	X	—	X	—	X	.05	.16	X	1.11	X	.57	31
Total	3.54	5.60	1.00	1.06	5.38	1.50	5.04	2.04	.72	4.76	3.34	7.37	41.35
Rain Days.	23	21	13	15	10	7	17	17	8	21	11	27	190
YEAR'S TOTAL													41.35

REGISTER OF RAINFALL IN 1916

Kept at *Bulley Vicarage.*
in the County of *Hereford.*
by *Rev W. Head.*

Lat. *52° 8' 5" N* Long. *3° 4' 50" W*
Time of Observation *9 a.m.*
Nearest Railway Station *Whitney-on-Wye, 14 miles*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
" " " " Sea Level *590* ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.35	.01	.02	—	—	.16	.17	—	—	.24	.25	—	1
2	.58	.14	.36 ^s	—	—	—	.18	—	.10	.02	.27	—	2
3	—	.59	—	—	.06	.03	.02	—	.16	.26	.33	—	3
4	.21	.41	—	—	.51	.37	—	—	.04	.08	.72	—	4
5	.07	.01	.01	—	.26	.10	.01	—	—	.24	.22	—	5
6	.08	.44	.05 ^s	—	.05	—	.47	—	—	.28	.18	.02	6
7	.16	.04	.07 ^s	—	.20	—	.17	—	.03	.21	.29	.11	7
8	—	.09	.03	—	.30	.02	.02	—	—	.03	.15	.10	8
9	—	.01	.01	—	.10	.03	—	—	—	—	.06	.01	9
10	.01	.31	.04 ^s	.07	.02	.02	.03	—	—	—	—	—	10
11	.05	.01	.09 ^s	.14	.06	.08	.30	—	—	—	—	—	11
12	.07	.06	.04	.14	.52	—	—	.04	—	.06	—	—	12
13	.01	.20	.32	—	.01	—	.01	.50	—	.03	—	—	13
14	—	.50 ^s	.38	.08	.04	—	—	.38	—	.15	.03	—	14
15	—	.75	.30	.17	.18	—	—	.09	—	.09	—	—	15
16	—	.16	—	.15	.01	—	.03	—	—	.08	—	—	16
17	.07	.22	—	.30	—	—	—	—	.30	.46	.05	—	17
18	.02	.23	.15	.20	—	—	—	—	.17	.02	—	.10	18
19	.17	.01	.87	.14	—	—	—	—	—	—	.23	.01	19
20	.16	.02	.34	.02	—	—	—	—	—	—	.05	.18	20
21	.05	—	.46	.29	.04	.02	.24	—	—	—	—	.14	21
22	—	—	—	.02	—	.02	—	—	—	.11	—	.18	22
23	.03	.10 ^s	—	.03	—	—	—	.21	—	.11	.02	.41	23
24	—	.14 ^s	.08	—	1.61	.01	—	.14	—	.42	—	.12	24
25	—	.07 ^s	.22	—	.04	.04	—	.17	—	.12	.32	.05	25
26	—	.06 ^s	.05	—	.09	.21	—	.17	.12	.66	.02	—	26
27	.05	.07 ^s	.42 ^s	—	.03	—	—	.18	.31	.37	—	—	27
28	—	.29 ^s	.05 ^s	—	.01	.04	—	—	.02	.25	.01	.25	28
29	—	.20	—	—	—	.25	—	.35	.01	.30	—	.30	29
30	—	X	—	—	—	.03	—	—	—	.23	—	—	30
31	—	X	.01	X	—	X	—	.09	X	.53	X	.15	31
Total	2.14	5.14	4.37	1.75	4.14	1.43	1.65	2.32	1.26	6.25	3.20	2.13	35.78
Rain Days.	17	27	23	13	20	16	12	11	10	25	17	15	206

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1917

Kept at Brulley
in the County of Hereford
by Rev W. Head.

Lat. 52° 8' 5" N Long. 3° 4' 50" W
Time of Observation 9 a.m.
Nearest Railway Station Whitney-on-Avon
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 590 ft.

FORM A.
BRITISH RAINFALL.

JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	—	.08	.52	—	.50	—	.12	.17	—	.04	.14	1
2	—	—	.03	.01	—	.15	—	—	—	—	.30	.04	2
3	—	—	—	.27	—	.10	—	—	—	.36	.06	—	3
4	.06	.04	.49	—	—	.06	—	.03	—	.34	—	—	4
5	.19	—	.25	.15	—	.06	—	.10	.83	.30	.12	—	5
6	.02	—	.70	—	—	.09	—	—	—	.10	.42	.02	6
7	.25	—	—	—	—	—	.10	.35	—	.37	.19	.03	7
8	.60	—	.20	.24	—	.01	.50	.63	.03	.46	.18	.09	8
9	—	—	.10	.17	.12	—	—	.57	.23	.09	.54	—	9
10	.16	—	.20	.16	.12	—	—	.16	—	—	—	—	10
11	.06	—	.02	.10	.02	—	—	.27	—	.39	.04	—	11
12	.04	.03	—	—	1.06	—	—	.12	—	.23	—	.01	12
13	—	—	.05	—	—	—	—	.75	.08	.02	—	—	13
14	—	—	—	.20	—	—	.01	.23	—	.04	—	.01	14
15	.02	—	—	.04	.06	—	.22	.06	.01	.06	—	.14	15
16	—	.03	—	.14	—	.12	.10	—	—	—	—	.34	16
17	—	—	—	.08	.47	.11	.40	.93	.22	.16	.02	—	17
18	.02	.08	—	—	.07	—	.46	.10	.75	—	.01	—	18
19	.01	.35	.25	—	—	.43	—	—	.03	—	.02	—	19
20	—	.02	—	—	.66	.02	.05	.04	.11	—	.01	—	20
21	—	.03	.19	—	.06	.02	—	.01	—	.03	—	—	21
22	—	.02	—	—	.01	.01	—	.27	.01	.04	—	—	22
23	—	.10	—	—	.23	—	—	.41	—	.12	.02	—	23
24	—	.10	—	—	—	.10	—	.12	—	.37	.20	—	24
25	—	.03	.08	—	—	—	—	.14	—	.17	.07	—	25
26	—	—	—	—	.02	.07	—	.70	.10	.06	.02	—	26
27	—	—	.01	—	.92	.46	.44	.71	—	.02	.02	—	27
28	—	.04	.30	—	.06	.03	—	.29	—	—	—	.02	28
29	—	X	.06	—	—	—	.01	.32	—	.46	—	.35	29
30	—	X	.01	—	.01	—	—	.28	—	.17	.05	—	30
31	—	X	.36	X	.15	X	—	.20	X	.04	X	—	31
Total	1.45	.87	3.38	2.08	4.04	2.34	2.29	7.91	2.57	4.40	2.33	1.19	34.85
Rain Days.	12	12	18	12	16	17	10	26	12	23	19	11	188

REGISTER OF RAINFALL IN 19/8

Kept at Brilley Vicarage
in the County of Hereford
by Rev. W. Head

Lat. 52° 8' 5" Long. 3° 4' 50" W
Time of Observation 9 a.m.
Nearest Railway Station Whitney-on-Wye
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 590 ft.
" " " " Sea Level 590 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.03	—	.05	—	—	—	.04	.30	.03	1.04	—	1
2	—	.09	—	.01	—	—	—	.79	.01	.01	.04	.24	2
3	—	.10	—	.26	.41	—	—	.12	.65	.15	.04	—	3
4	—	.06	—	.03	—	—	—	.07	.42	.23	.34	.53	4
5	—	.12	—	.13	.29	—	—	.25	.25	.26	.01	.02	5
6	.04	.35	—	.25	—	.03	—	—	.08	.29	—	.05	6
7	—	.09	—	.02	.45	—	—	—	.58	.07	.22	.02	7
8	—	.24	—	—	—	—	—	—	.19	.21	.02	.02	8
9	.10	.58	—	.29	—	.33	.01	—	.32	.08	.06	.08	9
10	.05	.03	—	.06	—	—	.60	—	.14	.04	.01	.20	10
11	.01	.02	.06	.07	.03	—	.57	—	.09	.11	.05	.11	11
12	.02	.09	.05	.03	.12	—	.08	—	.12	.01	—	.02	12
13	—	.02	—	—	.01	.01	.03	—	.19	.01	.01	.07	13
14	.44	—	.14	—	—	.07	.22	.01	.29	.04	—	.27	14
15	.90	—	—	—	—	.02	.70	—	.16	.01	—	.60	15
16	.10	—	.01	.82	—	.01	.12	.02	.65	—	—	.13	16
17	.05	—	—	—	—	—	.37	.02	.28	.08	—	.16	17
18	.45	—	.03	—	—	.21	.12	—	.52	.01	—	.55	18
19	.12	.06	.18	—	—	—	.08	—	.06	.07	—	.14	19
20	.18	.14	—	.21	—	.04	.08	—	.48	—	—	—	20
21	.08	.12	—	.45	—	—	.04	—	.40	—	—	.12	21
22	—	.01	—	—	.17	—	.14	—	.20	.01	—	.42	22
23	—	—	—	—	1.03	—	.08	—	.02	—	.04	.01	23
24	.08	.02	—	—	—	—	.05	.09	.10	.02	.08	.07	24
25	.01	—	—	—	.41	—	.37	.80	—	.05	.06	.02	25
26	—	—	—	—	—	—	.27	—	.05	.03	.06	.19	26
27	—	.08	.19	—	—	—	—	.29	.33	—	.05	.17	27
28	—	.08	.68	—	—	—	—	—	.01	—	.06	.22	28
29	.02	~~X~~	.10	—	—	—	—	—	.97	—	.01	.08	29
30	—	~~X~~	.18	—	—	—	—	—	.01	.03	.04	.10	30
31	.02	~~X~~	.47	~~X~~	—	~~X~~	—	.05	~~X~~	—	~~X~~	.02	31
Total	2.67	2.33	2.09	2.68	2.92	.72	3.93	2.55	7.87	1.85	2.24	4.63	36.48
Rain Days.	17	20	11	14	9	8	18	12	29	23	19	28	208

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1919

Kept at Brilley Neaige
in the County of Hereford
by Rev. W. Head

Lat. 52° 8' 5" N Long. 3° 4' 50" W
Time of Observation 9 a.m.
Nearest Railway Station Whitney-on-Wye
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 590 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.39	—	.05	—	.13	—	.15	—	.04	.24	.02	.42	1
2	.13	—	.05	—	—	—	.03	—	.04	.03	.06	.13	2
3	.01	—	.08	—	.02	.23	.12	—	.04	—	.05	.23	3
4	.01	.09	.22	—	.03	—	.13	.02	.09	.01	—	.18	4
5	.03	.56	—	—	—	—	.02	—	—	—	.01	.58	5
6	.45	—	.29	—	.01	—	.02	—	—	—	.02	.30	6
7	.21	—	.17	.05	.03	—	—	—	.02	—	.01	.02	7
8	.30	—	.05	.08	—	.09	—	—	—	—	.01	—	8
9	.34	—	.02	.14	—	—	—	—	—	—	—	—	9
10	.16	—	.65	.01	.02	—	—	—	—	.03	.05	.08	10
11	.02	—	1.63	.04	.08	.01	.15	—	—	.01	—	.01	11
12	.01	—	.58	.06	—	.76	.01	—	.12	.03	.06	.01	12
13	.10	.01	—	.18	—	.01	—	—	1.12	.13	—	.07	13
14	.47	.04	—	.53	—	—	—	—	.48	.03	—	.09	14
15	.67	.05	—	.11	—	—	—	.04	.01	11	—	.30	15
16	.28	1.29	—	—	—	—	—	.08	—	—	.10	.01	16
17	.01	.88	—	—	—	.04	—	.03	—	—	.36	.01	17
18	.01	—	.64	—	—	—	.01	.27	.02	—	.09	.05	18
19	.15	.28	1.01	—	—	.17	.45	.33	.24	—	.17	.01	19
20	.18	.06	.54	—	—	.05	—	.08	.01	—	.09	.12	20
21	.01	.64	.02	—	—	—	.12	—	.04	—	—	.16	21
22	.01	.12	—	—	—	—	.01	—	.28	—	.03	.37	22
23	—	—	—	—	—	.01	—	—	—	.52	.09	.10	23
24	.05	—	—	.03	—	.03	.03	—	—	.37	.24	.22	24
25	.09	.01	—	.12	.06	.01	—	.98	.04	—	.15	.03	25
26	—	.01	.22	—	—	.04	—	.21	.03	—	—	.32	26
27	.29	—	.10	.56	—	—	—	.58	—	—	.20	.08	27
28	.03	—	.28	.02	—	—	—	.33	—	—	.07	.35	28
29	.04	X	—	.01	—	—	—	.01	—	.15	—	.18	29
30	—	X	.07	.04	—	.12	—	.19	X	—	.12	.33	30
31	.01	X	.01	X	—	X	.02	—	X	—	X	.01	31
Total	4.46	4.04	6.68	1.98	.38	1.57	1.27	3.15	2.62	1.66	2.00	4.77	34.58
Rain Days.	28	13	20	15	8	13	14	13	16	12	21	29	202

REGISTER OF RAINFALL IN 1922.

Kept at Brulley Reservoir
in the County of Hereford
by Rev. W. Head

Lat 52° 8' 5" N Long 3° 4' 50" W
Time of Observation 9 A.M.
Nearest Railway Station Whitney
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 590 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.03	.15	.26	—	.47	—	.07	.16	—	.36	1
2	.07	—	—	.11	.02	—	.45	.05	.01	.11	—	.26	2
3	.02	.06	—	.36	—	.01	.56	—	.01	.99	—	.24	3
4	—	—	.01	.01	.04	—	.03	.45	—	.24	—	—	4
5	—	.01	.16	.16	.21	—	.33	.05	.02	.21	—	—	5
6	—	—	.36	.01	.14	—	.16	—	—	.22	—	.02	6
7	—	—	.04	.11	—	—	.19	—	—	.01	—	.01	7
8	.46	.12	—	.80	.18	—	.27	.25	—	.02	—	—	8
9	.57	.13	—	.53	—	—	.03	.01	—	—	—	—	9
10	.52	.23	.05	.04	—	1.32	.09	—	—	.02	.04	.03	10
11	.23	.06	.11	.80	.20	.01	.06	—	—	—	—	.01	11
12	.19	.09	.01	.13	—	.61	.02	.14	—	.06	.11	—	12
13	.14	.03	.25	.35	—	.05	—	—	—	—	—	—	13
14	.01	.03	.55	.42	—	.07	.07	—	.57	.40	.45	.07	14
15	—	.15	.19	.82	.09	.05	—	—	—	.01	.10	—	15
16	—	.14	.06	.34	.14	.67	.61	—	.14	.92	.15	—	16
17	.06	—	.04	.23	.22	.22	.01	.09	1.02	.31	—	.02	17
18	.13	—	—	.08	.11	.03	.01	.01	.62	.01	—	.01	18
19	.08	.53	—	.10	.06	.09	—	—	.01	—	.01	—	19
20	.02	.12	—	.37	—	.03	.02	—	—	—	—	.08	20
21	—	.01	—	.01	—	—	.32	—	—	.85	—	.20	21
22	.10	—	—	.08	—	—	.10	.06	.01	—	—	.30	22
23	—	—	.01	—	—	—	.23	.01	—	—	—	.42	23
24	.38	—	.23	.04	—	—	.01	—	—	—	.08	.26	24
25	.03	.05	.21	—	—	.01	.98	—	—	—	—	.01	25
26	.18	.07	.43	.15	.01	.02	.05	—	—	.01	.08	.12	26
27	.19	.02	.42	.11	.03	.28	.11	—	.01	—	.03	.54	27
28	.61	—	.18	.02	.15	.05	.02	—	—	—	—	.05	28
29	.26	—	.29	.04	.24	.05	.28	—	—	—	.09	.65	29
30	.08	—	.36	.25	.06	.17	.02	—	.26	—	.22	.26	30
31	.18	—	.17	—	—	—	.03	—	—	.48	—	.11	31
TOTAL	4.51	1.85	4.16	6.62	2.16	3.74	5.53	1.12	2.75	4.23	1.36	4.03	YEAR'S TOTAL 42.06
Days with .01 in. or more	22	17	22	28	17	18	28	10	12	18	11	22	22.5

REGI

BROMYARD
BUCKENHILL

HEREFORD

Kept at

Buckenh

in the County of

Herefo

by

Mrs E Phipps

R.P. J. Rogers

1911 - 1920

8 in.

e Ground 1 ft. 6 in.

Sea Level 410 ft.

Name

Bromyard

Distance

1 1/2 miles Direction

FORM A2.
BRITISH RAINFALL.
JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02		05	03	05		02	21			04		1
2	01				03		01	21		08	09	08	2
3					43		~~01~~	05		01	03	05	3
4			18	*03					13			42	4
5	09		06	*01				04		07	12	03	5
6	28		03					03			10	51	6
7											03		7
8			17								48	34	8
9	07		05								14	06	9
10	02	09	42								08	48	10
11	*15	02									45		11
12			*38								07	05	12
13			*01		06				12			33	13
14		02	02									69	14
15		03									03	09	15
16						04					08	07	16
17					34	59					26	66	17
18		17	04	09		08	01					53	18
19				11		89	01		83	28	02	08	19
20		05		08				58	12	04		47	20
21		14	06					99		21		15	21
22		04	03			06				13		43	22
23		16	13			1'02			18	10			23
24		05		06		27		17		03		25	24
25			*01			10						22	25
26		26		31	1'23	01		03		26	*19	10	26
27		12	20	14				52		14	*06	08	27
28		23		20					19	08			28
29				17		10	59		20				29
30			04		05		03	09		11	14		30
31					34		04			27		01	31
Total	0'64	1'38	1'88	1'23	2'53	3'16	0'71	2'92	1'77	1'81	2'41	6'18	TOTAL for year 266.2
No. of Rain Days.	7	13	17	11	8	10	7	11	7	14	18	24	147

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
JAN 1912

Kept at Buckenhill
in the County of Hereford
by Mrs E Phipps
P. P. J. Rogers

Pattern
RAIN GAUGE Diameter of top 8 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 410 ft.
Time of Observation 9 AM
Nearest Railway Station { Name Bromyard
Distance 1 1/2 miles Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02		.05	.03	.05		.02	.21			.04		1
2	.01				.03		.01	.21		.08	.09	.08	2
3					.43		~~.21~~	.05		.01	.03	.05	3
4			.18	*.03					.13			.42	4
5	.09		.06	*.01				.04		.07	.12	.03	5
6	.28		.03					.03			.10	.51	6
7											.03		7
8			.17								.48	.34	8
9	.07		.05								.14	.06	9
10	.02	.09	.42								.08	.48	10
11	*.15	.02									.45		11
12			*.38								.07	.05	12
13			*.01		.06				.12			.33	13
14		.02	.02									.69	14
15		.03									.03	.09	15
16						.04					.08	.07	16
17					.34	.59					.26	.66	17
18		.17	.04	.09		.08	.01					.53	18
19				.11		.89	.01		.83	.28	.02	.08	19
20		.05		.08				.58	.12	.04		.47	20
21		.14	.06					.99		.21		.15	21
22		.04	.03			.06				.13		.43	22
23		.16	.13			1.02			.18	.10			23
24		.05		.06		.27		.17		.03		.25	24
25			*.01			.10						.22	25
26		.26		.31	1.23	.01		.03		.26	*.19	.10	26
27		.12	.20	.14				.52		.14	*.06	.08	27
28		.23		.20					.19	.08			28
29				.17		.10	.59		.20				29
30			.04		.05		.03	.09		.11	.14		30
31					.34		.04			.27		.01	31
Total	0'64	1'38	1'88	1'23	2'53	3'16	0'71	2'92	1'77	1'81	2'41	6'18	TOTAL for year 266.2
No. of Rain Days.	7	13	17	11	8	10	7	11	7	14	18	24	147

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
3- JAN 1913

Kept at Buckenhill
in the County of Hereford
by Mrs E Phipps

Lat. _____ Long. _____
Time of Observation 9 AM
Nearest Railway Station Bromyard
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 410 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1					. 01	. 42	. 16		. 02	. 08		. 10	1
2			. 35	. 02	. 02	. 67	. 26	. 02				. 02	2
3			. 02		. 06	. 18	. 05	. 91	. 07				3
4	. 20		. 62		. 11	. 56		. 07			. 21		4
5	. 26	. 23	. 34		. 16	. 02		. 45	. 02				5
6	. 18	. 06	. 03		. 02	. 43	. 01	1'06	. 01				6
7		. 25	. 06		. 07	. 27		. 15	. 01				7
8	. 34	. 10	. 23			. 04	. 05	. 21				. 04	8
9	. 03		. 48	. 05		. 14		. 27				. 31	9
10	. 17	. 07				. 04	. 02	. 10			. 10		10
11	. 02	. 08						. 03			. 08	. 54	11
12		. 21	. 15	. 02	. 13	. 18	. 03					. 02	12
13								. 16				. 04	13
14	. 11		. 55			. 07		. 04	. 02				14
15	. 07	. 10			. 61	. 19						. 09	15
16	. 92		. 21		. 01	. 02		. 14		. 11		. 02	16
17	*1'17		. 05			. 04		. 44			. 05	. 33	17
18	. 21		. 04					. 15				. 01	18
19	. 13	. 03			. 02		. 10	. 27				. 04	19
20	. 02		. 30			. 04	. 06	. 17		. 28	. 04		20
21			. 28		1'03		. 65	. 48		. 30			21
22	. 36	. 14	. 05		. 37	. 02	. 47	. 34				. 16	22
23	. 24	. 12	. 38			. 01	. 79	. 17		. 04	. 07	. 10	23
24						. 27	. 07	. 11				. 22	24
25						. 27		. 68			. 23	. 37	25
26		. 11	. 03				. 40	1'25		. 67		. 42	26
27						. 53	. 70			. 85	. 38	. 29	27
28		. 02				. 05	. 51	. 64	. 16	. 27	. 42	. 28	28
29		. 08				. 14	. 11		. 85	. 13		. 02	29
30						. 10	. 04	. 04		. 23			30
31			. 28		. 20		. 50	. 06				. 04	31
Total	2'23	1'60	4'45	. 09	2'82	4'70	4'98	8'41	1'16	2'96	1'58	3'46	YEARS TOTAL 40'64
Rain Days.	16	14	19	3	14	24	19	26	8	10	9	21	183

REGISTER OF RAINFALL IN 1913

Kept at Buckenhill
in the County of Hereford
by Mrs E Phipps

Lat. 52° 13' Long. 2° 30'
Time of Observation 9 AM
Nearest Railway Station Bromyard
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 410 ft.

BRITISH RAINFALL
FORM A.
6 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			10	08					69		06		1
2		24	04	05					04	35	18		2
3	05				52							09	3
4	82	03	03		31				70	85	05	26	4
5	09	10			06	43	17		06	47	02		5
6	02	08	16		33	17	18			94		37	6
7		21			28	02				51	15		7
8		13			17	03	02	04		17			8
9		39			06	24	03	59	19		09	01	9
10	21		01	12	25			03		04	12		10
11	79			34	31			08		03	54		11
12					37						46		12
13	02		17		04				14				13
14	17		48	20			01	04	02	13	14		14
15	03		63	76					13		09		15
16	07		68	05									16
17			02	07		01	25		04				17
18	02		26				05				08		18
19	15		10			03	05		09				19
20	13		47	19						06	25		20
21			28	13	03		11	18			36		21
22	59		55			16		36	42				22
23			03			04		10	04		07		23
24	11			02				01			01		24
25				23					05				25
26		09		49				30	01			14	26
27			08	37						22			27
28	23		16	31	13					38		04	28
29			60	66				12					29
30	23									59	18		30
31	05		23					08		05			31
Total	3'78	1'27	5'08	4'07	2'86	1'13	0'87	1'93	2'62	4'79	2'88	0'91	YEAR'S TOTAL 32'19
Rain Days.	18	8	20	16	13	9	9	12	14	14	17	6	156

REGISTER OF RAINFALL IN 1914

Kept at Buckenhill
 in the County of Hereford
 by Mrs E Phipps

Lat. 52°13' N Long. 2°30' West
 Time of Observation 9 A.M.
 Nearest Railway Station Bromyard
 Diameter of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. 6 in.
 " " " " Sea Level 410 ft.

FORM A.
 BRITISH RAINFALL
 - JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		· 01		· 02		· 03	· 73	· 05			· 03	· 04	1
2							· 33	· 22			· 60	· 36	2
3				· 14	· 18			· 02				· 09	3
4	· 30		· 02	· 20	· 08		· 19	· 04			· 65	· 53	4
5	· 08		· 04	· 05	· 19		· 09				· 24	· 03	5
6	· 05	· 11		· 10	· 04		· 25	· 03				· 04	6
7		· 14	· 39	· 04	· 28	· 09	· 01	· 09	· 11			· 34	7
8			· 03	· 01	· 03	· 61		· 04				· 15	8
9	· 13	· 04	· 15	· 30	· 02	1·56		· 02	· 14				9
10		· 05		· 21	· 08	· 12			· 32				10
11		· 06	· 31		· 10	· 13					· 13	· 64	11
12		· 22	· 15				· 12		· 25		· 04	· 35	12
13		· 14	· 26				· 05		· 04	· 14	· 11	· 42	13
14		· 20	· 18							· 10	· 10		14
15			· 13						· 05		· 06		15
16									· 12				16
17		· 14	· 14						· 02			· 24	17
18		~~· 01~~	· 03									· 43	18
19							· 93				· 05		19
20		· 31	· 04									· 31	20
21		· 44				· 21	· 41	· 14		· 19			21
22		· 06			· 18	· 16		· 08		· 16			22
23		· 04	· 14		· 08		· 03			· 15			23
24			· 11				· 04	· 10		· 04			24
25	· 14		· 04				· 13	· 35		· 34	· 04	· 25	25
26							· 03	· 16		· 10	· 18	· 26	26
27	· 05										· 24	· 31	27
28		· 08	08		· 01					· 09	· 14	· 89	28
29	· 03		· 12		· 09					· 20	~~· 18~~		29
30			· 03		· 02					· 08	· 43	· 54	30
31	· 24						· 14			· 10		· 09	31
Total	1·02	2·16✓	2·48	1·04	1·41	2·91	3·51	1·34	1·11	1·45	3·25	6·40	YEAR'S TOTAL 28·44✓
Rain Days.	8	· 15✓	19	9	14	8	15	13	8	12	16	20	154✓

REGISTER OF RAINFALL IN 1915

Kept at Buckenhill
 in the County of Hereford
 by Mrs E Phipps

Lat. 52° 13' N Long. 2° 30' W
 Time of Observation 9 A.M.
 Nearest Railway Station Bromyard
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. 6 in.
 " " " " Sea Level 210 ft.

2369
 FORM A.
 BRITISH RAINFALL
 4. JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	31	12			28		04	03	34	22	01	04	1
2	04	16	19	24		10		129	04	19		10	2
3	92	09			05		92	42	01			18	3
4		05			09		59	27				66	4
5	02	25						06				26	5
6	10	04		18			58	07				08	6
7	11	32		08			07	02				33	7
8	25	35									14		8
9	24	24		15							20	42	9
10	28		05	03				01				08	10
11	01			02	08					05	113	01	11
12	07	02		16	41			07		09	80		12
13		82			78			22		10		03	13
14		04						17	12	03		43	14
15	32	34			07		02	12			12	12	15
16	02			01	20		180	02					16
17		22			72							02	17
18	07	48											18
19		02			11		01						19
20	08			10								13	20
21	17						22			15		05	21
22	06		22	05			20					20	22
23		11	04			08	24			78		35	23
24			02				63		42	92		28	24
25						56	21					20	25
26		05					26		01			34	26
27		13					40			48		15	27
28		15				01			16	02		01	28
29						07	03	11	02		07	06	29
30	07	X				10	01			34	10	05	30
31		X		X		X	08		X	112	X	43	31
Total	3'14	4'20	0'52	1'02	2'49	0'92	6'31	2'88	1'12	4'49	2'54	5'21	35'17
Rain Days.	18	20	5	10	10	6	18	14	8	13	8	26	156

REGISTER OF RAINFALL IN 1966

Kept at Buckenhill
in the County of Hereford
by Mrs E Phipps

Lat. 52°13'N Long. 2°30'West
Time of Observation 9 A.M.
Nearest Railway Station Bromyard
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 410 ft.

FORM A.
BRITISH RAINFALL.
3 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04		.03		.04	.17	.05			.17	.18		1
2	.34	.08	.29		.21		.04		.11	.60	.04		2
3	.06	.83								.14	.15		3
4		.16			.49	.51	.03			.03	.41		4
5	.09	.02	.04		.33	.05	.15			.08	.24		5
6	.01	.34	.06		.17	.04	.47			.10	.34		6
7	.03		.08		.04		.10				.27	.15	7
8	.02	.02	.05		.21						.02	.33	8
9					.18	.10				.08	.03		9
10		.39	.09	.02		.03							10
11		.04	.05	.06	.09	.19				.03		*.14	11
12		.13			.54		.16						12
13		.24	.27				.02	.31				.04	13
14		.54	.04		.04			.07		.07			14
15		.36	.26		.17		.03	.41		.09			15
16		.03		.25	.02		.06	.05		.03			16
17	.09	.11		.10			.02		.38	.37			17
18		.06	.03						.23		*.11	*.27	18
19	.05		.36	.13							.61		19
20	.06		.53	.04							.06	.24	20
21			.43	.02	.07		.18					.23	21
22				.06		.03				.14		.25	22
23		*.49	.03	.02				.13				*.40	23
24		*.21	.08		.48			.11		.15		.19	24
25		*.04	.05					.07		.07	.21		25
26	.02	*.16	.02			.09		.08	.02		.01		26
27		*.06	*.01			.15	.05	.01	.20	.41			27
28	.03	*.65	*.03			.08				.10		.09	28
29		.22				.22		.53		.21		.12	29
30		X				.04				.18			30
31		X		X		X		.06	X	.30	X	.03	31
Total	0'84	5'18	3'86	0'70	3'11	1'40	1'49	1'83	0'94	3'41	2'58	2'48	28'12
Rain Days.	12	22	21	9	15	13	13	11	5	20	14	13	168

REGISTER OF RAINFALL IN 1917

2185

Kept at Buckenhill
in the County of Hereford
by Mrs Phipps

Lat. 52° 13' Long. 2° 30' West
Time of Observation 9 A.M.
Nearest Railway Station Bromyard
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
8. JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			.05	.33		.25		.55	.13				1
2						.07		.10			.15		2
3	.06			.20				.04		.25	.01		3
4		.07	.39	.09				.31		.13			4
5	.08		.16	.08					.02	.15	.12		5
6			.23			.18				.12	.13		6
7	.29			.02			.03			.09	.05		7
8	.43			.10			.31	.67		.27	.19		8
9			.25	.07	.19			.84	.10	.02		.09	9
10			.24	.15	.28			.15	.07	.04			10
11	.09		.15	.14	.02			.09		.23	.02		11
12	.03			.01				.01		.20			12
13	.01		.06					.02	.10				13
14			.29					.29				.02	14
15	.01				.12		.18	.10				.08	15
16	.03			.31		.11				.03		.31	16
17				.13	.54	.02	.36	.39	.12	.10			17
18				.01	.22		.37	.04	1.02				18
19		.43	.41			.42			.09		.02		19
20		.19	.03		.63	.19	.40		.01		.01		20
21		.01	.24		.06	.12		.02			.04		21
22			.02		.02	.06		.04	.03	.06			22
23		.21			.18			.31		.04	.01	.01	23
24		.04				.16				.02	.03		24
25		.07	.08					.01		.31	.04		25
26						.02		.47	.10	.02			26
27					1.51	.17	.71	.66					27
28			.19			.06		.17				.04	28
29						.09	.02			.53		.35	29
30		X						.27		.03	.06		30
31		X	.11	X	.04	X		.15	X	.02	X	.01	31
Total	1.03	1.02	2.90	1.64	3.81	1.92	2.38	5.40	1.79	2.66	0.88	0.91	YEAR'S TOTAL 26.64
Rain Days.	9	7	16	13	12	14	8	23	11	20	14	8	155

REGISTER OF RAINFALL IN 1918

Kept at Buckenhill, Bromyard
in the County of Hereford
by J Rogers

Lat. 52° 13' Long. 2° 30'
Time of Observation 9 A.M.
Nearest Railway Station Bromyard
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 410 ft.

FORM A.
BRITISH RAINFALL
4.1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		. 08		. 02	. 04			. 07	. 02		~~0 78~~		1
2								. 22			. 11		2
3				. 03	. 29			. 03	. 62		. 26		3
4		. 03	. 04						. 61	. 23	. 45	. 53	4
5					. 37			(. 04)	. 51	. 24			5
6	. 02	. 62	. 02	. 20		. 07			. 05	. 28	. 02	. 03	6
7	. 03	. 09		. 01	. 24				. 21		. 18		7
8		. 11							. 30	. 16			8
9		. 24		. 31		. 22	. 08		. 28	. 12			9
10	. 09	. 01		. 16			. 41		. 13	. 02			10
11			. 06	. 07	. 02		. 28		. 10		. 05	. 14	11
12		. 02	. 13		. 08		. 06		. 01			. 08	12
13				. 06	. 02		. 01		. 12	. 06		. 05	13
14	. 32		. 11				. 04		. 33	. 09			14
15	. 92			. 09	~~. 09~~		. 21		. 03	. 01		. 43	15
16	. 15			. 46		. 05		. 02	. 41	. 02		. 12	16
17	. 25						. 26		. 67	. 09		. 09	17
18	. 37	. 01				. 35	. 08		1'21	. 06		. 35	18
19	. 10		. 17						. 04				19
20	. 18	. 04		. 25		. 04	. 04		. 22			. 04	20
21	. 07			. 40					. 09			. 09	21
22					. 26		. 16		. 02	. 06		. 13	22
23					. 48		. 25		. 04				23
24		. 07					. 11	. 01	. 07	. 01	. 06		24
25					. 02		. 07	. 90		. 02	. 02		25
26							. 22	. 02	. 08	. 01	. 05	. 19	26
27		. 02						. 16	. 19		. 03	. 03	27
28		. 12	. 26			. 07					. 07	. 02	28
29			. 11						. 93			. 05	29
30		X	. 25					. 01			. 05	. 15	30
31		X	. 33	X		X		. 09	X		X		31
Total	2'50	1'49	1'48	2'66	1'82	. 80	2'28	1'57	7'29	1'48	2'05	2'52	YEAR'S TOTAL 27'94
Rain Days.	11	13	10	12	10	6	15	11	. 26	. 16	13	17	1 60

REGISTER OF RAINFALL IN 1919.

Kept at Buckenhill
in the County of Hereford
by J. Rogers

Lat. 52° 13' N Long. 2° 30' W
Time of Observation 9 A.M.
Nearest Railway Station Bromyard
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 410 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.33				.06		.13		.03		.05	.35	1
2	.08				.04		.02	.01	.05		.12	.04	2
3	.04		.09			.04	.03				.11	.13	3
4	.04	.04	.34				.14	.09	.23			.09	4
5		.39	.03		.13				.04			.22	5
6	.06	.03	.11		.06				.01		.05	.14	6
7	.19		.21	.04	.02								7
8	.29		.06	.05		.05							8
9	.21			.08							.06		9
10			.63							.02	.02	.21	10
11			.89		.05		.48					.05	11
12			.14	.01		.16			.11	.13			12
13	.03			.21					.21	.04		.01	13
14	.35	.03		.29			.04		.29	.02	.03	.10	14
15	.31	.04		.09	.18					.01	.01	.28	15
16	.14	1.02		.02				.11		1.02	.06		16
17		.65				.04				.34	.05		17
18			.62				.04	.31		.01			18
19	.19	.23	.91			.18	1.03	.34	.26				19
20	.31	.04	.48			.03	.04	.04	.04		.31	.13	20
21		.40	.02				.30		.03			.06	21
22		.05				.02	.03	.03	.40	.24		.12	22
23						.01							23
24				.12		.04	.01				.25	.18	24
25	.06			.09	.12			.66					25
26			.08	.08				.19				.25	26
27	.19		.03	.65				.59			.04	.05	27
28	.20		.04	.01				.36				.24	28
29				.13							.02	.18	29
30				.04		.13		.06	.08		.30	.22	30
31			.03										31
TOTAL	3.08	2.95	4.49	1.94	0.66	0.43	2.35	2.49	1.81	1.92	1.48	3.14	27.67
Days with ".01 in. or more	14	11	14	15	8	10	12	12	13	9	15	20	159

REGISTER OF RAINFALL IN 1920.

Kept at Buckenhill
in the County of Hereford
by J. Rogers

Lat. 52° 13' N Long. 2° 30' W
Time of Observation 9 A.M.
Nearest Railway Station Bromyard
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 410 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				20	25		19		04	13		53	1
2			06	08			12	15	05	17		15	2
3		08		09	03		161		14	32			3
4			01	05			01	23		58			4
5			15	15	12		42	08		34			5
6			13		13		15			24			6
7			05	13			19					04	7
8	39	05		41	04		51	06					8
9	30	02		27			03						9
10	45	04	04	04		24	15	02					10
11	14		08	38	31	04	04						11
12	17	08	02	21		45	03			04	14		12
13	02		21	26		01						04	13
14	01	02	46	33			03	06	34	16	27		14
15		12	04	61		45	01		02	02	05		15
16				26	27	31	16		05	63	01		16
17					11			03	64	11		05	17
18	13			01	13			15	53				18
19	05	42		10	04				04				19
20		11		28		10						05	20
21				03			23		02	07		10	21
22	06			12			02	10				22	22
23							34	06				35	23
24			15									20	24
25			20	01			61					01	25
26	20		26								08	06	26
27	31		18		16	26	14					49	27
28	104		11	02	33	04						08	28
29	16		14		08		17				11	40	29
30	02		44	13	02	15			21		18	17	30
31			02		04					28		03	31
TOTAL	325	094	308	447	204	238	519	094	208	309	084	297	31
Days with 01 in. or more	15	9	19	23	15	10	21	10	11	13	7	17	24
Days with 04 in. or more	12	7	16	19	13	9	15	8	9	12	6	15	14
YEAR'S TOTAL													170

✓

REG

BROMYARD
ROWDEN ABBEY
HEREFORD

Kept at Rowden A
in the County of Worcester
by H. J. Bailey

1911 - 1920

11

5 in.

ve Ground 1 ft.

Sea Level 450 ft.

Name _____

Distance _____ Direction _____

FORM A2.
BRITISH RAINFALL
26 JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01		.05	.04	.03			.39			.10	.01	1
2	.02			.02	.04			.27		.08	.14	.05	2
3					.44				.05		.02	.10	3
4			.19	.03				.09	.10	.03	.07	.32	4
5	.05		.04					.06		.04	.04	.01	5
6	.33		.04					.03			.10	.44	6
7	.01										.32		7
8	.14		.19								.23	.41	8
9	.09		.03								.21	.23	9
10	.02	.08	.39									.36	10
11	.14										.46	.07	11
12			.42						.14		.13		12
13					.08				.15		.03	.38	13
14		.02	.01									.82	14
15		.03	.04			.02				.01	.13	.10	15
16						.06				.01	.10	.06	16
17			.03		.51	.63					.16	.80	17
18	.01	.15	.02	.17		.09				.01		.28	18
19	.01	.02		.12		.82	.03	.01	.69	.79		.39	19
20		.03	.01	.04				.18	.14	.03		.38	20
21		.14	.07					.97	.02	.28		.18	21
22			.03	.02		.01				.12		.35	22
23		.21	.11			.63			.19	.10		.13	23
24		.06		.03		.40		.17		.08		.11	24
25		.12		.03		.05				.01		.21	25
26		.15		.28	1.74			.12		.29	.16	.12	26
27		.13	.22	.14				.37	.17		.07	.09	27
28		.25		.23				.02			.13		28
29				.12		.07	.41		.21	.28			29
30			.06	.01	.04	.02	.04	.13		.21	.03		30
31					.66					.07			31
Total	.83	1.39	1.95	1.28	3.54	2.80	.48	2.81	1.86	2.44	2.63	6.39	TOTAL for year 28.40
No. of Rain Days	11	13	18	14	8	11	3	13	10	17	19	25	162

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Rowden Abbey, Bromyard
in the County of Worcestershire
by H. J. Bailey

PATTERN
RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 1 ft.
Sea Level 450 ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01		.05	.04	.03			.39			.10	.01	1
2	.02			.02	.04			.27		.08	.14	.05	2
3					.44				.05		.02	.10	3
4			.19	.03				.09	.10	.03	.07	.32	4
5	.05		.04					.06		.04	.04	.01	5
6	.33		.04					.03			.10	.44	6
7	.01										.32		7
8	.14		.19								.23	.41	8
9	.09		.03								.21	.23	9
10	.02	.08	.39									.36	10
11	.14										.46	.07	11
12			.42						.14		.13		12
13					.08				.15		.03	.38	13
14		.02	.01									.82	14
15		.03	.04			.02				.01	.13	.10	15
16						.06				.01	.10	.06	16
17			.03		.51	.63					.16	.80	17
18	.01	.15	.02	.17		.09				.01		.28	18
19	.01	.02		.12		.82	.03	.01	.69	.79		.39	19
20		.03	.01	.04				.18	.14	.03		.38	20
21		.14	.07					.97	.02	.28		.18	21
22			.03	.02		.01				.12		.35	22
23		.21	.11			.63			.19	.10		.13	23
24		.06		.03		.40		.17		.08		.11	24
25		.12		.03		.05				.01		.21	25
26		.15		.28	1.74			.12		.29	.16	.12	26
27		.13	.22	.14				.37	.17		.07	.09	27
28		.25		.23				.02			.13		28
29				.12		.07	.41		.21	.28			29
30			.06	.01	.04	.02	.04	.13		.21	.03		30
31					.66					.07			31
Total	.83	1.39	1.95	1.28	3.54	2.80	.48	2.81	1.86	2.44	2.63	6.39	TOTAL for year 28.40
No. of Rain Days	11	13	18	14	8	11	3	13	10	17	19	25	162

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
25 JAN 1913

Kept at Rowden Abbey
in the County of Worcestershire
by H. J. Bailey

PATTERN
RAIN GAUGE
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			14		01	46	12		02	08		10	1
2		02	18	01	01	64	30	02					2
3	01		02		04	17	03	76	06		04	02	3
4	20		63		17	50		06			19		4
5	25	12	37		17	02		39	01			01	5
6	23	13	03		02	35		87					6
7		20	08		08	42	02	08				01	7
8	38	15	23			03	03	20				01	8
9	03	08	49	04		07		29			01	33	9
10	19	04				03	01	25			15		10
11	01	08									12	60	11
12	03	20	13	02	15	30	01					02	12
13						01		22	02	02		03	13
14	09		60		03	05		04		01			14
15	09	13	02		47	21		01				10	15
16	79		14		02	05		15		06	03	04	16
17	88		10		01	04		42			04	30	17
18	14	01	04					12		01	01	02	18
19	17	02			02		13	29		01	01	04	19
20	04	01	27			02	05	12		27	13		20
21		01	29		98		50	47		29			21
22	43	15	05		29		30	33				18	22
23	23	13	36			01	38	18		03	08	10	23
24	09	01	01			25	04	05				23	24
25						29		74			22	40	25
26		11	03				28	135		72	35	40	26
27		02				56	53			83		35	27
28		05				06	52	58	16	27	46	33	28
29		03	03			19	14	03	66	07	01	01	29
30			05			24	08			26			30
31			25		34		50	06		02		03	31
Total	4.28	1.70	4.54	07	2.81	4.97	3.97	8.08	93	2.95	1.85	3.66	TOTAL for year 39.8
No. of Rain Days.	19	21	24	3	16	24	19	26	6	15	15	23	121

REGISTER OF RAINFALL IN 1913

Kept at Rowden Abbey, Bromyard
in the County of Herefordshire Hereford
by H. J. Bailey

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

393^a
FORM A.
BRITISH RAINFALL
28 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	01	02	11	02	04				80		06		1
2		23	05	08					09	33	19		2
3	02	02	02		60							11	3
4	93	02			26				61	102	03	29	4
5	09	11			08	14	14		09	57	06	01	5
6	02	11	16		35	16	14			53	02	37	6
7		22			28	04	03			50	10	02	7
8	01	15			20	04	03	07		32			8
9		44	02	01	08	20	04	31	21		09	03	9
10	13			23	09			02		06	05		10
11	60			35	34			02		03	66		11
12					38	01		01	02		49		12
13	03		15	01	05			01	18		24		13
14	15	01	53	19			09	01	03	14	05		14
15	03	04	68	78					18		13		15
16	06		68	04									16
17	01	01	07	10		03	27		05		02		17
18	06		21	10			05				05		18
19	14		15		02	04	04		08				19
20	14		49	12						14	35		20
21			30	13	04		17	13			33		21
22	56		62			16		43	43				22
23	03		04	03		02		15	04		08	01	23
24	11	01		05				01			02		24
25				20					07	01	02		25
26				41				35				10	26
27	02		11	40						13			27
28	19		33	30	18					23		04	28
29	01		62	80	01			13		21			29
30	24		01							65	19		30
31	04		24					10		05			31
Total	3.63	1.39	5.59	4.35	3.00	.84	1.00	1.75	2.88	4.92	3.28	.98	YEAR'S TOTAL 33.61
Rain Days.	24	13	21	20	16	10	10	14	14	16	21	9	18.8

REGISTER OF RAINFALL IN 1914

BRITISH RAINFALL FORM A.

381

28 JAN 1915

Kept at Rowden Abbey, Bromyard
in the County of Hereford
by H. J. Bailey

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.01	.02	.04		.02	.88	.15			.03	.07	1
2							.41	.18			.56	.34	2
3				.14	.19		.01	.01			.01	.09	3
4	.31		.01	.13	.08		.18	.05			.60	.54	4
5	.12		.02	.11	.19		.08				.20		5
6	.08	.11		.10	.04		.21					.09	6
7		.16	.31	.05	.33	.05	.30	.11	.10			.35	7
8			.04	.02	.03	.67		.07	.01			.13	8
9	.13	.01	.15	.25	.10	1.21		.04	.19				9
10	.04	.09	.01	.18	.01	.33			.53				10
11		.14	.33	.04	.14	.13			.02		.13	.72	11
12		.30	.16				.09		.27		.04	.33	12
13		.18	.25				.10		.08	.20	.10	.35	13
14		.26	.23				.02			.09	.12		14
15	.02	.03	.13					.03	.07	.01	.03		15
16			.01						.11				16
17	.03	.14	.15						.01			.21	17
18		.01	.05				.05					.54	18
19			.03				.75		.01		.08	.10	19
20		.30	.04			.05						.22	20
21		.37				.18	.25	.31		.17		.04	21
22		.09	.09	.01	.17	.20	.03	.07		.16			22
23		.11	.12		.08		.02			.17			23
24			.13				.10	.09		.06	.04		24
25	.09		.05		.01		.10	.40		.33	.02	.22	25
26			.01				.06	.21		.09	.21	.30	26
27	.06										.36	.35	27
28		.06	.11		.02		.05			.05	.05	.88	28
29	.02		.06		.10					.21	.13		29
30			.03							.07	.42	.45	30
31	.25						.18			.12		.08	31
Total	1.15	2.37	2.54	1.07	1.49	2.84	3.87	1.72	1.40	1.73	3.13	6.40	29.71
Rain Days	11	17	25	11	14	9	20	13	11	13	18	21	183

REGISTER OF RAINFALL IN 1915

Kept at Rowden Abbey, Bromyard
in the County of Herefordshire
by H. J. Bailey

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

2388
371
FORM A.
BRITISH RAINFALL
23 MAR 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	30	11	01		28		02	03	29	25	01	06	1
2	09	16	18	31		12		1.73	03	20		09	2
3	89	08	01	07	06		81	42	02			19	3
4	01	04			12		61	27				67	4
5		49		01				06				45	5
6	13	02		19			62	05				17	6
7	11	35		11			07	07				41	7
8	25	35		03				02			13		8
9	29	30		13							22	39	9
10	21		07	03						14	02	03	10
11				03	09						1.15	04	11
12	09	13		16	40			10		12	85		12
13		71			69			15				03	13
14		03						14	13			40	14
15	26				07		03	03		01	15	11	15
16	08	30		01	21		1.56	02		01		01	16
17		25			83							01	17
18		53	01							01			18
19		01			13		11						19
20	06			09								12	20
21	19	03			02		16			14		04	21
22	04	02	23	08			29					20	22
23	02	07	04			09	35			81		37	23
24			01	01			61		43	1.02		34	24
25						54	04			03		18	25
26		05					24		01			43	26
27		17					55			45		07	27
28		20				03	02	12	15	01		01	28
29						07	03	01	01		07	07	29
30	10	X		01		11	02			28	11	07	30
31		X		X		X	09	01	X	1.24	X	30	31
Total	3.12	4.40	5.6	1.27	2.90	9.6	6.23	3.23	1.07	4.72	2.71	5.46	36.63
Rain Days.	17	22	8	15	11	6	19	16	8	15	9	27	173

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at Powden Abbey, Bromyard
in the County of Worcestershire
by H. J. Bailey

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

2297
333
FORM A.
BRITISH RAINFALL
30 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
[]

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	06	02	03		14	18	13			19	26		1
2	34	07	32		22		10		14	60	03		2
3		70	01		03	02	01		03	17	15		3
4	14	23			48	51	01		09	03	47		4
5	03		04		37	03	31			08	09		5
6	03	39	09		14	14	56			10	31		6
7		01	11		08		09			05	28	20	7
8	02		04		14					04	02	19	8
9		01	01		17	12			03	02	03		9
10		40	09	04	02	01				04		01	10
11	01	04	06	05	07	18			01			08	11
12	05	17	08		65		18	02		02			12
13		26	21					32				04	13
14		38	04	02	04			17		07			14
15		35	31	14	19		01	31		02			15
16		03	01	20	03		17	03		03			16
17	04	13		05				01	33	40			17
18		06	06	03					23		52	27	18
19	06		35	10							18		19
20	05		49	04							04	27	20
21			42		08		33					19	21
22				02		04				17		42	22
23		36		02				14		07	02	21	23
24		24	14	01	54			13		18		11	24
25		05	07			01		08	01	08	16		25
26	01	12	01		01	09		11	02	37	09		26
27	03	15	77			08	08	03	29	39			27
28	01	50	05		01	16			01	08		09	28
29		24				23		50		14		13	29
30		X				03		02		16			30
31		X		X		X		07	X	31	X	05	31
Total	88	491	381	72	341	183	198	194	119	381	265	226	2939
Rain Days.	14	23	24	12	19	15	12	14	11	25	15	14	198

REGISTER OF RAINFALL IN 1917

Kept at *Ironyard, Bowden Abbey*
in the County of *Herefordshire*
by *L. Bailey*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			05	25		22		73	07		05	01	1
2						15		07			15		2
3	08	03		20				07		27	01		3
4		07	20					36		11		01	4
5	08		18	17					01	23	15		5
6	01		34			23				09	14		6
7	33						25	24		13	06		7
8	60		02	15			20	50		25	18	14	8
9			19	09	28			100	10	04	05		9
10	32		32	16	16			20	05	01			10
11	09		20	10	02			12		24	03		11
12	02			01	74				04	22			12
13			04					06	05				13
14			32	16				31				03	14
15	02				13		10	28		03		12	15
16	03	03		21	01	17	02					28	16
17				08	49	24	37	41	13	10			17
18	02	03		02	30		41	07	104				18
19	03	37	39		05	40			03				19
20		17	12		69	34	34	02	12		02		20
21		02	25		02	09		05		02	06		21
22		01			02	14		13	02	05			22
23		20			14			20		04		03	23
24		01				14	03	04		20	02		24
25		09	09					01		13	03		25
26					28	04		51	09	02	07		26
27					92	21	75	60		01	02		27
28			24			13		16				02	28
29			02			10	04			54		38	29
30		X						27		02	04	01	30
31		X	14	X	09	X		18	X	04	X	01	31
Total	1.63	1.03	3.11	1.60	4.34	2.60	2.51	6.59	1.74	2.79	1.08	1.04	30.06
Rain Days.	12	11	17	12	16	14	10	25	12	22	16	11	178

REGISTER OF RAINFALL IN 1918

Kept at Rowden Abbey, Bromyard
in the County of Herefordshire Hereford
by H. S. Bailey

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		02		02	03			08	02	03	63		1
2		03		01				19		03	12	08	2
3		03		04	23			02	62	01	30		3
4		03						02	62	21	38	48	4
5		08	02	01	39			05	49	20	01		5
6	03	58	03	20		08			05	30		05	6
7		06		02	28				17	10	19		7
8	01	16							29	16	02	01	8
9	01	18		31		20	09		28	14			9
10	09	02		15			45		15	10		13	10
11			07	09	04		24		11		04	11	11
12	02	02	15		08		07		06				12
13		02	01	01	03		03		13	02		03	13
14	32		18				01		37	07		17	14
15	93			14			25		05			28	15
16	16			74		11		02	59			13	16
17	27		02	01		01	26		43	10		05	17
18	40		03			31	11		122	01		39	18
19	11	01	19				03		04	05		01	19
20	18	04	01	55		05	04		29			02	20
21	08			38	04		08		42			09	21
22	02			01	23		20		03	03		13	22
23	02				40		15				01		23
24	01	07					11	02	07	01	08		24
25					04		18	99			02		25
26							17		12	01	05	19	26
27		04	03					18	18		01	03	27
28		14	30			03					08	07	28
29			13						85			01	29
30		X	33					02			06	14	30
31		X	28	X		X		10	X		X		31
Total	2.66	1.53	1.78	2.69	1.79	.79	2.47	1.69	7.65	1.58	2.00	2.60	29.23
Rain Days.	16	17	15	16	11	7	17	11	25	18	15	21	189

REGISTER OF RAINFALL IN 1919

Kept at *Rowden Abbey, Bromyard*
in the County of *Herefordshire*
by *H. J. Bailey*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

2045
2040
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.30	.01	.01		.06	.04	.21		.03	.08	.03	.35	1
2	.08		.02		.02		.03		.08		.09	.07	2
3	.04		.13		.02	.06	.06		.01		.10	.14	3
4	.06	.05	.27				.15		.23			.10	4
5		.36	.02		.17			.11	.11			.23	5
6	.06	.02	.12		.09						.05	.18	6
7	.19		.18	.08	.03						.03	.03	7
8	.24		.07	.08		.06							8
9	.20		.01	.10									9
10	.01		.60							.01	.01	.23	10
11	.01		.88		.04		.55			.04		.04	11
12			.16	.04		.14			.09	.07	.01	.01	12
13	.13			.20			.03		.26	.06		.02	13
14	.23	.03		.29					.27	.07	.01	.06	14
15	.31	.06	.01	.14	.10		.01			.08		.30	15
16	.15	.93						.09			.07	.01	16
17		.75				.05	.03	.02			.05		17
18			.61		.09		1.24	.36			.01	.02	18
19	.19	.31	1.01			.19	.03	.33	.34		.21	.01	19
20	.26	.03	.46			.06	.32	.09	.04		.15	.06	20
21	.03	.37	.02			.01	.01		.04		.02	.08	21
22		.07				.01			.35			.13	22
23						.02		.02		.89	.02	.02	23
24	.01			.03	.05	.05	.02			.39	.27	.14	24
25	.05			.10	.07	.02		.74				.04	25
26			.07	.14		.04		.15	.07			.27	26
27	.25		.05	.58				.50			.01	.10	27
28	.08		.10	.02				.25			.11	.30	28
29	.04			.11				.01		.25	.13	.18	29
30		X		.08		.16		.07		.02	.06	.21	30
31	.01	X	.01	X		X	.01		X	.01	X		31
Total	2.93	2.99	4.81	1.99	.74	.91	2.70	2.74	1.92	1.97	1.44	3.33	28.47
Rain Days.	23	12	21	14	11	14	15	14	13	13	12	20	194

REGISTER OF RAINFALL IN 1920.

Kept at *Promyard, Rowden Abbey*
in the County of *Herefordshire*
by *H. J. Bailey*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			02	18	25		18		04	09		27	1
2	02		01	07	01		21	01	07	21		18	2
3	09	02		08	04	01	1.50		14	31		03	3
4				03			02	38	02	38			4
5			15	14	09		43	04	01	31			5
6			12	01	13		17			18		02	6
7			07	12	02		13					02	7
8	34	06		74	08		51	07		01			8
9	31	02		34			03	01					9
10	39	04	08	04		26	17				05		10
11	13	08	08	52	30	04	09					01	11
12	18	01	01	23		80	02	13		02	14		12
13	02	01	24	27								02	13
14	01	02	74	29		18	05	05	31	17	27	01	14
15		14	04	62		38			02	02	04		15
16				28	30	29	15		05	46	05		16
17	02		03		16			06	66	14		02	17
18	13				11	02		17	55			01	18
19	05	48		09	07	16			02				19
20	02	03		26		16						10	20
21				03			24			10		09	21
22	10			11			02	15		01		21	22
23		01	01				41	03				33	23
24	02		13	01							01	21	24
25	01	01	20	01			57					01	25
26	20	02	23				01				09	03	26
27	28	03	14	03	09	25	20				02	48	27
28	1.09		16		22	04						15	28
29	15		13		11		20				11	38	29
30	02		33	18	02	16	01		28		17	19	30
31	07		07		04			02		24		02	31
TOTAL	3.58	98	2.99	4.68	2.04	2.75	5.32	1.12	2.17	2.65	95	2.79	YEAR'S TOTAL 32.02-813
Days with .01 in. or more	22	15	21	24	17	13	22	12	12	15	10	22	205
44.283). W 121 1958-218 7500. 10/19. Gp.132. A.&E.W.	121	1958	218	7500	10/19	Gp.132	A.&E.W.						1400

REGI

BROMYARD

NORTON

"THE ROYAL OAK"

HEREFORD

1913-15

Kept at The Royal Oak

in the County of Hereford

by W. C. Day

13
ong. 2° 29' W

9 a

on Bromyard

ge 5 in.

e above Ground 1 ft. in.

Sea Level 630 ft.

and the result entered to the

IMPORTANT NOTE
previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.01	.11	.02	-	-	-	-	.73	-	.04	-	1
2	-	.18	.03	.11	-	-	-	-	.13	.43	.24	-	2
3	.04	.01	.04	-	.66	-	-	-	-	-	-	.10	3
4	.97	.02	-	-	.24	-	-	-	.79	.91	.02	.24	4
5	.08	.08	-	-	.04	.53	.12	-	.06	.45	.04	-	5
6	.03	.06	.14	-	.33	.18	.20	-	-	.74	-	.37	6
7	-	.20	-	-	.28	.03	.02	-	-	.73	.16	-	7
8	.01	.11	-	-	.17	.02	-	-	-	.12	-	-	8
9	-	.39	.01	-	.11	.23	.05	.69	.23	-	.11	.04	9
10	.14	-	-	.18	.19	-	0	-	-	-	.10	-	10
11	.47	.01	-	.36	.45	-	-	.04	-	.08	.75	-	11
12	-	-	-	-	.42	-	-	-	-	-	-	-	12
13	.04	-	.15	.04	.04	-	-	-	.17	-	.32	-	13
14	.13	-	.41	.14	-	-	-	.04	-	.14	.04	-	14
15	.03	.05	.52	.67	-	-	-	-	.11	-	.15	-	15
16	.09	-	.59	.03	-	-	-	-	-	-	-	-	16
17	.01	-	.03	.09	-	-	.26	-	.10	-	-	-	17
18	.05	-	.21	.09	-	-	-	-	-	-	.04	-	18
19	.14	-	.09	-	-	-	.08	-	.08	-	-	-	19
20	.13	-	.33	.14	-	-	-	-	-	.09	.33	-	20
21	-	-	.28	.16	.02	-	.11	.24	-	-	.24	-	21
22	.45	-	.58	-	-	.20	-	.28	.40	-	-	-	22
23	.02	-	.04	-	-	.20	-	.04	.06	-	.09	-	23
24	.09	-	-	.02	-	-	-	-	-	-	-	-	24
25	-	-	-	.19	-	-	-	-	.06	-	-	-	25
26	-	.04	-	.50	-	-	-	.31	-	-	-	.17	26
27	.03	-	.12	.32	-	-	-	-	-	.26	-	.17	27
28	.26	-	.14	.32	-	-	-	-	-	.47	-	-	28
29	.01	-	.66	.77	.06	-	-	.16	-	.17	-	-	29
30	.19	-	-	-	-	-	-	.06	-	.61	.17	.03	30
31	.02	-	.25	-	-	-	-	.06	-	.09	-	-	31
Total	3.43	1.16	4.73	4.15	3.01	1.19	.84	1.86	2.92	5.29	2.84	.95	YEAR'S TOTAL 32.31
Rain Days.	23	12	20	18	13	6	7	9	12	14	16	6	156

REGISTER OF RAINFALL IN 1913

Kept at *The Royal Oak Norton Bromyard*
in the County of *Hereford*
by *W. C. Day*

Lat. *52. 12 N* Long. *2. 29 W*
Time of Observation *9 a*
Nearest Railway Station *Bromyard*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
" " " " Sea Level *630* ft.

FORM A.
BRITISH RAINFALL
31 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.01	.11	.02	-	-	-	-	.73	-	.04	-	1
2	-	.18	.03	.11	-	-	-	-	.13	.43	.24	-	2
3	.04	.01	.02	-	.66	-	-	-	-	-	-	.10	3
4	.97	.02	-	-	.24	-	-	-	.79	.91	.02	.24	4
5	.08	.08	-	-	.04	.58	.12	-	.06	.45	.04	-	5
6	.03	.06	.14	-	.33	.18	.20	-	-	.74	-	.37	6
7	-	.20	-	-	.28	.03	.02	-	-	.73	.16	-	7
8	.01	.11	-	-	.17	.02	-	-	-	.12	-	-	8
9	-	.39	.01	-	.11	.23	.05	.69	.23	-	.11	.04	9
10	.14	-	-	.18	.19	-	-	-	-	-	.10	-	10
11	.47	.01	-	.36	.45	-	-	.04	-	.08	.15	-	11
12	-	-	-	-	.42	-	-	-	-	-	-	-	12
13	.04	-	.15	.04	.04	-	-	-	.17	-	.32	-	13
14	.13	-	.41	.14	-	-	-	.04	-	.14	.04	-	14
15	.03	.05	.52	.67	-	-	-	-	.11	-	.15	-	15
16	.09	-	.59	.03	-	-	-	-	-	-	-	-	16
17	.01	-	.03	.09	-	-	.26	-	.10	-	-	-	17
18	.05	-	.21	.09	-	-	-	-	-	-	.04	-	18
19	.14	-	.09	-	-	-	.08	-	.08	-	-	-	19
20	.13	-	.33	.14	-	-	-	-	-	.09	.33	-	20
21	-	-	.28	.16	.02	-	.11	.24	-	-	.24	-	21
22	.45	-	.58	-	-	.20	-	.28	.40	-	-	-	22
23	.02	-	.04	-	-	.20	-	.04	.06	-	.09	-	23
24	.09	-	-	.02	-	-	-	-	-	-	-	-	24
25	-	-	-	.19	-	-	-	-	.06	-	-	-	25
26	-	.04	-	.50	-	-	-	.31	-	-	-	.17	26
27	.03	-	.12	.32	-	-	-	-	-	.26	-	.17	27
28	.26	-	.14	.32	-	-	-	-	-	.47	-	-	28
29	.01	-	.66	.77	.06	-	-	.16	-	.17	-	-	29
30	.19	-	-	-	-	-	-	.26	-	.61	.17	.03	30
31	.02	-	.25	-	-	-	-	.06	-	.09	-	-	31
Total	3.43	1.16	4.73	4.15	3.01	1.19	.84	1.86	2.92	5.29	2.84	.95	YEAR'S TOTAL 32.31
Rain Days.	23	12	20	18	13	6	7	9	12	11	16	6	15

REGISTER OF RAINFALL IN 1914

Kept at *The Royal Oak, Norton*
in the County of *Hereford*
by *Chas Day*

Lat. *52° 12' N* Long. *2° 29' W*
Time of Observation *9 am*
Nearest Railway Station *Bromyard*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft.
" " " " Sea Level *631* ft.

FORM A.
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							.30	.14			.03	.04	1
2							.67	.13			.59	.35	2
3				.17	.24			.09				.11	3
4	.30			.12	.12		.18	.04			.69	.54	4
5			.05	.15	.14		.09						5
6	.15	.12		.05	.05		.26					.15	6
7		.18	.28	.07	.34	.02		.15				.36	7
8			.08	.05	.04	.58						.16	8
9	.12		.14	.39	.08	<u>1.22</u>		.04	.17				9
10	.04	.13		.26	.02	.07			.35				10
11		.14	.35		.10	.15					.13	.66	11
12		.32	.16				.15		.26		.07	.32	12
13		.17	.28				.05		.08	.16	.10	.46	13
14		.18	.16							.07	.12		14
15			.14						.02		.05		15
16			.01						.16				16
17		.14	.17									.22	17
18							.06					.34	18
19			.07				.90				.08	.10	19
20		.38										.12	20
21		.36				.26	.50			.19		.11	21
22		.06			.27	.25		.19		.18			22
23		.10	.46		.01					.13			23
24			.09				.08	.08		.11	.03		24
25	.08		.08				.14	.33		.34	.02	.18	25
26								.12		.10	.21	.29	26
27	.05										.19	.31	27
28		.08	.12							.17	.06	.11	28
29			.08							.16	.12	.50	29
30		X			.12	.05				.07	.45	.66	30
31	.21	X		X		X	.20		X	.12	X	.07	31
Total	.95	2.36	2.42	1.26	1.53	2.60	3.58	1.31	1.04	1.82	2.94	6.16	27.97
Rain Days.	7	13	17	8	12	8	13	10	6	12	16	22	144

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915

Kept at *The Royal Oak, Norton*
in the County of *Hereford*
by *Charles Day*

Lat. *52° 12' N* Long. *2° 29' W*
Time of Observation *9 am*
Nearest Railway Station *Bronyard*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. *-* in.
" " " " Sea Level *620* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.38	.11			.33		.03		.32	.05		.06	1
2		.17	.19	.27		.13		1.56		.45		.10	2
3	.63	.10		.06	.17		.80	.45				.20	3
4	.03	.04					.63	.44				.71	4
5		.51						.06				.48	5
6	.11	.04		.19			.38	.12				.08	6
7	.09	.35		.07			.24	.22				.33	7
8	.23	.32		.03				.02			.17		8
9	.20	.22		.14							.21	.40	9
10	.30		.05	.03						.08			10
11				.04	.10						1.17		11
12	.08			.14	.42			.05		.09	.72		12
13		.76			.65			.54				.05	13
14								.22	.12			.42	14
15	.34				.14					.04	.10	.14	15
16	.04	.38			.29		1.99	.11				.02	16
17		.22			.78								17
18		.41											18
19			.04		.11		.10						19
20	.07			.09								.14	20
21	.11	.02					.14			.15		.04	21
22	.11	~~.18~~	.24	.08			.19			~~.87~~		.22	22
23	.05	.08	.05			.09	.24			.88		.37	23
24		~~.18~~	.03	.02			.58		.47	.93		.29	24
25						.76	.13					.17	25
26		.05					.31					.42	26
27		.12					.29			.47		.10	27
28		.15				.03		.10	.17				28
29					.26	.03					.07	.08	29
30	.08	X				.13				.40	.08	.11	30
31		X	X	X		X	.09		X	1.04	X	.40	31
Total	2.85	4.05	.60	1.16	2.99	1.40	6.17	3.89	1.08	4.58	2.52	5.33	36.62
Rain Days.	16	18	6	12	9	6	16	12	4	11	7	23	140

Station inspected by REG
H.O. in July and passed
N.C. station of 2nd order
Kept at Dumbleton Cottage

BROMYARD
DUMBLETON COTT

in the County of Hereford
by Miss Philpott & M. N.C.

IMPORTANT NOTE.
previous day. If an Observer
requested to add the reading
for it at the end of this
the selection and placing
Organization are given in "Dr. H. R. MILL, 62, Camden Square, London, N.W."

HEREFORD
1911-1920

FORM A2.
BRITISH RAINFALL
Assn. M.O.
in. 1 ft.
ound 1 ft.
a Level 393 ft.
m.
ane Bromyard.
stance 1/8 m. Direction NE
he result entered to the
sal rule, he is earnestly
r in the space provided
nt of rain,
sh Rainfall
plication to
Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		-	.04	.05	.02	-	-	-	-	trace	.06	trace	1
2		-	-	.02	.02	-	.05	.21	-	.09	.09	.08	2
3		-	-	-	.40	-	-	.19	.03	.01	.01	.09	3
4		-	.20	.02	-	-	-	-	.08	.05	.09	.41	4
5		-	.04	-	-	-	-	.05	-	.06	.05	.02	5
6		-	.05	-	-	-	-	.06	-	-	.12	.51	6
7		-	-	-	-	-	-	.02	-	-	.37	-	7
8		-	.22	-	-	-	-	-	-	-	.15	.37	8
9		-	.03	-	-	-	-	-	-	-	.20	.22	9
10		.09	.47	-	-	-	-	-	-	-	trace	.33	10
11		.02	-	-	-	-	-	-	-	-	.47	.08	11
12		-	.42	-	-	-	-	-	.13	trace (fe)	.15	.08	12
13		-	-	-	.11	-	-	-	.20	trace (fe)	.04	.29	13
14		.02	.01	-	-	-	-	-	-	-	trace	.72	14
15		.03	.03	-	-	.01	-	-	-	.02	.14	.10	15
16		-	.01	-	-	.05	-	-	-	.02	.11	.10	16
17		-	.03	-	.70	.39	-	-	-	trace (fe)	.20	.68	17
18		.17	.02	.07	-	.06	-	-	-	.02	.01	.32	18
19		.03	-	.09	-	.68	-	.01	.67	.77	.02	.35	19
20		.05	.02	.02	-	trace	-	.32	.11	.01	-	.42	20
21		.16	.04	-	-	-	-	1.48	.02	.23	-	.12	21
22		-	.03	.01	-	.04	-	-	-	.13	trace	.38	22
23		.23	.10	-	-	.65	trace	-	.20	.08	-	.13	23
24		.07	-	.03	-	.32	-	.15	trace	.07	-	.15	24
25		.12	-	.03	-	.04	-	-	trace	.01	-	.21	25
26		.18	-	.28	1.53	-	-	.17	-	.22	.17	.11	26
27		.11	.22	.07	-	-	-	.48	.19	-	.06	.09	27
28		.23	-	.19	-	-	-	-	-	-	.16	trace	28
29		-	-	.01	-	.11	.51	.01	.23	.28	.01	-	29
30		-	.05	-	.03	.02	.01	.06	-	.19	.03 (f)	.01	30
31		-	.01	-	.47	-	.04	-	-	.06	-	-	31
Total	.75	1.51	2.04	.89	3.28	2.37	.61	3.21	1.86	2.32	2.71	6.37	TOTAL for year
No. of Rain Days.	(10)	14	20	13	8	11	4	13	10	18	22	26	27.92 (169)

Station inspected by REG
H.O. in July and passed
as N.C. station of 2nd order
Kept at Dumbleton Cottage

FORM A2.
BRITISH RAINFALL
Assn. M.O.
JAN 1912

in the County of Hereford.

GAUGES Height of top above Ground 1 ft.
Sea Level 393 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Bromyard.
Distance 1/8 m. Direction NE

by Miss Philpott & Mr. J. V. Philpott. M.A.
Not Rev.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		-	.04	.05	.02	-	-	-	-	trace	.06	trace	1
2		-	-	.02	.02	-	.05	.21	-	.09	.09	.08	2
3		-	-	-	.40	-	-	.19	.03	.01	.01	.09	3
4		-	.20	.02	-	-	-	-	.08	.05	.09	.41	4
5		-	.04	-	-	-	-	.05	-	.06	.05	.02	5
6		-	.05	-	-	-	-	.06	-	-	.12	.51	6
7		-	-	-	-	-	-	.02	-	-	.37	-	7
8		-	.22	-	-	-	-	-	-	-	.15	.37	8
9		-	.03	-	-	-	-	-	-	-	.20	.22	9
10		.09	.47	-	-	-	-	-	-	-	trace	.33	10
11		.02	-	-	-	-	-	-	-	-	.47	.08	11
12		-	.42	-	-	-	-	-	.13	trace (fe)	.15	.08	12
13		-	-	-	.11	-	-	-	.20	trace (fe)	.04	.29	13
14		.02	.01	-	-	-	-	-	-	-	trace	.72	14
15		.03	.03	-	-	.01	-	-	-	.02	.14	.10	15
16		-	.01	-	-	.05	-	-	-	.02	.11	.10	16
17		-	.03	-	.70	.39	-	-	-	trace (fe)	.20	.68	17
18		.17	.02	.07	-	.06	-	-	-	.02	.01	.32	18
19		.03	-	.09	-	.68	-	.01	.67	.77	.02	.35	19
20		.05	.02	.02	-	trace	-	.32	.11	.01	-	.42	20
21		.16	.04	-	-	-	-	1.48	.02	.23	-	.12	21
22		-	.03	.01	-	.04	-	-	-	.13	trace	.38	22
23		.23	.10	-	-	.65	trace	-	.20	.08	-	.13	23
24		.07	-	.03	-	.32	-	.15	trace	.07	-	.15	24
25		.12	-	.03	-	.04	-	-	trace	.01	-	.21	25
26		.18	-	.28	1.53	-	-	.17	-	.22	.17	.11	26
27		.11	.22	.07	-	-	-	.48	.19	-	.06	.09	27
28		.23	-	.19	-	-	-	-	-	-	.16	trace	28
29		-	-	.01	-	.11	.51	.01	.23	.28	.01	-	29
30		-	.05	-	.03	.02	.01	.06	-	.19	.03 (f)	.01	30
31		-	.01	-	.47	-	.04	-	-	.06	-	-	31
Total	.75	1.51	2.04	.89	3.28	2.37	.61	3.21	1.86	2.32	2.71	6.37	TOTAL for year
No. of Rain Days.	(10)	14	20	13	8	11	4	13	10	18	22	26	27.92 (169)

corr for month 6.11.13

Lat 52° 11' N
Long 2° 30' W.

REGISTER OF RAINFALL IN 1912

Kept at Bromyard (Dumbarton College)
in the County of Westford

by T. V. Phillips

Pattern Sandwich
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 393 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Bromyard
Distance 20 1/2 Direction N.E.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	-	-	.10	-	.01	.72	.14	.01	.01	.12	-	.12	2
3	-	trace	.33	.02	.03	.72	.27	.03	trace	-	-	trace	3
4	.01	-	.05	-	.05	.18	.05	.81	.06	-	.04	.03	4
5	.21	-	.59	-	.12	.56	-	.05	.01	-	.20	-	5
6	.19	.11	.40	-	.16	.02	-	.44	.01	-	trace	.01	6
7	.21	.14	.03	-	.03	.40	.06	1.00	trace	trace (fe)	.01	-	7
8	trace	.18	.10	-	.07	.51	.01	.10	-	trace (fe)	-	.03	8
9	.27	.13	.24	trace	-	.06	.12	.21	.01	trace (fe)	-	.01	9
10	.03	.06	.47	.06	-	.16	.01	.33	-	trace (fe)	-	.37	10
11	.15	.03	trace	.02	-	.05	.01	.24	trace	.01 (fe)	.16	trace	11
12	.06	.08	(fe) .01	-	-	-	.02	trace	-	.01 (fe)	.07	.58	12
13	.02	.26	.15	.03	.14	.18	.03	-	-	-	-	.04	13
14	trace	.01	-	-	-	-	-	.24	.01	trace	-	.05	14
15	.08	trace	.58	-	-	.04	-	.07	trace	.03	-	.01	15
16	.07	.12	.02	-	.66	.22	-	.01	-	-	-	.16	16
17	.81	trace (fe)	.14	-	-	.05	-	.17	-	.08	.02	.02	17
18	.67	trace (fe)	.10	-	.02	.05	-	.45	-	-	.04	.32	18
19	.15	trace	.05	-	-	-	-	.15	-	.02	.01	.02	19
20	.13	.04	.04	-	.03	-	.11	.37	trace	.02	.02	.04	20
21	.04	-	.27	-	-	-	.05	.20	-	.28	.09	trace	21
22	.01 (fe)	trace	.28	-	1.03	-	.16	.48	-	.30	trace	trace	22
23	.43	.12	.07	-	.31	-	.26	.39	-	.01	trace	.20	23
24	.31	.15	.37	-	trace	.03	.75	.24	-	.04	.13	.11	24
25	.07	trace	.02	-	-	.22	.08	.04	-	trace (fe)	-	.24	25
26	trace	.02	-	-	-	.30	-	.78	-	.02 (fe)	.30	.41	26
27	-	.11	.04	-	-	-	.35	1.10	-	.72	.32	.46	27
28	-	.01	.01	trace	-	.49	.73	-	-	.86	-	.41	28
29	-	.06	-	-	-	.09	.68	.65	.17	.28	.44	.31	29
30	-	.08	.03	-	-	.28	.09	.06	.78	.12	trace	.01	30
31	trace	-	.05	-	-	.21	.09	trace	-	.25	-	trace	31
	trace	-	.24	-	.40	-	.46	.06	-	.01	-	.04	
Total	3.92	1.71	4.78	.13	3.06	5.54	4.53	8.68	1.06	3.18	1.85	4.00	TOTAL for year 42.44
No. of Rain Days	20	18	27	4	14	22	22	27	8	18	14	24	218

REGISTER OF RAINFALL IN 1913

Kept at Bromyard (Dumbleton Cottage)
 in the County of Hereford
 by T. V. Philpott

Lat. 52° 11' N Long. 2° 30' W
 Time of Observation 9 a.
 Nearest Railway Station Bromyard
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. — in.
 " " " " Sea Level 393 ft.

FORM A.
 BRITISH RAINFALL
 31 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.01	.11	.03	trace	-	-	-	.74	-	.22	-	1
2	-	.28	.04	.09	-	trace	trace	-	.10	.35	.23	trace	2
3	.03	.02	.06	-	.65	-	trace	-	-	.01	-	.11	3
4	.95	.02	trace	-	.25	-	-	-	.66	1.10	.02	.29	4
5	.09	.07	-	-	.05	.31	.14	-	.08	.29	.03	.01	5
6	.03	.07	.15	-	.33	.15	.15	-	-	.53	trace	.33	6
7	trace	.23	-	-	.29	.05	trace	-	-	.53	.16	.03	7
8	-	.13	-	trace	.12	.03	.02	.06	-	.14	trace	-	8
9	-	.39	.04	.02	.08	.23	.05	.36	.16	-	.10	.02	9
10	.21	-	-	.14	.20	-	-	.02	-	.05	.07	-	10
11	.77	-	-	.30	.32	trace	-	.02	-	.04	.66	trace	11
12	-	-	-	-	.30	trace	-	trace	trace	-	.45	-	12
13	.04	trace	.17	trace	.08	.01	-	.01	.14	-	.27	-	13
14	.10	-	.46	.20	-	-	.02	.01	trace	.11	.05	-	14
15	.03	.04	.58	.68	-	-	-	trace	.12	-	.09	-	15
16	.09	-	.65	.02	-	-	-	-	trace	-	-	-	16
17	trace	.02	.08	.12	-	.01	.25	-	.07	-	.01	-	17
18	.06	-	.18	.09	-	-	.06	-	trace	-	.04	-	18
19	.12	-	.12	-	.02	.03	.03	-	.07	.01	trace	-	19
20	.13	-	.43	.11	-	-	trace	-	-	.07	.30	-	20
21	-	-	.35	.12	.03	-	.15	.20	-	-	.31	-	21
22	.54	-	.52	-	trace	.20	trace	.28	.43	-	.22	-	22
23	.04	-	.04	.01	-	.02	-	.03	.04	-	.08	trace	23
24	.12	-	-	.02	-	-	-	-	-	-	.03	trace	24
25	-	-	-	.22	-	-	-	-	.06	trace	.02	-	25
26	-	.02	-	.44	-	-	-	.30	trace	trace	-	.15	26
27	.13	-	.18	.34	.01	-	-	-	-	.26	-	-	27
28	.22	-	.04	.29	.13	-	-	-	-	.32	-	.04	28
29	.01	-	.58	.77	-	-	-	.13	-	.25	-	-	29
30	.22	-	-	-	-	-	-	-	-	.60	.15	trace	30
31	.05	-	.24	-	-	-	-	.05	-	.69	-	-	31
Total	3.98	1.30	5.02	4.01	2.86	1.04	.87	1.47	2.67	4.75	3.07	.98	YEAR'S TOTAL 32.02
Rain Days.	21	12	20	19	15	10	9	12	12	17	19	8	174

REGISTER OF RAINFALL IN 19¹⁴

Kept at Bromyard (Dumbleton Cottage)
 in the County of Hereford
 by T.V. Philpott

Lat. 52°11'N Long. 2°30'W
 Time of Observation 9 a.m.
 Nearest Railway Station Bromyard
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. in.
 " " " " Sea Level 394 ft.

FORM A.
 BRITISH RAINFALL
 4 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.01	.01	.03		.02	.74	.15			.62	.05	1
2					.02		.39	.15			.53	.33	2
3				.13	.18			.10				.09	3
4	.31			.11	.22		.20	.05			.57	.54	4
5	.10		.05	.13	.11		.11				.27		5
6	.03	.11		.03	.04							.11	6
7	.01	.16	.28	.09	.37	.04	.28	.18	.15			.37	7
8			.08	.01	.05	.65		.01	.02			.12	8
9	.12	.01	.14	.36	.09	1.18		.04	.17				9
10	.03	.11	.01	.26	.03	.12	~~.10~~		.32				10
11		.14	.32	.01	.20	.17					.15	.62	11
12		.30	.16				.10		.26		.05	.31	12
13		.16	.28				.05		.10	.16	.08	.40	13
14		.19	.19							.10	.10		14
15	.01	.01	.14						.03		.04		15
16			.01						.13				16
17	.01	.15	.19						.02			.18	17
18			.03				.05			.01		.35	18
19			.03				.73				.07	.08	19
20		.40	.04									.19	20
21		.38				.20	.39	.25		.16		.04	21
22		.08	.04	.01	.25	.18	.05	.06		.19			22
23		.08	.19		.09		.02			.14			23
24			.06				.09	.09		.04	.02		24
25	.09		.07				.09	.30		.31	.02	.11	25
26			.01				.02	.20		.09	.20	.28	26
27	.05										.20	.27	27
28			.10							.14	.04	.78	28
29	.03	.08	.09							.19	.10	~~.11~~	29
30		~~X~~	.04		.01	.03				.06	.46	.56	30
31	.20	~~X~~		~~X~~		~~X~~	.20		~~X~~	.09	~~X~~	.04	31
Total	.99	2.37	2.56	1.17	1.66	2.59	3.51	1.58	1.20	1.68	2.92	5.82	28.05
Rain Days.	12	16	24	11	13	9	16	12	9	13	17	21	173

REGISTER OF RAINFALL IN 1915

Kept at Bromyard (Dumbleton Cottage)
in the County of Hertford
by F.V. Philpott M.A.

Lat. 52° 11' N Long. 2° 30' W
Time of Observation 9 a.m.
Nearest Railway Station Bromyard
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 394 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.34	.11	Trace	—	.01	—	.04	.02	.23	.23	Trace	.05	1
2	.10	.16	.18	.29	.37	.12	—	1.33	—	.24	—	.07	2
3	.85	.08	.01	.08	—	—	.89	.39	—	—	—	.18	3
4	Trace	.03	—	—	.08	—	.72	.70	—	—	—	.69	4
5	Trace	.42	—	Trace	.09	—	—	.05	—	.01	—	.48	5
6	.11	.02	—	.19	—	—	.61	.03	—	—	—	.09	6
7	.08	.32	—	.06	—	—	.04	.49	—	—	—	.29	7
8	.25	.37	—	.02	—	—	—	.02	—	—	.14	.05	8
9	.25	.26	—	.11	—	—	—	—	—	—	.24	.46	9
10	.33	—	.05	.03	—	—	—	—	—	.08	.02	.01	10
11	Trace	—	.01	.03	.10	—	—	—	—	—	1.05	—	11
12	.08	.10	—	.12	.25	—	—	.07	—	.67	.51	.02	12
13	Trace	.71	—	—	.84	—	—	.54	Trace	—	—	.03	13
14	Trace	.03	—	—	.06	—	Trace	.16	.13	.02	—	.39	14
15	.36	—	—	Trace	.19	—	.02	.03	.01	—	.10	.11	15
16	.07	.29	—	.05	.71	—	1.88	.02	—	.02	—	—	16
17	—	.25	Trace	—	—	—	—	—	—	—	—	—	17
18	.01	.47	.03	—	.11	—	—	—	—	—	—	—	18
19	—	.01	—	—	—	—	.10	—	—	—	—	—	19
20	.05	—	—	.07	—	—	—	—	—	—	—	—	20
21	.19	.02	—	—	—	—	.14	—	—	.23	—	20?	21
22	.05	—	.21	.06	—	—	.22	—	—	—	—	.24	22
23	.05	.08	.05	—	—	.08	.14	—	—	.81	—	.49	23
24	Trace	—	.01	.02	—	—	.58	—	.41	.95	—	.39	24
25	—	—	—	Trace	—	.54	Trace	—	.41	.02	—	.16	25
26	—	.04	—	—	—	—	.35	—	.01	—	—	.41	26
27	—	.18	.02	—	—	—	.21	—	.45	.46	—	.09	27
28	—	.19	—	—	—	.02	—	.09	.15	.06	—	.01	28
29	—	X	—	—	—	.04	.02	.01	.02	—	.06	.05	29
30	.10	X	—	X	—	.05	.01	—	—	.28	.09	.05	30
31	—	X	—	X	—	X	.08	—	X	1.04	X	.45	31
Total	3.20	4.14	.57	1.09	2.81	.85	6.07	3.55	.96	4.52	2.21	5.46	YEAR'S TOTAL 35.50
Rain Days.	17	21	9	13	11	6	17	15	7	15	8	25	76

2
✓
Ex of cond in with
REGISTER OF RAINFALL IN 1916

Kept at Bromyard
in the County of Hereford
by T.V. Phillips

2295
FORM A.
BRITISH RAINFALL.
3 JAN 1917
Lat. 52° 11' N Long. 2° 30' W.
Time of Observation 9 a.m.
Nearest Railway Station Bromyard
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 393 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09	.01	.03	—	.15	.14	.16	—	—	.19	.15	—	1
2	.38	.09	.19	—	.20	Trace	.10	—	.10	.58	.11	—	2
3	.01	.78	.07	—	.03	.01	Trace	—	.03	.19	.08	Trace	3
4	.15	.21	—	Trace	.43	.50	Trace	—	.08	.02	.42	—	4
5	.03	.01	.06	—	.28	.05	.30	—	—	.06	.11	—	5
6	.03	.33	.03	Trace	.16	.11	.57	—	—	.12	.33	—	6
7	—	—	.13	—	.04	—	.04	—	—	.06	.27	.19	7
8	.03	—	.06	—	.19	.01	—	—	—	.03	.04	.26	8
9	—	—	.01	—	.13	.60	—	—	.01	.03	.04	.01	9
10	—	.38	.04	.03	.02	—	—	—	Trace	.05	—	Trace	10
11	.01	.05	.10	.08	.08	.21	—	—	Trace	—	—	.10	11
12	.05	.14	.06	Trace	.62	Trace	.22	Trace	Trace	.02	—	—	12
13	—	.28	.18	—	Trace	—	—	.26	Trace	—	Trace	Trace	13
14	—	.10	.05	Trace	.06	—	—	.06	Trace	.07	Trace	.03	14
15	—	.44	.31	.10	.17	—	.01	.20	—	.02	—	—	15
16	—	.02	Trace	.28	.05	—	.17	.05	—	.03	—	—	16
17	.04	.11	—	.08	—	—	Trace	Trace	.37	.40	—	—	17
18	Trace	.06	.06	.02	—	—	—	Trace	.24	.01	.29	.18	18
19	.06	—	.31	.09	—	—	—	Trace	Trace	—	.36	Trace	19
20	.05	—	.47	.02	—	—	—	—	Trace	—	.04	.40	20
21	.01	—	.39	—	.09	—	.22	—	—	—	Trace	.13	21
22	—	Trace	Trace	.01	—	.04	—	—	—	.15	—	.28	22
23	Trace	.41	—	.02	—	—	—	.14	—	.06	.03	.28	23
24	—	.09	.12	Trace	.48	—	—	.09	—	.15	—	.11	24
25	—	.14	.05	—	—	.14	—	.07	Trace	.11	.16	—	25
26	.02	.09	.01	—	Trace	—	—	.24	.03	.36	.08	—	26
27	.04	.10	.50	—	—	—	.01	.01	.21	.43	Trace	Trace	27
28	.01	.15	.16	—	—	.11	—	Trace	.03	.09	.01	.10	28
29	—	.36	—	—	—	.23	—	.54	—	.22	—	.12	29
30	—	X	—	Trace	—	.03	—	Trace	—	.20	—	Trace	30
31	—	X	—	X	—	X	—	.05	X	.37	X	.04	31
Total	1.01	4.35	3.39	0.73	3.18	16.8	1.80	1.71	1.10	3.62	2.52	2.23	27.72
Rain Days.	16	22	23	10	17	14	10	11	9	26	17	14	188

REGISTER OF RAINFALL IN 1917

2183

Kept at Bromyard (Dumbleton Cottage)
in the County of Hereford
by T. V. Philpotts M. A.

Lat. 52° 4' N Long. 2° 30' W
Time of Observation 9 a.m.
Nearest Railway Station Bromyard
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 393 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	Trace	-	0.05	0.21	-	0.22	-	0.55	0.11	-	0.05	-	1
2	-	-	-	Trace	-	0.04	-	0.06	-	-	0.10	Trace	2
3	0.06	0.02	-	0.22	-	-	-	0.03	-	0.29	Trace	-	3
4	-	Trace	0.27	-	-	-	-	0.26	-	0.09	-	Trace	4
5	0.09	-	0.15	0.12	-	-	-	0.01	Trace	0.17	0.10	-	5
6	Trace	-	0.08	-	-	0.24	-	-	-	0.09	0.15	-	6
7	0.37	-	0.07	-	-	-	0.25	0.17	-	0.11	0.06	0.02	7
8	0.43	-	0.10	0.15	-	-	0.20	0.38	Trace	0.28	0.24	0.10	8
9	-	-	0.16	0.08	0.17	-	Trace	0.72	0.07	0.03	0.05	Trace	9
10	0.34	-	0.28	0.16	0.22	-	-	0.19	0.07	0.01	Trace	Trace	10
11	0.11	-	0.21	0.13	0.03	-	-	0.06	Trace	0.23	0.03	-	11
12	0.01	Trace	-	Trace	0.37	-	-	Trace	0.02	0.10	0.01	-	12
13	Trace	-	0.05	0.01	-	-	-	0.13	0.06	Trace	Trace	-	13
14	Trace	-	0.29	0.14	-	-	-	0.13	Trace	Trace	Trace	0.02	14
15	0.02	-	-	-	0.10	-	0.13	0.12	Trace	0.05	-	0.14	15
16	0.01	0.05	-	0.20	0.02	0.04	0.01	Trace	-	Trace	-	0.28	16
17	0.03	0.01	-	0.09	0.53	-	0.36	0.37	0.12	0.08	-	-	17
18	Trace	0.04	-	0.01	0.23	-	0.29	0.03	1.06	Trace	-	-	18
19	0.02	0.46	0.39	-	0.03	0.36	-	Trace	0.01	-	Trace	-	19
20	Trace	0.13	0.18	-	0.66	0.22	0.86	Trace	0.07	-	0.01	-	20
21	Trace	0.03	0.23	-	0.04	0.15	-	0.04	Trace	0.02	0.05	-	21
22	-	Trace	0.02	-	Trace	0.08	-	0.08	0.02	0.05	-	-	22
23	-	0.21	-	-	0.12	-	-	0.16	-	0.03	0.02	-	23
24	-	0.02	Trace	-	-	0.34	0.05	0.04	-	0.25	0.03	-	24
25	-	0.07	0.08	-	-	-	-	Trace	-	0.11	0.05	-	25
26	-	0.01	-	-	0.35	0.03	-	0.60	0.12	0.01	0.04	-	26
27	-	-	-	-	1.03	0.20	0.74	0.51	-	Trace	-	0.01	27
28	-	-	0.21	-	-	0.17	-	0.17	-	-	-	0.02	28
29	-	X	0.02	-	-	0.09	0.03	Trace	-	0.63	-	0.36	29
30	-	X	Trace	-	-	-	Trace	0.31	-	0.04	0.03	Trace	30
31	-	X	0.15	X	0.07	X	-	0.17	X	0.03	X	Trace	31
Total	1.49	1.05	2.99	1.52	3.97	2.18	2.92	5.29	1.73	2.70	1.02	0.95	YEAR'S TOTAL 27.81
Rain Days.	11	11	19	12	15	13	10	24	11	21	16	8	171

REGISTER OF RAINFALL IN 1918

Kept in Bromyard (Dumbleton Cottage)

in the County of Hereford

by T.V. Phichok M.A.

Lat. $52^{\circ}11'N$ Long. $2^{\circ}30'W$

Time of Observation 9 a.m.

Nearest Railway Station..... Broomfield

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 393 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Jan. 1, following

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.02	.01	.02	.03	-	-	.06	Gr	.03	.63	Gr	1
2	-	.03	-	Gr	-	-	-	.18	-	.04	.06	.08	2
3	-	.03	Gr	.02	.23	-	-	.01	.63	Gr	.26	Gr	3
4	Gr	.02	.01	-	-	-	-	.01	.60	.23	.44	.43	4
5	-	.04	.02	.02	.32	-	-	.04	.55	.23	Gr	.01	5
6	.02	.60	.03	.17	-	.05	-	Gr	.10	.29	Gr	.02	6
7	-	.09	Gr	.02	.24	-	Gr	-	.22	.06	.19	.01	7
8	Gr	.18	-	-	-	-	-	-	.21	.13	Gr	Gr	8
9	Gr	.19	-	.27	-	.16	.07	-	.23	.12	Gr	.02	9
10	.08	.02	-	.11	-	.15	.38	-	.08	.06	-	.11	10
11	Gr	.02	.09	.08	.03	-	.23	Gr	.19	Gr	.04	.06	11
12	.01	.02	.12	-	.08	-	.23	-	.06	.03	-	Gr	12
13	-	.02	-	Gr	.02	Gr	.02	-	.12	.06	.01	.04	13
14	.28	-	.15	-	-	Gr	.03	-	.35	Gr	Gr	.14	14
15	1.00	-	-	.11	-	Gr	.21	-	.03	Gr	Gr	.31	15
16	.17	-	-	.72	-	.09	Gr	Gr	.38	Gr	-	.10	16
17	.36	-	.02	Gr	-	.09	.27	Gr	.98	.08	-	.07	17
18	.37	-	.02	-	-	.32	.10	-	1.18	Gr	Gr	.34	18
19	.09	.01	.16	-	-	.25	.03	-	.02	.05	-	.01	19
20	.19	.06	-	.38	-	.04	.02	-	.20	Gr	Gr	.02	20
21	.10	.01	-	.48	.02	.04	.07	-	.26	-	-	.07	21
22	.01	-	-	-	.23	Gr	.21	Gr	.06	.05	Gr	.15	22
23	.03	-	-	-	.43	Gr	.21	-	Gr	Gr	Gr	Gr	23
24	Gr	.06	-	-	-	-	.10	.01	.09	.01	.07	Gr	24
25	.01	-	-	-	.01	Gr	.12	.87	-	.01	.02	-	25
26	Gr	-	-	-	-	Gr	.39	Gr	.03	.02	.06	.27	26
27	Gr	.03	Gr	-	-	-	-	.18	.20	-	.03	.02	27
28	-	.13	.24	-	-	.03	-	-	Gr	-	.07	.07	28
29	-	X	.10	-	-	.03	-	-	.94	-	Gr	.02	29
30	-	X	.28	-	-	-	-	.01	Gr	-	.05	.11	30
31	-	X	.25	X	-	X	-	.08	X	-	X	Gr	31
Total	2.72	1.58	1.50	2.40	1.64	0.70	2.58	1.45	7.72	1.50	1.93	2.48	28.30
Rain Days.	14	19	14	12	11	7	17	10	24	17	18	23	179

REGISTER OF RAINFALL IN 1919.

Lat. 52° 11' N Long. 2° 30' W.

Time of Observation 9.15 A.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Sea Level 39.3 ft.

" " " " " " " "

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	8.4	-	0.3	-	1.3	0.3	3.1	-	0.5	2.0	0.3	8.6	1
2	1.8	-	1.3	-	0.3	-	0.3	0.8	1.3	-	2.8	2.8	2
3	2.0	-	2.5	-	0.5	1.3	1.3	-	0.3	-	3.1	3.3	3
4	1.8	1.8	6.6	-	-	-	4.3	2.8	5.8	-	0.5	3.1	4
5	0.3	7.6	0.5	-	2.8	-	0.5	-	2.8	-	-	6.4	5
6	1.3	0.5	3.6	-	1.0	-	-	-	-	-	1.5	3.1	6
7	4.3	-	4.8	1.8	0.3	-	-	-	-	-	1.3	0.5	7
8	7.6	-	1.5	1.8	-	1.5	-	-	-	-	-	-	8
9	5.1	-	0.5	2.8	-	-	-	-	-	-	-	-	9
10	-	-	15.0	-	-	-	-	-	-	0.3	0.5	6.4	10
11	0.3	-	20.3	-	0.8	-	11.9	-	-	0.3	-	0.8	11
12	-	-	3.3	1.3	-	3.6	-	-	2.8	2.0	0.5	0.3	12
13	3.1	-	-	4.8	-	-	-	-	7.1	1.3	-	0.3	13
14	5.3	0.5	-	6.4	-	-	1.8	-	6.1	1.0	0.3	2.8	14
15	7.1	1.0	-	2.8	2.8	-	-	-	-	1.0	-	7.9	15
16	4.1	24.6	-	-	-	1.0	-	3.1	-	-	1.8	0.3	16
17	-	16.0	-	-	-	1.0	-	-	-	-	1.3	-	17
18	-	-	17.5	-	-	-	1.3	6.1	-	-	0.3	1.3	18
19	5.1	6.4	25.9	-	-	4.6	29.5	7.6	7.1	-	4.6	0.5	19
20	7.1	0.8	10.9	-	-	1.5	0.8	2.5	0.8	-	3.1	2.3	20
21	0.8	9.4	0.5	-	-	-	7.4	-	1.0	-	0.5	2.0	21
22	-	1.5	-	-	-	0.5	0.5	-	8.1	-	-	3.3	22
23	-	-	-	-	-	0.3	-	0.3	-	25.7	0.3	0.8	23
24	-	-	-	3.1	1.3	0.8	-	-	-	9.9	7.6	2.8	24
25	1.3	-	-	2.3	1.3	0.5	-	13.5	-	0.5	0.3	0.8	25
26	-	-	2.0	2.5	-	0.8	-	4.3	2.3	-	-	6.6	26
27	6.9	-	1.0	14.0	-	-	-	13.5	-	-	1.5	1.8	27
28	1.5	-	2.3	-	-	-	-	6.6	-	-	2.8	7.6	28
29	0.8	-	-	2.8	-	-	-	-	-	7.1	3.3	5.3	29
30	-	X	-	1.8	-	3.8	-	1.5	-	1.0	1.3	6.1	30
31	-	X	-	X	-	X	-	-	X	1.0	X	-	31
TOTAL	76.0	70.1	120.3	48.2	12.4	20.5	62.7	62.6	46.0	53.1	39.5	87.8	YEAR'S TOTAL 699.2
Days with 0.2 mm. or more	21	11	19	13	10	13	12	12	13	13	22	27	186

REGISTER OF RAINFALL IN 1920.

Kept at Bromyard
 in the County of Hereford
 by J. V. Philpott, M.A.

Lat. 52° 11' N Long 2° 30' W
 Time of Observation 9^h A.M.T.
 Nearest Railway Station
 Diameter of Funnel of Rain Gauge in.
 Height of top of Gauge above Ground 1 ft. in.
 " " " " Sea Level 393 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	0.03	0.19	0.25	-	0.20	-	0.02	0.08	-	0.29	1
2	0.03	-	-	0.10	0.01	-	0.06	0.02	0.07	0.20	-	0.20	2
3	0.06	0.02	-	0.07	0.06	-	1.50	-	0.15	0.31	-	0.03	3
4	-	-	0.01	0.03	-	-	-	0.34	0.01	0.54	-	-	4
5	-	-	0.14	0.23	0.11	-	0.40	0.16	-	0.25	-	-	5
6	-	-	0.11	-	0.12	-	0.15	-	-	0.17	-	0.01	6
7	-	-	0.06	0.10	-	-	0.18	-	-	-	-	0.01	7
8	0.32	0.06	-	0.69	0.08	-	0.51	0.05	-	0.01	-	-	8
9	0.28	0.02	-	0.29	-	-	0.03	-	-	-	-	-	9
10	0.43	0.04	0.07	0.01	-	0.22	0.14	-	-	-	0.01	-	10
11	0.17	0.07	0.08	0.49	0.30	0.05	0.08	-	-	-	-	-	11
12	0.18	-	0.01	0.18	-	0.79	0.01	0.02	-	0.02	0.10	-	12
13	0.02	0.01	0.24	0.24	-	-	-	-	-	-	-	0.02	13
14	0.01	-	0.80	0.30	-	0.10	0.04	0.06	0.31	0.09	0.28	-	14
15	-	0.12	0.04	0.60	-	0.52	-	-	-	-	0.03	-	15
16	-	-	0.01	0.26	0.18	0.21	0.16	-	0.07	0.52	0.06	-	16
17	0.03	-	0.06	-	0.13	-	-	0.05	0.91	0.09	-	0.02	17
18	0.11	-	-	-	0.10	0.15	-	0.13	0.57	-	-	-	18
19	0.05	0.41	-	0.10	0.03	0.11	-	-	0.02	-	-	-	19
20	0.02	0.02	-	0.30	-	-	-	-	0.04	-	-	0.06	20
21	-	-	-	0.03	-	-	0.21	-	-	0.04	-	0.09	21
22	-	-	-	0.08	-	-	0.02	0.11	-	-	-	0.26	22
23	-	-	0.01	-	-	-	0.39	0.05	-	-	-	0.35	23
24	-	-	0.12	-	-	-	-	0.01	-	-	-	0.21	24
25	0.02	0.01	0.25	0.03	-	-	0.56	-	-	-	-	0.02	25
26	0.16	0.01	0.23	-	-	-	0.01	-	-	-	0.07	0.04	26
27	0.28	0.02	0.21	0.03	0.12	0.29	0.17	-	-	-	0.02	0.43	27
28	1.12	-	0.09	-	0.36	0.02	-	-	-	-	-	0.05	28
29	0.16	-	0.11	-	0.05	-	0.21	-	-	-	0.11	0.40	29
30	0.02	~~X~~	0.42	0.13	0.01	0.12	0.01	-	0.30	-	0.23	0.17	30
31	0.06	~~X~~	0.03	~~X~~	0.04	~~X~~	-	0.02	~~X~~	0.24	~~X~~	0.02	31
TOTAL	3.53	0.81	3.13	4.48	1.95	2.58	5.04	1.02	2.47	2.56	0.91	2.68	YEAR'S TOTAL 31.16
Days with 0.1 in. or more	20	12	22	22	16	11	21	12	11	13	9	19	188

✓
REGIS

BULLINGHAM LOWER

HEREFORD

1913 - 1915

Kept at Bullingha
in the County of Heref
by Maurice Gra

3
g. 20 42' W
A.M.
Hereford.
5 in.
Above Ground 1 ft. — in.
Sea Level 165 ft.

FORM A.
BRITISH RAINFALL.
8- JAN 1914

IMPORTANT NOTE.

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									.70	—	.08	—	1
2									.08	.97	.09	—	2
3									—	—	.01	.09	3
4									.62	.36	.04	.06	4
5									—	.36	.02	.02	5
6									—	.28	.04	.37	6
7									—	.32	.15	.03	7
8									—	.08	.01	—	8
9									.23	—	.15	—	9
10									—	.13	.16	—	10
11									—	.05	.50	—	11
12									—	—	.36	—	12
13									.53	—	.26	—	13
14									.09	.09	—	—	14
15									.12	—	.02	—	15
16									.06	—	—	—	16
17								—	.04	—	—	—	17
18								—	.11	—	.03	—	18
19								—	—	—	—	—	19
20								—	—	.04	.24	—	20
21								.01	—	—	.18	—	21
22								.34	.37	—	—	—	22
23								—	.02	—	.07	.03	23
24								—	—	—	—	—	24
25								—	.04	.03	—	—	25
26								.21	.01	—	—	.18	26
27								—	—	.14	—	—	27
28								—	.01	.08	—	.02	28
29								.04	—	.10	—	—	29
30								.03	—	1.01	.04	—	30
31								.02	—	.03	—	—	31
Total								.65	3.03	4.07	2.45	.80	YEAR'S TOTAL
Rain Days.								6	15	16	19	8	

REGISTER OF RAINFALL IN 1913

Kept at Bullingham
 in the County of Hereford
 by Maurice Grevener Hewins

Lat. 52° 2' 35" Long. 2° 42' W
 Time of Observation 9 A.M.
 Nearest Railway Station Hereford
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. — in.
 " " " " Sea Level 165 ft.

FORM A.
 BRITISH RAINFALL
 8-JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1									.70	—	.08	—	1
2									.08	.97	.09	—	2
3									—	—	.01	.09	3
4									.62	.36	.04	.06	4
5									—	.36	.02	.02	5
6									—	.28	.04	.37	6
7									—	.32	.15	.03	7
8									—	.08	.01	—	8
9									.23	—	.15	—	9
10									—	.13	.16	—	10
11									—	.05	.50	—	11
12									—	—	.36	—	12
13									.53	—	.26	—	13
14									.09	.09	—	—	14
15									.12	—	.02	—	15
16									.06	—	—	—	16
17								—	.04	—	—	—	17
18								—	.11	—	.03	—	18
19								—	—	—	—	—	19
20								—	—	.04	.24	—	20
21								.01	—	—	.18	—	21
22								.34	.37	—	—	—	22
23								.02	—	—	.07	.03	23
24								—	—	—	—	—	24
25								—	.04	.03	—	—	25
26								.21	.01	—	—	.18	26
27								—	—	.14	—	—	27
28								—	.01	.08	—	.02	28
29								.04	—	.10	—	—	29
30								.03	—	.01	.04	—	30
31								.02	—	.03	—	—	31
Total								.65	3.03	4.07	2.45	.80	YEAR'S TOTAL
Rain Days.								6	15	16	19	8	

REGISTER OF RAINFALL IN 1914

Kept at Lower Bullingham
in the County of Hereford
by M. Gravener Hewins

Lat. 52° 2' 35" N Long. 2° 42' W
Time of Observation 9 a.m.
Nearest Railway Station Hereford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 166 ft.

FORM A.
BRITISH RAINFALL
9 - JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.01	.02	.02	—	.02	.59	.12	—	—	.12	.05	1
2	—	—	—	—	.01	—	.58	.02	—	—	.35	.08	2
3	—	—	—	.08	.16	—	.02	.01	—	—	.01	.16	3
4	.16	—	—	.09	.05	—	.23	.12	.01	—	.50	.55	4
5	.07	—	.04	.08	.16	—	.08	—	—	—	.06	—	5
6	—	.07	.02	.06	—	.01	.03	—	—	—	.02	.14	6
7	—	.28	.13	.09	.23	.02	.14	—	—	—	—	.40	7
8	—	—	.02	—	.02	.38	.01	.07	.02	—	—	.12	8
9	.01	.01	.16	.50	.06	1.17	—	.05	—	—	—	.01	9
10	—	.31	.01	.28	.02	.13	—	—	.68	—	—	.01	10
11	—	.08	.20	.04	.10	.39	.02	—	—	—	.12	.64	11
12	—	.30	.13	—	—	—	.24	—	.18	—	.06	.16	12
13	—	.15	.27	—	—	—	.06	—	.12	.03	.10	.28	13
14	—	.25	.25	—	—	—	—	—	—	.49	.16	—	14
15	—	.01	.08	—	—	—	—	.16	—	—	.11	—	15
16	.02	.01	—	—	—	—	.12	—	.23	—	—	—	16
17	.03	.15	.22	—	—	—	.04	—	.07	—	.01	.24	17
18	—	—	.07	—	—	.04	.03	—	—	.09	.01	.33	18
19	—	.01	.02	—	—	—	1.36	—	.06	—	.06	.09	19
20	—	.38	.01	—	—	—	—	—	—	.01	—	.12	20
21	—	.47	—	—	—	—	.06	—	—	.21	—	—	21
22	—	.08	.01	—	.30	—	.06	.07	—	.22	—	.01	22
23	—	.01	.05	—	.03	—	.02	—	—	.29	—	—	23
24	—	—	.05	—	—	—	.04	.12	.02	.10	—	.10	24
25	.02	—	.11	—	—	—	.01	.25	—	.14	.01	.54	25
26	—	—	.01	—	—	—	.03	.05	—	.03	.13	.01	26
27	.03	—	—	—	—	—	—	—	—	.04	.18	—	27
28	—	.02	.10	—	—	—	—	—	—	.31	.01	.11	28
29	.03	—	.04	.01	.21	—	—	—	—	.14	.18	.62	29
30	—	X	.09	—	—	—	—	—	—	.08	.33	.68	30
31	.23	X	—	X	—	X	—	—	X	.12	X	.08	31
Total	.60	2.60	2.11	1.25	1.35	2.16	3.77	1.04	1.39	2.30	2.53	5.53	YEAR'S TOTAL 26.63
Rain Days.	9	18	24	10	12	8	21	11	9	15	20	24	181

2341
2
BRITISH RAINFALL FORM A.
JUN 1916
cnd for month 26, VI.16
REGISTER OF RAINFALL IN 1915

Kept at Lower Bullingham
in the County of Hempford
by M. G. Hewins

Lat. 52° 2' 35" Long. 2° 42' W
Time of Observation 9 a.m.
Nearest Railway Station Hempford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 166 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.40	.04	—	—	.20	—	—	.04	—	.14	—	.06	1
2	.13	.13	.08	.11	—	—	—	1.67	—	.22	—	.14	2
3	.49	.13	—	.01	.12	—	.73	.01	—	—	—	.23	3
4	.02	.07	—	—	.18	—	1.09	.11	—	.01	—	.59	4
5	—	.67	—	.04	—	—	—	.06	—	—	.02	.77	5
6	.14	.03	—	.19	—	—	.57	.05	—	.02	—	.17	6
7	.07	.36	—	.01	.26	—	—	.11	—	—	—	.23	7
8	.22	.22	—	.01	—	—	.01	.01	—	—	.20	—	8
9	.07	.14	—	.04	—	—	—	—	—	—	.03	.60	9
10	.08	.04	.05	.08	—	—	—	—	—	.06	.01	—	10
11	.07	.02	—	.03	.01	—	—	—	—	—	1.05	—	11
12	.07	.10	.01	.15	.27	—	—	—	—	—	.44	—	12
13	—	.60	.01	—	.66	—	—	.20	.06	.03	—	—	13
14	—	.01	—	—	—	—	—	.09	.09	.05	—	.26	14
15	.22	.03	—	—	.07	—	.03	.06	—	.02	—	.10	15
16	—	.45	—	—	.49	—	1.72	—	—	—	—	.01	16
17	—	.41	.02	—	.71	—	—	.04	—	—	—	.02	17
18	—	.56	.02	—	—	—	—	—	—	.02	—	—	18
19	—	.02	—	—	.15	—	.06	—	—	—	—	—	19
20	.05	.03	—	.12	—	—	—	—	—	.07	—	.07	20
21	—	.03	—	—	—	—	.20	—	—	.14	—	.02	21
22	—	.13	.21	.10	—	—	.33	—	—	—	—	.27	22
23	—	.01	.03	.01	—	—	.02	—	—	.98	—	.21	23
24	.07	.02	.04	—	—	.09	.54	—	.33	.71	—	.37	24
25	—	—	—	—	—	.17	.12	—	—	—	—	.12	25
26	—	.04	—	—	—	—	.30	—	.02	—	—	.57	26
27	—	.08	—	—	—	—	.10	—	—	.36	—	.08	27
28	—	.13	—	—	—	.02	—	.06	.21	.05	—	.02	28
29	—	—	—	—	—	.02	—	.02	—	.01	—	.10	29
30	.08	X	—	—	—	.16	.02	—	—	.26	.33	.17	30
31	.01	X	—	X	—	X	.07	—	X	1.21	X	.46	31
Total	2.19	4.50	.47	.90	3.12	.46	5.85	2.53	.71	4.36	2.08	.561	32.78
Rain Days.	16	27	9	13	11	5	16	14	5	18	7	24	165
YEAR'S TOTAL													32.718

REC

Kept at Burghill
in the County of Hereford
by Miss E. D. W.

BURGHILL MANOR

HEREFORD

1911-1920

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

don
in.
round 1 ft. 0 in.
a Level 293 ft.
me Greenhill, M.R.
stance 2½ miles Direction W.
he result entered to the
sal rule, he is earnestly
in the space provided
it of rain,
h Rainfall
plication to

Jan. 1, following.

IMPORTANT NOTE.
previous day. If an Obs
requested to add the readi
for it at the end of this
the selection and placing
Organization are given in "
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. 01	in. —	in. 02	in. 03	in. —	in. —	in. —	in. 27	in. —	in. —	in. 03	in. —	1
2	02	—	—	02	08	—	—	08	—	—	03	06	2
3	—	—	—	—	42	—	—	—	07	02	01	12	3
4	—	—	12	01	—	—	—	03	07	02	09	40	4
5	05	—	02	—	—	—	—	04	—	07	06	07	5
6	19	—	04	—	—	—	—	—	—	—	13	61	6
7	01	—	—	—	—	—	—	—	—	—	29	—	7
8	10	—	11	—	—	—	—	—	—	—	27	45	8
9	08	—	—	—	—	—	—	—	—	—	16	22	9
10	07	04	07	—	—	—	—	—	—	—	—	42	10
11	09	01	—	—	—	—	—	—	—	—	46	07	11
12	—	—	34	—	—	—	—	—	21	—	13	06	12
13	—	—	02	—	09	—	—	04	19	10	01	52	13
14	—	01	—	—	—	—	—	—	—	07	—	85	14
15	—	01	01	—	—	—	—	—	—	07	10	05	15
16	—	—	01	—	—	09	—	—	—	—	10	11	16
17	—	01	01	01	—	80	—	—	—	—	13	68	17
18	—	22	08	12	—	01	—	—	39	02	—	28	18
19	01	02	—	12	—	10	—	01	39	21	—	34	19
20	—	03	03	02	—	—	—	—	16	07	—	40	20
21	—	06	19	—	—	—	—	26	—	29	—	05	21
22	—	01	02	02	—	03	—	—	—	15	—	45	22
23	—	14	18	—	—	55	x	—	14	09	—	08	23
24	—	04	—	01	—	38	—	07	—	03	—	04	24
25	—	16	—	03	—	—	—	—	07	—	—	07	25
26	—	17	—	17	55	01	—	07	—	14	15	13	26
27	—	05	18	06	—	—	—	21	12	—	06	10	27
28	—	13	—	11	—	—	—	07	—	—	11	01	28
29	—	—	01	02	—	07	32	—	06	17	—	—	29
30	—	—	03	—	05	03	02	03	—	20	02	—	30
31	—	—	01	—	—	—	02	—	—	03	—	—	31
Total	57	111	145	75	119	207	36	112	142	157	234	658	TOTAL for year 2053
No. of Rain Days	10	16	20	14	5	10	3	12	10	17	19	26	162

9,000, IX, '10. 8 am 2 pm about 91 fell but was completely evaporated by 9 am on 24.5.

REC

FORM A2.
BRITISH RAINFALL.
10 JAN 1912Kept at Burghill Courtin the County of Herefordby Miss E. D. Woodhouse

Pattern Snowdon
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 293 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Gredon Hill M.R.
Distance 2½ miles Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	^{in.} '01	^{in.} —	^{in.} '02	^{in.} '03	^{in.} —	^{in.} —	^{in.} —	^{in.} '27	^{in.} —	^{in.} —	^{in.} '03	^{in.} —	1
2	'02	—	—	'02	'08	—	—	'08	—	—	'03	'06	2
3	—	—	—	—	'42	—	—	—	'07	'02	'01	'12	3
4	—	—	'12	'01	—	—	—	'03	'07	'02	'09	'40	4
5	'05	—	'02	—	—	—	—	'04	—	'07	'06	'07	5
6	'19	—	'04	—	—	—	—	—	—	—	'13	'61	6
7	'01	—	—	—	—	—	—	—	—	—	'29	—	7
8	'10	—	'11	—	—	—	—	—	—	—	'27	'45	8
9	'08	—	—	—	—	—	—	—	—	—	'16	'22	9
10	'07	'04	'07	—	—	—	—	—	—	—	—	'42	10
11	'09	'01	—	—	—	—	—	—	—	—	'46	'07	11
12	—	—	'34	—	—	—	—	—	'21	—	'13	'06	12
13	—	—	'02	—	'09	—	—	'04	'19	'10	'01	'52	13
14	—	'01	—	—	—	—	—	—	—	'07	—	'86	14
15	—	'01	'01	—	—	—	—	—	—	'07	'10	'05	15
16	—	—	'01	—	—	'09	—	—	—	—	'10	'11	16
17	—	'01	'01	'01	—	'80	—	—	—	—	'13	'68	17
18	—	'22	'08	'12	—	'01	—	—	~~'34~~	'02	—	'28	18
19	'01	'02	—	'12	—	'10	—	'01	'39	'21	—	'34	19
20	—	'03	'03	'02	—	—	—	—	'16	'07	—	'40	20
21	—	'06	'19	—	—	—	—	'26	—	'29	—	'05	21
22	—	'01	'02	'02	—	'03	—	—	—	'15	—	'45	22
23	—	'14	'18	—	—	'55	x	—	'14	'09	—	'08	23
24	—	'04	—	'01	—	'38	—	'07	—	'03	—	'04	24
25	—	'16	—	'03	—	—	—	—	'07	—	—	'07	25
26	—	'17	—	'17	'55	'01	—	'07	—	'14	'15	'13	26
27	—	'05	'18	'06	—	—	—	'21	'12	—	'06	'10	27
28	—	'13	—	'11	—	—	—	'07	—	—	'11	'01	28
29	—	—	'01	'02	—	'07	'32	—	'06	'17	—	—	29
30	—	—	'03	—	'05	'03	'02	'03	—	'20	'02	—	30
31	—	—	'01	—	—	—	'02	—	—	'03	—	—	31
Total	'57	1'11	1'45	'75	1'19	2'07	'36	1'12	1'42	1'57	2'34	6'58	TOTAL for year 20'53
No. of Rain Days	10	16	20	14	5	10	3	12	10	17	19	26	162

REGISTER OF RAINFALL IN 1912

Kept at *Bunghill Court*
in the County of *Hampson*
by *Miss E.D. Woodhouse F.R.Met.S.*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Grinstead M. 12 1/2*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. in.
" " " " Sea Level *293* ft.

BRITISH RAINFALL FORM A.
14 JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.13	—	—	.76	.02	—	—	.15	—	.11	1
2	—	—	.16	.02	.01	.50	.11	.07	—	—	—	.01	2
3	—	—	.02	—	.03	.11	.01	.60	.01	—	.04	—	3
4	.11	—	.65	—	.14	.05	—	.10	—	—	.17	—	4
5	.25	.10 ⁺	.10	—	.10	—	—	.25	—	—	.01	.02	5
6	.13	.09	.03	—	.03	.09	—	.36	—	—	—	—	6
7	.02	.17	.12	—	.03	.30	.03	.14	—	—	—	.02	7
8	.38	.21	.13	.02	—	.31	—	.10	.05	—	.01	—	8
9	.05	.02	.52	.09	—	.10	.01	.37	—	—	.01	.20	9
10	.14	.03	—	—	—	.06	—	.04	—	—	.08	.53	10
11	—	.03	—	—	—	—	—	.02	—	—	.08	—	11
12	—	.25	.03	.05	.15	—	—	—	—	—	—	.02	12
13	.01	.01	—	—	—	—	—	—	.05	.01	—	.01	13
14	.03	.01	.41	—	.03	—	—	.07	—	.02	—	.02	14
15	.18	.07	—	—	.43	.10	—	.01	—	—	—	.09	15
16	.71	.01	.08	—	—	—	—	.04	—	.04	.04	.02	16
17	.85 ^x	—	.03	—	—	.03	—	.21	—	—	.03	.18	17
18	.14 ^x	.01	.01	—	—	—	—	.13	—	—	.01	.03	18
19	.06	—	—	—	.02	—	.13	.42	—	—	.01	.03	19
20	.03	—	.40	—	.70	.02	.06	.04	—	.11	.02	.01	20
21	.02	.02	.40	—	.32	—	.02	.58	—	.19	—	.01	21
22	.34 ^x	.04	.04	—	—	—	.27	.24	—	—	—	.16	22
23	.24	.14	.32	—	—	.02	.03	.48	—	.12	.04	.07	23
24	.10	.01	—	—	—	.13	—	.02	—	—	—	.24	24
25	.01	—	—	—	—	.19	—	.97	—	.01	.24	.36	25
26	—	.10	—	—	—	—	.21	.92	—	.69	.16	.45	26
27	—	—	—	—	—	.39	.75	—	—	.66	—	.25	27
28	—	.05	—	—	—	.10	.55	.41	.25	.22	.32	.29	28
29	—	.05	.09	—	—	.16	.13	.02	.44	.07	—	.03	29
30	—	—	.02	—	—	.14	.16	—	—	.32	—	.01	30
31	—	—	.20	—	.03	—	.45	.01	—	.01	—	.01	31
Total	3.80	1.42	3.89	.18	2.02	3.56	2.94	6.62	.80	2.62	1.27	3.18	YEAR'S TOTAL 32.30
Rain Days.	20	20	21	4	13	19	16	26	5	14	16	26	200

REGISTER OF RAINFALL IN 1913

Kept at Burghill Court
in the County of Hereford
by Min E.D. Woodhouse F.R.Met.Soc

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Credenhill M.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 293 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'01	'04	'10	—	'08	—	—	—	'76	—	'03	—	1
2	'01	'20	'03	'04	—	—	—	—	'03	'59	'13	—	2
3	'03	'01	'04	—	'40	—	—	—	—	—	—	'08	3
4	'88	'01	—	—	'23	—	—	—	'66	'30	'05	'15	4
5	'02	'05	—	—	'10	'16	'10	—	'03	'29	'04	'02	5
6	'01	'08	'12	—	'15	'05	'01	—	—	'24	'01	'33	6
7	'01	'34	—	—	'19	'04	—	—	—	'30	'09	'03	7
8	—	'13	—	'01	'14	'01	'01	'02	—	'05	—	—	8
9	—	'30	—	'01	'16	'16	'04	'09	'19	—	'20	'02	9
10	'25	—	—	'02	'04	—	—	'09	'01	'12	'12	—	10
11	'66	—	—	'33	'11	—	—	—	—	'04	'34	—	11
12	—	'01	—	'01	'26	—	—	—	'02	—	'25	—	12
13	'03	—	'13	—	'02	—	—	'01	'61	—	'28	—	13
14	'23	—	'25	'08	—	—	—	'03	'05	'07	—	—	14
15	'02	'02	'52	'05	—	—	—	'02	'09	—	'04	—	15
16	'05	—	'73	'02	—	—	—	—	'05	—	—	—	16
17	'02	—	'20	'07	—	—	'11	—	'03	—	'01	—	17
18	'04	—	'20	'06	—	—	'02	—	—	—	—	—	18
19	'14	—	'15	—	—	'03	'01	—	'04	'01	—	—	19
20	'10	—	'35	'08	'07	—	—	—	—	'05	'33	—	20
21	—	—	'26	'12	'01	—	'15	—	—	—	'21	—	21
22	'66	—	'64	'02	—	'11	—	'34	'47	—	—	—	22
23	'02	—	'03	—	—	—	—	'03	'04	—	'07	'02	23
24	'03	—	—	'02	—	—	—	'02	—	—	'03	—	24
25	'01	'01	—	'28	—	—	—	—	'05	'04	—	—	25
26	—	—	—	'70	—	—	—	'22	'01	'01	—	'14	26
27	'20	—	'14	'23	—	—	—	—	—	'13	—	—	27
28	'01	—	'20	'40	'06	—	—	—	—	'19	—	'05	28
29	'08	—	'35	'46	—	—	—	—	—	'22	—	'02	29
30	'01	—	—	—	—	—	—	—	—	'84	'06	'01	30
31	'03	—	'16	—	—	—	—	'03	—	'03	—	—	31
Total	3'56	1'20	4'60	4'01	2'02	'56	'45	'90	3'14	3'52	2'29	'87	YEAR'S TOTAL 27'12
Rain Days.	26	12	19	20	15	7	8	11	17	18	18	11	'182

REGISTER OF RAINFALL IN 1914

Kept at Bungfield Court
in the County of Hampshire
by Miss E. D. Woodhouse 7 R. Met-S.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Greenhill W. 15
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 293 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.01	.03	.01	—	.4	.85	.19	—	—	.04	.12	1
2	—	—	—	—	.01	.04	.65	.05	—	—	.39	.31	2
3	—	—	—	.07	.12	—	.02	.01	—	—	—	.17	3
4	.11	—	—	.05	.13	—	.21	.15	—	—	.60	.32	4
5	.06	—	.02	.07	.22	—	.04	—	—	—	.04	—	5
6	—	.03	.01	.02	.03	—	—	—	—	—	.01	.10	6
7	—	.17	.19	.25	.26	.02	.28	.08	.02	—	—	.30	7
8	—	—	.02	.03	.02	—	.01	.04	—	—	—	.05	8
9	.02	.02	.13	.27	.03	.52	—	.05	.02	—	—	.01	9
10	—	.20	.02	.15	.03	.08	—	—	.44	—	—	—	10
11	—	.13	.13	.01	.06	.05	.15	—	.01	—	.19	.70	11
12	—	.35	.03	—	—	.22	.09	—	.21	—	.04	.14	12
13	—	.16	.23	—	—	—	.05	—	.05	.54	.10	.24	13
14	—	.25	.20	—	—	—	.03	—	—	.08	.10	—	14
15	—	.04	.03	—	—	—	—	.02	.03	.01	.03	—	15
16	.01	—	—	—	—	—	.07	—	.09	—	—	—	16
17	.01	.13	.17	—	—	—	.02	—	.04	—	—	.25	17
18	—	—	.06	—	—	—	.07	—	—	—	—	.45	18
19	—	.02	.01	—	—	—	.41	—	.02	—	.08	.10	19
20	.01	.28	.01	—	—	—	—	—	—	—	—	.10	20
21	—	.34	—	—	—	.04	.02	.04	—	.12	—	—	21
22	—	.08	—	—	—	.02	.03	.07	—	.25	—	—	22
23	—	—	.06	—	.54	—	.02	—	—	.24	—	—	23
24	—	—	.07	—	.11	—	.04	.24	—	.06	—	—	24
25	.06	—	.09	—	—	—	.01	.25	—	.18	.01	.09	25
26	—	—	.01	—	—	—	.01	.02	—	.01	.13	.34	26
27	.04	—	—	—	—	—	—	—	—	.02	.17	.24	27
28	.01	.03	.03	—	—	—	—	—	—	.26	.05	.55	28
29	.02	~~X~~	.10	—	.02	—	—	—	—	.13	.15	.02	29
30	—	~~X~~	.10	—	.25	—	—	—	—	.06	.33	.46	30
31	.16	~~X~~	—	~~X~~	—	~~X~~	.07	.02	~~X~~	.10	~~X~~	.10	31
Total	.53	.224	.195	.93	.183	.199	.415	.123	.93	.206	.246	.536	25.66
Rain Days.	11	16	23	10	14	8	22	14	10	14	17	22	181

REGISTER OF RAINFALL IN 1915

Kept at Burghill Court-
in the County of Hereford
by Miss E. D. Woodhouse

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Credenhill M.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 293 ft.

FORM A.
BRITISH RAINFALL
21 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'39	'05	'02	—	'21	—	—	'07	'10	'24	—	'10	1
2	'08	'08	'12	'14	—	'16	—	1'48	'01	'15	—	'12	2
3	'50	'09	'02	'02	'12	—	'86	'01	—	—	'07	'26	3
4	'02	'06	—	—	'13	—	'22	'20	—	—	—	'61	4
5	—	'53	—	'01	—	—	—	'07	—	'01	—	'56	5
6	'12	'03	—	'18	—	—	'55	'06	—	—	—	'09	6
7	'05	'24	—	'03	'48	—	'06	'02	—	—	—	'21	7
8	'20	'27	—	'02	—	—	—	—	—	—	'05	—	8
9	'07	'24	—	—	—	—	—	'01	—	—	'20	'48	9
10	'09	'02	'04	'08	—	—	—	—	—	'07	'01	—	10
11	'05	—	—	'01	'03	—	—	—	—	—	1'19	'01	11
12	'06	'13	—	'17	'44	—	—	'26	—	'08	'31	—	12
13	'02	'69	—	—	'64	—	—	'10	'05	—	'01	—	13
14	—	'02	—	—	—	—	'01	'19	'08	—	—	'19	14
15	'15	—	—	—	'09	—	'04	'08	'01	'04	'05	'08	15
16	'01	'30	—	—	'44	—	1'00	'02	—	—	—	'02	16
17	—	'15	'01	—	'87	—	—	—	—	—	—	'01	17
18	—	'44	'02	—	—	—	—	—	—	—	—	—	18
19	—	'01	—	'01	'05	—	'03	—	—	—	—	—	19
20	'07	—	—	'08	—	—	—	—	—	'05	—	'08	20
21	'05	'04	—	—	'02	—	'17	—	—	'13	—	'03	21
22	'04	'15	'18	'09	—	—	'31	—	—	—	—	'24	22
23	'06	'01	'03	—	—	'15	'07	—	—	'84	—	'31	23
24	—	—	'05	'03	—	—	'68	—	'26	'71	—	'27	24
25	—	—	—	'02	—	'18	'01	—	—	'02	—	'14	25
26	—	'02	—	—	—	—	'07	—	'03	—	—	'50	26
27	—	'12	'01	—	—	'01	'27	—	—	'30	—	'07	27
28	—	'15	—	—	—	'03	—	'04	'18	'02	—	'02	28
29	—	~~—~~	—	—	—	'03	—	—	—	—	'09	'11	29
30	'06	~~—~~	—	'01	—	'23	'05	—	—	'33	'14	'18	30
31	—	~~—~~	—	~~—~~	—	~~—~~	'05	—	~~—~~	'88	~~—~~	'46	31
Total	2'09	3'84	50	90	3'62	'79	4'45	2'61	'72	3'87	2'06	3'15	30'60
Rain Days.	19	23	10	15	12	7	17	14	8	15	10	25	175

YEAR'S TOTAL

Exe 82 REGISTER OF RAINFALL IN 1916

FORM A.
 BRITISH RAINFALL.
 24 JAN 1917

Kept at *Bunghill Court*
 in the County of *Hereford*
 by *Miss E. D. Woodhouse*

Lat. _____ Long. _____
 Time of Observation *9 am*
 Nearest Railway Station *Credenhill M.R.*
 Diameter of Funnel of Rain Gauge *5* in.
 Height of top of Gauge above Ground *1* ft. *0* in.
 " " " " Sea Level *293* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'08	-	'02	-	'01	'07	'10	-	-	'25	'05	-	1
2	'34	'05	'25	-	'16	'02	'08	-	'20	'74	'05	-	2
3	'01	'80	-	-	'08	'02	-	-	'04	'10	'20	-	3
4	'08	'28	x'02	-	'41	'20	'49	-	'07	'02	'52	-	4
5	'02	'01	x'02	-	'26	-	-	-	-	'06	'13	-	5
6	'01	'14	x'06	-	'05	'04	'54	-	-	'06	'35	-	6
7	'02	'01	x'11	-	'25	-	'02	-	-	'13	'19	'21	7
8	-	-	x'05	-	-	-	-	-	-	-	'07	'13	8
9	-	-	x'01	-	'10	'03	-	-	'01	-	'05	'01	9
10	-	'40	x'04	'01	'03	'06	-	-	-	'02	'01	-	10
11	'07	'01	x'06	'03	'10	'18	-	-	'01	-	-	-	11
12	'04	'01	'07	'02	'19	-	'28	-	-	'02	-	'01	12
13	-	'21	'19	'01	-	-	'02	'20	-	-	-	-	13
14	-	x'34	'15	'02	'01	-	-	'03	-	'03	-	-	14
15	-	'25	'41	'16	'23	-	-	'23	-	'02	-	-	15
16	-	'09	'01	'14	-	-	'15	'01	-	'06	-	-	16
17	'02	'12	-	'10	-	-	-	'04	'10	'39	-	-	17
18	'01	'03	'10	'03	-	-	-	-	'09	-	'35	'17x	18
19	'09	-	'69	'15	-	-	-	-	-	'07	'16	-	19
20	'07	'01	'46	'01	-	-	-	-	-	-	'01	'33	20
21	-	-	'55	-	'12	'01	'15	-	-	-	-	'12	21
22	-	-	'01	08	-	'02	-	-	-	'21	-	'41	22
23	-	x'30	'01	-	-	-	-	'23	-	'06	'01	'16	23
24	-	x'17	'05	-	'84	'25	-	'09	-	'27	-	'12	24
25	-	x'10	'09	-	-	-	-	'09	'01	'06	'14	'01	25
26	'02	x'06	'03	-	'11	'15	-	-	'01	'41	'01	-	26
27	'05	x'06	x'62	-	'01	-	'06	'04	'20	'45	-	'01	27
28	'01	x'39	'02	-	-	-	-	-	'03	'16	-	'08	28
29	-	'18	-	-	-	'24	-	'58	-	'10	-	'06	29
30	-	X	-	-	-	'06	-	-	-	'22	-	'01	30
31	-	X	-	X	-	X	-	'01	X	40	X	'01	31
Total	'94	4'02	4'10	'76	2'96	1'35	1'89	1'55	'77	4'31	2'30	1'85	YEARS TOTAL 26'80
Rain Days.	16	23	26	12	17	14	10	11	11	24	16	16	196

REGISTER OF RAINFALL IN 1917

Kept at Burgill Court
in the County of Hereford
by Miss E. Woodhouse F.R.M.S.

Lat. _____ Long. _____
Time of Observation 9 a.m. Greenwich time
Nearest Railway Station Credenhill M.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 293 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	'11 x '42	—	'11	—	'60	'18	—	'04	—	—	1
2	—	—	'02 x '05	—	'01	—	'02	—	—	'23	—	—	2
3	—	x '03	—	x '11	—	—	—	'01	—	'29	—	—	3
4	—	x '04	x '18	—	—	—	—	'09	—	'11	—	—	4
5	'06	—	x '26	'10	—	'03	—	'02	'44	'19	'09	—	5
6	'03	—	'54	—	—	'07	—	—	—	'09	'09	—	6
7	'20	—	'03	—	—	—	'10	'15	—	'17	'04	'04	7
8	'47	—	x '09	'14	—	—	'40	'73	—	'26	'15	'07	8
9	—	—	x '35	x '05	'21	—	—	'39	'17	'08	'03	—	9
10	'22	—	'27	'20	'08	—	—	'26	'04	'01	'5	—	10
11	'02	—	'19	x '38	'02	—	—	'12	—	'15	'01	—	11
12	—	—	'01	—	'35	—	—	'11	'05	'18	—	—	12
13	—	—	'08	'05	—	—	—	'30	'02	—	—	—	13
14	—	—	x '15	'02	—	—	—	'01	—	'02	—	—	14
15	—	—	—	—	'11	—	'03	'02	'01	'01	—	'09	15
16	x '02	'05	—	'12	—	'10	—	—	—	—	—	'25	16
17	x '01	—	—	'02	'51	—	'43	'26	'11	'06	—	'01	17
18	—	'03	—	—	'03	—	'30	—	'04	—	—	—	18
19	'02	'47	'15	—	—	'37	—	'01	'01	—	—	—	19
20	x '01	'15	'03	—	'71	'08	'04	'04	'04	—	—	—	20
21	x '02	'06	x '26	—	'04	'18	—	'03	—	'01	—	—	21
22	x '03	'01	—	—	'03	'08	—	'25	—	'03	—	—	22
23	—	'24	—	—	'04	—	—	'13	—	'18	—	'02	23
24	—	'03	—	—	—	'05	'02	'05	—	'21	'10	—	24
25	—	'05	'05	—	—	—	—	'01	—	'09	'12	—	25
26	—	—	—	—	'04	'17	—	'50	'07	'02	'01	—	26
27	—	—	'02	—	'92	'21	'53	'78	—	'01	—	—	27
28	—	—	'22	—	'02	'17	—	'09	—	—	—	'02	28
29	—	~~X~~	'02	—	'06	'09	'01	'07	—	'47	—	'30	29
30	—	~~X~~	—	—	—	—	—	'31	—	'05	—	'01	30
31	—	~~X~~	x '28	~~X~~	'11	~~X~~	—	'20	~~X~~	'03	~~X~~	—	31
Total	1'11	1'16	3'31	1'66	3'28	1'72	1'86	5'56	2'18	2'72	'91	'81	26'28
Rain Days.	12	11	21	12	16	14	9	28	12	23	11	9	178

6 x 9 m
REGISTER OF RAINFALL IN 1918

Kept at Burghill Court
in the County of Hereford
by Miss E. D. Woodhouse

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Credenhill
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 293 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	'01	—	—	'01	—	—	'12	'02	'02	'78	—	1
2	—	'06	—	'01	—	—	—	'52	—	'01	'11	'03	2
3	—	'09	'01	'16	'20	—	—	'01	'65	—	'05	—	3
4	—	'02	—	'01	—	—	—	'02	'64	'17	'45	'46	4
5	—	'07	—	'04	'44	—	—	'06	'61	'14	—	'01	5
6	'04	'08	—	'09	—	'05	—	—	'21	'18	—	'03	6
7	—	'04	—	'03	'47	—	—	—	'25	'01	'19	'01	7
8	'01	'14	—	'01	—	—	—	—	'13	'13	—	—	8
9	'01	'14	—	'21	—	'16	'06	—	'20	'02	—	'03	9
10	'03	—	—	'03	—	—	'35	—	'06	'05	—	'15	10
11	—	—	'09	'05	'02	—	'34	—	'11	'04	'08	'03	11
12	—	'01	'10	—	'10	—	'05	—	—	—	—	—	12
13	—	'04	—	—	'04	—	'04	—	'16	'04	—	'04	13
14	'23	—	'12	—	—	—	'03	—	'33	'04	—	'07	14
15	'103x	—	—	'14	—	'02	'26	—	'05	—	—	'29	15
16	'20x	—	'01	'71	—	'02	'02	—	'58	—	—	'10	16
17	'23	—	'01	'02	—	'01	'16	—	'35	'10	—	'08	17
18	'29	—	'05	—	—	'16	'07	—	'100	—	—	'35	18
19	'09	—	'29	—	—	—	'05	—	—	'04	—	'03	19
20	'23	'03	—	'25	—	'03	'02	—	'26	'01	—	—	20
21	'09	'01	—	'32	—	—	'15	—	'34	—	—	'09	21
22	'01	—	—	—	'77	—	'14	—	'03	—	—	'21	22
23	'02	—	—	—	'32	—	'18	—	—	—	'04	—	23
24	'01	'01	—	—	—	—	'06	'04	'06	—	'10	'83	24
25	—	—	—	—	'09	—	'21	'126	—	'02	'03	—	25
26	—	—	—	'01	—	—	'24	'01	'04	'01	'03	'14	26
27	—	'02	'05	—	—	—	—	'16	'09	—	—	'02	27
28	—	'10	'40	—	—	—	—	—	—	—	—	'07	28
29	—	~~X~~	'06	—	—	—	—	—	'98	—	—	'03	29
30	—	~~X~~	'28	—	—	—	—	—	'01	—	'04	'07	30
31	'01	~~X~~	'15	~~X~~	—	~~X~~	—	'05	~~X~~	—	~~X~~	—	31
Total	2'53	'87	1'62	2'09	2'46	'45	2'43	2'25	7'11	1'05	1'90	2'37	YEAR'S TOTAL. 27'13
Rain Days.	16	16	13	16	10	7	18	10	24	17	11	23	181

REGISTER OF RAINFALL IN 1919

Kept at Burgville Cross
in the County of Leicestershire
by Miss E. Woodhouse F.R.Met.S.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Credenhill M.R.
Diameter of Funnel of Rain-Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 293 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.19	.01	.01	.01	.04	—	.19	—	—	.14	—	.29	1
2	.05	.01	.01	—	—	—	.01	—	.20	—	.03	.03	2
3	—	—	.09	—	.01	.11	.03	—	.07	—	.05	.04	3
4	.06+	.11	.30	—	—	—	.20	.02	.15	—	.07	.24	4
5	.05	.30+	.02	—	.02	—	.02	—	.06	—	—	.13	5
6	.12	.05	.06	—	.01	—	—	—	—	—	.01	.11	6
7	.13	—	.03	.08	—	—	—	—	—	—	—	.07	7
8	.23	—	.09	.01	—	.02	—	—	—	—	—	—	8
9	.25	—	.01	.02	—	—	—	—	—	—	.01	—	9
10	.02	—	.63	—	—	—	—	—	—	.03	—	.26	10
11	.01	—	1.00	—	.01	—	.38	—	—	.03	—	.07	11
12	—	—	.13	.04	—	.13	—	—	.04	.01	.05+	—	12
13	.06	—	.01	.22	—	—	—	—	.24	.01	—	.01	13
14	.13	.02	—	.18	—	—	.03	—	.30	.04	.01+	.15	14
15	.30	.06	—	.05	.05	—	—	—	—	.05	—	.16	15
16	.06	.89	—	—	—	—	—	.10	—	.02	.02+	—	16
17	—	.55	—	.01	—	.03	—	—	—	—	.04	—	17
18	.02	—	.52	—	—	—	.01	.09	—	—	.02	.01	18
19	.03	.27	.94	—	—	.19	.87	.40	.07	—	.09	.02	19
20	.30	.04	.36+	—	—	.01	—	.07	.01	—	.08	.02	20
21	.18	.34	.01	—	—	—	.11	—	.01	—	—	.04	21
22	—	.04	—	—	—	—	—	—	.19	—	—	.07	22
23	—	—	—	—	—	—	.01	.01	.01	.93	.02	.02	23
24	—	—	—	—	.09	.02	.01	—	—	.37	.13	.08	24
25	.04	—	—	.03	—	—	—	.53	—	—	.04	—	25
26	—	.03	.07	.06	—	.02	—	.12	.02	—	.01	.23	26
27	—	—	.02	.54+	—	—	—	.61	—	—	.03	.01	27
28	.19+	—	.18+	.01	—	—	—	—	—	—	.12+	.28	28
29	.05+	~~X~~	—	.04	—	—	—	.17	—	.15	.02	.20	29
30	.03+	~~X~~	—	.03	—	.14	—	.14	—	.02	.15	.14	30
31	.01+	~~X~~	—	~~X~~	—	~~X~~	—	—	~~X~~	—	~~X~~	—	31
Total	2.51	2.72	4.51	1.33	.23	.67	1.87	2.26	1.37	1.77	.94	2.62	YEAR'S TOTAL 22.80
Rain Days.	23	14	20	15	7	9	12	11	13	12	20	24	184

+ Snow

max daily fall 1.00 in. on March 11

REGISTER OF RAINFALL IN 1920.

Kept at Barnard Castlein the County of Herefordby Mr E Woodhouse F.R. Met.S.

Lat. _____ Long. _____

Time of Observation 9 a.m.Nearest Railway Station Credenhill M.R.Diameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0 in." " " " Sea Level 293 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	03	13	16	—	12	—	05	07	—	35	1
2	03	—	—	02	—	—	02	01	01	09	—	11	2
3	04	—	—	23	02	01	171	01	01	39	—	01	3
4	—	—	02	02	—	—	—	14	—	20	—	—	4
5	—	—	12	07	02	—	36	01	—	26	—	—	5
6	—	—	11	—	08	—	28	—	—	15	—	02	6
7	—	—	01	04	—	—	05	—	—	—	—	01	7
8	35	04	—	76	04	—	32	08	—	—	—	—	8
9	16	03	—	34	—	—	06	—	—	—	—	—	9
10	21	10	03	03	—	39	05	—	—	—	01	01	10
11	17	01	09	41	20	—	04	—	—	—	—	01	11
12	12	—	—	08	—	56	02	—	—	04	09	—	12
13	04	04	29	12	—	18	—	—	—	—	—	03	13
14	01	01	54	33	—	09	07	—	31	13	14	03	14
15	—	10	08	63	01	05	10	—	—	—	03	—	15
16	—	10	—	11	14	36	—	—	06	66	05	—	16
17	02	—	02	—	13	41	—	05	56	24	—	03	17
18	06	—	—	01	05	—	01	15	41	—	—	01	18
19	05	37	—	10	03	19	—	—	—	—	—	—	19
20	—	01	—	18	—	09	—	—	01	—	—	06	20
21	—	—	—	—	—	—	13	—	—	07	—	08	21
22	01	—	—	08	—	—	01	17	—	01	—	22	22
23	—	—	01	—	—	—	20	02	—	—	—	35	23
24	—	—	14	—	—	—	—	—	—	—	02	13	24
25	05	—	17	01	—	01	45	—	—	—	—	01	25
26	15	02	20	01	—	—	01	—	—	—	11	01	26
27	36	—	20	02	03	20	04	—	—	—	01	35	27
28	90	—	12	—	38	02	—	—	—	—	—	02	28
29	18	—	26	—	10	—	27	—	—	—	05	32	29
30	02	—	82	20	—	08	01	—	38	—	20	10	30
31	06	—	09	—	—	—	01	—	—	44	—	03	31
TOTAL	299	74	335	393	139	264	434	64	180	269	71	230	YEAR'S TOTAL
Days with rain	20	11	20	23	14	14	23	9	9	13	10	23	189
Days with snow	—	—	—	—	—	—	—	—	—	—	—	—	—
W. 21, 958—218. 7500. 10/19. Gp. 182. A & E. W.	—	—	—	—	—	—	—	—	—	—	—	—	126

REGI

CREDENHILL

2234

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Credenhill

in the County of Hereford

by Richard H. Whiting

HEREFORD

Credenhill

ce. 1/4 m Direction S
result entered to the
rule, he is earnestly
the space provided
of rain,
Rainfall
ation to

Jan. 1, following.

1911-1920

IMPORTANT NOTE.—If
previous day. If an Observer
requested to add the reading
for it at the end of this part
the selection and placing of
Organization are given in "Rule"
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.03		.03	.01				.18			.04		2
3				.04	.09			.08		.03	.04	.12	3
4				.01	.43			.02	.07	.01	.01	.14	4
5			.07					.04	.08	.02	.12	.43	5
6	.07		.03	.01				.06		.10	.07	.01	6
7			.09	.01							.15	.65	7
8	.01										.32		8
9	.02		.12								.35	.49	9
10	.06		.03									.31	10
11	.02	.05	.10									.41	11
12	.11	.03			.04						.47	.08	12
13			.38		.03				.20		.15	.09	13
14									.19	.17	.01	.55	14
15										.01		.91	15
16			.02			.01					.12	.07	16
17			.03			.13					.11	.13	17
18	.01		.01	.02		.65					.13	.74	18
19		.26	.12	.20		.02					.01	.31	19
20	.02		.01	.22		.21		.01	.52	.16		.41	20
21	.02	.03	.02	.02				.11	.08	.03		.45	21
22		.04	.40			.02			.01	.30		.07	22
23	.01	.02	.01	.02		.04				.27		.48	23
24		.20	.15			.43			.15	.09		.11	24
25		.04		.02		.43		.09	.03	.02		.04	25
26		.18	.01	.02		.04				.02		.07	26
27		.13		.18	.58	.01		.11		.16	.15	.13	27
28		.14	.19					.21	.15		.08	.12	28
29		.12		.13				.03			.15		29
30			.01	.03		.07	.37		.08	.17	.01		30
31			.03		.10	.05	.16	.12		.20	.03	.02	31
					.02		.02			.04		.01	
Total	.38	1.24	1.86	.94	1.29	2.11	.55	1.06	1.56	1.80	2.52	7.35	TOTAL for year 22.66 22.66
No. of Rain Days	11	12	21	15	7	13	3	12	11	17	20	27	169

REGI

FORM A2.
BRITISH RAINFALL.
2 - JAN 1932

Kept at Frederic Hill
in the County of Hereford
by Richard M Whiting

Pattern Standard
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 5
" " " Sea Level 275 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Frederic Hill
Distance 1/2 m Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.03		.03	.01				.18			.04		2
3				.04	.09			.08		.03	.04	.12	3
4				.01	.43			.02	.07	.01	.01	.14	4
5			.07					.04	.08	.02	.12	.43	5
6	.07		.03	.01				.06		.10	.07	.01	6
7			.09	.01							.15	.65	7
8	.01										.32		8
9	.02		.12								.35	.49	9
10	.06		.03									.31	10
11	.02	.05	.10									.41	11
12	.11	.03			.04						.47	.08	12
13			.38		.03				.20		.15	.09	13
14									.19	.17	.01	.55	14
15										.01		.91	15
16			.02			.01					.12	.07	16
17			.03			.13					.11	.13	17
18	.01		.01	.02		.65					.13	.74	18
19		.26	.12	.20		.02					.01	.31	19
20	.02		.01	.22		.21		.01	.52	.16		.41	20
21	.02	.03	.02	.02				.11	.08	.03		.45	21
22		.04	.40			.02			.01	.30		.07	22
23	.01	.02	.01	.02		.04				.27		.48	23
24		.20	.15			.43			.15	.09		.11	24
25		.04		.02		.43		.09	.03	.02		.04	25
26		.18	.01	.02		.04				.02		.07	26
27		.13		.18	.58	.01		.11		.16	.15	.13	27
28		.14	.19					.21	.15		.08	.12	28
29		.12		.13				.03			.15		29
30			.01	.03		.07	.37		.08	.17	.01		30
31			.03		.10	.05	.16	.12		.20	.03	.02	31
					.02		.02			.04		.01	31
Total	.38	1.24	1.86	.94	1.29	2.11	.55	1.06	1.56	1.80	2.52	7.35	TOTAL for year 22.66
No. of Rain Days	11	12	21	15	7	13	3	12	11	17	20	27	169

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
JAN 1913

Kept at Fredenhill
in the County of Hereford
by Richard M. Whiting

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Fredenhill
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 275 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.20			.91		.02				.12	1
2			.18	.02	.01	.71	.22	.03					2
3			.02			.15		.64			.05	.01	3
4	.12		.64		.15	.08		.27			.18		4
5	.25	.10	.09		.10	.01		.34			.01	.01	5
6	.20	.10			.03			.45					6
7	.02	.30	.11		.04	.38	.05	.05		.01		.03	7
8	.41	.28	.16	.01		.24	.01	.13	.04			.01	8
9	.05		.53	.15		.23		.37		.01	.02	.23	9
10	.15	.04		.01		.05	.01	.07			.10		10
11	.03	.05	.02					.02		.01		.51	11
12	.01	.24	.04	.05	.17	.03	.01				.10	.01	12
13		.01						.08	.05	.01		.03	13
14	.03		.44		.03			.09		.02			14
15	.23	.07	.03		.56	.07		.01				.12	15
16	.81		.08					.02		.06	.05	.03	16
17	.82		.07			.05		.27	.01		.03	.18	17
18	.11	.02	.03					.13			.01	.08	18
19	.05		.01		.02	.02	.15	.73		.01		.03	19
20	.04		.37			.02	.08	.04		.07	.01	.01	20
21	.02	.03	.43		.68		.02	.67		.21	.04		21
22	.39	.06	.02		.34		.22	.25		.01		.14	22
23	.40	.16	.38			.03	.02	.54		.12	.03	.07	23
24	.11	.01				.14	.01	.04				.26	24
25	.01		.01			.15		1.05		.01	.27	.37	25
26		.12	.01				.20	1.03		.81	.22	.52	26
27						.43	.90			.75		.28	27
28		.05	.01		.01	.31	.50	.44	.27	.27		.38	28
29		.08	.10			.23	.16	.03	.42	.10		.04	29
30			.03			.11	.15			.37	.02	.01	30
31			.17		.01		.54	.01		.01		.01	31
Total	4.26	1.72	4.18	.24	2.15	4.35	3.25	7.82	.79	2.86	1.14	3.49	YEARS TOTAL 36.25
Rain Days.	21	17	26	5	13	21	17	28	5	18	15	25	211

Winter
24-14

not for ant 27-11-14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
2-JAN 1914

Kept at Bredenhill
in the County of Hereford
by Richard M. Whiting
Frank E. Whiting (on B.)

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Bredenhill
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 275 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.06	.12		.06				.63		.03	.01	1
2	.01	.21	.03	.09	.02				.04	.60	.15		2
3		.01	.06		.39		.01					.10	3
4	.89	.01			.21				.61	.45	.08	.19	4
5	.04	.05			.10	.08	.09		.04	.17	.05		5
6	.01	.08	.16		.20	.06	.02			.29	.02	.37	6
7		.37	.01		.20	.04				.75	.15	.03	7
8	.01	.14		.01	.21	.03	.02	.02		.07		.01	8
9		.31		.01	.13	.14	.06	.10	.17	.01	.23	.01	9
10	.25			.02	.08			.10		.14	.10		10
11	.77	.01		.35	.10	.01				.04	.50		11
12	.02			.01	.29				.02	.01	.23		12
13	.03		.08		.02				.64		.25		13
14	.27	.01	.23	.07					.06	.14	.01		14
15	.03	.02	.57	.97				.20	.04		.06	.01	15
16	.05		.64	.04					.02				16
17	.02	.01	.22	.03			.10		.03		.01		17
18	.08		.20	.10			.02				.02		18
19	.28		.18			.05	.03		.05	.01			19
20	.14		.56	.13						.04	.33		20
21			.27	.22	.07		.01	.01		.01	.14		21
22	.68		.72	.02		.10		.44	.55			.02	22
23	.01		.04					.02	.17		.10		23
24	.04	.01	.04	.02				.03		.01	.05		24
25				.30					.05	.07			25
26		.05		.76		.03		.24	.02	.01		.17	26
27	.02		.15	.20						.04	.01	.01	27
28	.20		.15	.50	.10					.31		.05	28
29	.01		.40	.47	.01					.20		.01	29
30	.10									.78	.07		30
31	.05		.17		.03			.05		.07			31
Total	4.03	1.35	5.00	4.32	2.22	.59	.36	1.21	3.14	4.22	2.59	.99	30.02
Rain Days.	25	15	21	20	17	9	9	10	16	22	21	13	198

REGISTER OF RAINFALL IN 1914

BRITISH RAINFALL FORM A.
5 JAN 1915

Kept at Bredenhill
in the County of Hereford
by Frank E Whiting

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Bredenhill
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 275 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.01	.04	.01		.06	.59	.18			.06	.09	1
2					.01		.75	.09			.36	.48	2
3			.01	.07	.14		.02	.08			.01	.27	3
4	.10			.05	.16		.22	.15			.60	.53	4
5	.04		.03	.12	.20		.02				.05	.04	5
6	.01	.05	.02	.03	.04							.14	6
7	.01	.21	.20	.29	.25	.02	.31	.10	.01			.34	7
8		.01	.02	.03	.03	.50	.01	.09				.07	8
9	.01		.13	.24	.05	1.21		.04	.01				9
10		.26	.02	.14	.03	.12			.35				10
11		.14	.13		.08	.23	.16		.01		.27	.75	11
12		.32	.14				.15		.20		.07	.16	12
13		.20	.25				.09		.07	.65	.13	.25	13
14		.30	.22				.12			.10	.16		14
15		.05	.15				.05	.04	.05		.04		15
16									.10				16
17		.07	.22				.04		.08			.33	17
18		.01	.12				.03		.06			.41	18
19		.02	.02				1.44				.08	.13	19
20		.34	.02									.13	20
21		.38				.46	.03	.01		.14			21
22		.07	.01		.43	.03	.04	.10		.29			22
23		.01	.05		.13		.03			.25			23
24			.08				.03	.26		.06			24
25	.08		.10				.02	.22		.21	.01	.13	25
26			.01				.04	.10		.08	.15	.43	26
27	.04	.01					.01			.02	.25	.30	27
28			.05		.04		.04			.15	.04	.62	28
29	.03		.16		.27					.13	.22		29
30			.13	.01						.08	.35	.60	30
31	.23						.10			.11		.08	31
Total	.58	2.46	2.33	.99	1.86	2.63	4.34	1.46	.94	2.27	2.85	6.28	28.99
Rain Days.	9	18	25	10	14	8	24	13	10	13	17	21	182

REGISTER OF RAINFALL IN 19 15

Kept at Bredenhill
 in the County of Hereford
 by Frank E Whiting

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Bredenhill
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 5 in.
 " " " " Sea Level 245 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.43	.05	.01		.21			.08	.15	.23		.11	1
2	.10	.08	.24	.14	.10	.14		1.45	.16	.16		.11	2
3	.43	.12	.03	.01			.64	.02				.21	3
4	.02	.12					.20	.43				.73	4
5		.53		.01				.06				.60	5
6	.15	.03	.01	.18			.92	.06		.01		.09	6
7	.05	.30		.02			.02	.02				.28	7
8	.20	.29		.01	.52		.02				.04		8
9	.04	.27		.05							.18	.54	9
10	.12	.02	.05	.09				.02		.06	.04		10
11	.05			.02							1.26		11
12	.05	.12		.14	.49			.14		.08	.39		12
13		.83			1.03			.04	.07			.02	13
14	.01	.01	.01				.02	.26	.08			.20	14
15	.20				.10		.05	.18		.02	.06	.10	15
16		.35			.48		1.05	.06					16
17		.22			.95							.01	17
18	.01	.46	.02							.01			18
19		.01			.15		.05						19
20	.09											.10	20
21	.05	.03		.02	.32		.15	.02					21
22		.11	.18	.12			.35			.20		.25	22
23	.11	.01	.02			.04	.04			.94		.29	23
24			.11	.04			.62		.25	.77		.30	24
25						.15	.05		.02	.03	.01	.09	25
26		.03					.05					.55	26
27		.11	.01			.05	.31			.26		.10	27
28		.15				.02		.02	.20	.06		.03	28
29						.10					.12	.15	29
30	.08	~~X~~		.04		.22	.18			.40	.12	.16	30
31		~~X~~		~~X~~		~~X~~	.07		~~X~~	1.00	~~X~~	.60	31
Total	2.22	4.25	.69	.92	4.35	.75	4.82	2.92	.93	4.23	2.22	5.62	33.92
Rain Days.	18	23	11	14	10	7	18	15	7	15	9	23	170

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at Bredenhill
in the County of Hereford
by Frank E. Whiting

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Bredenhill
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 275 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.12		.02			.09	.12			.23	.14		1
2	.34	.06	.32		.20		.10		.20	.40	.21		2
3	.01	.45			.05	.01	.01		.05	.14	.20		3
4	.09	.40	.01	.01	.45	.20	.30		.05	.01	.04		4
5		.16			.25		.01			.06	.10		5
6	.02	.02	.06		.09		.93			.05	.39		6
7	.03		.11		.12		.12			.14	.35	.22	7
8			.06		.22						.05	.04	8
9		.01	.01		.14						.05	.02	9
10		.41	.06	.01	.02	.01	.01		.01				10
11	.08	.01	.06	.04		.15			.03	.01			11
12		.02	.06		.16		.23					.02	12
13	.03	.21	.22	.01	.01		.12	.21					13
14		.42	.11	.02				.04		.01			14
15		.22	.39	.16	.23			.24	.15	.05			15
16		.11		.14	.01		.20			.10			16
17	.01	.08		.10					.12	.40			17
18		.04	.11	.05					.05	.04	.35	.28	18
19	.12		.64	.15						.05	.05		19
20	.10	.01	.43								.02	.36	20
21			.40	.05	.14	.01	.28					.16	21
22	.01			.15		.03				.21		.40	22
23		.26						.26			.01	.22	23
24		.19	.06		1.32	.08		.06		.31	.02	.12	24
25		.15	.08	.05				.15		.05	.15	.06	25
26		.09	.04		.14	.18			.01	.45	.05		26
27	.03	.10	1.08			.01	.03	.06	.01	.41			27
28		.50	.04						.16	.18		.08	28
29	.01	.22				.25		.55		.08	.01		29
30		X				.05		.03		.23			30
31		X		X		X			X	.41	X	.04	31
Total	1.00	4.44	4.70	.94	3.53	1.04	2.46	1.60	.69	4.38	2.19	2.05	24.05
Rain Days.	14	23	22	13	16	12	13	9	10	23	14	13	185

REGISTER OF RAINFALL IN 1917

Kept at Bredenhill
in the County of Hereford
by Frank E. Whiting

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Bredenhill
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 295 ft.

2072
FORM A.
BRITISH RAINFALL
JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.14	.36		.15		.66		.01	.05		1
2				.02		.03		.02			.24		2
3		.06		.11				.01		.28	.01		3
4			.30	.01				.24		.14			4
5	.06	.04	.35	.10		.03		.02	.08	.19	.04		5
6	.01		.54			.25				.09	.10		6
7	.15			.01				.22		.19	.06	.02	7
8	.53		.05	.12			.53	.40		.32	.12	.11	8
9			.25	.08	.25			.32	.16	.06	.04		9
10	.10		.35	.18	.04			.30	.01	.04			10
11	.04		.20	.51	.01			.15		.19	.02		11
12					.40			.15	.01	.19	.01		12
13	.01		.08	.04				.40	.03			.01	13
14			.13				.01	.03		.01			14
15		.05		.05	.10		.04	.03		.02		.10	15
16	.02				.53		.01		.01			.30	16
17	.01			.01	.04		.43	.32	.08	.04			17
18		.03				.03	.34	.01	1.03		.01		18
19	.02	.43	.09			.40		.01	.01				19
20	.01	.09	.01		.41	.09	.04	.06	.03	.02			20
21		.05	.31		.04	.15		.04	.01			.03	21
22		.04			.05	.04		.21		.03			22
23		.20			.04			.14	.01	.09			23
24		.02	.01			.06		.04		.20	.09		24
25		.06	.06					.02		.08	.12		25
26						.32		.44		.02			26
27					1.10	.36		.91	.04		.02	.03	27
28			.14		.10	.22	.58	.04					28
29			.03		.03	.09		.13		.45		.32	29
30		X	.01					.19		.05			30
31		X	.26	X	.10	X		.29	X	.03	X		31
Total	.96	1.04	3.34	1.60	3.54	2.22	2.01	6.13	1.54	2.47	.96	.92	27.09
Rain Days.	11	11	19	13	15	14	8	29	13	23	14	8	198

REGISTER OF RAINFALL IN 1918

Kept at

Bredenhill

in the County of

Hereford

by

Frank E Whiting

Lat.

Long.

Time of Observation

9 a.m.

Nearest Railway Station

Bredenhill

Diameter of Funnel of Rain Gauge

5 in.

Height of top of Gauge above Ground

1 ft. 5 in.

Sea Level

275 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.02	.01	.01	.01			.13	.10	.05	.94		1
2		.05		.01						.01	.11	.03	2
3		.07		.15	.32			.01	.60	.01	.02		3
4		.02		.05				.03	.77	.15	.48		4
5		.03		.01	.45			.08	.50	.15	.02	.50	5
6	.06	.10		.15		.05			.02	.16		.05	6
7		.02		.05	.51		.01		.30	.02	.20		7
8	.03	.11							.18	.12			8
9		.10		.21		.17	.08		.25	.02			9
10	.03			.05			.43	.01	.05	.06		.20	10
11		.01		.01			.40		.08	.08	.03		11
12			.09		.08		.08		.02			.03	12
13		.04	.08		.05	.01	.05		.16	.02		.01	13
14	.26					.04	.02		.33	.05			14
15	1.20		.11	.08	~~.08~~		.35		.03	.01		.30	15
16	.20			1.00		.08	.02		.77		.01	.04	16
17	.23		.02	.01			.12		.22	.12		.10	17
18	.26		.02			.18	.10		1.02			.31	18
19	.08	.01	.29				.07		.01	.01		.03	19
20	.25	.02		.30		.04	.01		.39				20
21	.10			.30			.17		.24	.01	.01	.12	21
22	.02				.68		.12		.05			.22	22
23	.02				.30	.01	.12						23
24		.01					.01		.07	.01	.10	.03	24
25					.20	.02	.17	1.33					25
26							.29	.01	.01		.03	.12	26
27			.08					.21	.12		.01	.03	27
28		.09	.26									.06	28
29			.08						1.01			.03	29
30		X	.46						.01	.01	.03	.06	30
31		X	.15	X		X		.05	X		X		31
Total	2.74	.70	1.65	2.39	2.60	.60	2.62	1.86	7.31	1.07	1.99	2.27	27.80
Rain Days.	13	15	12	15	9	9	19	9	26	19	13	19	178

REGISTER OF RAINFALL IN 1919.

Kept at Sredenhill
in the County of Hereford
by Frank E. Whiting

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Sredenhill
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 275 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	20			10	06		14			10		30	1
2		01	01	01			10		14			05	2
3			10		01		01		06		10	04	3
4	12	10	33		01	10	22		23			14	4
5	03	30			02			03	04			20	5
6	14		08								02		6
7	12		06	09							02		7
8	20		03	02		03						01	8
9	30		01	10									9
10	03		64							02		33	10
11	03		140		02		40			01		10	11
12	02		14	04		15	02						12
13	05			22					35	05		03	13
14	22	02		12			05		36	02		06	14
15	24	10		05	02						02	26	15
16	04	95						09			10		16
17		65									10	01	17
18			60				02	08					18
19	33	34	90			19	100	18	14		10		19
20	20	05	65			02		22				04	20
21		34	02			01	12		03			15	21
22	01	04							12	01	02	08	22
23						05				90	03	12	23
24							03			39	15		24
25				05	06			56		02	05		25
26		04	04	10		03		12				33	26
27	18			60				49	02		03		27
28	06		20	01				35		15	15	31	28
29	05			05				05			03	21	29
30				01		15		18		03	20	15	30
31	01												31
TOTAL	264	300	524	154	20	43	214	235	152	140	112	301	YEAR'S TOTAL
Days with .01 in. or more	21	12	16	15	4	9	11	11	10	11	15	20	158

REGISTER OF RAINFALL IN 1920.

Kept at Bredenhill
in the County of Hereford
by Frank E. Whiting

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Bredenhill
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 275 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.04	.19	.01	.22	.08	.14	.13					1
2	.05		.05	.02	.10	.03	.04	.06	.38				2
3	.08	.13	.21	.05	1.31	.03	.02	.68	.02				3
4		.03	.06	.02		.14		.23					4
5			.13	.08		.38	.05	.40					5
6			.15		.08	.48		.15					6
7			.01	.08		.12							7
8	.34	.04	.76	.04	.46	.12		.02	.02	.03			8
9	.12	.03	.41		.06								9
10	.12		.05	.03	.24	.42	.06					.02	10
11	.16		.15	.45	.02								11
12	.11		.01	.15		.03			.03				12
13	.06	.04	.30	.15	.01	.04				.13	.06		13
14	.01		.60	.35	.19	.04		.35	.12	.21			14
15		.10	.14	.80	.09			.01		.06			15
16	.03	.01	.01	.10	.15	.45	.09	.09	.58		.02		16
17			.03		.13	.34		.04	.54	.30			17
18	.06			.01	.15	.02	.02	.20	.52				18
19	.04	.35	.12	.05	.15						.02	.02	19
20		.05	.21		.05				.02			.08	20
21			.10			.15				.06		.08	21
22	.01					.02	.20			.02		.24	22
23			.02	.01		.20	.10						23
24	.01	.01	.14					.02			.10		24
25	.01	.02	.14		.02		.62					.02	25
26	.15		.24	.05			.02			.11	.01		26
27	.35	.02			.25	.03			.03		.39		27
28	.98		.14	.01	.22	.04	.01				.01		28
29	.25		.24		.15	.25				.09	.39		29
30	.03	~~X~~	.98	.22	.01	.09		.32		.25	.02		30
31		~~X~~	.10	~~X~~	.02	~~X~~	.02	~~X~~	.51	~~X~~	.04		31
TOTAL	2.94	.90	3.49	4.56	1.33	2.47	4.72	.96	1.99	2.36	.99	1.96	YEAR'S TOTAL
Days with ".01 in. or more	20	13	20	23	15	14	22	10	10	15	9	18	189
Days with ".04 in. or more	74	78	151	18	10	11	15	4	4	11	4	9	130

REGIST

2233

Kept at Stretton - S
in the County of Heref
by S. H. Armit

CREDENHILL
STRETTON SUGWAS

HEREFORD

1911-1920

IMPORTANT NOTE.—Rain
previous day. If an Observer p
requested to add the reading at 9
for it at the end of this paragra
the selection and placing of rain
Organization are given in "Rules f
Dr. H. R. MILL, 62, Camden Squa

FORM A2
BRITISH RAINFALL
2-JAN 1912
1 ft. —
22.6 ft.

credenhill
Direction W
It entered to the
he is earnestly
space provided
ain,
fall
to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.02	—	—	—	—	.33	—	—	.03	—	1
2	.01	—	—	.01	.09	—	—	.10	—	.02	.04	.06	2
3	—	—	—	—	.43	—	—	—	.08	—	.01	.11	3
4	—	—	.13	—	—	—	—	.03	.07	.02	.09	.44	4
5	.08	—	.02	—	—	—	—	.05	—	.09	.08	—	5
6	.17	—	.07	—	—	—	—	—	—	—	.17	.66	6
7	—	—	—	—	—	—	—	—	—	—	.33	.02	7
8	.09	—	.12	—	—	—	—	—	—	—	.31	.43	8
9	.07	—	—	—	—	—	—	—	—	—	.19	.17	9
10	—	.05	.09	—	—	—	—	—	—	—	—	.45	10
11	.09	.01	—	—	—	—	—	—	—	—	.44	.07	11
12	.01	—	.38	—	—	—	—	—	.20	—	.16	.05	12
13	—	—	—	—	.04	—	—	.01	.18	.16	.01	.62	13
14	—	—	.02	—	—	—	—	—	—	—	—	.83	14
15	—	—	.01	—	—	—	—	—	—	—	.09	.08	15
16	—	—	.03	—	—	.12	—	—	—	—	.11	.06	16
17	—	.01	.02	—	—	.83	—	—	—	—	.15	.69	17
18	—	.24	.09	.12	—	.02	—	—	—	—	—	.39	18
19	.01	.02	.06	.15	—	.15	—	.01	.45	.21	—	.34	19
20	—	.03	.02	.01	—	—	—	—	.19	.02	—	.42	20
21	—	.08	.28	—	—	.01	—	.39	—	.39	—	.07	21
22	.01	—	—	.02	—	.03	—	—	—	.16	—	.42	22
23	—	.16	.13	—	—	.64	—	—	.14	.10	—	.09	23
24	—	.03	—	.01	—	.39	—	.08	—	.03	—	.04	24
25	—	.15	—	—	—	.02	—	—	.04	.02	—	.08	25
26	—	.11	—	.17	.53	—	—	.07	—	.16	.14	.13	26
27	—	.09	.18	.07	—	—	—	.27	.15	—	.07	.11	27
28	—	.13	—	.09	—	—	—	—	—	—	.12	—	28
29	—	X	—	—	—	—	.38	—	.06	.19	.01	—	29
30	—	X	.03	—	.08	.02	.04	.08	—	.21	.02	.01	30
31	—	X	—	X	.02	X	.01	—	X	.06	X	—	31
Total	.54	1.11	1.70	.65	1.19	2.23	.43	1.42	1.56	1.84	2.57	6.84	TOTAL for year 22.08
No. of Rain Days	9	13	18	9	6	10	3	11	10	15	20	26	150

REGIST

Kept at Stretton - Sugwas
in the County of Hereford
by S. H. Armitage

Pattern Snowdon
RAIN Gauge Diameter of top 5 in.
Height of top above Ground 1 ft. —
" " " Sea Level 226 ft.
Time of Observation 9 AM
Nearest Railway Station { Name Credenhill
Distance 1 1/2 Direction W

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.02	—	—	—	—	.33	—	—	.03	—	1
2	.01	—	—	.01	.09	—	—	.10	—	.02	.04	.06	2
3	—	—	—	—	.43	—	—	—	.08	—	.01	.11	3
4	—	—	.13	—	—	—	—	.03	.07	.02	.09	.44	4
5	.08	—	.02	—	—	—	—	.05	—	.09	.08	—	5
6	.17	—	.07	—	—	—	—	—	—	—	.17	.66	6
7	—	—	—	—	—	—	—	—	—	—	.33	.02	7
8	.09	—	.12	—	—	—	—	—	—	—	.31	.43	8
9	.07	—	—	—	—	—	—	—	—	—	.19	.17	9
10	—	.05	.09	—	—	—	—	—	—	—	—	.45	10
11	.09	.01	—	—	—	—	—	—	—	—	.44	.07	11
12	.01	—	.38	—	—	—	—	—	.20	—	.16	.05	12
13	—	—	—	—	.04	—	—	.01	.18	.16	.01	.62	13
14	—	—	.02	—	—	—	—	—	—	—	—	.83	14
15	—	—	.01	—	—	—	—	—	—	—	.09	.08	15
16	—	—	.03	—	—	.12	—	—	—	—	.11	.06	16
17	—	.01	.02	—	—	.83	—	—	—	—	.15	.69	17
18	—	.24	.09	.12	—	.02	—	—	—	—	—	.39	18
19	.01	.02	.06	.15	—	.15	—	.01	.45	.21	—	.34	19
20	—	.03	.02	.01	—	—	—	—	.19	.02	—	.42	20
21	—	.08	.28	—	—	.01	—	.39	—	.39	—	.07	21
22	.01	—	—	.02	—	.03	—	—	—	.16	—	.42	22
23	—	.16	.13	—	—	.64	—	—	.14	.10	—	.09	23
24	—	.03	—	.01	—	.39	—	.08	—	.03	—	.04	24
25	—	.15	—	—	—	.02	—	—	.04	.02	—	.08	25
26	—	.11	—	.17	.53	—	—	.07	—	.16	.14	.13	26
27	—	.09	.18	.07	—	—	—	.27	.15	—	.07	.11	27
28	—	.13	—	.09	—	—	—	—	—	—	.12	—	28
29	—	X	—	—	—	—	.38	—	.06	.19	.01	—	29
30	—	X	.03	—	.08	.02	.04	.08	—	.21	.02	.01	30
31	—	X	—	X	.02	X	.01	—	X	.06	X	—	31
Total	.54	1.11	1.70	.65	1.19	2.23	.43	1.42	1.56	1.84	2.57	6.84	TOTAL for year 22.08
No. of Rain Days	9	13	18	9	6	10	3	11	10	15	20	26	150

REGISTER OF RAINFALL IN 1912

Kept at Shetton - Sagins
 in the County of Herefordshire
 by S. H. Ammitage

Pattern Snowdon
 RAIN Diameter of top 5 in.
 GAUGE Height of top above Ground 1 ft. — in.
 " " " Sea Level 226 ft.
 Time of Observation 9 am
 Nearest Railway Station { Name Credenhill
 Distance 1 1/2 Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.14	—	—	.91	.01	.01	—	.21	—	.13	1
2	—	.01	.17	.01	.01	.51	.14	.05	—	—	—	—	2
3	—	—	.03	—	.02	.12	—	.57	.01	—	.06	—	3
4	.13	—	.73	—	.15	.08	—	.11	—	—	.19	—	4
5	.26	.09	.08	—	.09	.01	—	.28	—	—	—	.01	5
6	.18	.14	.02	—	.02	—	—	.56	—	—	—	—	6
7	.04	.28	.11	—	.03	.29	.01	.11	—	—	—	.01	7
8	.41	.22	.14	—	—	.51	.01	.09	.05	—	—	—	8
9	.11	—	.54	.13	—	.18	—	.40	—	—	.01	.21	9
10	.13	.05	—	—	—	.04	—	.06	—	—	.08	—	10
11	.04	.04	.01	—	—	—	.01	.03	—	—	.09	.56	11
12	.01	.29	.02	.05	.16	.03	—	—	—	—	—	.02	12
13	—	—	—	—	—	—	—	.08	.09	.03	—	.01	13
14	.04	—	.43	—	.01	—	—	.09	.01	.04	—	—	14
15	.22	.06	.01	—	.49	.08	—	—	—	—	—	.10	15
16	.74	.01	.07	—	—	.01	—	.02	—	.04	.01	.02	16
17	.86	—	.09	—	—	.06	—	.23	—	—	.02	.19	17
18	.11	.01	.02	—	—	—	—	.14	—	—	.01	.08	18
19	.09	—	—	—	.01	—	.14	.54	—	—	—	.04	19
20	.05	—	.41	—	—	—	.06	.04	—	.08	.01	—	20
21	.03	.02	.43	—	.78	—	.01	.56	—	.20	—	—	21
22	.40	.05	.01	—	.33	—	.24	.29	—	—	—	.24	22
23	.33	.16	.33	—	—	.05	—	.59	—	.14	.05	.06	23
24	.11	—	—	—	—	.15	.01	.02	—	.02	—	.26	24
25	—	—	—	—	—	.18	—	.94	—	.01	.28	.43	25
26	—	.12	—	—	—	—	.21	.92	—	.71	.21	.51	26
27	—	~~.04~~	—	—	—	.42	.69	—	—	.68	—	.27	27
28	—	.04	—	—	—	.13	.58	.43	.29	.26	.37	.31	28
29	—	.07	.09	—	—	.17	.21	.04	.38	.09	—	.03	29
30	—	X	.01	—	—	.23	.17	—	—	.34	—	—	30
31	—	X	.21	X	—	X	.55	—	X	—	X	.01	31
Total	4.29	1.66	4.10	.19	2.10	4.16	3.05	7.20	.83	2.85	1.39	3.50	TOTAL for year 35.32
No. of Rain Days.	20	17	23	3	12	20	16	26	6	14	13	21	191

REGISTER OF RAINFALL IN 1913

Kept at Stretton-Sugwas
in the County of Herefordshire
by S. H. Armitage

Lat. 2° 48' N Long. 52° 31' 30" W
Time of Observation 9 a.m.
Nearest Railway Station Credenhill
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 226 ft.

BRITISH RAINFALL
FORM A.
1 - JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.04	.14	—	.11	—	—	—	.72	—	.06	—	1
2	—	.22	.04	.07	—	—	—	—	.03	.66	.19	—	2
3	.06	—	.05	—	.41	—	—	—	—	.01	—	.10	3
4	.92	.01	—	—	.23	—	—	—	.61	.32	.07	.19	4
5	.03	.06	—	—	.09	.09	.11	—	—	.29	.04	.01	5
6	—	.05	.16	—	.16	.07	.01	—	—	.26	.02	.37	6
7	—	.36	—	—	.23	.04	—	—	—	.35	.11	.04	7
8	—	.15	—	—	.17	.01	.01	.01	—	.05	—	—	8
9	—	.32	—	—	.18	.18	.09	.12	.19	—	.21	—	9
10	.27	—	—	.03	.09	—	—	.10	—	.15	.07	—	10
11	.70	—	—	.32	.11	—	—	.05	—	.05	.47	—	11
12	—	—	—	—	.28	—	—	—	.02	—	.34	—	12
13	.04	—	.11	—	.01	—	—	—	.57	—	.29	—	13
14	.26	.01	.24	.08	—	—	—	.03	.09	.07	.26	—	14
15	.02	.02	.55	1.08	—	—	—	.02	.08	—	.01	—	15
16	.09	—	.61	.03	—	—	—	—	.06	—	.04	—	16
17	.04	—	.26	.07	—	—	.14	—	—	—	—	—	17
18	.05	—	.21	.09	—	—	.02	—	—	—	.01	—	18
19	.19	—	.14	—	—	.02	.05	—	.04	.01	—	—	19
20	.14	—	.34	.11	—	—	—	—	—	.05	.39	—	20
21	—	—	.29	.31	.12	—	.16	—	—	—	.08	—	21
22	.63	—	.66	.01	—	.12	—	.34	.46	—	—	—	22
23	.03	—	.04	—	—	—	—	.02	.03	—	.08	.02	23
24	.04	—	—	.04	—	—	—	.03	—	—	.06	—	24
25	—	.01	—	.34	—	—	—	—	.06	.07	—	—	25
26	—	—	—	.84	—	.01	—	.26	—	—	—	.14	26
27	.01	—	.12	.27	—	—	—	—	—	.10	—	—	27
28	.22	—	.23	.49	.08	—	—	—	—	.27	—	.06	28
29	—	X	.39	.52	—	—	—	.01	—	.19	—	—	29
30	.09	X	—	—	—	—	—	—	—	.86	.10	—	30
31	.06	X	.17	X	—	X	—	.03	X	.09	X	—	31
Total	3.89	1.25	4.75	4.70	2.27	.54	.59	1.02	2.96	3.85	2.90	.93	YEARS TOTAL 29.65
Rain Days.	20	11	19	17	14	8	8	12	13	18	20	8	168

REGISTER OF RAINFALL IN 1914

Kept at Stratton - Sagous
in the County of Hereford
by S. H. Armitage

Lat. 20° 48' Long. 52° 3' 30"
Time of Observation 9 a.m.
Nearest Railway Station Credenhill
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 226 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.01	.03	.01	—	.06	.66	.17	—	—	.07	.06	1
2	—	—	—	—	—	—	.61	.09	—	—	.34	.39	2
3	—	—	—	.07	.14	—	.04	.01	—	—	.01	.21	3
4	.11	—	—	.05	.16	—	.21	.10	—	—	.57	.51	4
5	.08	—	.03	.09	.22	—	.05	—	—	—	.03	—	5
6	—	.09	.01	.03	.03	—	—	—	—	—	—	.11	6
7	—	.19	.19	.24	.26	.01	.26	.10	.01	—	—	.31	7
8	—	—	.01	.03	.01	.52	.12	.04	—	—	.01	.07	8
9	—	.02	.13	.31	.04	1.17	—	.07	—	—	—	—	9
10	—	.23	—	.16	.02	.08	—	—	.38	—	.28	—	10
11	—	.14	.15	.02	.07	.29	.09	—	—	—	.14	.65	11
12	—	.32	.14	—	—	—	.19	—	.21	—	.04	.13	12
13	—	.19	.24	—	—	—	.06	—	.07	.62	.11	.27	13
14	—	.29	.22	—	—	—	.03	—	—	.09	.04	—	14
15	—	.05	.15	—	—	—	—	.02	.04	—	.04	—	15
16	—	—	—	—	—	—	.10	—	.09	—	—	—	16
17	—	.14	.21	—	—	—	.03	—	.08	—	—	.31	17
18	—	—	.09	—	—	—	.07	—	—	—	—	.40	18
19	—	.02	—	—	—	—	1.39	—	.08	—	.08	.13	19
20	—	.33	.03	—	—	—	—	—	—	—	—	.19	20
21	—	.37	—	—	—	.26	.01	.02	—	.14	—	—	21
22	—	.09	.01	—	.39	.04	.02	.09	—	.27	—	—	22
23	—	.01	.05	—	.11	—	.04	—	—	.21	—	—	23
24	—	—	.09	—	—	—	.03	.22	—	.09	—	—	24
25	.07	—	~~.10~~	—	—	—	.02	.23	—	.19	—	.05	25
26	—	—	—	—	—	—	.04	.02	—	.05	.12	.38	26
27	.05	—	~~.05~~	—	—	—	—	—	—	.02	.27	.09	27
28	.01	.02	.05	—	.02	—	.05	—	—	.34	.05	.91	28
29	~~.04~~	X	.09	—	.28	—	—	—	—	.12	.17	—	29
30	—	X	.11	—	—	—	—	—	—	.7	.25	.44	30
31	.21	X	—	X	—	X	.08	—	X	.8	X	.09	31
Total	.57	2.51	2.13	1.01	1.75	2.43	4.20	1.18	.96	2.29	2.62	5.70	27.35
Rain Days.	7	17	21	10	13	8	23	13	8	13	18	20	171

REGISTER OF RAINFALL IN 1915

Kept at Strutton-Pugwas
in the County of Hereford
by S. A. Armistead

Lat. 2° 48' N. Long. 52° 3' 30" W.
Time of Observation 9 a.m.
Nearest Railway Station Credenhill
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 226 ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.44	.04	.01	—	.21	—	—	.08	.14	.26	—	.11	1
2	.09	.09	.13	.14	—	.14	—	1.31	.06	.13	—	.12	2
3	.51	.11	.02	.03	.09	—	.81	.02	—	—	—	.21	3
4	.03	.09	—	—	.13	—	.24	.29	—	—	—	.68	4
5	—	.57	—	.02	—	—	—	.06	—	.01	—	.58	5
6	.13	.03	—	.18	—	—	.55	.05	—	—	—	.09	6
7	.04	.26	—	—	.55	—	.16	.09	—	—	—	.24	7
8	.19	.28	—	.01	—	—	.01	.02	—	—	.04	—	8
9	.08	.26	—	.04	—	—	—	—	—	—	.17	.56	9
10	.11	.04	.04	.08	—	—	—	—	—	.07	.03	.02	10
11	.05	—	—	.01	.05	—	—	—	—	—	1.17	—	11
12	.07	.11	—	.16	.41	—	—	.16	—	.06	.53	—	12
13	—	.75	—	—	.81	—	—	.32	.07	—	—	.01	13
14	—	.03	—	—	—	—	.01	.16	.09	—	—	.17	14
15	.19	—	—	—	.09	—	.04	.13	—	.04	.06	.09	15
16	.02	.32	—	—	.45	—	.96	.03	—	—	—	.02	16
17	—	.17	.02	—	.89	—	—	—	—	—	—	—	17
18	—	.44	.03	—	—	—	—	—	—	—	—	—	18
19	—	—	—	—	.14	—	.04	—	—	—	—	—	19
20	.08	—	—	.08	—	—	—	—	—	.01	—	.11	20
21	.05	.06	—	—	.18	—	.14	—	—	.19	—	.02	21
22	.03	.17	.19	.09	—	—	.34	—	—	—	—	.22	22
23	.09	—	.03	—	—	.08	.01	—	—	.89	—	.31	23
24	—	—	.09	.03	—	—	.76	—	.24	.73	—	.27	24
25	—	—	—	—	—	.21	—	—	—	.01	—	.12	25
26	—	.02	—	—	—	—	.06	—	.02	—	—	.51	26
27	—	.09	.01	—	—	.03	.24	—	—	.27	—	.05	27
28	—	.13	—	—	—	.07	.02	.05	.17	.03	—	.02	28
29	—	X	—	—	—	.05	—	—	—	.01	—	.11	29
30	.08	X	—	—	—	.28	.16	—	—	.31	.21	.16	30
31	—	X	—	X	—	X	.05	—	X	.96	X	.49	31
Total	2.28	4.06	.57	.87	4.00	.86	4.60	2.77	.79	3.98	2.21	5.29	32.28
Rain Days.	18	21	10	12	12	7	18	14	7	16	7	25	167

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at Stratton - Sugwas
 in the County of Hereford
 by S. S. Acumtair

Lat. 2° 48' Long. 52° 3' 30"
 Time of Observation 9 a.m.
 Nearest Railway Station Credenhill
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. — in.
 " " " " Sea Level 226 ft.

FORM A
 BRITISH RAINFALL
 2281

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.10	—	.02	—	.01	.09	.13	—	—	.21	.20	—	1
2	.26	.06	.22	—	.16	—	.02	—	.21	.68	.06	—	2
3	—	.75	—	—	.06	.02	—	—	.04	.15	.25	—	3
4	.08	.28	—	—	.46	.18	.05	—	.05	.01	.52	—	4
5	.02	.01	.03	—	.21	—	—	—	—	.05	.09	—	5
6	.03	.12	.02	—	.07	—	.60	—	—	.09	.36	—	6
7	.02	.02	.07	—	.11	—	.04	—	—	.14	.22	.21	7
8	—	.01	.04	—	.16	.01	—	—	—	—	.04	.11	8
9	—	—	.01	—	.17	.06	—	—	.01	—	.05	—	9
10	—	.41	.02	—	.05	.05	—	—	—	.02	.01	—	10
11	.06	.02	.09	.06	.02	.08	—	—	.02	—	—	—	11
12	.02	.01	.06	—	.16	—	.24	—	—	.02	—	—	12
13	—	.22	.19	.02	—	—	.09	.21	—	—	—	—	13
14	—	.18	.10	.03	.02	—	—	.04	—	.03	—	—	14
15	—	.34	.19	.14	.23	—	—	.18	—	.04	—	—	15
16	—	.09	.02	.16	.02	—	.23	.02	—	.11	—	—	16
17	.02	.12	—	.09	—	—	—	.01	.11	.35	—	—	17
18	.01	.03	.09	.04	—	—	—	—	.06	.02	.30	.20	18
19	.07	—	.66	.17	—	—	—	—	—	.05	.18	—	19
20	.11	—	.38	—	—	—	—	—	—	—	.02	.35	20
21	—	—	.66	.11	.11	.01	.46	—	—	—	—	.12	21
22	—	—	—	—	—	.03	.01	—	—	.22	—	.36	22
23	.01	.06	.06	—	—	—	—	.24	—	.06	.01	.25	23
24	—	.04	.05	—	1.02	.12	—	.08	—	.26	—	.12	24
25	—	.22	.09	—	—	.01	—	.09	.01	.05	.17	.11	25
26	—	—	.04	—	.06	.14	—	.01	.01	.44	—	—	26
27	.05	.10	.46	—	—	.01	.11	.05	.17	.44	—	—	27
28	—	.28	.03	—	.01	—	—	—	.04	.17	.03	.08	28
29	—	.32	—	—	—	.22	—	.58	—	.11	—	.07	29
30	—	X	.01	—	—	.05	—	—	—	.22	—	—	30
31	—	X	—	X	—	X	—	.01	X	.32	X	.02	31
Total	.86	3.69	3.61	.82	3.11	1.08	1.98	1.52	.73	4.26	2.51	2.00	26.17
Rain Days.	14	22	25	9	19	15	11	12	11	25	16	12	191

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1917

Kept at *Stretton Sugwas*
in the County of *Hereford*
by *Capt. S. H. Arncliffe*

Lat. *52° 48' N* Long. *5° 2' 1' 30" W*
Time of Observation *9.45 AM*
Nearest Railway Station *Credenhill*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. — in.
" " " " Sea Level *226* ft.

2171
Form A.
BRITISH RAINFALL
JAN. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.15	.14	—	.15	—	.61	.18	—	.03	.02	1
2	—	—	.01	.03	—	.01	—	.03	—	.03	.04	—	2
3	.02	—	—	.04	—	—	—	—	—	.29	.20	—	3
4	—	.05	.14	—	—	—	—	.06	—	.10	—	—	4
5	.04	.03	.24	.09	—	.03	—	.01	.36	.19	—	—	5
6	.02	—	.31	—	—	.08	—	—	—	.10	.10	.01	6
7	.18	—	—	—	—	—	.11	.20	—	.18	.10	.02	7
8	.54	—	.05	.12	—	—	.45	.64	—	.28	.07	.08	8
9	—	—	.14	.04	.23	—	.01	.34	.15	.19	.11	—	9
10	.23	—	.26	.19	.04	—	—	.27	.04	.01	.03	—	10
11	.04	—	.21	.34	.01	—	—	.10	.04	.18	.01	—	11
12	—	—	—	—	.38	—	—	.11	.02	.18	.02	—	12
13	—	—	.08	.04	—	—	—	.33	—	—	.02	—	13
14	—	—	.15	.03	—	—	—	.02	.02	—	—	.02	14
15	—	—	—	—	.10	—	.03	.11	—	.03	—	.11	15
16	—	.05	—	.14	.01	.11	.02	—	—	—	.01	.14	16
17	.04	.02	—	.02	.49	.01	.41	.24	.12	.04	—	—	17
18	—	.02	—	—	.04	.01	.30	.05	1.03	.01	—	—	18
19	.02	.34	.08	—	—	.36	—	.01	.02	—	.01	—	19
20	.01	.14	.04	—	.64	.09	—	.04	.06	—	—	—	20
21	—	.06	.29	—	.04	.20	—	.04	—	.03	—	—	21
22	—	.01	—	—	.04	.05	—	.25	.02	.04	—	—	22
23	—	.20	—	—	.06	—	—	.11	—	—	—	.02	23
24	—	.03	—	—	—	.04	.04	.04	—	.28	.12	—	24
25	—	.06	.04	—	—	—	—	.01	—	—	.16	—	25
26	—	—	—	—	.05	.14	—	.55	.04	—	.01	—	26
27	—	—	—	—	.91	.26	.51	.69	—	.06	—	—	27
28	—	—	.16	—	.04	.13	—	.08	—	—	—	.02	28
29	—	—	.02	—	.03	.10	.01	.12	—	—	—	.30	29
30	—	X	—	—	—	—	—	.29	—	.46	—	.01	30
31	—	X	.22	X	.10	X	—	.24	X	.06	X	.01	31
Total	1.14	1.04	2.68	1.36	3.24	1.44	1.89	5.62	2.13	2.44	1.04	.49	25.56
Rain Days.	10	12	18	12	14	16	10	28	13	20	16	12	184

REGISTER OF RAINFALL IN 1918

Kept at Stretton Sugwas
in the County of Hereford
by Captain S. H. Armitage

Lat. 2° 48' Long. 52° 1' 30"
Time of Observation 9 a.m.
Nearest Railway Station Credenhill
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 226 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.04	—	.02	.02	—	—	.12	.03	.06	.79	—	1
2	—	.10	—	—	—	—	—	.63	—	.02	.08	.04	2
3	—	.07	.01	.16	.25	—	—	.01	.61	—	.04	.01	3
4	—	.02	—	.01	—	—	—	.04	.63	.16	.48	.48	4
5	—	.06	—	.04	.44	—	—	.06	.59	.14	.02	.02	5
6	.05	.12	—	.10	—	.05	—	—	.12	.16	—	.04	6
7	—	.04	—	.04	.46	—	.01	—	.37	.03	.22	.03	7
8	.03	.15	—	—	—	—	—	—	.08	.14	—	.01	8
9	.01	.14	—	.18	.01	.17	.06	—	.20	.02	.02	.03	9
10	—	—	—	.03	—	—	.37	—	.08	.06	—	.17	10
11	.03	—	.06	.03	.02	—	.35	—	.11	.06	.07	.04	11
12	—	.02	.09	—	.11	—	.06	—	.02	—	.01	.01	12
13	—	.03	—	—	.03	.01	.05	—	.19	.04	—	.06	13
14	.24	—	.11	—	—	.05	.04	—	.32	.04	—	.09	14
15	.26	—	—	.16	—	.04	.29	—	.04	.01	.02	.30	15
16	.21	—	—	.61	—	.02	.02	—	.54	—	—	.05	16
17	—	—	—	—	—	.01	.18	—	.45	.11	—	.10	17
18	.46	—	.05	—	—	.18	.06	—	1.00	.01	—	.37	18
19	.08	.01	.27	—	—	.01	.06	—	.02	.05	—	.03	19
20	.24	.03	—	.18	—	.04	.03	—	.26	.01	—	—	20
21	.09	—	—	.36	—	—	.18	—	.31	—	—	.10	21
22	—	—	—	—	.57	—	.08	—	.04	.01	—	.18	22
23	.04	—	—	—	.32	.01	.31	—	.01	—	.04	—	23
24	—	.02	—	—	—	—	.06	.03	.06	.01	.10	.03	24
25	—	—	—	.01	.12	.03	.18	.21	.02	—	.04	—	25
26	—	—	—	.02	—	—	.25	.02	.01	.02	.04	.11	26
27	—	—	.13	—	—	—	—	.15	.11	.01	.02	.03	27
28	—	.10	.35	—	—	—	—	—	.01	—	.02	.07	28
29	—	—	.05	—	—	—	—	—	.99	—	—	.02	29
30	—	X	.26	—	—	—	—	—	.02	—	.04	.08	30
31	—	X	.18	X	—	X	—	.04	X	—	X	—	31
Total	2.74	.95	1.56	1.95	2.35	.62	2.64	2.31	7.24	1.17	2.05	2.50	28.08
Rain Days.	12	15	11	15	11	12	19	10	29	21	17	26	198.

207-4808 2033 REGISTER OF RAINFALL IN 1919

Kept at

Shetton, Sugwas

in the County of

Hereford

by

Capt. S. H. Ammitage

Lat. 2°48' N Long. 52°1'30"

Time of Observation 9 A.M.

Nearest Railway Station Credenhill M.R.

Diameter of Funnel of Rain Gauge FIVE in.

Height of top of Gauge above Ground ONE ft. in.

" " " " Sea Level 226 ft.

Jan. 1. following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.19	—	.01	.01	.05	—	.16	—	.01	.11	.01	.32	1
2	.05	.01	—	—	—	—	.07	—	.17	—	.05	.04	2
3	—	—	.10	—	.02	.10	.03	—	.08	—	.06	.05	3
4	.07	.11	.31	—	—	—	.19	.04	.23	.01	—	.15	4
5	.04	.19	.03	—	.01	—	.01	—	.06	.01	—	.15	5
6	.15	.03	.06	—	—	—	—	—	—	—	.01	.14	6
7	.13	—	.06	.09	.01	—	.01	—	—	—	—	—	7
8	.22	—	.09	.01	—	.03	—	—	—	—	—	—	8
9	.30	—	.01	.04	—	—	—	—	.01	—	.01	—	9
10	.03	—	.63	—	—	—	—	—	—	.05	—	.28	10
11	.02	—	1.01	—	.03	—	.43	—	—	.03	—	.07	11
12	.01	—	.10	.02	—	.16	.01	—	.04	.03	.05	—	12
13	.06	—	—	.18	—	—	—	—	.28	.04	—	.01	13
14	.18	.03	.01	.11	—	—	.04	—	.22	.01	.01	.17	14
15	.23	.06	—	.05	.04	—	—	—	—	.03	—	.17	15
16	.17	.82	—	—	—	—	—	.11	—	—	.03	—	16
17	.02	.53	—	.01	—	.03	—	—	—	—	.04	—	17
18	—	—	.51	—	—	—	.01	.11	—	—	.03	.01	18
19	.23	.24	.90	—	—	.20	.86	.35	.10	—	.04	.03	19
20	.17	.05	.38	—	—	.02	.01	.08	.01	—	.05	.02	20
21	.01	.31	—	—	—	—	.11	—	.01	—	—	.07	21
22	—	.04	—	—	—	—	.01	—	.15	—	—	.06	22
23	—	—	—	—	—	.01	.01	.02	—	.90	.01	.01	23
24	.02	—	—	.02	.04	.04	.05	—	—	.35	.15	.08	24
25	.05	—	—	.04	.05	.03	—	.57	—	.01	.04	.01	25
26	.02	.04	.06	.13	—	—	—	.13	.04	—	—	.22	26
27	.18	—	.04	.48	—	.02	—	.54	.01	—	.03	.04	27
28	.03	—	.14	.01	—	—	—	.17	—	—	.14	.27	28
29	.07	X	—	.06	—	—	—	.01	—	.16	.04	.22	29
30	—	X	—	.04	—	.16	—	.17	—	.03	.19	.15	30
31	—	X	.03	X	—	X	—	—	X	—	X	—	31
Total	2.65	2.46	4.48	1.30	.25	.80	2.01	2.30	1.42	1.77	.99	2.74	YEAR'S TOTAL 23.17
Rain Days.	25	13	19	16	8	11	16	12	15	14	19	24	192

REGISTER OF RAINFALL IN 1920

Kept at Stretton
in the County of Hereford
by Capt. S.H. Armitage

Lat. 2° 48' Long. 52° 1' 30"
Time of Observation 9 A.M.
Nearest Railway Station Credenhill
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 226 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres shou'd not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.03	.16	.19	—	.16	—	.08	.10	—	.36	1
2	.04	—	.01	.05	—	—	.03	.03	.02	.09	—	.14	2
3	.04	—	—	.26	.05	—	1.56	.02	.03	.64	—	.01	3
4	—	—	.03	.01	—	—	.01	.16	—	.19	—	—	4
5	—	—	.11	.09	—	—	.37	.02	—	.32	—	—	5
6	—	—	.18	—	.09	—	.37	—	.01	.19	—	.04	6
7	—	—	—	.05	—	—	.09	—	—	—	—	—	7
8	.32	.04	—	.68	.03	—	.31	.10	—	—	—	—	8
9	.15	.02	—	.35	—	—	.06	—	—	—	—	—	9
10	.25	.12	.04	.02	—	.40	.08	—	—	—	.02	.02	10
11	.20	.01	.12	.50	.22	.01	.04	—	—	—	—	—	11
12	.11	—	—	.09	—	.58	.02	—	—	.05	.09	.01	12
13	.05	.04	.33	.15	—	.01	—	—	—	—	—	.02	13
14	—	—	.55	.38	—	.12	.09	—	.34	.12	.19	—	14
15	—	.10	.09	.62	.01	.03	—	—	—	—	.05	—	15
16	—	—	—	.05	.17	.29	.12	—	.09	.59	.07	—	16
17	.04	—	.01	—	.15	.40	—	.06	.51	.27	—	.05	17
18	.07	—	—	.01	.08	—	.01	.20	.45	—	—	.01	18
19	.04	.37	—	.14	.04	.17	—	—	—	—	—	—	19
20	—	.01	—	.15	—	.05	—	—	.02	—	—	.09	20
21	—	—	—	—	—	—	.14	—	—	.09	—	.09	21
22	—	—	—	.10	—	—	.01	.19	—	.01	—	.24	22
23	—	.01	.01	—	—	—	.22	.02	—	—	—	.40	23
24	—	—	.17	—	—	—	—	—	—	—	.02	.15	24
25	.04	—	.20	—	—	.01	.52	—	—	—	—	—	25
26	.17	.01	.23	—	.02	—	.01	—	—	.01	.09	.02	26
27	.39	—	.23	.05	.03	.23	.03	—	.01	—	.01	.36	27
28	.83	.01	.12	—	.41	.03	.01	—	—	—	—	.02	28
29	.20	—	.18	—	.12	—	.20	—	—	—	.07	.38	29
30	.02	~~X~~	.72	.22	—	.10	.01	—	.35	—	.23	.13	30
31	.04	~~X~~	.10	~~X~~	—	~~X~~	.02	—	~~X~~	.45	~~X~~	.82	31
TOTAL	3.00	.74	3.46	4.13	1.61	2.43	4.49	.80	1.91	3.12	.84	2.56	YEAR'S TOTAL 29.09
Days with ".01 in. or more	18	11	20	21	14	14	25	9	11	14	10	20	187

RE

CREDENHILL
HEREFORD

1911

FORM A2.
BRITISH RAINFALL.
25 JAN 1912Kept at Credenhillin the County of Herefordby B. G. Bosc

1911

Snowden

top 5 in.

above Ground 1 ft. 0 in.

Sea Level 266 ft.

9.0 am.

Name CredenhillDistance 1 1/2 mile Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.01	.04	.06	-	-	.27	-	.02	.03	-	1
2	.02	-	-	.01	.42	-	-	.10	-	-	.04	.09	2
3	-	-	.01	-	-	-	-	-	.07	.01	.01	.09	3
4	-	-	.14	-	-	-	-	.02	.07	.09	.14	.43	4
5	.08	-	.01	-	-	-	-	.05	-	-	.08	-	5
6	.18	-	.06	-	-	-	-	-	-	-	.18	.72	6
7	-	-	~~.40~~	-	-	-	-	-	-	-	.34	-	7
8	.06	-	.10	-	-	-	-	-	-	-	.28	.48	8
9	.05	-	-	-	-	-	-	-	-	-	.15	.53	9
10	-	.04	.10	-	-	-	-	-	-	-	-	.24	10
11	.06	.01	-	-	.01	-	-	-	-	-	.47	.05	11
12	-	-	.35	-	-	-	-	-	.19	-	.14	.11	12
13	-	-	-	-	.04	-	-	-	.16	.26	.01	.20	13
14	-	-	-	-	-	-	-	-	-	-	-	.75	14
15	-	-	.02	-	-	-	-	-	-	-	.17	.05	15
16	-	-	.01	-	-	.10	-	-	-	-	.11	.19	16
17	-	-	-	.01	-	.89	-	-	-	-	.15	.71	17
18	-	.26	.07	.14	-	-	-	-	-	.03	-	.34	18
19	.01	.02	-	.17	-	.25	-	.01	.55	.16	-	.37	19
20	-	.03	.04	.01	-	-	-	-	.17	.02	-	.43	20
21	-	.08	.37	-	-	-	-	.86	-	.32	-	.06	21
22	-	-	.02	.02	-	.02	-	-	-	.15	.01	.44	22
23	-	.19	.12	-	-	.44	.01	-	.12	.10	-	.00	23
24	-	.02	-	.01	-	.37	-	.06	.01	.03	-	.04	24
25	-	.07	-	-	-	.02	-	-	.03	.02	-	.08	25
26	-	.14	-	.15	.44	-	-	.05	-	.15	.13	.11	26
27	-	.05	.19	.07	-	-	-	.25	.17	-	.06	.12	27
28	-	.11	-	.11	-	-	-	-	-	-	.14	-	28
29	-	-	-	-	-	.08	.34	-	.07	.17	-	-	29
30	-	-	.03	-	.06	.01	.04	.06	-	.19	.02	-	30
31	-	-	-	-	.02	-	.01	-	-	.04	-	-	31
Total	.46	1.02	1.65	.74	1.05	2.18	.40	1.73	1.61	1.76	2.66	6.73	TOTAL for year
No. of Rain Days.	7	12	17	11	7	9	4	10	11	16	20	24	2199" days

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
25 JAN 1912

Kept at Credenhill (Swanshill)
in the County of Hereford
by B. G. Bonalds

Pattern Snowden
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 266 ft.
Time of Observation 9.0 am.
Nearest Railway Station { Name Credenhill
Distance 1½ mile Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.01	.04	.06	-	-	.27	-	.02	.03	-	1
2	.02	-	-	.01	.42	-	-	.10	-	-	.04	.09	2
3	-	-	.01	-	-	-	-	-	.07	.01	.01	.09	3
4	-	-	.14	-	-	-	-	.02	.07	.09	.14	.43	4
5	.08	-	.01	-	-	-	-	.05	-	-	.08	-	5
6	.18	-	.06	-	-	-	-	-	-	-	.18	.72	6
7	-	-	~~.10~~	-	-	-	-	-	-	-	.34	-	7
8	.06	-	.10	-	-	-	-	-	-	-	.28	.48	8
9	.05	-	-	-	-	-	-	-	-	-	.15	.53	9
10	-	.04	.10	-	-	-	-	-	-	-	-	.24	10
11	.06	.01	-	-	.01	-	-	-	-	-	.47	.05	11
12	-	-	.35	-	-	-	-	-	.19	-	.14	.11	12
13	-	-	-	-	.04	-	-	-	.16	.26	.01	.20	13
14	-	-	-	-	-	-	-	-	-	-	-	.75	14
15	-	-	.02	-	-	-	-	-	-	-	.17	.05	15
16	-	-	.01	-	-	.10	-	-	-	-	.11	.19	16
17	-	-	-	.01	-	.89	-	-	-	-	.15	.71	17
18	-	.26	.07	.14	-	-	-	-	-	.03	-	.34	18
19	.01	.02	-	.17	-	.25	-	.01	.55	.16	-	.37	19
20	-	.03	.04	.01	-	-	-	-	.17	.02	-	.43	20
21	-	.08	.37	-	-	-	-	.86	-	.32	-	.06	21
22	-	-	.02	.02	-	.02	-	-	-	.15	.01	.44	22
23	-	.19	.12	-	-	.44	.01	-	.12	.10	-	.00	23
24	-	.02	-	.01	-	.37	-	.06	.01	.03	-	.04	24
25	-	.07	-	-	-	.02	-	-	.03	.02	-	.08	25
26	-	.14	-	.15	.44	-	-	.05	-	.15	.13	.11	26
27	-	.05	.19	.07	-	-	-	.25	.17	-	.06	.12	27
28	-	.11	-	.11	-	-	-	-	-	-	.14	-	28
29	-	-	-	-	-	.08	.34	-	.07	.17	-	-	29
30	-	-	.03	-	.06	.01	.04	.06	-	.19	.02	-	30
31	-	-	-	-	.02	-	.01	-	-	.04	-	-	31
Total	.46	1.02	1.65	.74	1.05	2.18	.40	1.73	1.61	1.76	2.66	6.73	TOTAL for year
No. of Rain Days.	7	12	17	11	7	9	4	10	11	16	20	24	21.99 days

B. Male

REGIS

ELYTON

HEREFORD

1918-20

Kept at Elyton. Leon
in the County of Hereford
by Rev Basil Guy.

52.13
9 A.M.
Leominster 1 1/4 miles
Rain Gauge 5. in.
above Ground one ft. one in.
Sea Level 200. ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	.02	—	—	—	.12	—	—	.75	—	1
2	—	—	—	—	—	—	—	.05	.02	.06	—	.10	2
3	—	.04	—	.07	.30	—	—	.05	.50	.05	.07	—	3
4	—	.07	—	—	—	—	—	.05	.44	.19	.33	.50	4
5	—	—	—	.02	.37	—	—	.05	.40	.10	—	—	5
6	—	.02	—	.16	—	.38	—	—	.10	.20	—	—	6
7	—	.21	—	—	.26	—	—	—	.45	.05	—	—	7
8	—	.05	—	—	—	—	—	—	.18	.09	.20	—	8
9	—	.12	—	.15	—	.10	—	—	.38	.05	—	—	9
10	—	—	—	.08	—	—	.40	—	.09	.05	—	.11	10
11	—	.21	—	.05	—	—	.75	—	.10	.02	—	.10	11
12	—	—	—	—	.10	—	.25	—	.04	.02	—	—	12
13	—	—	—	—	.08	—	—	—	.13	—	—	—	13
14	.68	.12	.15	—	—	—	.24	—	—	.05	—	.20	14
15	—	—	—	—	—	—	.37	—	.30	—	—	.28	15
16	.75	—	—	.53	—	—	.05	—	.78	—	—	.10	16
17	.20	—	—	—	—	—	.10	—	—	.17	—	.09	17
18	—	—	.35	—	—	.37	.05	—	.88	—	—	.34	18
19	.35	—	—	—	—	—	—	—	.03	—	—	.02	19
20	—	—	—	.18	—	.07	—	—	.33	.09	—	—	20
21	.11	.05	—	.31	1.28	—	.09	—	.40	—	—	—	21
22	.09	—	—	—	.30	—	.12	.02	.10	—	—	.26	22
23	.02	—	—	—	—	—	.27	—	—	.03	—	—	23
24	—	—	—	—	—	—	.09	—	.05	—	.09	—	24
25	—	.05	—	—	.10	—	.12	1.02	—	—	.03	—	25
26	—	—	—	—	—	—	.43	.29	—	—	.04	.13	26
27	—	.15	.03	—	—	—	—	—	.21	—	—	.03	27
28	—	—	.25	—	—	—	—	—	—	—	.06	.07	28
29	—	—	.15	—	—	—	—	—	.65	—	.04	.07	29
30	—	X	.35	—	—	—	—	.07	—	—	—	—	30
31	—	X	.10	X	—	X	—	—	X	—	X	.20	31
Total	2.20	1.09	1.38	1.57	2.79	.92	3.33	1.72	6.56	1.22	1.61	2.60	26.99
Rain Days.	23	11	7	10	8	4	14	9	22	15	9	16	148

YEAR'S TOTAL

B. Male

REGISTER OF RAINFALL IN 1913

Kept at Eyton, Leominster,
in the County of Hertford
by Rev Basil Guy. Way.

Lat. 2.45. Long. 52.13
Time of Observation 9.42.
Nearest Railway Station Leominster 1 1/2 miles
Diameter of Funnel of Rain Gauge 5. in.
Height of top of Gauge above Ground one ft. one in.
" " " " Sea Level 200. ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	.02	—	—	—	.12	—	—	.75	—	1
2	—	—	—	—	—	—	—	.05	.02	.06	—	.10	2
3	—	.04	—	.07	.30	—	—	.05	.50	.05	.07	—	3
4	—	.07	—	—	—	—	—	.05	.44	.19	.33	.50	4
5	—	—	—	.02	.37	—	—	.05	.40	.10	—	—	5
6	—	.02	—	.16	—	.38	—	—	.10	.20	—	—	6
7	—	.21	—	—	.26	—	—	—	.45	.05	—	—	7
8	—	.05	—	—	—	—	—	—	.18	.09	.20	—	8
9	—	.12	—	.15	—	.10	—	—	.38	.05	—	—	9
10	—	—	—	.08	—	—	.40	—	.09	.05	—	.11	10
11	—	.21	—	.05	—	—	.75	—	.10	.02	—	.10	11
12	—	—	—	—	.10	—	.25	—	.04	.02	—	—	12
13	—	—	—	—	.08	—	—	—	.13	—	—	—	13
14	.68	.12	.15	—	—	—	.24	—	—	.05	—	.20	14
15	—	—	—	—	—	—	.37	—	.30	—	—	.28	15
16	.75	—	—	.53	—	—	.05	—	.78	—	—	.10	16
17	.20	—	—	—	—	—	.10	—	—	.17	—	.09	17
18	—	—	.35	—	—	.37	.05	—	.88	—	—	.34	18
19	.35	—	—	—	—	—	—	—	.03	—	—	.02	19
20	—	—	—	.18	—	.07	—	—	.33	.09	—	—	20
21	.11	.05	—	.31	1.28	—	.09	—	.40	—	—	—	21
22	.09	—	—	—	.30	—	.12	.02	.10	—	—	.26	22
23	.02	—	—	—	—	—	.27	—	—	.03	—	—	23
24	—	—	—	—	—	—	.09	—	.05	—	.09	—	24
25	—	.05	—	—	.10	—	.12	1.02	—	—	.03	—	25
26	—	—	—	—	—	—	.43	.29	—	—	.04	.13	26
27	—	.15	.03	—	—	—	—	—	.21	—	—	.03	27
28	—	—	.25	—	—	—	—	—	—	—	.06	.07	28
29	—	—	.15	—	—	—	—	—	.65	—	.04	.07	29
30	—	X	.35	—	—	—	—	.07	—	—	—	—	30
31	—	X	.10	X	—	X	—	—	X	—	X	.20	31
Total	2.20	1.09	1.38	1.57	2.79	.92	3.33	1.72	6.56	1.22	1.61	2.60	26.99
Rain Days.	23	11	7	10	8	4	14	9	22	15	9	16	148

REGISTER OF RAINFALL IN 1919.

Kept at Elym
 in the County of Hereford
 by Rev B.G. Way

Lat. 2.45 Long. 52.13
 Time of Observation 9 A.M.
 Nearest Railway Station Leominster
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 1 in.
 " " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.20	—	—	—	.05	.10	.16	—	—	—	—	.33	1
2	.17	—	—	—	.03	—	.02	.02	—	—	.03	.08	2
3	—	—	.17	—	.02	—	.01	—	—	—	.07	.04	3
4	—	—	.28	—	—	—	.37	.08	.11	—	—	.11	4
5	—	.09	—	—	.07	.13	—	—	.15	—	—	.21	5
6	.01	.30	.07	—	—	—	—	—	.02	—	.03	.10	6
7	.09	—	.02	.09	.05	—	—	—	—	—	—	—	7
8	—	—	.09	.02	—	—	—	—	—	—	—	—	8
9	.12	—	—	.05	—	—	—	—	—	—	—	—	9
10	.20	—	.60	.02	—	—	—	—	.01	—	—	.15	10
11	.16	—	.76	.02	—	—	.42	—	—	.07	—	.03	11
12	.06	—	.25	—	.08	—	—	—	—	—	—	.01	12
13	.02	—	—	.20	—	—	—	—	—	.08	.03	—	13
14	.07	—	—	.25	—	.17	.04	—	.52	.01	—	.07	14
15	.22	.07	—	.02	—	—	—	—	.52	.04	—	.26	15
16	.41	—	—	.01	.05	—	.04	.10	—	—	.02	—	16
17	.12	.57	—	.02	—	.05	—	—	—	—	.10	—	17
18	.45	.12	.55	—	—	—	.02	.22	—	—	.01	.01	18
19	—	—	.59	—	—	.17	.50	.30	—	—	.19	.02	19
20	.15	.23	.35	—	—	.02	.05	.16	.11	—	.09	.04	20
21	.17	.02	.01	—	—	—	.20	.02	.02	—	.02	.06	21
22	—	.28	—	—	—	—	.04	—	—	—	—	.10	22
23	—	—	—	—	—	—	—	—	.45	.62	.07	.02	23
24	—	—	—	—	—	.05	.01	—	—	.31	.12	.15	24
25	—	—	—	.11	—	—	.02	.70	—	—	.02	.02	25
26	—	.02	.06	.10	.12	—	—	.07	.15	—	—	.32	26
27	—	—	.08	.38	—	—	—	.50	—	—	—	.29	27
28	.15	.03	.30	.01	—	—	—	.40	—	—	—	—	28
29	.05	—	—	.06	—	—	—	.02	—	.21	.05	.21	29
30	.03	X	—	.08	—	.08	—	.12	—	.02	.15	.17	30
31	—	X	.07	X	—	X	.03	—	X	—	X	—	31
TOTAL	2.40	1.73	4.25	1.44	.47	.77	1.93	2.71	2.06	1.36	1.94	2.80	NEAR'S TOTAL 22.86
Days with .01 in. or more	18	10	16	16	8	8	15	13	10	8	15	23	160

REGISTER OF RAINFALL IN 1920.

Kept at Eyton, Leominster.
in the County of Hereford.
by Basil Guy Way. (Rev.)

Lat. 52° 45' Long. 5° 13'
Time of Observation 9 a.m. 9. m. T.
Nearest Railway Station Leominster.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	—	.12	.20	—	.35	—	—	.14	—	.37	1
2	.03	—	.04	.06	—	—	.20	—	.12	.12	—	.15	2
3	.07	.02	—	.22	.04	—	.86	—	.18	.59	—	.04	3
4	—	—	.04	.01	—	—	.02	.57	—	.15	—	—	4
5	—	—	.07	.18	.04	—	.50	.02	—	.21	—	—	5
6	—	—	.16	.02	.17	—	.13	—	—	.20	—	—	6
7	—	.08	.02	.09	.02	—	.13	—	—	—	—	—	7
8	.28	.01	—	.67	.04	—	.27	—	—	—	—	.02	8
9	.35	—	—	.40	—	—	.03	.18	—	—	—	—	9
10	.19	.04	.05	.02	—	.27	.05	.03	—	—	.05	.02	10
11	.13	—	.09	.48	.20	.08	.12	.02	—	—	—	—	11
12	.11	.07	.02	.21	—	.76	.03	.13	—	.05	.05	.01	12
13	.05	.01	.17	.13	—	.10	—	—	—	—	—	.02	13
14	—	—	.55	.25	—	.17	—	—	.36	.15	.25	—	14
15	—	.05	.12	.60	—	.25	.12	—	.02	—	.10	—	15
16	—	.01	.01	.40	.31	.06	.11	—	.09	.50	.02	—	16
17	.03	—	—	.01	.12	.20	—	.04	.64	.20	—	.01	17
18	.09	—	—	.02	—	.01	—	.06	.73	—	—	—	18
19	.03	.40	—	.10	.06	.10	—	—	—	—	—	—	19
20	—	.15	—	—	—	.14	—	—	—	—	—	.04	20
21	—	—	—	.25	—	—	—	—	.03	.03	—	.07	21
22	.06	—	—	.02	—	—	.30	.20	—	.01	—	.15	22
23	.01	—	.03	.07	—	—	.07	—	—	—	—	.26	23
24	—	.01	.08	—	—	—	.21	—	—	—	.02	.15	24
25	.06	.02	.09	.01	—	—	.57	—	—	—	—	.01	25
26	.09	.03	.25	—	.70	—	.03	—	—	—	.11	.03	26
27	.24	—	.10	—	.33	.22	.01	—	—	—	—	.31	27
28	.73	—	.20	.02	.18	.04	—	—	—	—	—	.08	28
* 29	.11	—	.10	.01	.70	.03	.14	—	—	—	.10	.37	29
Thunder 30	.02	~~X~~	*.45	.16	.02	.15	.02	—	.46	—	.40	.17	30
Storm.													
31	.05	~~X~~	.13	~~X~~	.04	~~X~~	.01	—	~~X~~	.33	~~X~~	.02	31
TOTAL	2.73	.90	2.77	4.53	3.17	2.58	4.28	1.25	2.63	2.68	1.10	2.30	30.92
Days with "01 in. or more	20	13	21	26	16	15	23	9	9	13	9	20	194.
Days with "04 in. or more	15	6	17	17	14	13	16	6	7	11	7	12	141.
YEAR'S TOTAL													30.92

REGIS

EYTON

OLD HALL

HEREFORD

1914, 1916, 1919-20

Kept at The Old Hall
in the County of Hereford
by Reginald H

IMPORTANT NOTE
previous day. If an Observer
requested to add the reading
for it at the end of this
the selection and placing
Organization are given in
Dr. H. R. MILL, 62, Cam

46 W 2
BRITISH RAINFALL
FORM A.
JAN 1915

in.
Ground 1 ft. — in.
Sea Level 300 ft.

the result entered to the
versal rule, he is earnestly
in the space provided
ment of rain,
tish Rainfall
application to

Jan. 1, following.

.06

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.20	.03					.20				.45	1
2				.01		.03	.20	.70			.10	.03	2
3							1.00	.20		.05	.28	.20	3
4			.05	.08	.21			.04			.42	.16	4
5			.03	.06	.04		.20				.08	.52	5
6	.17	.08		.16	.12		.12	.03					6
7				.08	.03		.03	.02				.10	7
8		.10	.31	.08	.06	.03	.24	.12	.14			.20	8
9				.01	.03	.33						.12	9
10	.10	.03	.07	.15	.08	1.10		.22	.10				10
11		.15		.22	.02				.06				11
12		.20	.25		.08	.10	.10				.20	.40	12
13		.36	.13			.04	.20		.20		.05	.11	13
14		.20					.08		.05	.60	.12	.21	14
15		.30	.12				.01			.04	.15		15
16			.11					.01		.09	.03		16
17			.09						.11				17
18		.08	.20									.60	18
19			.27									.27	19
20							1.02		.02			.08	20
21		.30	.05								.10	.15	21
22		.30					.35	.21		.12			22
23		.06			.20	.05	.05	.10		.36			23
24		.11	.12		.03					.20			24
25			.07				.05	.22		.03			25
26	.04		.03				.06	.42		.25	.02	.30	26
27			.05					.15		.08	.10	.30	27
28										.03	.48	.72	28
29	.05		.05		.03						.07	.51	29
30	.05	X	.10		.18					.12	.31	.35	30
31	.20	X	.11	X		X			X		X		31
Total	.41	2.47	2.24	.85	1.11	1.68	3.71	2.64	.68	1.97	2.51	5.84	26.11
Rain Days.	56	14	20	9	13	7	16	13	7	12	16	20	152

REGIS

Kept at The Old Hall, Epton, Herefordshire
in the County of Hereford
by Reginald H. Thorpe

Time of Observation 9.20
Nearest Railway Station Leominster
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 300 ft.

FORM A.
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
.06

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.20	.03					.20				.45	1
2				.01		.03	.20	.70			.10	.03	2
3							1.00	.20		.05	.28	.20	3
4			.05	.08	.21			.04			.42	.16	4
5			.03	.06	.04		.20				.08	.52	5
6	.17	.08		.16	.12		.12	.03					6
7				.08	.03		.03	.02				.10	7
8		.10	.31	.08	.06	.03	.24	.12	.14			.20	8
9				.01	.03	.33						.12	9
10	.10	.03	.07	.15	.08	1.10		.22	.10				10
11		.15		.22	.02				.06				11
12		.20	.25		.08	.10	.10				.20	.40	12
13		.36	.13			.04	.20		.20		.05	.11	13
14		.20					.08		.05	.60	.12	.21	14
15		.30	.12				.01			.04	.15		15
16			.11					.01		.09	.03		16
17			.09						.11				17
18		.08	.20									.60	18
19			.27									.27	19
20							1.02		.02			.08	20
21		.30	.05								.10	.15	21
22		.30					.35	.21		.12			22
23		.06			.20	.05	.05	.10		.36			23
24		.11	.12		.03					.20			24
25			.07				.05	.22		.03			25
26	.04		.03				.06	.42		.25	.02	.30	26
27			.05					.15		.08	.10	.30	27
28										.03	.48	.72	28
29	.05		.05		.03						.07	.51	29
30	.05	~~X~~	.10		.18					.12	.31	.35	30
31	~~X~~	~~X~~	.11	~~X~~		~~X~~			~~X~~		~~X~~		31
Total	~~.41~~	~~2.47~~	~~2.24~~	.85	1.11	1.68	3.71	2.64	.68	1.97	2.51	5.84	26.11
Rain Days.	61	2.30	2.21	9	13	7	3.91	2.44	7	12	15.16	5.39	15.2
	56	14	20				16	13				20	

REGISTER OF RAINFALL IN 1916

Kept at Exton Hall, Leominster
in the County of Herefordshire
by G. H. Evans

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Leominster
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 6 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~0.01~~		0.03			0.14	0.15			0.15	0.20		1
2	0.60		0.35				0.32		0.09	0.77	0.08		2
3	~~0.01~~												3
4	~~0.60~~	0.84			0.16	0.02	0.02		0.04		0.31		4
5	~~0.04~~	0.34			0.02	0.26			0.05		0.42		5
6	0.07				0.44					0.08	0.12		6
7	~~0.02~~	0.24			0.30	0.07	0.46			0.20	0.30		7
8	~~0.01~~	0.02	0.16		0.15		0.27			0.07	0.20	0.30	8
9	~~0.05~~		0.03		0.13	0.01					0.06	0.07	9
10		0.07									0.05		10
11	~~0.01~~	0.40		0.02		0.10	0.01						11
12	~~0.01~~		0.14	0.07		0.05							12
13		0.07	0.06	0.01						0.08			13
14		0.17	0.15	0.02	0.60		0.20	0.31					14
15		0.60	0.06	0.07	0.01		0.01	0.22					15
16	~~0.03~~	0.38	0.29	0.15	0.27			0.35					16
17	~~1.24~~	0.11		0.13				0.21		0.06			17
18	0.04	0.11		0.07				0.06	0.20	0.34			18
19	0.01		0.06	0.07					0.17		0.38	0.21	19
20	~~0.04~~	0.04	0.45	0.08						0.08	0.13	0.24	20
21	0.10	0.01	0.54	0.04							0.05		21
22	~~0.27~~		0.01	0.17		0.02						0.11	22
23	~~0.28~~		0.42	0.01		0.06				0.10		0.32	23
24	0.03	0.30						0.16		0.04		0.20	24
25	~~0.32~~	0.30	0.04		0.65	0.01		0.14		0.34		0.10	25
26	~~0.11~~		0.15					0.17		0.05	0.23		26
27	~~0.04~~	0.20	0.05		0.13			0.10		0.34	0.06		27
28	~~0.06~~	0.07	0.95					0.13	0.25	0.57			28
29	~~0.42~~			0.05					0.02	0.15	0.01	0.12	29
30		0.25						0.62	0.01	0.10		0.18	30
31	~~0.06~~	~~X~~				0.41		0.07		0.10		0.01	31
	~~0.07~~	~~X~~	0.01	~~X~~		~~X~~		0.04	~~X~~	0.43	~~X~~	0.03	31
Total	4.65	4.82	3.94	0.75	3.08	1.13	1.46	2.58	0.83	4.05	2.60	1.89	28.20
Rain Days.	13	19	18	13	13	10	9	13	8	19	15	12	162

YEARS TOTAL

REGISTER OF RAINFALL IN 1919

Kept at Eyton Hall Lemsith
in the County of Hertford
by R. H. Jones

Lat. 52° 16' Long. 2° 45' 37"
Time of Observation 9 a.m.
Nearest Railway Station Lemsith
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 9 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.27		0.06	0.02	0.06	0.09	0.21			0.11	0.03	0.33	1
2	0.15		0.11		0.03		0.07	0.02	0.08		0.02	0.02	2
3			0.15		0.02		0.03		0.03		0.07	0.08	3
4	0.02	0.14	0.29			0.13	0.29	0.04	0.11			0.13	4
5		0.37			0.03		0.02		0.05			0.21	5
6	0.11	0.07	0.09		0.01						0.07	0.14	6
7	0.13			0.08	0.02								7
8	0.21		0.10	0.06							0.07		8
9	0.27												9
10	0.08		0.56							0.04	0.07	0.14	10
11	0.07		0.93		0.11		0.41			0.02		0.03	11
12	0.07		0.49	0.05		0.20			0.05	0.04	0.07		12
13	0.07			0.16			0.07		0.56	0.08		0.05	13
14	0.25			0.28			0.06		0.54			0.07	14
15	0.40	0.02		0.03	0.07					0.06		0.25	15
16	0.15	0.08					0.07				0.03		16
17		0.73		0.02		0.04					0.12		17
18	0.02		0.52				0.07				0.07	0.02	18
19	0.15	0.83	0.55			0.13	0.56		0.10		0.22	0.02	19
20	0.21		0.66			0.04	0.04				0.10	0.07	20
21		0.30	0.02			0.03	0.15		0.32		0.02	0.05	21
22		0.03					0.06					0.10	22
23						0.02				0.61		0.02	23
24						0.03	0.01			0.32	0.18	0.14	24
25	0.06			0.11	0.12	0.07						0.02	25
26	0.15		0.08	0.05		0.03	0.09		0.02			0.32	26
27	0.15			0.60					0.07		0.03	0.08	27
28	0.04							0.59				0.30	28
29				0.07						0.28	0.10	0.22	29
30			0.25	0.03		0.08		0.09			0.13	0.16	30
31			0.06				0.02						31
TOTAL	2.76	2.57	4.92	1.56	0.47	0.83	2.05	2.81	1.93	1.56	1.10	2.97	25.53
Days with 0.1 in. or more	20	9	16	13	9	12	17	(13)	11	9	17	24	(170)

REGISTER OF RAINFALL IN 1920.

Kept at Eyton Hall, Leominster
in the County of Hereford
by R. H. Evans

Lat. 52° 16' N Long. 2° 45' 37' W
Time of Observation 9 a.m.
Nearest Railway Station Leominster
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 9 ft.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	0.07	0.12	0.21	-	0.36	-	0.04	0.19	-	0.37	1
2	0.02	-	0.03	0.07	0.07	-	0.20	-	0.10	0.13	-	0.22	2
3	0.08	0.07	-	-	-	0.07	0.67	-	0.14	0.49	-	0.04	3
4	-	-	-	-	-	-	0.07	0.46	0.07	0.15	-	-	4
5	-	-	0.09	0.38	0.04	-	0.43	0.07	-	0.12	-	-	5
6	-	-	0.22	-	0.14	-	0.22	-	-	0.29	-	-	6
7	-	-	0.07	0.09	-	-	0.09	-	-	-	-	0.03	7
8	0.28	0.08	-	0.67	0.07	-	0.30	0.20	-	0.07	-	-	8
9	0.36	0.03	-	0.43	-	-	-	-	-	-	-	0.03	9
10	0.34	0.06	0.06	0.02	-	0.26	0.10	-	-	-	0.04	-	10
11	0.18	0.09	0.08	0.46	0.20	0.09	0.12	-	-	0.02	-	-	11
12	0.17	0.02	0.02	0.20	-	0.77	-	0.20	-	-	0.07	-	12
13	0.06	0.02	0.18	0.15	-	0.13	-	-	-	-	0.07	0.04	13
14	0.07	-	0.63	0.18	-	0.18	-	-	0.28	0.17	0.26	-	14
15	-	0.08	0.33	0.74	-	0.25	0.07	-	0.12	-	0.11	-	15
16	-	0.07	-	0.40	0.22	0.07	0.16	-	0.07	0.50	0.07	-	16
17	0.02	-	0.07	0.07	0.72	0.29	0.07	-	0.66	0.21	-	-	17
18	0.08	-	-	0.07	0.08	-	-	0.10	0.76	-	-	-	18
19	0.05	0.31	-	0.12	0.07	0.10	-	-	0.07	-	-	-	19
20	0.07	0.31	-	0.23	-	0.13	0.07	-	0.02	-	-	0.06	20
21	-	-	-	-	-	0.02	0.28	-	-	0.03	-	0.08	21
22	-	-	-	0.08	-	-	0.15	0.15	-	-	-	0.15	22
23	0.05	-	0.02	-	-	-	0.23	0.04	-	0.02	-	0.28	23
24	0.05	0.02	0.11	-	-	-	-	-	-	-	0.07	0.15	24
25	0.04	0.02	0.13	-	-	-	0.62	-	-	-	-	-	25
26	0.12	0.07	0.26	-	1.05	-	-	-	-	-	0.08	0.04	26
27	0.25	0.07	0.12	0.02	0.24	-	0.05	-	0.02	-	0.06	0.31	27
28	0.77	-	0.17	0.02	0.16	0.22	0.07	-	-	-	-	0.06	28
29	0.43	-	0.11	-	0.63	0.04	0.12	-	-	-	0.08	0.40	29
30	0.02	~~X~~	0.58	0.17	0.05	0.11	0.03	-	0.39	-	0.35	0.17	30
31	0.05	~~X~~	0.12	~~X~~	0.06	~~X~~	0.07	-	~~X~~	0.33	~~X~~	0.04	31
TOTAL	3.44	1.08	3.09	4.37	3.29	2.67	4.15	1.16	2.62	2.66	1.07	2.47	YEAR'S TOTAL
Days with "01 in. or more	22	15	21	21	16	15	23	7	13	14	11	15	32.07
Days with "04 in. or more	17	6	15	16	14	13	16	6	9	10	8	15	195
													144

RE

FOWNHOPE

LOWER HSE

HEREFORD

1911 - 1920

Kept at *Lower House*
in the County of *Hereford*
by *Rances*

IMPORTANT NOTE
previous day. If an Ob.
requested to add the read
for it at the end of this
the selection and placing
Organization are given in
Dr. H. R. MILL, 62, Camden Square, London, N.W.

FORM A2
BRITISH RAINFALL
9 JAN 1912

in.
Ground ft.
Sea Level ft.
Name *Holme Lacey*
Distance *2 miles* Direction *S.W.*
the result entered to the
versal rule, he is earnestly
ar in the space provided
ent of rain,
tish Rainfall
pplication to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.02			.05	.10			.05		.02	.08	.08	2
3					.42				.04	.01	.03	.02	3
4			.13	.03				.04		.04	.14	.53	4
5	.11		.03	.04				.08		.04	.02		5
6	.16		.06	.03							.20	.72	6
7	.01										.17		7
8	.15		.09									.38	8
9											.27	.30	9
10	.07		.19									.38	10
11					.07						.45	.01	11
12	.15		.42						.13		.14	.12	12
13		.06	.01		.21				.22		.02	.44	13
14	.01											.76	14
15		.02									.23	.03	15
16						.10					.17	.13	16
17						.24				~~.05~~	.27	.41	17
18		.22	.07	.15		.08				.05		.27	18
19	.01		.01	.10		.09			.40	.34		.37	19
20	.02	.05	.08	.02		.02			.05	.02		.33	20
21		.21	.09					.59		.21		.08	21
22		.11				.02				.11		.40	22
23		.02	.13			.50	.01		.14	.04		.14	23
24		.04				.46		.13	.02	.07		.09	24
25		.06		.05		.03				.21		.09	25
26		.14			1.40			.08			.18	.14	26
27		.14	.21	.18				.25	.21		.06	.09	27
28		.12		.10				.03			.26	.01	28
29					.10	.03		.05	.20	.01			29
30				.08		.2	.05	.11		.28	.04	.01	30
31			.02				.03			.03		.01	31
Total	.71	1.19	1.54	.87	2.20	1.66	.12	1.51	1.26	1.67	2.76	6.34	TOTAL for year
No. of Rain Days	10	12	14	12	5	11	4	10	9	15	19	27	2183

RE

Kept at Lower House Town hope
 in the County of Hereford
 by Rances Creswell

Pattern _____
 RAIN Gauge Diameter of top _____ in.
 Height of top above Ground _____ ft.
 " " " Sea Level _____ ft.
 Time of Observation 10 a.m.
 Nearest Railway Station { Name Holme Lacey
 Distance 2 miles Direction S.W.

FORM A2.
 BRITISH RAINFALL
 9 - JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.02			.04	.10			.05		.02	.08	.08	2
3					.42				.04	.01	.03	.02	3
4			.13	.03				.04		.04	.14	.53	4
5	.11		.03	.04				.08		.04	.02		5
6	.16		.06	.03							.20	.72	6
7	.01										.17		7
8	.15		.09									.38	8
9											.27	.30	9
10	.07		.19									.38	10
11					.07						.45	.01	11
12	.15		.42						.13		.14	.12	12
13		.06	.01		.21				.22		.02	.44	13
14	.01											.76	14
15		.02									.23	.03	15
16						.10					.17	.13	16
17						.24				~~.28~~	.27	.41	17
18		.22	.07	.15		.08				.05		.27	18
19	.01		.01	.10		.09			.40	.34		.37	19
20	.02	.05	.08	.02		.02			.05	.02		.33	20
21		.21	.09					.59		.21		.08	21
22		.11				.02				.11		.40	22
23		.02	.13			.50	.01		.14	.04		.14	23
24		.04				.46		.13	.02	.07		.09	24
25		.06		.05		.03				.21		.09	25
26		.14			1.40			.08			.18	.14	26
27		.14	.21	.18				.25	.21		.06	.09	27
28		.12		.10				.03			.26	.01	28
29						.10	.03		.05	.20	.01		29
30				.08		.2	.05	.11		.28	.04	.01	30
31			.02				.03			.03		.01	31
Total	.71	1.19	1.54	.87	2.20	1.66	.12	1.51	1.26	1.67	2.76	6.34	TOTAL for year
No. of Rain Days	10	12	14	12	5	11	4	10	9	15	19	27	2183

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL FORM A.
14 JAN 1913

Kept at Lower House Ironhope
in the County of Hereford
by Rances Reppell

Lat. _____ Long. _____
Time of Observation 10.4 m
Nearest Railway Station Holme Lacey
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. 12 in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.15			.56	.06	.05		.39		.09	1
2		.02	.34	.03		.42	.25		.02				2
3	.01		.14		.11	.15	.11	.60			.06		3
4	.10		.73		.08	.44		.11			.26		4
5	.22	.13	.10		.42	.23		.39	.01			.03	5
6	.10	.15	.03		.04	.48		.39				.02	6
7		.22	.12		.02	.33		.04			.02	.03	7
8	.21	.14	.15	.03		.10		.01	.10			.02	8
9	.02	.07	.37	.09		.12	.02	.18			.01	.16	9
10	.26	.04				.11		.09			.08	.01	10
11								.02			.05	.46	11
12		.17	.08	.05	.14		.02					.04	12
13	.02	.04						.04	.05	.05		.03	13
14	.04	.03	.47		.23			.12					14
15	.12	.06	.02	.02	.28	.21		.03				.10	15
16	.80		.09					.09		.05			16
17	.66		.10			.03		.37			.05	.31	17
18	.08		.05					.25			.02	.05	18
19	.10	.03					.16			.02		.06	19
20	.03		.26				.13	.50		.30	.04		20
21	.02	.02	.53		.78	~~.02~~	.03	.53		.25			21
22		.08	.07		.70	.02	.14	.25		.02		.05	22
23	.25	.22	.25			.11	.07	.26		.04	.04	.06	23
24	.10	.03				.20	.02	.01		.05		.37	24
25						.50	.31	.82		~~.66~~		.33	25
26		.07						.73		.66	.47	.35	26
27						.41	.75	.01		.85		.15	27
28		.09				.06	.63	.26	.31	.36	.41	.32	28
29		.15				.07	.19	.26	.39	.25		.03	29
30						.14	.06			.30			30
31					.07		.38	.06		.02		.05	31
Total	3.14	1.76	4.53	.22	1.87	4.69	3.33	6.67	.88	3.61	7.51	3.12	YEAR'S TOTAL 36.33
Rain Days.	18	19	22	5	11	20	17	28	6	15	13	23	197

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL
7-JAN-1914

Kept at Lower House, Frounhope
in the County of Herefordshire
by Rhodes Cresswell

Lat. _____ Long. _____
Time of Observation 10 a.m.
Nearest Railway Station Holme Lacey
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.15	.03	.07				.56		.08		1
2	.03	.30	.05	.10	.02				.12	1.36	.11	.03	2
3	.11	.01	.03		.57							.10	3
4	1.14	.02			.21				.65	.63		.16	4
5	.04	.05			.17	.18	.15		.02	.19	.10	.02	5
6	.02	.06	.19		.18	.12	.64			.32	.06	.44	6
7		.37			.35	.06	.63			.66	.16	.03	7
8	.01	.19		.02	.18	.04	.01	.03		.09	.01		8
9		.23		.02	.05	.08	.14	.09	.21		.10	.03	9
10	.25	.03		~~.44~~	.09			.15		.10	.19		10
11	.46			.22	.10				.02	.04	.64		11
12	.02			.01	.16				.03		.41		12
13	.03		.12						.33		.27		13
14			.28	.05				.08	.11	.13			14
15		.08	.65	.75				.07	.11		.02		15
16	.38	.03	.82	.09					.02				16
17	.02		.16	.11			.14		.08		.01		17
18	.07		.47	.09			.07		.12				18
19	.14		.17	.13		.26	.04			.02	.02		19
20	.23		.30	.15						.05	.40	.03	20
21			.28	.01	.10		.10	.05			.17		21
22	.67		.60			.17		.29	.37				22
23			.04			.02		.03	.02		.06	.05	23
24	.04	.02						.01			.01	.01	24
25		.02		.27					.05				25
26		.01		.58				.21		.03		.16	26
27		.01	.16	.36	.13					.15		~~.16~~	27
28	.24		.06	.36	.07				.01	.07		.02	28
29	.14		.50	.57				.06		.10			29
30			.02							.70	.03		30
31	.03		.16		.02			.03		.08			31
Total	4.07	1.43	5.21	3.92	2.47	.93	.72	1.10	2.83	4.72	2.85	1.08	31.33
Rain Days.	10	15	20	19	16	8	9	12	17	17	19	12	184

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
14 JAN 1915

Kept at Lower House, Townhope
in the County of Hereford
by Frances Cresswell

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.03		.05		.02	.65	.18			.04	.14	1
2							.78	.04			.38	.45	2
3				.14	.25			.01			.02	.19	3
4	.21			.10	.09		.20	.11			.59	.49	4
5	.06		.09	.10	.08		.11				.08		5
6		.18	.02		.08	.07	.03	.02			.05	.14	6
7		.29	.12	.02		.01	.13	.07			.01	.22	7
8			.05	.10	.24	.76	.10	.03	.07			.08	8
9	.03	.03	.22	.39	.07	1.21		.07					9
10		.30	.02	.41		.09			.40			.02	10
11		.08	.21	.02	.12	.41	.36		.02			.78	11
12		.26	.15				.03				.21	.27	12
13		.22	.29				.02		.34	.24	.10	.35	13
14		.27	.27							.21	.17	.01	14
15	.03	.05	.11					.24	.02		.05		15
16	.02						.16		.16				16
17	.03	.22	.16				.05				.01	.32	17
18			.05			.08	.04		.04	.01		.30	18
19			.08				1.05			.01	.06	.25	19
20		.33	.03										20
21		.40					.09			.16			21
22		.11		.02	.12	.02	.04	.09		.17			22
23		.02	.13		.07		.04			.24		.02	23
24							.01	.10	.04	.09	.04		24
25	.07		.25		.04		.02	.24		.20	.01	.11	25
26			.02				.08	.02		.05	.24	.37	26
27										.03	.23	.12	27
28		.08	.14							.02	.02	.89	28
29	.07		.06							.20	.25	.02	29
30		X	.11			.01				.11	.42	.62	30
31	.26	X		X		X	.19		X	.14	X	.12	31
Total	.78	2.87	2.58	1.35	1.16	2.68	4.18	1.22	1.09	1.88	2.98	6.28	29.05
Rain Days.	9	16	21	10	10	10	21	13	9	15	20	23	177

REGISTER OF RAINFALL IN 1915

Kept at Fownhope, Lower House
in the County of Hereford
by Frances Crosswell

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.25	.07	.03	.11	.18			.05	.06	.23	.02	.05	1
2	.20	.16	.13		.16	.13		1.50	.06	.11		.14	2
3	.66	.14			.16		1.17	.15			.01	.31	3
4	.04	.0					1.19	.10				.46	4
5		.35						.10		.02		.62	5
6		.03		.19			.41	.12				.16	6
7	.24	.35		.2			.5	.9		.01	.01	.31	7
8	.31	.28					.3	.4		.01	.8		8
9	.03	.08		.12						.07	.11	.45	9
10	.25	.02	.9	.4								.02	10
11	.06		.2	.6							.94		11
12	.12	.26		.16	.46			.23		.10	.31		12
13		.47			.91				.09				13
14		.01						.29	.5			.31	14
15	.26				.11		.4	.05		.03	.05	.09	15
16	.03	.36			.40		1.21	.09		.01			16
17		.29	.2		.60					.01		.02	17
18		.56	.4										18
19		.02			.16								19
20	.09			.10						.11		.12	20
21	.04	.02		.01			.25			.8		.03	21
22	.07	.04	.23	.11			.48			.1	.02	.27	22
23	.05	.04	.06			.08	.04			1.02		.29	23
24			.06	.04			.36			.65		.14	24
25			.02			.27	.21		.31	.04		.12	25
26		.04				.02	.39		.08			.51	26
27		.06					.08			.29		.08	27
28		.13						.06	.24	.05		#	28
29					.05	.05		.02		.1	.07	.11	29
30	.07	X		.03		.2	.47			.27	.15	.21	30
31	.01	X		X		X	.07	.2	X	1.40	X	.37	31
Total	2.78	3.84	.70	.99	3.19	.57	6.45	2.89	.89	4.53	1.77	5.19	33.79
Rain Days.	18	23	10	12	10	6	16	14	7	21	11	23	171

REGISTER OF RAINFALL IN 1916

Kept at Lower Hink Townhouse
in the County of Devon
by Rances Cresswell

Lat. _____ Long. _____
Time of Observation 10 a.m.
Nearest Railway Station Holm Lacey
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL.
24 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06		.06		.07	.14	.12			.28	.19		1
2	.20	.11	.23		.23				.15	.63	.11		2
3		.97	.02		.22				.04	.18	.09		3
4		.15	.02		.30	.42			.07		.50		4
5	.12	.02	.03		.22		.18				.05		5
6	.08	.16	.28		.09		.72			.32	.66		6
7	.02	.02	.13		.11		.04			.24	.15	.23	7
8	.03		.08	.03	.30					.02	.03	.12	8
9			.03		.08	.30	.01				.05		9
10		.46	.07	.03	.02	.15				.09	.01	.02	10
11	.07	.02	.12	.11	.02	.04			.01			.03	11
12		.03	.05		.24		.23		.03				12
13		.24	.07				.13	.42				.02	13
14		.40	.08		.02			.07		.10			14
15		.12	.22	.20	.22			.49		.06			15
16		.06	.01	.11			.14	.40					16
17	.08	.10		.07					.24	.31			17
18		.03	.9	.02					.08	.04	.53	.14	18
19	.07		.52	.26							.20		19
20	.05		.64	.02							.01	.38	20
21	.04	.02	.42	~~02~~	.12		.07				.01	.16	21
22			.01	.08		.01				.18		.43	22
23		.40	.09	.02				.19				.13	23
24		.13			.57	.05		.08		.29		.15	24
25		.19	.23			.02		.30		.17	.27	.01	25
26		.12	.06			.10		.03		.30	.02		26
27		.03	<u>1.21</u>					.19	.18	.49			27
28		.52	.04						.05	.15		.10	28
29		.22	.02			.22		1.05		.20		.05	29
30		~~X~~				.07		.06		.25		.01	30
31		~~X~~		~~X~~		~~X~~			~~X~~	.42	~~X~~	.02	31
Total	.82	4.54	4.65	.95	2.83	1.52	1.64	3.28	.85	4.72	2.88	2.00	YEARS TOTAL 30.68
Rain Days.	11	23	27	11	16	11	9	11	9	20	16	16	180

REGISTER OF RAINFALL IN 1918

Kept at Lower House Townhope
in the County of Herefordshire
by Rancess Cresswell

Lat. _____ Long. _____
Time of Observation 10 a.m.
Nearest Railway Station Holme Lacey 2 miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.03	.11	.14				.10		.05	.70	.01	1
2		.05		.02				.44			.03	.05	2
3		.09		.08	.25			.02	.47	.02	.08	~~.43~~	3
4	.01	.02	.02					.04	.22	.12	.59	.43	4
5		.02		.05	.31	.06		.07	.21	.12	.02		5
6		.17		.10					.10	.20		.05	6
7	.05	.08			.44				.21	.05	.17	.05	7
8	.03	.12				.11			.18	.17	.05	.06	8
9		.08		.19			.06		.19	.03		.09	9
10	.05			.05			.39		.10	.07		.08	10
11				.03	.02		.10		.09	.02	.03	.08	11
12			.21		.09				.02			.07	12
13		.06					.16		.14	.07	.02		13
14	.27		.10		.03		.05		.52	.03	.01	.05	14
15	1.47			.19			.27		.02		.02	.31	15
16	.18			.75		.04	.02		.30	.02		.03	16
17	.14		.02	.02			.46		.76	.10		.08	17
18	.29					.30	.17		1.33	.01		.52	18
19		.02	.20				.10		.03	.08		.04	19
20	.19	.04		.18		.05	.07		.26	.02		.01	20
21	.10	.02		.35			.04		.50	.02	.02	.06	21
22	.05				.45				.08			.15	22
23	.02				.23	.02	.12				.03	.01	23
24							.10	.08	.05	.02	.08	.01	24
25					.09	.02	.10	.64	.02	.03	.07		25
26	.01						.64	.02	.05	.01	.04	.11	26
27		.07	.04					.16			.02	.03	27
28			.30							.02	.03	.06	28
29			.12						1.20		.02	.01	29
30		X	.21						.01		.10	.11	30
31	.03	X	.15	X		X			X		X	.02	31
Total	2.89	.87	1.48	2.15	1.91	.60	2.85	1.57	7.06	1.28	2.13	2.58	27.37
Rain days.	15	14	11	13	9	7	16	9	25	22	29	27	188

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1919

Kept at Lower House - Townhope
in the County of Herefordshire
by Frances Cresswell-

Lat. _____ Long. _____
Time of Observation 10 a.m.
Nearest Railway Station Holme Lacey
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 7 ft. in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.17		.02		.05		.10		.07	.10		.48	1
2	.10	.07	.02		.03		.14		.12	.01	.11	.10	2
3	.04		.10		.01	.11	.04		.03		.09	.10	3
4	.16		.34	.05			.24	.08	.21	.01		.15	4
5		.38	.15		.07		.01		.14			.16	5
6	.15	.03	.10		.05						.02	.15	6
7	.17	.01	.18	.13	.08					.02		.01	7
8	.12		.07		.02	.02							8
9	.25		.02										9
10	.02	.01	.69							.06	.04	.33	10
11	.02		.81	.07	.05		.41			.03	.02	.08	11
12	.02		.04	.08		.17	.01			.02			12
13	.08			.21					.13	.05		.05	13
14	.17	.02	.01	.20			.04		.04	.02		.21	14
15	.34	.03		.02	.06					.05		.17	15
16	.06	1.16		.03				.09	.01			.02	16
17		.68				.04							17
18	.05		.65				.04	.27	.05		.10	.04	18
19	.22	.30	.82			.15	.05	.56	.13		.06	.04	19
20	.26	.03	.40			.05	.01		.02		.08	.04	20
21	.03	.40	.03			.05	.13		.04		.02	.12	21
22		.02					.05		.19			.06	22
23								.04		1.09		.03	23
24					.07	.04	.12			.66	.16	.24	24
25	.09						.01	.33		.02	.03	.02	25
26			.07			.04	.02	.03	.09	.02		.20	26
27	.11		.03	.66				.53				.30	27
28	.04	.02	.14					.14			.27		28
29				.07				.03		.16		.21	29
30		~~X~~		.09		.19		.23		.04	.18	.32	30
31	.06	~~X~~		~~X~~		~~X~~	.01	.01	~~X~~	.03	~~X~~	.02	31
TOTAL	2.73	3.16	4.69	1.61	.49	.86	2.43	2.34	1.27	2.37	1.18	3.65	YEAR'S TOTAL 26.98
Days with .01 in. or more	24	15	20	11	10	10	17	12	15	17	14	26	191

Kept at Shoreham-by-Sea
in the County of West Sussex
by Renee de la Roche

Lat. _____ Long _____
Time of Observation 10 a.m.
Nearest Railway Station Shoreham
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.03	.23	.24		.48	.06	.05	.11		.38	1
2	.07			.07			.14	.02	.05	.29		.14	2
3	.02	.04	.03	.11	.09	.03	1.44	.04	.06	.39		.03	3
4				.05			.02	.23		.36			4
5			.19	.06	.08		.29	.04		.27			5
6			.19		.11		.20			.16		.01	6
7			.05	.15			.07				.01	.02	7
8	.21	.05		.52	.08		.31	.03		.02			8
9	.17			.42			.12						9
10	.36	.05	.03	.30		.38	.16					.02	10
11	.15	.01	.16	.44	.27	.03	.05	.01					11
12	.15	.04	.03	.13		.60	.01	.04			.06		12
13	.06	.02	.38	.20		.06		.03				.02	13
14		.03	.55	.46		.11	.04	.02	.39		.26	.03	14
15	.02	.08	.03	.52		.04			.02				15
16				.06	.20	.30	.17		.12	.63	.03		16
17					.15	1.22			.55	.13		.03	17
18	.11			.02	.09	.02	.01	.20	.60	.01	.01	.02	18
19	.02	.31		.26	.04	.25			.01			.04	19
20		.04	.01	.23		.12	.01		.03	.14		.10	20
21	.01	.02		.03		.03	.08			.12		.10	21
22	.03	.01		.13			.06	.17		.02		.25	22
23							.35	.02		.01	.01	.34	23
24		.01	.19				.01		.01		.04	.37	24
25	.05	.03	.16	.03		.09	.53		.02	.01		.03	25
26	.15	.03	.36	.03		.02	.03			.02	.05	.06	26
27	.55	.02	.31	.05	.10	.21	.04		.02			.40	27
28	1.27		.10		.22	.04	.02				.08		28
29	.32		.19	.01	.04	.02	.14		.01			.39	29
30	.04	~~X~~	.18	.14		.06	.02		.31	.31	.26	.16	30
31	.04	~~X~~	.11	~~X~~		~~X~~	.03		~~X~~	.31	~~X~~	.04	31
TOTAL	3.80	1.79	3.28	4.65	1.71	3.63	4.83	9.11	2.25	2.86	8.12	2.98	YEAR'S TOTAL 32.50
Days with ".01 in. or more	20	16	20	25	13	19	28	13	15	16	10	22	219
Days with ".04 in. or more	15	7	14	21	13	13	21	8	8	10	6	13	150

RE

HEREFORD

WHITE HORSE ST.

1911

Kept at *W. White Horse*
 in the County of *Hereford*
 by *William R.*

1911

Snowdon

top 5 in.

above Ground 1 ft. in.

Sea Level 210 ft. approx

9 a.m.

Name *Hereford*Distance *1 mile* Direction *West*FORM A2.
BRITISH RAINFALL

16 MAY 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.01	.03	—	—	—	.27	—	—	.06	—	1
2	.02	—	—	.01	.08	—	—	.20	—	.07	.10	.06	2
3	—	—	—	.01	.48	—	—	—	.05	—	.04	.03	3
4	—	—	.19	.07	—	—	—	.02	.07	.02	.18	.43	4
5	.04	—	.01	—	—	—	—	.06	—	.04	.08	—	5
6	—	—	.03	—	—	—	—	—	—	.02	.18	.93	6
7	.22	—	—	—	—	—	—	—	—	—	.40	—	7
8	.55	—	.09	—	—	—	—	—	—	—	.21	.60	8
9	.15	—	—	—	—	—	—	—	—	—	.11	.37	9
10	.07	.06	.12	—	—	—	—	—	—	—	.07	.42	10
11	.11	.07	—	—	—	—	—	—	—	—	.49	.03	11
12	—	—	.38	—	—	—	—	—	.12	—	.14	.01	12
13	—	—	.02	—	.03	—	—	—	.23	.45	.01	.71	13
14	—	—	—	—	—	—	—	—	—	—	—	1.01	14
15	—	—	.07	—	—	—	—	—	—	.01	.15	.13	15
16	—	—	—	—	—	.15	—	—	—	—	.12	.13	16
17	—	—	—	.01	—	.52	—	—	—	—	.17	.80	17
18	—	.27	.06	.27	—	.01	—	—	—	.01	—	.50	18
19	—	.02	—	.15	—	.11	—	—	.45	.37	—	.25	19
20	—	.03	.01	.01	—	—	—	.02	.14	.01	—	.60	20
21	—	.11	.24	—	—	—	—	2.03	.03	.35	—	.10	21
22	—	.07	.04	.02	—	—	—	—	—	.16	.02	.46	22
23	—	.18	.18	—	—	.59	—	—	—	.05	—	.11	23
24	—	.03	—	.07	—	.42	—	.13	—	.04	—	.06	24
25	—	.09	—	.02	—	.02	—	.07	.03	.04	—	.10	25
26	—	.12	—	.15	.62	—	—	.01	—	.18	.14	.12	26
27	—	.10	.18	.01	—	—	—	.34	.18	—	.11	.11	27
28	—	.18	—	.13	—	.10	—	—	—	—	.14	—	28
29	—	—	—	.03	—	.02	.15	.02	.07	.18	—	—	29
30	—	—	.02	—	.02	—	.24	.25	—	.23	.03	—	30
31	—	—	—	—	—	—	.06	—	—	.06	—	—	31
Total	1.10	1.21	1.59	.87	1.23	1.94	.45	3.36	1.37	2.23	2.89	8.07	TOTAL for year
No. of Rain Days.	7	13	16	15	5	9	3	12	10	18	21	24	26.31

RE

1911

FORM A2.
BRITISH RAINFALL.
16 MAY 1912

Kept at 71. White Horse St. Hereford
in the County of Hereford.
by William R. Bufton

Pattern Snowdon
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 210 ft. approx
Time of Observation 9.0 a.m.
Nearest Railway Station { Name Hereford.
Distance 1 mile Direction West.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.01	.03	—	—	—	.27	—	—	.06	—	1
2	.02	—	—	.01	.08	—	—	.20	—	.01	.10	.06	2
3	—	—	—	.01	.48	—	—	—	.05	—	.04	.03	3
4	—	—	.19	.01	—	—	—	.02	.07	.02	.18	.43	4
5	.04	—	.01	—	—	—	—	.06	—	.04	.08	—	5
6	—	—	.03	—	—	—	—	—	—	.02	.18	.93	6
7	.22	—	—	—	—	—	—	—	—	—	.40	—	7
8	.55	—	.09	—	—	—	—	—	—	—	.21	.60	8
9	.15	—	—	—	—	—	—	—	—	—	.11	.37	9
10	.01	.06	.12	—	—	—	—	—	—	—	.01	.42	10
11	.11	.01	—	—	—	—	—	—	—	—	.49	.03	11
12	—	—	.38	—	—	—	—	—	.12	—	.14	.01	12
13	—	—	.02	—	.03	—	—	—	.23	.45	.01	.71	13
14	—	—	—	—	—	—	—	—	—	—	—	1.01	14
15	—	—	.01	—	—	—	—	—	—	.01	.15	.13	15
16	—	—	—	—	—	.15	—	—	—	—	.12	.13	16
17	—	—	—	.01	—	.52	—	—	—	—	.17	.80	17
18	—	.27	.06	.27	—	.01	—	—	—	.01	—	.50	18
19	—	.02	—	.15	—	.11	—	—	.45	.37	—	.25	19
20	—	.03	.01	.01	—	—	—	.02	.14	.01	—	.60	20
21	—	.11	.24	—	—	—	—	2.03	.03	.35	—	.10	21
22	—	.01	.04	.02	—	—	—	—	—	.16	.02	.46	22
23	—	.18	.18	—	—	.59	—	—	—	.05	—	.11	23
24	—	.03	—	.01	—	.42	—	.13	—	.04	—	.06	24
25	—	.09	—	.02	—	.02	—	.01	.03	.04	—	.10	25
26	—	.12	—	.15	.62	—	—	.01	—	.18	.14	.12	26
27	—	.10	.18	.01	—	—	—	.34	.18	—	.11	.11	27
28	—	.18	—	.13	—	.10	—	—	—	—	.14	—	28
29	—	—	—	.03	—	.02	.15	.02	.07	.18	—	—	29
30	—	—	.02	—	.02	—	.24	.25	—	.23	.03	—	30
31	—	—	—	—	—	—	.06	—	—	.06	—	—	31
Total	1.10	1.21	1.59	.87	1.23	1.94	.45	3.36	1.37	2.23	2.89	8.07	TOTAL for year
No. of Rain Days.	7.	13.	16	15	5	9	3	12	10	18	21	24	26.31

REG

HEREFORD
QUARRY HSEKept at Quarry House
City
in the County of Hereford
by Reverend S.

1911 - 1914

5 in.
ve Ground 1 ft.
Sea Level ft.Name Barris Court Hereford
Distance 3/4 mile Direction W

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	^{in.} ·02	^{in.} —	^{in.} ·02	^{in.} ·04	^{in.} —	^{in.} —	^{in.} —	^{in.} ·18	^{in.} —	^{in.} —	^{in.} ·04	^{in.} ·03	1
2	·02	—	—	—	·09	—	—	·20	—	·01	·10	·06	2
3	—	—	—	·03	·54	—	—	—	—	—	·08	·04	3
4	—	—	·20	·03	—	—	—	·03	·11	·02	·15	·41	4
5	·06	—	·04	—	—	—	—	·05	—	·06	·10	—	5
6	·20	—	·08	—	—	—	—	—	—	·03	·15	·83	6
7	·02	—	—	—	—	—	—	—	—	—	·37	—	7
8	·27	—	·09	—	—	—	—	—	—	—	·20	·57	8
9	·15	—	—	—	—	—	—	—	—	—	·12	·17	9
10	—	·07	·15	—	—	—	—	—	·04	—	·03	·50	10
11	·10	—	—	—	·03	—	—	—	—	—	·47	·06	11
12	—	·02	·40	—	—	—	—	—	·12	—	·16	·02	12
13	—	—	—	—	·26	—	—	—	·25	·08	·02	·68	13
14	—	—	—	—	—	—	—	—	—	—	—	·93	14
15	—	—	·03	—	—	—	—	—	—	·02	·15	·73	15
16	—	—	—	—	—	·12	—	—	—	—	·11	·06	16
17	—	·02	·03	·02	—	·44	—	—	—	—	·17	·71	17
18	—	·33	·06	·21	—	·16	—	—	—	·02	—	·45	18
19	—	—	—	·13	—	·22	—	—	·48	·26	—	·18	19
20	·04	·06	—	·02	—	·03	—	—	·15	·13	—	·54	20
21	—	·10	·20	—	—	—	—	2·24	—	·27	—	·09	21
22	—	·02	·03	·03	—	·04	—	—	—	·16	—	·40	22
23	—	·16	·19	—	—	·74	—	—	·12	·06	—	·11	23
24	—	·05	—	·03	—	·42	—	·14	—	·06	—	·07	24
25	—	·16	—	·03	—	—	—	—	·03	·02	—	·08	25
26	—	·09	—	·16	·90	—	—	—	—	·14	·19	·12	26
27	—	·11	·11	·06	—	·02	—	·34	·18	—	·06	·10	27
28	—	·19	—	·12	—	—	—	—	—	—	·17	—	28
29	—	—	—	·05	—	·11	·07	·03	·07	·19	·02	—	29
30	—	—	·04	·03	·04	·03	·09	·12	—	·25	·03	—	30
31	—	—	—	—	—	—	·03	—	—	·06	·02	—	31
Total	·88	1·38	1·67	·99	1·86	2·33	·19	3·33	1·55	1·84	2·89	7·36	TOTAL for year 26·27
No. of Rain Days	9	13	15	15	6	11	3	9	10	18	21	26	156

REGISTER OF RAINFALL IN 1911

Kept at Quarry House
in the City of Hereford
by Prebendary Selwyn

Pattern
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level _____ ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Barris Court Hereford
Distance 3/4 mile Direction W

FORM A2.
BRITISH RAINFALL.
12 JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	—	.02	.04	—			.18			.04	.03	1
2	.02	—			.09			.20		.01	.10	.06	2
3	—	—		.03	.54						.08	.04	3
4	—	—	.20	.03				.03	.11	.02	.15	.41	4
5	.06	—	.04					.05		.06	.10	—	5
6	.20	—	.08							.03	.15	.83	6
7	.02	—									.37	—	7
8	.27	—	.09								.20	.57	8
9	.15	—									.12	.17	9
10	—	.07	.15						.04		.03	.50	10
11	.10	—			.03						.47	.06	11
12		.02	.40						.12		.16	.02	12
13		—			.26				.25	.08	.02	.68	13
14		—									—	.93	14
15		—	.03							.02	.15	.73	15
16		—				.12					.11	.06	16
17		.02	.03	.02		.44					.17	.71	17
18		.33	.06	.21		.16				.02	—	.45	18
19		—		.13		.22			.48	.26		.18	19
20	.04	.06		.02		.03			.15	.13		.54	20
21		.10	.20					2.24		.27		.09	21
22		.02	.03	.03		.04				.16		.40	22
23		.16	.19			.74			.12	.06		.11	23
24		.05		.03		.42		.14		.06		.07	24
25		.16		.03					.03	.02		.08	25
26		.09		.16	.90					.14	.19	.12	26
27		.11	.11	.06		.02		.34	.18		.06	.10	27
28		.19		.12							.17		28
29				.05		.11	.07	.03	.07	.19	.02		29
30			.04	.03	.04	.03	.09	.12		.25	.03		30
31							.03			.06		.02	31
Total	.88	1.38	1.67	.99	1.86	2.33	.19	3.33	1.55	1.84	2.89	7.36	TOTAL for year 26.27
No. of Rain Days	9	13	15	15	6	11	3	9	10	18	21	26	156

cont for anith 6-11-13

W. J. S.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL

Kept at Quarry House,

City Hereford

in the County of Hereford

by Frederick Schuyler

Pattern Humboldt

RAIN Diameter of top 3 in.

GAUGE Height of top above Ground 1 ft.

" " " Sea Level ft.

Time of Observation 9 a.m.

Nearest Railway Station { Name Barrington
Distance 3/4 mile Direction W

JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.14				.09	—	.02	.25		.10	1
2			.21	.03			.18	.17					2
3	.02		.06				.02	.64	.04		.05		3
4	.13		.77					.30			.25		4
5	.30	.08	.06					.29				.03	5
6	.12	.17	.02					.39			.02	.04	6
7		.27	.16					.20				.02	7
8	.38	.20	.19	.03			.14	.13	.07			.02	8
9	.07	.02	.35	.14			.03	.28			.02	.19	9
10	.08	.04						.06			.06		10
11	.09	.05									.05	.54	11
12	.02	.24	.05	.06	.14		.01			.04		.05	12
13								.04	.04	.02		.04	13
14	.04		.43		.12			.09	.02				14
15	.22	.08	.03		.46	.18		.03				.07	15
16	.64		.09					.07		.06	.03	.03	16
17	1.07		.08		.01	.03		.33			.05	.23	17
18	.15		.04					.16				.06	18
19	.14	.04				.02	.10	.36		.02		.04	19
20	.03		.39				.05	.04		.26	.04		20
21	.03	.02	.47		.71		.05	.60		.25			21
22	.33	.08	.03		.50		.23	.37				.10	22
23	.23	.18	.29			.03	.15	.40		.04	.05	.11	23
24	.11					.34	.02			.07		.17	24
25						.22		.80		.02	.20	.40	25
26		.11	.03				.26	.83		.65	.26	.39	26
27						.38	.74			.75		.24	27
28		.07				.09	.53	.41	.18	.23	.37	.32	28
29		.13	.07			.57	.22	.05	.52	.13		.02	29
30			.02			.22	.07	—		.27			30
31			.25		.04		.44	.03				.03	31
Total	4.20	1.78	4.23	.26	2.51	4.45	3.33	7.07	.89	3.06	1.45	3.25	TOTAL for year 36.48
No. of Rain Days.	20	16	23	4	12	19	18	25	7	15	13	23	195

and for month 27.11.14

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL
10 JAN 1914

Kept at Quarry House

in the County of Hereford

by Pubendary Schwyn

RAIN GAUGE { Pattern Humboldt
Diameter of top 3 in.
Height of top above Ground 1 ft. in.
" " " Sea Level " ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Barrs Court Hereford
Distance 3 1/4 miles Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.07	.12	.06	.12				.84		.09		1
2	.02	.22	.06	.09					.10	1.03	.10		2
3	.06		.04		.52						—	.08	3
4	.90	.02	—		.25				.59	.41	.04	.17	4
5	.05	.06	—		.10	.06	.16		.02	.35	.03	.02	5
6	.02	.07	.21		.13	.09	.04			.40	.05	.39	6
7		.34			.22	.04	.03			.34	.14	.03	7
8	.03	.15			.17	.04	.01	.04		.09	—		8
9		.29		.01	.09	.15	.27	.12	.22		.13		9
10	.23	.02		.03	.08			.11		.14	.06		10
11	.66			.33	.10			.12		.14	.55		11
12					.26				.03		.37		12
13	.03		.10						.42		.32		13
14	.14		.30	.09			.01	.06	.07	.10			14
15	.02	.05	.60	.91				.06	.18		.44		15
16	.10	.02	.22	.03				.02	.04				16
17	.03	.02	.15	.09			.17		.03				17
18	.05		.26	.06			.04				.03		18
19	.15		.19		.04	.04			.08				19
20	.16		.37	.10						.04	.32		20
21			.35	.19	.07		.17				.16		21
22	.46		.70			.11		.41	.40				22
23	.02		.04			.01		.02	.04		.07	.03	23
24	.04			.05				.64			.03		24
25				.19					.05	.05			25
26				.81				.27	.02			.14	26
27	.02		.08	.48						.13			27
28	.20		.15	.33	.10					.12	.03		28
29	.10		.42	.54	.02			.05		.11			29
30	.02									.95	.04		30
31	.02		.13					.05		.03			31
Total	3.56	1.33	5.49	4.39	2.27	.54	.90	1.37	3.13	4.43	2.57	.89	TOTAL for year
No. of Rain Days.	25	12	19	18	15	8	9	13	16	16	18	8	177

REGISTER OF RAINFALL IN 1914

Kept at Quarry House
 City Hereford
 in the County of Hereford
 by Puberday Selwyn

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Barn Court Hereford
 Diameter of Rain Gauge 3 in.
 Height of top of Gauge above Ground 1 ft. in.
 " " " " Sea Level _____ ft.

BRITISH RAINFALL
 FORM A.
 13 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.03	.03	.03	.	.03	.42	.06			.04	.06	1
2							.55	.07			.35	.47	2
3				.07	.18		.03					.17	3
4	.16			.06	.06		.22	.19			.56	.61	4
5	.05		.05	.10	.21		.09				.05		5
6		.06		.03	.03	.04	.03				.02	.10	6
7		.25	.18	.15	.26	.03	.17	.05				.30	7
8			.03	.07		.51	.04	.08	.07		.01	.11	8
9	.02	.02	.17	.50	.06	1.14		.05	.02				9
10		.27	.02	.26	.02	.05			.70				10
11		.12	.13	.03	.06	.32					.20	.64	11
12		.31	.15				.23	.42	.22	.01	.05	.14	12
13		.17	.28				.07		.08	.34	.11	.23	13
14		.25	.10							.14	.12	.01	14
15	.01		.12					.12	.02		.08		15
16							.07		.12				16
17		.15	.21				.03		.05			.27	17
18			.06			.56	.03			.03		.37	18
19		.02	.02			.02	1.13		.03		.09	.07	19
20		.33	.03									.10	20
21		.45				.03	.03	.02		.17			21
22		.07			.22	.04	.05	.10		.23			22
23		.02	.05		.11		.04			.23			23
24			.28				.04	.13		.09	.01		24
25	.06		.12				.02	.20		.17	.01	.10	25
26							.03	.20		.06	.10	.40	26
27	.04									.02	.15	.16	27
28		.05	.07		.03					.36	.05	.60	28
29	.05		.07		.24					.11	.16		29
30			.09	.02		.01				.07	.40	.68	30
31	.25						.11			.11		.07	31
Total	.64	2.57	2.06	1.32	1.48	2.78	3.43	1.27	1.31	2.44	2.56	5.66	YEAR'S TOTAL 27.22
Rain Days.	8	16	21	11	12	12	21	12	9	15	19	21	177

REGIST

HEREFORD
ST. NICHOLAS ST.

Kept at 14 St Nicholas
in the County of Hereford
by William Cooke

1917 - 18

am
Hereford
n Gauge 8 in.
ove Ground ft. 10 in.
Sea Level 197 ft.

2167
FORM A
BRITISH RAINFALL

IMPORTANT NOTE.

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.16	.215		.09		.76	.03		.06		1
2				.04		.15		.63			.20		2
3				.16						.31			3
4		.03	.225					.04		.11			4
5	.115	.03	.23	.125		.03		.02	.31				5
6	.02		.69			.06				.11			6
7	.25						.115	.222	.18	.18	.21	.01	7
8	.27		.09	.095			.455	.80	.075	.37	.10	.05	8
9			.20	.045	.185			.37	.17	.11	.015		9
10	.24		.22	.125				.26	.14	.01			10
11	.03		.21	.15	.02			.055		.17	.07		11
12					.37			.07		.17	.01		12
13			.08	.02				.2	.04				13
14			.24					.06					14
15					.14		.155	.28	.01	.015		.10	15
16	.06	.08		.16			.09	.30				.20	16
17	.015				.49		.35		.11	.09			17
18		.03		.025	.025		.22	.04	.14				18
19	.02	.36	.12		.51	.57		.01					19
20	.02	.12	.01			.12		.01	.025		.015		20
21		.03	.21		.025	.105		.04					21
22	.01		.03			.03		.252					22
23		.24			.035			.13		.08			23
24		.01				.062	.25	.08		.15	.06		24
25			.05				.07	.03		.05	.12		25
26					.03	.10		.53	.10		.01		26
27					1.000	.268	.32	.775					27
28			.17		.015	.152		.055				.04	28
29			.03		.14	.16		.07		.47		.30	29
30		X						.335		.07			30
31		X	.14	X	.08	X	.01	.13	X	.03	X		31
Total	1.05	.93	3.105	1.16	3.065	1.897	2.035	5.934	2.330	2.495	.87	.70	25.571
Rain Days.	11	9	18	11	14	13	10	28	12	17	11	6	160

YEAR'S TOTAL

REGISTER

Kept at 14 St Nicholas St
in the County of Hereford
by William Cooke

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Hereford
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground _____ ft. 10 in.
" " " " Sea Level 197 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.16	.215		.09		.75	.03		.06		1
2				.04		.15		.63			.20		2
3				.16						.31			3
4		.03	.225					.04		.11			4
5	.115	.03	.23	.125		.03		.02	.31				5
6	.02		.69			.06				.11			6
7	.25						.115	.222	.18	.18	.21	.01	7
8	.27		.09	.095			.455	.80	.075	.37	.10	.05	8
9			.20	.045	.185			.37	.17	.11	.015		9
10	.24		.22	.125				.26	.14	.01			10
11	.03		.21	.15	.02			.055		.17	.07		11
12					.37			.07		.17	.01		12
13			.08	.02				.2	.04				13
14			.24					.06					14
15					.14		.155	.28	.01	.015		.10	15
16	.06	.08		.16			.09	.30				.20	16
17	.015				.49		.35		.11	.09			17
18		.03	.025	.025		.22	.04	1.14					18
19	.02	.36	.12		.51	.57	.01						19
20	.02	.12	.01			.12		.01	.025		.015		20
21		.03	.21		.025	.105		.04					21
22	.01		.03			.03		.252					22
23		.24			.035			.13		.08			23
24		.01				.062	.25	.08		.15	.06		24
25			.05				.07	.02		.05	.12		25
26					.03	.10		.53	.10		.01		26
27					1.000	.268	.32	.775					27
28			.17		.015	.152		.055				.04	28
29			.03		.14	.16		.07		.47		.30	29
30		X						.035		.07			30
31		X	.14	X	.08	X	.01	.13	X	.03	X		31
Total	1.05	.93	3.105	1.16	3.065	1.897	2.035	5.934	2.330	2.495	.87	.70	25.571
Rain Days.	11	9	18	11	14	13	10	28	12	17	11	6	25.571
													160

REGISTER OF RAINFALL IN 1918

Kept at 14 h-huchars - Hereford
 in the County of Hereford
 by _____

Lat. _____ Long. _____
 Time of Observation 9 am
 Nearest Railway Station Hereford
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. _____ in.
 " " " " Sea Level 147 ft.

FORM A.
 BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.05	.28	.02				.10	.02	.075	.65		1
2		.04	.28	.03	.025			.485		.01	.015	.02	2
3		.07		.06	.14				.59		.07		3
4					.42			.03	.50	.14	.365	.42	4
5		.06		.03	.42			.03	.53	.09		.01	5
6		.05		.08				.22	.11			.04	6
7	.03				.43			.275	.02	.13	.015		7
8	.02	.14						.125	.12				8
9		.095		.18			.01	.09	.01			.02	9
10	.04			.04			.45	.135	.07			.11	10
11		.01	.05	.02			.10	.08			.04	.04	11
12			.03		.05		.08	.015				.05	12
13					.08		.05	.12	.03	.01	.05		13
14	.22		.08				.06	.38	.015		.04		14
15	1.46		.12	.012			.24	.015			.25		15
16	.25			.94	.01		.01	.39			.015		16
17	.13		.02	.10			.06	.66	.125		.08		17
18	.31		.28				.04	1.07			.42		18
19	.029			.79			.03		.07		.01		19
20	.2966	.02		.39			.02	.20					20
21	.015			.32			.07	.23			.11		21
22	.0103				.31		.05	.07	.02		.11		22
23	.03				.26		.20				.01		23
24		.04			.46	.46	.25	.025	.04		.065		24
25					.05	.03	.38	.90			.03		25
26				.02						.02	.03	.04	26
27		.02	.25					.145	.065		.07	.07	27
28		.08	.21	.03								.65	28
29			.05					1.00	1.01	.015			29
30	X	X	.23							.05	.08		30
31	X	X	.16	X		X		.04	X	X	X		31
Total	2.85	.695	.64	1.87	1.895	.049	2.065	1.755	6.725	0.935	1.49	2.04	24.463
Rain Days.	12	12	14	15	10	(7)	17	8	23	16	14	22	169

REC

HEREFORD

9/11

FORM A2.
BRITISH RAINFALL
20 JAN 1912

Kept at *Richmond*

in the County of *Hereford*

by *M. J. Dew*

RICHMOND RD
HEREFORDSHIRE
1911 - 1916

Height of gauge
p 8 in.
above Ground 1 ft. 0 in.
Sea Level 184 ft.
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'02	"	'07	'03	"	"	"	'20	"	"	'03	"	1
2	'07	"	"	'025	'085	"	"	'20	"	'075	'105	'06	2
3	"	"	"	"	'44	"	"	"	'08	"	'055	'04	3
4	"	"	'20	'025	"	"	"	"	'05	'02	'145	'43	4
5	'07	"	'025	"	"	"	"	'07	"	'077	'07	"	5
6	'16	"	'025	"	"	"	"	"	"	"	'165	'785	6
7	"	"	"	"	"	"	"	"	"	"	'345	"	7
8	'45	"	'09	"	"	"	"	"	"	"	'20	'597	8
9	'13	"	'02	"	"	"	"	"	"	"	'12	'25	9
10	'07	'06	'12	"	"	"	"	"	'07	"	"	'47	10
11	'115	"	"	"	'035	"	"	"	"	"	'465	'03	11
12	"	*'075	'365	"	"	"	"	"	'15	*'07	'13	'09	12
13	"	"	'005	"	'025	"	"	"	'20	'325	'07	'56	13
14	"	"	"	"	"	"	"	"	"	"	"	1-01	14
15	"	'07	'02	"	"	"	"	"	"	'075	'145	'09	15
16	"	"	"	"	"	'14	"	"	"	'07	'12	'05	16
17	"	"	'07	'075	"	'435	"	"	"	"	'167	'73	17
18	"	'235	'07	'20	"	'025	"	"	"	'025	"	'415	18
19	*'075	"	"	'13	"	'145	"	"	'45	'295	"	'32	19
20	*'005	'037	"	'015	"	"	"	"	'115	'035	"	'42	20
21	"	'08	'16	"	"	"	"	1-565	"	'315	"	'085	21
22	"	'02	'075	'07	"	'045	"	"	"	'132	'07	'43	22
23	*'02	'13	'13	"	"	'595	'005	"	'105	'075	"	'095	23
24	"	'03	"	'02	"	'40	"	'12	"	'06	"	'07	24
25	"	'092	"	'02	"	'005	"	"	'025	'025	"	'095	25
26	"	'135	"	'145	'66	"	"	'075	"	'14	'16	'115	26
27	"	'08	'19	'04	"	"	"	'315	'18	"	'07	'105	27
28	"	'157	"	'125	"	"	"	'07	"	"	'16	"	28
29	"	"	"	'03	"	'095	'127	'075	'07	'16	'07	"	29
30	"	"	'03	'025	'03	'075	'205	'275	"	'20	'03	*'075	30
31	"	"	"	"	"	"	'035	"	"	'055	"	'005	31
Total	1-005	1-081	1-545	0-855	1-275	1-900	0-372	2-735	1-435	1-954	2-712	7-357	TOTAL for year 74-28
No. of Rain Days.	10	13	16	15	6	9	3	10	11	19	24	25	75-28 158

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

Kept at Blackburn Place

in the County of Hereford

by Mr Cooke

RAIN GAUGE { Pattern Clairier
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 184 ft.
Time of Observation 9 am
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'02	"	'07	'03	"	"	"	'20	"	"	'03	"	1
2	'07	"	"	'025	'085	"	"	'20	"	'075	'105	'06	2
3	"	"	"	"	'44	"	"	"	'08	"	'055	'04	3
4	"	"	'20	'025	"	"	"	"	'05	'02	'145	'43	4
5	'07	"	'025	"	"	"	"	'07	"	'077	'07	"	5
6	'16	"	'025	"	"	"	"	"	"	"	'165	'785	6
7	"	"	"	"	"	"	"	"	"	"	'345	"	7
8	'45	"	'09	"	"	"	"	"	"	"	'20	'597	8
9	'13	"	'02	"	"	"	"	"	"	"	'12	'25	9
10	'07	'06	'12	"	"	"	"	"	'07	"	"	'47	10
11	'115	"	"	"	'035	"	"	"	"	"	'465	'03	11
12	"	*'075	'365	"	"	"	"	"	'15	*'07	'13	'09	12
13	"	"	'005	"	'025	"	"	"	'20	'325	'07	'56	13
14	"	"	"	"	"	"	"	"	"	"	"	1-01	14
15	"	'07	'02	"	"	"	"	"	"	'075	'145	'09	15
16	"	"	"	"	"	'14	"	"	"	'07	'12	'05	16
17	"	"	'07	'075	"	'435	"	"	"	"	'167	'93	17
18	"	'235	'07	'20	"	'025	"	"	"	'025	"	'415	18
19	*'075	"	"	'13	"	'145	"	"	'45	'295	"	'32	19
20	*'005	'037	"	'015	"	"	"	"	'115	'035	"	'42	20
21	"	'08	'16	"	"	"	"	1'565	"	'315	"	'085	21
22	"	'02	'075	'07	"	'045	"	"	"	'132	'07	'43	22
23	*'02	'13	'13	"	"	'595	'005	"	'105	'0745	"	'095	23
24	"	'03	"	'02	"	'40	"	'12	"	'06	"	'07	24
25	"	'092	"	'02	"	'005	"	"	'025	'025	"	'095	25
26	"	'135	"	'145	'66	"	"	'075	"	'14	'16	'115	26
27	"	'08	'19	'04	"	"	"	'315	'18	"	'07	'105	27
28	"	'157	"	'125	"	"	"	'07	"	"	'16	"	28
29	"	"	"	'03	"	'095	'127	'075	'07	'16	'07	"	29
30	"	"	'03	'025	'03	'075	'205	'275	"	'20	'03	*'075	30
31	"	"	"	"	"	"	'035	"	"	'055	"	~~'005~~	31
Total	1-005	1-081	1-545	0-855	1-275	1-900	0-372	2-785	1-435	1-959	2-712	7-357	TOTAL for year 24-28
No. of Rain Days.	10	13	16	15	6	9	3	10	11	19	21	25	24-28 158

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
13 JAN 1913

Kept at Richmond St Hereford
in the County of Hereford
by William Cooke

RAIN { Pattern _____
Diameter of top 8 in.
GAUGE { Height of top above Ground 1 ft. in.
" " " Sea Level 184 ft.
Time of Observation 9.0 am
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	"	'110	"	"	'68	'02	'045	'015	'285	"	'10	1
2	"	"	'195	'02	'02	'41	'12	'06	"	"	"	"	2
3	"	"	'08	"	'08	'14	'07	'72	'02	"	'055	"	3
4	'10	"	'72	"	'14	'04	"	'12	"	"	'24	"	4
5	'22	'095	'04	"	'225	'05	"	'23	"	"	'07	'025	5
6	'18	'13	'02	"	'03	'25	"	'62	"	"	"	'03	6
7	"	'28	'17	"	'022	'20	'03	'10	"	'07x	"	'02	7
8	'42	'24	'155	"	"	'06	'13	'105	'05	"	"	"	8
9	'06	'07	'355	'110	"	'08	'02	'29	"	'07x	"	'195	9
10	'135	'035	"	"	"	'07	"	'05	"	'07x	'065	"	10
11	'03	'03	"	"	"	"	"	"	"	'07x	'06	'475	11
12	"	'25	'045	'05	'125	"	'07	"	"	"	"	'05	12
13	"	"	"	"	"	"	"	'04	'065	'017	"	'04	13
14	'032	'07	'41	"	'085	"	"	'08	"	'07x	"	"	14
15	'24	'07	'01	"	'44	'14	"	'02	"	"	"	'07	15
16	'58	"	'09	"	"	"	"	'07	"	'03	'02	'015	16
17	'68	"	'075	"	"	'04	"	'25	"	"	'045	'23	17
18	'16	'015	'047	"	"	"	"	'165	"	"	'015	'05	18
19	'10	"	"	"	'02	"	'10	'29	"	'02	"	'03	19
20	'02	'02	'445	"	"	"	'05	'02	"	'20	'02	"	20
21	'02	'02	'465	"	'75	"	'04	'545	"	'195	"	"	21
22	'14	'065	'045	"	'565	"	'19	'255	"	'07	"	'08	22
23	'43	'16	'252	"	"	'04	'07	'48	"	'04	"	'100	23
24	'10	"	"	"	"	'25	'07	'03	"	'08	'03	'15	24
25	"	'01	"	"	"	'185	"	'735	"	'02	'20	'38	25
26	"	'105	"	"	"	"	'24	'905	"	'60	'20	'40	26
27	"	'07	"	"	"	'365	'71	"	"	'18	"	'20	27
28	"	'065	"	"	"	'085	'57	'415	'24	'25	'38	'21	28
29	"	'12	'075	"	"	'435	'18	'05	'34	'115	"	"	29
30	"	"	'07	"	"	'395	'07	"	"	'29	"	"	30
31	"	"	'28	"	'03	"	'42	'03	"	"	"	'017	31
Total	3.647	1.710	4.094	0.18	2.532	3.955	2.89	6.72	0.73	2.882	1.34	2.967	TOTAL for year 33.647
No. of Rain Days.	18	20	22	3	13	19	19	27	6	20	18	21	201

REGISTER OF RAINFALL IN 1913

Kept at *Greenwood Haas*
in the County of *Hereford*
by *Mr Cooke*

Lat. _____ Long. _____
Time of Observation *9 am*
Nearest Railway Station *Hereford*
Diameter of Rain Gauge *8* in.
Height of top of Gauge above Ground *8* ft. *8* in.
" " " " Sea Level *185* ft.

FORM A.
BRITISH RAINFALL
-9 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	"	'03	'095	'025	'13	"	"	"	'81	"	'085	"	1
2	'02	'272	'065	'110	'02	"	"	"	'085	'98	'13	"	2
3	'045	"	'03	"	'39	"	"	"	"	"	x'01	'065	3
4	'89	'015	"	"	'20	"	'01	"	'56	'40	'03	'16	4
5	'04	'06	"	"	'10	'13	'11	"	"	'33	'025	'02	5
6	'01	'05	'21	"	'11	'09	'027	"	"	'79	'03	'375	6
7	"	'31	"	"	'215	'02	'025	"	x'01	'355	'12	'03	7
8	'02	'13	"	"	'145	'035	'01	'04	"	'13	x'01	"	8
9	"	'25	"	'07	'097	'14	'16	'095	'215	"	'15	"	9
10	'29	"	"	'02	'12	"	"	'122	"	'16	'115	"	10
11	'77	x'02	"	'29	'22	"	"	'105	"	'05	'462	"	11
12	"	x'01	"	"	'252	"	"	"	'02	"	'285	"	12
13	"	x'01	'09	"	"	"	"	'01	'54	'01	'28	"	13
14	'19	x'01	'25	'08	"	"	"	'05	'08	'09	"	"	14
15	'02	'025	'575	'875	"	"	"	'05	'12	"	'025	"	15
16	'08	'01	x'75	'03	"	"	"	'01	'04	'005	"	"	16
17	'02	"	'197	'087	"	"	'175	"	'075	"	"	"	17
18	'077	"	'23	'055	"	"	'074	"	"	"	'03	"	18
19	'15	"	'195	"	"	'06	'03	"	'06	"	"	"	19
20	'135	"	'41	'09	"	"	"	"	"	"	'28	"	20
21	"	"	'32	'22	'08	"	'18	'022	"	"	'145	"	21
22	x'575	"	'67	"	"	'09	"	'39	'38	"	x'01	"	22
23	"	"	'03	"	"	(-01)	"	'075	'025	"	'06	'03	23
24	'025	'07	"	'05	"	"	"	"	"	"	"	"	24
25	"	"	"	'255	"	"	"	"	'04	'035	'025	"	25
26	"	"	"	'66	"	"	"	'26	"	'01	"	'145	26
27	'01	"	'13	'405	"	"	"	"	"	'185	"	"	27
28	'185	"	'12	'32	'08	"	"	"	"	'065	"	x'02	28
29	"	"	'38	'53	"	"	"	"	"	'19	"	"	29
30	'09	"	"	"	"	"	"	'04	"	'93	'06	"	30
31	'04	"	'12	"	'01	"	"	'05	"	'03	"	"	31
Total	3.677	1.212	4.867	4.112	2.169	0.575	0.767	1.267	3.000	4.245	2.367	0.845	29.103
Rain Days.	21	15	19	18	15	8	10	14	15	17	21	8	184

YEAR'S TOTAL

W 22 *only run stats 31.11.15*
REGISTER OF RAINFALL IN 1914

Kept at Brecknock Place
in the County of Hereford
by Mr Cooke

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Hereford
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
19 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.02	(.02)	.02		.04	.705	.065			.057	.06	1
2					.02		.605	.06			.415	.45	2
3				.065	.18		.04				.07	.20	3
4	.16			.06	.067		.245	.16			.435	.50	4
5	.06		.04	.100	.19	.02	.07				.07		5
6	~~.07~~	.06	.025	.04	.03	.02	.025				x .07	.11	6
7		.225	.16	.15	.24	.41	.18	.09			x .07	.31	7
8		~~.05~~	.02	.05	.02	1.16	.02	.03				.09	8
9	.017	.015	.19	.46	.065	.12		.05					9
10		.285	.07	.26	.03	.34			.39				10
11		.12	.15	.03	.08		.09				.24	.635	11
12		.30	.13				.13				.04	.14	12
13		.15	.29				.065		.09	.38	.11	.24	13
14	.01	.215	.195							.13	.13		14
15	.07	.07	.110					.110	.02		.085		15
16							.10		.64				16
17		.14	.21			.04	.02		.075			.265	17
18			.057			.02	.03			.03		.355	18
19		.02	.02				1.46		.04		.06	.08	19
20		.305	.025			.07						.095	20
21		.485	~~.075~~			.025	.07	.06		.16			21
22		.09	~~.100~~		.17		.03	.08		.24			22
23		.017	.100		.10		.025			.26			23
24			.05				.06	.14		.055	.075		24
25	.06		.100				.075	.28		.17		.10	25
26							.03	.11		.04	.10	.44	26
27	.04									.027	.17	.17	27
28		.03	.06		.05					.23	.02	.52	28
29	.05		.06		.22					.10	.155	.60	29
30		X	.09	.015						.08	.41	.10	30
31	.22	X		X		X	.100		X	.10	X		31
Total	.627	2.457	2.127	1.250	1.462	2.265	4.055	1.235	0.755	2.002	2.542	5.46	YEAR'S TOTAL 26.237
Rain Days.	9	17	23	11	14	11	22	12	6	14	19	20	178

W D J only run 22-11-16
REGISTER OF RAINFALL IN 1915

Kept at Oriskany Hill, Bedford
in the County of Bedford
by Wm Cooke

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Bedford
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 184 ft.

FORM A.
BRITISH RAINFALL
14 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.35	.04	.01		.155			.04	.26	.21		.08	1
2	.12	.15	.095	.105		.17		1.54	.01	.11		.13	2
3	.49	.08		.02	.11		.67	.100				.26	3
4	.02	.055			.165		.59	.162				.57	4
5		.735		.02				.052				.64	5
6	.13	.03		.195			.575	.06				.14	6
7	.05	.275		.02	.65			.06				.195	7
8	.25	.245		.01	.04			.02			.06		8
9	.05	.19		.05	.04			.01			.16	.47	9
10	.165	.01	.055	.085					.075		.02		10
11	.055			.025							1.06		11
12	.085	.165		.14	.255			.115		.07	.33		12
13		.57			.62			.095	.07			.01	13
14					.0			.09	.08			.215	14
15	.25				.085		.035	.075		.055	.06	.045	15
16		.245			.38		1.09	.10				.02	16
17		.195	.025		.78					x .075		x .01	17
18		.52								x .01			18
19				.03	.125		.045						19
20	.07			.055						.03		.08	20
21	.025	.02					.185			.07		.03	21
22	.09	.115	.21	.13			.315					.22	22
23	.03		.04			.115				.855		.24	23
24			.04	.03			.412		.27	.69		.32	24
25						.165	.045			.01		.125	25
26		.02					.225		.06			.445	26
27		.09				.01	.11			.30		.08	27
28		.11				.08		.045	.18	.04		.02	28
29						.085		.015	.02	x .01	.08	.09	29
30	.09					.405	.065			.225	.145	.18	30
31	.07						.035			1.14		.38	31
Total	2.33	3.86	0.475	0.915	3.405	1.03	4.397	2.609	0.959	3.915	1.915	4.945	30.746
Rain Days.	18	20	7	14	12	7	14	16	x Dew 8	17	8	25	166

REGISTER OF RAINFALL IN 1916

Kept at O Bechum Place
in the County of Hereford
by William Cook

Lat. _____ Long. _____
Time of Observation 9 a
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 184 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04		.01		.05	.07	.19			.58	.215		1
2	.22	.05	.25		.05				.19	.59	.11		2
3		.08	.15		.085	.04			.04	.45	.165		3
4	.095	.23	.05		.39	.175			.05	.01	.56		4
5	.015				.22	.03				.05	.09		5
6	.05	.155	.02		.10		.475			.145	.44		6
7	.07	.01	.075		.12		.125			.12	.45	.215	7
8			.04		.245	.11				.01	.03	.215	8
9			.015		.095	.11					.045		9
10		.39	.04	.01	.07	.09			deci .01	.037			10
11	.065	.01	.08	.05	.03				.07				11
12	.025		.09		.16		.20	.02		.035	deci .01	.02	12
13	.02	.24	.15				.09	.40				.02	13
14	.04	.475	.10	.02	.02			.04					14
15		.13	.34	.13	.315			.13		.055			15
16		.10	deci .07	.175			.145	.265		.065			16
17	.025	.095		.095			.07	.095	.18	.34		deci .015	17
18	.01	.04	.09	.03					.12		.36	.70	18
19	.10		.66	.20						.015	.18		19
20	.03		.44	.07	.01						.02	.335	20
21	.07		.41		.115	.03	.13					.105	21
22				.08						.215		.39	22
23		.23	.03			.05		.22		.04	.01	.19	23
24		.195	.04		.755	.07		.09		.745	deci .01	.11	24
25		.08	.15					.14	.015	.088	.165	.02	25
26	.04	.065	.095		.045	.13		.07	.07	.395	.395		26
27	.04	.045	.85				.20	.12	.135	.57			27
28	.07	.21	.03						.04	.13		.09	28
29		.19				.19		.695		.13		.065	29
30		X				.07		.07		.255		.02	30
31		X		X		X		.075	X	.22	X		31
Total	0.765	3.87	3.995	0.78	2.885	1.065	1.515	5.25	0.78	4.165	2.86	1.99	26.92
Rain Days	16	20	23	10	17	14	9	14	11	24	17	15	190

msd
24. XI. 16

1916

227
6 Richmond St

Beauford

Nov. 11

Dear E. Mule,

Since writing you yesterday
I find, to my great annoyance
my gauge has been tampered
with, I discovered this by com-
paring my observations with
those of Mr. Bafton & also by
noticing that whereas I had
.72 this morning of black yellow
ish liquid, no rain had
fallen during the 24 hours of
any consequence; Mr. Bafton
registered .02. The curious
thing is that yesterday morning
our records agree, viz. .18.
I believe it is a malicious
boy next door but he won't

own to it -

This is the first time I have
had reason to believe
there has been tampering
done.

Yours very truly,
Mae Cooke.

REGI

HEREFORD

BROADLANDS

1911 - 1915

Kept at Broadland

in the County of Hereford

by Miss Lea

The Association

5 in.

e Ground / ft.

Sea Level 280 ft.

L.M.

Name Hereford

Distance 3 miles Direction S.W.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. .02	in. —	in. —	in. .06	in. —	in. —	in. —	in. .24	in. —	in. —	in. .03	in. —	1
2	.02	—	—	.02	.08	—	—	.19	—	.02	.11	.05	2
3	—	—	—	—	—	—	—	—	—	—	.06	.03	3
4	—	—	.21	.03	—	—	—	.02	.12	.03	.18	.45	4
5	.08	—	—	—	—	—	—	.04	—	.08	.06	—	5
6	.19	—	.10	—	—	—	—	—	—	—	.17	.83	6
7	.01	—	—	—	—	—	—	—	—	—	.32	—	7
8	.29	—	.08	—	—	—	—	—	—	—	.11	.59	8
9	.14	.02	.04	—	—	—	—	—	—	—	.12	.34	9
10	.01	.08	.12	—	—	—	—	—	.03	—	—	.42	10
11	.15	.01	—	—	.03	—	—	—	—	—	.47	.03	11
12	—	—	.38	—	—	—	—	—	.13	—	.16	.08	12
13	—	—	—	—	.22	—	—	—	.23	.15	.02	.07	13
14	—	—	—	—	—	—	—	—	—	—	—	1.05	14
15	—	.01	.02	—	—	—	—	—	—	.02	.15	.05	15
16	—	—	.01	—	—	.16	—	—	—	—	.12	.15	16
17	—	—	.01	.01	—	.51	—	—	—	—	.14	.60	17
18	—	.21	.08	.20	—	.09	—	—	—	.03	—	.41	18
19	—	.02	—	.13	—	.21	—	—	.69	.33	—	.50	19
20	—	.04	.02	.02	—	—	—	—	.13	.05	—	.27	20
21	—	.09	.19	—	—	—	—	2.00	—	.25	—	.08	21
22	—	.04	.08	—	—	.05	—	—	—	.12	—	.41	22
23	—	.12	.17	—	—	.82	.01	—	.12	.04	—	.11	23
24	—	.04	—	.02	—	.42	—	.14	.01	.09	—	.08	24
25	—	.10	—	.03	—	—	—	—	.02	.03	—	.08	25
26	—	.15	—	.14	—	—	—	.01	—	.13	.14	.12	26
27	—	.17	.19	.04	.85	—	—	.29	.18	—	.06	.11	27
28	—	.11	—	.12	—	—	—	—	—	—	.16	—	28
29	—	—	—	.03	—	.11	.07	.01	.08	.18	.01	—	29
30	—	—	.04	.05	—	.02	.11	.03	—	.23	.03	.02	30
31	—	—	—	—	—	—	—	—	—	.06	—	—	31
Total	.91	1.21	1.74	.90	1.16	2.34	.19	2.97	1.74	1.84	2.62	6.93	24.57
No. of Rain Days	9	15	16	14	4	9	3	10	11	17	20	25	153

REGI

RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
9 - JAN 1912

Kept at Broadlands

in the County of Hereford

by Miss Lea

Pattern *British Association*
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 280 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name *Hereford*
Distance *3 miles* Direction *S.W.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	—	—	.06	—	—	—	.24	—	—	.03	—	1
2	.02	—	—	.02	.08	—	—	.19	—	.02	.11	.05	2
3	—	—	—	—	—	—	—	—	—	—	.06	.03	3
4	—	—	.21	.03	—	—	—	.02	.12	.03	.18	.45	4
5	.08	—	—	—	—	—	—	.04	—	.08	.06	—	5
6	.19	—	.10	—	—	—	—	—	—	—	.17	.83	6
7	.01	—	—	—	—	—	—	—	—	—	.32	—	7
8	.29	—	.08	—	—	—	—	—	—	—	.11	.59	8
9	.14	.02	.04	—	—	—	—	—	—	—	.12	.34	9
10	.01	.08	.12	—	—	—	—	—	.03	—	—	.42	10
11	.15	.01	—	—	.03	—	—	—	—	—	.47	.03	11
12	—	—	.38	—	—	—	—	—	.13	—	.16	.08	12
13	—	—	—	—	.22	—	—	—	.23	.15	.02	.07	13
14	—	—	—	—	—	—	—	—	—	—	—	1.05	14
15	—	.01	.02	—	—	—	—	—	—	.02	.15	.05	15
16	—	—	.01	—	—	.14	—	—	—	—	.12	.15	16
17	—	—	.01	.01	—	.51	—	—	—	—	.14	.60	17
18	—	.21	.08	.20	—	.09	—	—	—	.03	—	.41	18
19	—	.02	—	.13	—	.21	—	—	.69	.33	—	.50	19
20	—	.04	.02	.02	—	—	—	—	.13	.05	—	.27	20
21	—	.09	.19	—	—	—	—	2.00	—	.25	—	.08	21
22	—	.04	.08	—	—	.05	—	—	—	.12	—	.41	22
23	—	.12	.17	—	—	.82	.01	—	.12	.04	—	.11	23
24	—	.04	—	.02	—	.42	—	.14	.01	.09	—	.08	24
25	—	.10	—	.03	—	—	—	—	.02	.03	—	.08	25
26	—	.15	—	.14	—	—	—	.01	—	.13	.14	.12	26
27	—	.17	.19	.04	.85	—	—	.29	.18	—	.06	.11	27
28	—	.11	—	.12	—	—	—	—	—	—	.16	—	28
29	—	—	—	.03	—	.11	.07	.01	.08	.18	.01	—	29
30	—	—	.04	.05	—	.02	.11	.03	—	.23	.03	.02	30
31	—	—	—	—	—	—	—	—	—	.06	—	—	31
Total	.91	1.21	1.74	.90	1.18	2.34 2.36	.19	2.97 2.97	1.74	1.84	2.62	6.93 6.95	24.53
No. of Rain Days	9	15	16	14	4	9	3	10	11	17	20	25	153

REGISTER OF RAINFALL IN 1912

Kept at Broadlands
in the County of Hereford
by Miss Lea

Lat. 52.05 N Long. 2.75 W
Time of Observation 9.0 a.m.
Nearest Railway Station Hereford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 280 ft.

BRITISH RAINFALL
FORM A.
1 JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “*Rules for Rainfall Observers*,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.11	.03	—	.53	.08	.03	.01	.26	—	.09	1
2	—	—	.22	—	.01	.84	.18	.02	—	—	—	—	2
3	.01	—	.05	—	.05	.13	.02	.70	.03	—	.05	—	3
4	.12	—	.82	—	.14	.08	.04	.26	—	.01	.25	—	4
5	.20	.20	.05	—	.26	—	—	.33	.01	—	—	.02	5
6	.21	.08	.01	—	.04	.13	—	.41	—	.01	—	.03	6
7	.02	.32	.19	—	—	.37	—	.21	—	.01	—	.02	7
8	.40	.18	.17	.02	—	.10	.15	.20	.08	—	—	.01	8
9	.07	—	.35	.13	—	.07	.02	.21	—	.01	.01	.27	9
10	.14	.04	—	.01	—	.01	—	.08	—	.01	.06	—	10
11	.03	.04	—	—	—	—	—	—	—	.02	.07	.50	11
12	.01	.24	.05	.05	.14	.07	.01	—	—	—	—	.05	12
13	—	.01	—	—	—	—	—	.02	.05	.01	—	.02	13
14	.04	—	.43	—	.22	—	—	.08	—	.01	—	.07	14
15	.23	.08	—	—	.40	.18	—	.02	—	—	—	—	15
16	.68	—	.09	—	—	—	—	.10	—	.04	.03	.02	16
17	.54	—	.08	—	—	.03	—	.30	—	—	.05	.23	17
18	.17	.02	.04	—	—	—	—	.15	—	—	.02	.06	18
19	.09	.02	—	—	—	.01	.10	.33	—	.02	—	.02	19
20	.03	—	.39	—	—	—	.05	.03	—	.26	.04	—	20
21	.02	.02	.42	—	.72	—	.02	.61	—	.23	—	—	21
22	.30	.07	.08	—	.54	—	.22	.33	—	.01	—	.08	22
23	.24	.16	—	—	—	.01	.12	.34	—	.04	.04	.10	23
24	.08	—	—	—	—	.15	.02	.03	—	—	—	.16	24
25	.01	—	—	—	—	.31	—	.74	—	.08	.21	.39	25
26	—	.10	—	—	—	—	.26	.83	—	.58	.24	.39	26
27	—	.01	—	—	—	.38	.73	—	—	.78	—	.21	27
28	—	.06	—	—	—	.10	.61	.42	.24	.22	.39	.31	28
29	—	.16	.07	—	—	.72	.12	.06	.46	.13	—	—	29
30	—	—	.03	—	—	.20	.08	—	—	—	—	—	30
31	—	—	.21	—	.04	—	.42	.03	—	.26	—	.01	31
Total	3.64	1.81	3.86	.24	2.56	4.42	3.25	6.87	.88	3.00	1.46	3.06	35.05
Rain Days.	22	18	20	5	11	20	19	27	7	21	13	22	205

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1913

Kept at Broadlands
 in the County of Hereford
 by Miss Lea

Lat. 52.05. N. Long. 2.75. W.

Time of Observation 9. a.m.

Nearest Railway Station Hereford.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 280 ft.

FORM A.
 BRITISH RAINFALL
 2- JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.05	.10	.03	.11	-	-	-	.81	-	.08	-	1
2	-	.23	.06	.10	.03	-	-	-	.30	<u>1.11</u>	.11	-	2
3	.05	-	.04	-	.50	-	-	-	.09	-	-	.08	3
4	.87	-	-	-	.25	-	.01	-	-	.44	.03	.18	4
5	.05	.04	-	-	.13	.05	.14	-	.01	.29	.02	.01	5
6	.01	.04	.22	-	.10	.08	.04	-	-	.36	.05	.38	6
7	-	.34	-	-	.25	.02	.02	-	-	.30	.13	.03	7
8	.01	.12	-	-	.17	.04	.01	.04	.22	.05	-	-	8
9	-	.27	-	.01	.07	.13	.25	.11	-	-	.13	-	9
10	.22	-	-	.02	.07	-	-	.12	-	.16	.16	-	10
11	.71	-	-	.31	.15	-	-	.08	-	.02	.44	-	11
12	-	-	-	-	.22	.01	-	-	.41	-	.38	-	12
13	-	-	.11	.08	-	-	-	.01	.07	-	.31	-	13
14	-	-	.27	-	-	-	-	.06	.16	.10	-	-	14
15	.16	.06	.55	.84	-	-	-	.03	.03	-	.02	-	15
16	.11	-	.73	.06	-	-	-	.01	.05	-	-	-	16
17	-	.02	.20	.06	-	-	.16	-	-	-	-	-	17
18	.09	-	.27	-	-	-	.05	-	.07	-	.02	-	18
19	.14	-	.18	.04	.03	-	-	-	-	-	-	-	19
20	.14	-	.41	.09	-	-	-	-	-	.03	.32	.01	20
21	-	-	.28	.21	.06	-	.14	.02	-	-	.17	-	21
22	.40	-	.69	.01	-	.11	-	.40	.38	-	-	-	22
23	.03	-	.03	-	-	.02	-	-	.04	-	-	.02	23
24	-	-	-	.04	-	-	-	-	-	-	.05	-	24
25	-	-	-	.35	-	-	-	-	.04	.02	-	-	25
26	-	-	-	.70	-	-	-	.26	-	-	-	.12	26
27	.01	-	.12	.44	-	-	-	-	-	.13	-	-	27
28	.19	-	.08	.33	.10	-	-	-	-	.10	-	.02	28
29	-	-	.40	.53	-	-	-	.04	-	.09	-	-	29
30	.09	-	.01	-	-	-	-	-	-	.95	.03	-	30
31	.01	-	.13	-	.02	-	-	.04	-	.02	-	-	31
Total	3.30	1.17	4.88	4.25	2.26	.46	.82	1.22	2.68	4.17	2.45	.85	28.51
Rain Days.	19	9	20	19	16	8	9	13	14	16	17	9	169

YEARS TOTAL

and by amt 31.11.15
#22
REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.

15 JAN 1915

Report Broadlands.

in the County of Hereford.

by Miss Lea

Lat. 52.05. N Long. 2.75. W.

Time of Observation 9.0. a.m.

Nearest Railway Station Hereford.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	.01	-	.02	-	.02	.41	.06	-	-	.04	.04	1
2	-	-	.01	-	.01	-	.60	.07	-	-	.35	.44	2
3	-	-	.01	.07	.16	-	-	-	-	-	-	.18	3
4	.17	-	-	.06	.07	-	.24	.15	-	-	.56	.54	4
5	.05	-	.03	.09	.15	-	.08	-	-	-	.05	-	5
6	-	.06	.03	-	.05	.04	.03	-	-	-	.02	.11	6
7	-	.27	.14	.14	.25	-	.18	.09	.06	-	-	.30	7
8	-	-	.02	.15	.01	.52	-	.01	-	-	-	.06	8
9	.01	.01	-	.38	.07	1.09	-	.05	.02	-	-	-	9
10	-	.27	.03	.28	.04	.04	.26	-	.70	-	-	.01	10
11	-	.10	.25	.01	.04	.30	-	-	-	-	.22	.78	11
12	-	.30	.13	-	-	-	.04	-	.22	-	.04	.14	12
13	-	.15	.24	-	-	-	.03	-	.07	.35	.06	.24	13
14	-	.22	.20	-	-	-	-	.08	-	.09	.09	-	14
15	.01	-	.12	-	-	-	-	-	.01	.05	.09	.26	15
16	-	-	-	-	-	-	.08	-	.15	-	-	.20	16
17	-	.14	.23	-	-	-	.02	-	-	-	-	.15	17
18	-	-	.02	-	-	.41	-	-	.01	.05	-	-	18
19	-	.01	.01	-	-	-	1.15	-	.05	-	.03	.06	19
20	-	.33	.02	-	-	-	.08	.04	-	-	-	.10	20
21	-	.44	-	-	-	.03	-	-	-	.17	.07	-	21
22	-	.07	-	.01	.19	-	-	.08	-	.23	-	-	22
23	-	.02	-	-	.10	-	.03	-	-	.23	-	-	23
24	-	-	.08	-	-	-	.03	.06	-	.09	.02	-	24
25	.06	-	.14	-	-	-	.01	.42	-	.17	-	.10	25
26	-	-	-	-	-	-	.02	-	-	.06	.10	.40	26
27	.03	-	-	-	-	-	-	-	-	.02	.15	.18	27
28	-	.03	.08	-	.03	-	-	-	-	.36	.01	.52	28
29	.04	-	-	-	.21	-	-	-	-	.11	.15	-	29
30	-	-	.12	.01	-	-	-	-	-	.07	.35	.75	30
31	.24	-	-	-	-	-	.11	-	-	.11	-	.12	31
Total	.61	2.43	1.91	1.22	1.38	2.45	3.40	1.11	1.29	2.16	2.40 2.40	5.68	26.04 26.04
Rain Days.	8	16	20	11	14	8	18	11	9	15	18	22	170.

REGISTER OF RAINFALL IN 1915

Kept at Broadlands
 in the County of Hereford
 by Miss Ida M. Lea

Lat. 52° 05' N. Long. 2° 45' W.
 Time of Observation 9 a.m.
 Nearest Railway Station Hereford
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " " " " Sea Level 280 ft.

FORM A.
 BRITISH RAINFALL
 10 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'34	'02	'03	—	'17	—	—	'02	'30	'22	—	'08	1
2	'10	'18	'09	'05	—	'17	—	1'32	—	'10	—	'11	2
3	'53	'07	—	'03	'05	—	'77	'25	—	'01	—	'35	3
4	'01	'04	—	—	'23	—	'80	'10	—	—	—	'44	4
5	—	'51	—	'03	—	—	—	'05	—	'01	—	'67	5
6	—	'09	—	'19	—	—	'51	'01	—	—	—	'13	6
7	'06	'32	—	'02	'42	—	—	'09	—	—	—	'22	7
8	'24	'22	—	—	—	—	'01	'01	—	—	'04	—	8
9	'10	'17	—	'06	—	—	—	—	—	—	'17	'44	9
10	'18	'04	'04	'07	—	—	—	—	—	'06	'01	'01	10
11	'03	—	—	—	'01	—	—	—	—	—	'14	—	11
12	'10	'29	—	'15	'33	—	—	'08	—	'06	'32	—	12
13	—	'50	—	—	'58	—	—	'08	—	—	—	—	13
14	—	'01	—	—	—	—	—	'09	'05	—	—	'19	14
15	'25	—	—	—	'08	—	'01	'06	'08	'02	'5	'10	15
16	'03	'39	—	—	'32	—	1'64	'06	—	'01	—	'02	16
17	—	'20	'01	—	'67	—	—	'01	—	'01	—	—	17
18	—	'57	'02	—	—	—	—	—	—	'01	—	—	18
19	—	—	—	—	'13	—	'04	—	—	—	—	—	19
20	'09	—	—	'08	—	—	—	—	—	'02	—	'10	20
21	—	'01	—	—	—	—	'15	—	—	'16	—	'02	21
22	'03	'06	'21	'13	—	—	'33	—	—	—	—	'25	22
23	'10	'01	'03	—	—	'12	—	—	—	'89	—	'25	23
24	—	—	'03	'02	—	—	'54	—	—	'67	—	'30	24
25	—	—	—	—	—	'22	'12	—	'31	'01	—	'12	25
26	—	'02	—	—	—	—	'25	—	—	—	—	'47	26
27	—	'08	—	—	—	—	'13	—	'05	'30	—	'07	27
28	—	'12	—	—	—	'08	—	'05	—	'02	—	'02	28
29	—	—	—	—	—	'04	—	'01	'18	'01	'07	'07	29
30	'08	X	—	—	—	'13	'06	—	'01	'23	'11	'21	30
31	—	X	—	X	—	X	'03	—	X	1'15	X	'32	31
Total	2'27	3'92	'46	'83	2'99	'76	5'39	2'29	'98	3'97	'91	4'96	29'73
Rain Days.	16	22	8	11	11	6	15	16	7	20	8	24	164

YEAR'S TOTAL

RE

Kept at Holmerin the County of Herefordby Rev. P. P. P. P.HEREFORD
HOLMER HALL

HEREFORD

1911 - 1920

FORM A2.
BRITISH RAINFALL
8 - JAN 1912

8 in.

Ground 1 ft. 3 in.

Sea Level 244 ft.

a.m.

Name HerefordDistance 1 m. Direction S.E.the result entered to the
ersal rule, he is earnestly
ear in the space provided
ment of rain,
ritish Rainfall
application to

Jan. 1, following.

0

IMPORTANT NOT
previous day. If an Ob
requested to add the rea
for it at the end of thi
the selection and placin
Organization are given in

Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	-	.01	.03	-	-	-	.32	-	-	.03	-	1
2	.01	-	-	.02	.04	-	-	.11	-	-	.06	.04	2
3	-	-	-	.01	.39	-	-	-	.09	-	.05	.04	3
4	-	-	.17	.01	-	-	-	.04	.06	.03	.10	.34	4
5	.10	-	.02	-	-	-	-	.05	-	.07	.06	-	5
6	.11	-	.02	-	-	-	-	-	-	-	.14	.57	6
7	.11	-	-	-	-	-	-	-	-	-	.37	.01	7
8	.31	-	.10	-	-	-	-	-	-	-	.23	.45	8
9	.12	-	.02	-	-	-	-	-	-	-	.13	.23	9
10	-	.05	.08	-	-	-	-	-	-	-	.01	.39	10
11	.10 ⁵	-	-	-	-	-	-	-	-	-	.48	.05	11
12	-	-	.38	-	-	-	-	-	.15	.01	.10	.08	12
13	.02	-	.01	-	.03	-	-	.04	.20	.14	.01	.50	13
14	-	.01	-	-	-	-	-	-	-	-	-	.93	14
15	-	.01	.03	-	-	-	-	-	-	.01	.13	.05	15
16	-	-	.01	-	-	.13	-	-	-	-	.15	.03	16
17	-	-	.01	.01	-	.41	-	-	-	-	.17	.85	17
18	-	-	.08	.15	-	.08	-	-	-	.02	-	.25	18
19	-	.15	-	.12	-	.20	-	.01	.40	.29	-	.38	19
20	.02	.02	.04	.01	-	.01	-	-	.11	.10	-	.29	20
21	.02	.03	.17	-	-	-	-	-	-	.26	-	.11	21
22	-	.07	.06	.01	-	.04	-	1.79	-	.12	.02	.40	22
23	-	.11	.12	-	-	.42	.01	-	.12	.09	-	.09	23
24	-	.03	-	.02	-	.39	-	.11	-	.04	-	.05	24
25	-	.10	-	.01	-	-	-	-	.01	.03	-	.07	25
26	-	.15	-	.13	.70	.01	-	.03	-	.11	.16	.11	26
27	-	.08	.20	.06	-	-	-	.29	-	-	.06	.10	27
28	-	.12	-	.12	-	-	-	.01	.14	-	.13	-	28
29	-	-	-	.06	-	.09	.14	.01	.06	.16	-	-	29
30	-	-	.03	.02	.04	.02	.16	.08	-	.17	.02	.02	30
31	-	-	-	-	-	.06	-	-	-	.05	-	-	31
Total	.94	.93	1.56	.79	1.20	1.80	.37	2.89	1.34	1.70	2.61	6.43	TOTAL for year
No. of Rain Days.	11	13	19	16	5	11	4	13	10	17	21	26	166
W. 8,000, X. '11.	11	13	19	16	5	11	4	13	10	17	21	26	262/166

RI

FORM A2.
BRITISH RAINFALL
8-JAN 1912Kept at Holmer Hallin the County of Herefordby Rev. P. H. Hopton

RAIN GAUGE
 Diameter of top 8 in.
 Height of top above Ground 1 ft. 3 in.
 " " " Sea Level 244 ft.
 Time of Observation 9 a.m.
 Nearest Railway Station { Name Hereford
 Distance 1 m. Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	—	.01	.03	—	—	—	.32	—	—	.03	—	1
2	.01	—	—	.02	.04	—	—	.11	—	—	.06	.04	2
3	—	—	—	.01	.39	—	—	—	.09	—	.05	.04	3
4	—	—	.17	.01	—	—	—	.04	.06	.03	.10	.34	4
5	.10	—	.02	—	—	—	—	.05	—	.07	.06	—	5
6	.11	—	.02	—	—	—	—	—	—	—	.14	.57	6
7	.11	—	—	—	—	—	—	—	—	—	.37	.01	7
8	.31	—	.10	—	—	—	—	—	—	—	.23	.45	8
9	.12	—	.02	—	—	—	—	—	—	—	.13	.23	9
10	—	.05	.08	—	—	—	—	—	—	—	.01	.39	10
11	.10 ²	—	—	—	—	—	—	—	—	—	.48	.05	11
12	—	—	.38	—	—	—	—	—	.15	.01	.10	.08	12
13	.02	—	.01	—	.03	—	—	.04	.20	.14	.01	.50	13
14	—	.01	—	—	—	—	—	—	—	—	—	.93	14
15	—	.01	.03	—	—	—	—	—	—	.01	.13	.05	15
16	—	—	.01	—	—	.13	—	—	—	—	.15	.03	16
17	—	—	.01	.01	—	.41	—	—	—	—	.17	.85	17
18	—	—	.08	.15	—	.08	—	—	—	.02	—	.25	18
19	—	.15	—	.12	—	.20	—	.01	.40	.29	—	.38	19
20	.02	.02	.04	.01	—	.01	—	—	.11	.10	—	.29	20
21	.02	.03	.17	—	—	—	—	—	—	.26	—	.11	21
22	—	.07	.06	.01	—	.04	—	1.79	—	.12	.02	.40	22
23	—	.11	.12	—	—	.42	.01	—	.12	.09	—	.09	23
24	—	.03	—	.02	—	.39	—	.11	—	.04	—	.05	24
25	—	.10	—	.01	—	—	—	—	.01	.03	—	.07	25
26	—	.15	—	.13	.70	.01	—	.03	—	.11	.16	.11	26
27	—	.08	.20	.06	—	—	—	.29	—	—	.06	.10	27
28	—	.12	—	.12	—	—	—	.01	.14	—	.13	—	28
29	—	—	—	.06	—	.09	.14	.01	.06	.16	—	—	29
30	—	—	.03	.02	.04	.02	.16	.08	—	.17	.02	.02	30
31	—	—	—	—	—	+	.06	—	—	.05	—	—	31
Total	.94	.93	1.56	.79	1.20	1.80	.37	2.89	1.34	1.70	2.61	6.43	TOTAL for year
No. of Rain Days.	11	13	19	16	5	11	4	13	10	17	21	24	166
W. 8,000. X. '11.	11	13	19	16	5	11	4	13	10	17	21	24	166

REGISTER OF RAINFALL IN 1912

Kept at Holman Hall
 in the County of Hampford
 by Michael Hopton

Lat. _____ Long. _____
 Nearest Railway Station Honington
 Time of Observation 9 A.M.
 Diameter of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. 3 in.
 " " " Sea Level 244 ft.

FORM A.
 BRITISH RAINFALL.
 JAN 1913

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	—	.015	.08	.03	.02	.40	.13	.10	—	—	—	.09	2
3	—	—	.15	—	—	.12	—	.72	.02	—	.05	.01	3
4	.11	—	.08	—	.12	.05	—	.11	—	.01	.20	—	4
5	.26	.10 ^s	.58	—	.19	.03	—	.23	.01	—	.01	.01	5
6	.10	.11	.06	—	.03	.06	—	.59	—	.01	—	.02	6
7	.02	.22	.03	—	.02	.36	.02	.23	—	.01	—	.02	7
8	.39 ^s	.18	.20	.03	—	.28	.11	.09	.06	—	—	.01	8
9	.07	—	.37	.12	—	.07	.01	.32	—	.01	.03	.19	9
10	.09	.04	—	.02	—	.01	—	.03	—	.01	.08	—	10
11	.06	.03	.01	—	—	—	—	.02	—	.01	.07	—	11
12	—	.25	.03	.05	.13	.01	.01	—	—	—	—	.48	12
13	.01	—	—	—	—	—	—	.03	.06	.01	—	—	13
14	.03	.02	.37	—	.09	—	—	.08	—	.02	—	—	14
15	.22	.05	.01	—	.41	.13	—	.02	—	—	—	.07	15
16	.59	—	.07	—	—	.01	—	.06	—	.05	.03	.02	16
17	.74 ^s	—	.05	—	—	.03	—	.23	—	—	.05	.18	17
18	.17 ^s	—	.03	—	.01	—	—	.13	—	—	.01	.05	18
19	.08	.01	—	—	.01	.01	.12	.32	—	.01	.02	.04	19
20	.03	.02	.44	—	—	—	.07	.03	—	.17	—	—	20
21	.02	—	.38	—	.70	—	.03	.49	—	.20	—	—	21
22	.32 ^s	.02	.05	—	.48	—	.24	.28	—	—	—	.12	22
23	.26	.05	.25	—	—	.03	.01	.40	—	.10	.03	.09	23
24	.09	.16	—	—	—	.20	.01	.02	—	.13	—	.19	24
25	—	—	—	—	—	.19	—	.83	—	.01	.21	.38	25
26	—	—	.02	—	—	—	.24	.91	—	.60	.19	.35	26
27	—	.10	—	—	—	.36	.77	—	—	.65	—	.23	27
28	—	.05	—	—	—	.06	.54	.40	.23	.31	.36	.29	28
29	—	—	.06	—	—	.42	.15	.03	.39	.09	—	.01	29
30	—	—	.02	—	—	.16	.07	—	—	.29	—	—	30
31	.02	—	.27	1	.03	1	.58	.02	1	—	1	.02	31
Total	3.68	1.42	3.62	.25	2.24	3.79	3.14	6.72	7.77	2.94	1.34	2.87	TOTAL for year
No. of Rain Days.	—	5.10	8.72	8.97	11.21	15.00	18.14	24.86	25.63	28.57	29.91	32.78	210

REGISTER OF RAINFALL IN 1913

Kept at Holmer Hall
 in the County of Hereford
 by Michael Hopson

Lat. 52-6 Long. 2-31-4
 Time of Observation 9 a.m.
 Nearest Railway Station Hereford
 Diameter of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. 3 in.
 " " " " Sea Level 244 ft.

FORM A.
 BRITISH RAINFALL
 12 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.05	.11	.01	.11	—	—	—	.88	—	.06	—	1
2	—	.21	.03	.05	.02	—	—	—	.08	.75	.15	—	2
3	.04	—	.04	—	.40	—	—	—	—	—	.01	.06	3
4	.88	.01	—	—	.21	—	.01	—	.60	.38	.04	.16	4
5	.05	.05	—	—	.13	.19	.12	—	.02	.27	.02	.02	5
6	—	.05	.14	—	.08	.07	.03	—	—	.33	.04	.35	6
7	—	.22	—	—	.16	.03	.02	—	—	.29	.10	.03	7
8	.02	.11	—	.01	.12	.03	—	.04	—	.16	.01	—	8
9	—	.26	—	.01	.09	.15	.20	.11	.21	—	.14	.01	9
10	.30	.01	—	.02	.06	—	—	.10	—	.15	.12	—	10
11	.74	—	—	.30	.10	—	—	.10	—	.05	.41	—	11
12	—	—	—	—	.23	—	—	—	.02	—	.30	—	12
13	.03	.02	.12	—	.01	—	—	.01	.52	.01	.30	—	13
14	.20	.01	.22	.06	—	—	.03	.05	.06	.08	—	—	14
15	.02	.03	.46	.78	—	—	—	.05	.10	—	.04	—	15
16	.07	.01	.76	.03	—	—	—	.02	.04	—	—	—	16
17	—	.01	.20	.07	—	—	.15	—	.01	.01	.02	—	17
18	.06	—	.17	.06	.01	—	.03	—	—	—	—	—	18
19	.13	—	.12	—	—	.04	.01	—	.05	—	—	—	19
20	.13	—	.23	.10	—	—	—	—	—	—	.27	—	20
21	—	—	.31	.17	.06	—	.15	—	—	.03	.11	—	21
22	.53	—	.66	—	—	.10	—	.32	.41	—	.01	—	22
23	.02	.01	.03	—	—	—	—	.02	.02	—	.06	.02	23
24	.02	—	—	.02	—	—	—	.03	.05	.01	.03	—	24
25	—	—	—	.23	—	—	—	—	.01	.03	—	—	25
26	.01	—	—	.39	—	—	—	.25	—	—	—	.13	26
27	.01	—	.10	.30	—	—	—	—	—	.16	—	—	27
28	.19	—	.28	.29	.09	—	—	—	—	.05	—	.04	28
29	.01	—	.37	.51	.01	—	—	.04	.01	.20	—	—	29
30	.06	—	—	—	—	—	—	—	—	.82	.04	—	30
31	.2	—	.15	—	.03	—	—	.04	—	.05	—	—	31
Total	3.57	1.06	4.50	3.41	1.92	.61	.75	1.18	3.09	3.83	2.27	.82	YEAR'S TOTAL 27.01
Rain Days.	4.63	9.13	12.54	14.46	15.07	15.82	17.00	20.09	23.92	26.19	27.01	✓	

REGISTER OF RAINFALL IN 19/4

FORM A.
BRITISH RAINFALL
25 JAN 1915

Kept at *Holmer Hall*
in the County of *Hereford*
by *Rev. Michael Hopton*

Lat. *52-6* Long. *2-31*
Time of Observation *9 AM*
Nearest Railway Station *Hereford*
Diameter of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. *3* in.
" " " " Sea Level *244* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.01	.02	.02	—	.03	.68	.19	—	—	.05	.08	1
2	—	—	—	—	—	—	.57	.01	.01	—	.36	.45	2
3	—	—	—	.06	.15	—	.03	.01	—	—	.01	.19	3
4	.11	—	—	.04	.07	—	.24	.11	—	—	.52	.47	4
5	.07	—	.03	.10	.18	—	.08	—	—	—	.07	—	5
6	—	.05	.02	.02	.03	.02	.05	—	—	—	.01	.10	6
7	—	.16	.16	.22	.25	.02	.18	.10	.02	—	.06	.37	7
8	—	—	.02	.05	.01	.52	.02	.03	—	—	—	.05	8
9	.01	.01	.19	.36	.05	1.06	—	.03	.01	—	—	—	9
10	—	.16	.02	.22	.02	.06	—	—	.44	—	—	.01	10
11	—	.10	.11	.03	.06	.34	.23	—	.01	—	.20	.63	11
12	—	.26	.13	—	—	—	.01	—	.22	.01	.04	.12	12
13	—	.13	.28	—	—	—	.05	—	.07	—	.11	.17	13
14	—	.20	.17	—	—	—	.01	—	—	.36	.12	—	14
15	.01	.01	.10	—	—	—	—	.07	.03	.12	—	—	15
16	—	—	—	—	—	—	.08	—	.08	—	—	—	16
17	.01	.12	.17	—	—	—	.02	—	.06	—	.05	.23	17
18	—	.01	.05	—	—	.02	.05	—	—	.02	—	.37	18
19	—	—	.02	—	—	.14	1.32	—	.04	—	.07	.09	19
20	—	.30	.02	—	—	—	—	—	—	—	—	.09	20
21	—	.38	—	—	—	.09	.08	.02	—	.15	.01	—	21
22	—	.04	—	—	.26	.03	—	.08	—	.23	—	—	22
23	—	.02	.09	—	.11	—	.05	—	—	.23	—	—	23
24	—	—	.03	—	—	—	.04	.15	—	.04	.01	—	24
25	.08	—	.10	—	—	—	.02	.38	—	.17	—	.09	25
26	.01	—	—	—	—	—	.02	.02	.01	.04	.12	.35	26
27	.04	—	—	—	—	—	—	—	—	.01	.26	.17	27
28	—	.04	.05	—	.05	—	—	—	—	.38	.03	.58	28
29	.04	1	.04	—	.21	—	—	—	—	.11	.16	.03	29
30	—	1	.07	.01	—	—	—	—	—	.07	.38	.47	30
31	.20	1	—	1	—	1	.09	—	1	.11	1	.10	31
Total	.59	2.00	1.89	1.13	1.45	2.33	3.92	1.20	1.00	2.05	2.59	5.21	25.36
Rain Days.	2.59	4.48	5.61	7.06	9.39	13.31	14.51	15.51	17.56	20.15	25.36	189	

REGISTER OF RAINFALL IN 1915

Kept at Holmer Hall
in the County of Hereford
by Rev. Prob. Michael Hopton

Lat. 52.6 Long. 2.31
Time of Observation 9 a.m.
Nearest Railway Station Hereford
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 2.44 ft.

2349
FORM A
BRITISH RAINFALL
17 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.35	.04	.03	—	.18	—	—	.07	.29	.23	—	.08	1
2	.13	.10	.10	.12	—	.16	—	1.43	.02	.12	.01	.13	2
3	.55 ^s	.07	.02	.02	.12	—	.70	.06	—	.01	—	.30	3
4	.02	.04	—	—	.15	—	.39	.12	—	—	—	.45	4
5	.01	.67	—	.01	—	—	—	.06	—	.01	.01	.57	5
6	.12	.03	—	.20	—	—	.55	.09	—	—	—	.60	6
7	.01	.30	—	.01	.34	—	.01	.03	—	.01	—	.20	7
8	.07	.27	—	.01	—	—	—	.02	—	—	.10	—	8
9	.22	.21	—	.04	—	—	—	—	—	—	.11	.47	9
10	.10	.02	.05	.08	—	—	—	—	—	.06	.01	—	10
11	.15	—	—	.02	.02	—	—	—	—	—	1.13	—	11
12	.05	.13	—	.13	.31	—	—	.06	.01	—	.37	.01	12
13	.08	.68	—	—	.59	—	.03	.16	.05	.07	.01	—	13
14	—	.01	—	—	—	—	.87	.10	.09	—	—	.20	14
15	.20	—	—	—	.09	—	—	.06	—	.06	.04	.06	15
16	.01	.38	—	—	.37	—	—	.04	—	.01	—	.02	16
17	—	.23	.02	—	.78	—	—	—	—	—	—	.01	17
18	—	.44	.02	—	—	—	—	—	—	.02	—	—	18
19	—	—	—	.02	.12	—	.03	—	—	—	.01	—	19
20	.07	.01	—	.07	—	—	—	—	—	.07	—	.09	20
21	.03	.03	—	—	—	—	.16	—	—	.11	—	.02	21
22	—	.60	.23	.13	—	—	.31	—	—	—	—	.23	22
23	.12	.01	.05	—	—	.15	—	—	—	.99	—	.23	23
24	—	—	.03	.03	—	—	.71	—	.27	.68	—	.27	24
25	—	—	—	—	—	.19	—	—	—	.01	—	.12	25
26	—	.02	—	—	—	—	.16	—	.06	—	—	.42	26
27	—	.07	.02	—	—	.01	.15	—	—	.30	—	.05	27
28	—	.12	—	—	—	.08	—	.05	.17	.03	—	.02	28
29	—	~~X~~	—	—	—	.12	—	.01	.02	.01	.08	.09	29
30	.08	~~X~~	—	—	—	.56	.06	—	—	.23	.13	.16	30
31	—	~~X~~	—	~~X~~	—	~~X~~	.03	—	~~X~~	1.07	~~X~~	.31	31
Total	2.37	3.98	.57	.89	3.07	1.27	4.16	2.36	.98	4.10	2.01	4.62	YEAR'S TOTAL 30.34
Rain Days.		6.35	6.92	7.81	10.88	12.15	16.31	18.67	19.65	23.75	25.76	30.38	179

REGISTER OF RAINFALL IN 1916

Kept at Holmer Hall
in the County of Hereford
by Pres^t Michael Hopton

Lat. _____ Long. _____
Time of Observation 9 AM
Nearest Railway Station Hereford
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 244 ft.

FORM A.
BRITISH RAINFALL
15 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.01	.01	—	.03	.05	.19	—	—	.23	.13	.01	1
2	.20	.04	.31 ^s	—	.16	—	.02	—	.16	.67	.10	—	2
3	—	.85	.01	—	.14	.04	—	—	.04	.12	.14	—	3
4	.08	.21	—	—	.32	.13	.01	—	—	.01	.53	—	4
5	.01	—	.02 ^s	—	.25	.01	—	—	.07	.04	.10	—	5
6	.03	.11	.04	—	.07	.03	.48	—	—	.13	.33	—	6
7	.02	.02	.10 ^u	—	.11	—	.01	—	—	.10	.32	.20	7
8	—	—	.03 ^s	—	.25	—	—	—	—	—	.04	.20	8
9	.01	—	.01	—	.07	.04	—	—	.01	—	.04	—	9
10	—	.42	.09 ^s	.01	.02	.04	—	—	.01	.03	.01	.01	10
11	.07	—	.05	.04	.03	.12	—	—	.01	—	—	—	11
12	.03	.01	.06	.01	.15	—	.25	.03	—	.02	.01	—	12
13	—	.23 ^s	.14	—	—	—	.04	.21	—	—	—	.02	13
14	—	.41 ^u	.10	.03	.02	—	—	.03	—	.02	—	—	14
15	—	.15	.35	.16	.22	—	—	.23	—	.02	—	.01	15
16	—	.07	.01	.11	.02	—	.08	.10	—	.08	—	—	16
17	.02	.11	—	.09	—	—	—	.07	.16	.34	—	—	17
18	.01	.03	.10	.02	—	—	—	—	.12	—	.37	.18	18
19	.05	—	.63	.20	—	—	—	—	—	—	.18	—	19
20	.09	—	.43	—	—	—	—	—	—	—	.02	.29	20
21	—	.01	.45	.02	.11	.01	.17	—	—	—	.01	.18	21
22	—	—	—	.07	—	.03	—	—	—	.20	—	.38 ^s	22
23	.01	.20 ^s	.01	—	—	.01	—	.21	—	.03	.01	.18	23
24	—	.19	.06	—	.73	.15	—	.11	—	.23	.01	.11	24
25	—	.10 ^s	.06	—	—	—	—	.10	.01	—	.15	.10	25
26	.04	.06	.04	—	.11	.11	—	.03	.01	.38	—	—	26
27	.04	.05 ^s	.77 ^u	—	—	—	.28	.08	.14	.44	—	—	27
28	—	.42 ^s	.05 ^u	—	—	—	—	—	.02	.16	—	.07	28
29	—	.19	—	—	—	.18	—	.70	—	.07	—	.05	29
30	—	X	—	—	—	—	—	.02	—	.25	.01	—	30
31	—	X	—	X	—	X	—	.01	X	.29	X	.02	31
Total	.74	3.89	3.93	.76	2.81	.95	1.53	1.93	.76	3.86	2.51	2.01	25.68
Rain Days.	16	22	25	11	18	14	10	14	12	22	19	16	199

YEARS TOTAL

REGISTER OF RAINFALL IN 1917

Kept at Holmer Hall
in the County of Hereford
by Michael Hopson

Lat. 52° 6' Long. 2° 31'
Time of Observation 9 a.m.
Nearest Railway Station Hereford
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 244 ft.

FORM A.
BRITISH RAINFALL

18. JAN 1910

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.12	.30 ^s	—	.14	—	.67	.07	—	.07	.01	1
2	—	—	—	.06 ^s	—	.02	—	—	—	.02	.20	—	2
3	—	.04 ^s	—	.12 ^s	—	—	—	.01	—	.30	—	—	3
4	.02	.05 ^s	.36 ^s	.61	—	—	—	.06	—	.08	—	—	4
5	.08	—	.24 ^s	.17 ^s	—	.03	—	.01	.32	.16	.09	—	5
6	.01	—	.66 ^s	—	—	.07	—	—	—	.10	.13	—	6
7	.21	—	—	—	—	—	.10	.24	—	.11	.04	.62	7
8	.41	—	.04 ^s	.09 ^s	—	.01	.42	.68	.01	.20	.15	.05	8
9	—	—	.26 ^s	.05 ^s	.19	—	—	.40	.18	.08	.03	—	9
10	.23	—	.21	.12 ^s	.09	—	—	.25	.07	.02	—	—	10
11	.02	—	.22	.14 ^s	.01	—	—	.04	—	.14	.01	—	11
12	—	—	—	—	.40	—	—	.08	.04	.17	.02	.01	12
13	—	—	.08	.02	—	—	—	.20	.05	.01	—	—	13
14	—	—	.19	.03	—	—	—	.04	—	.01	.01 ^p	—	14
15	—	—	—	—	.17	—	.20	.04	.01	.02	.01 ^p	.08	15
16	.02 ^s	.05	—	.15	—	.48	.06	—	—	—	—	.20 ^s	16
17	.03 ^s	.01	—	.02	.49	.10	.36	.25	.11	.05	—	—	17
18	.03	.02	—	—	.02	.01	.23	.06	.15	—	—	—	18
19	—	.46	.12 ^{mor}	—	—	.46	—	.01	—	—	.01	—	19
20	.01	.08	—	—	.65	.10	.01	.03	.02	.02	—	—	20
21	—	.03	.22 ^s	—	.03	.10	—	.04	—	.02	—	—	21
22	.01 ^s	—	—	—	—	.07	—	.28	—	.13	—	—	22
23	—	.24	—	—	.03	—	—	.12	—	.16	—	.04	23
24	—	.01	.02	—	—	.04	.09	.03	—	.05	.10	—	24
25	—	.05	.05	—	—	—	—	.02	—	.01	.14	—	25
26	—	—	—	—	.06	.07	—	.50	.08	—	.01	—	26
27	—	—	.01	—	.90	.22	.40	.76	—	—	—	—	27
28	—	—	.13	—	.03	.21	.01	.08	—	—	—	.03	28
29	—	+	.01	—	.22	.12	—	.07	.01 ^p	.42	—	.36	29
30	—	+	.01	—	—	—	.02	.28	—	.06	—	—	30
31	—	+	.13 ^s	X	.10	X	—	.18	X	.03	X	.01	31
Total	1.08	1.04	3.08	1.88	3.39	2.25	1.90	5.43	2.12	2.37	1.02	1.41	26.96
Rain Days.	12	11	19	13	15	17	11	28	13	24	15	10	188

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL

Kept at Holmer Hall
in the County of Hereford
by Rev. H. Hopton

Lat. 52.6 Long. 2.31
Time of Observation 9 a.m.
Nearest Railway Station Hereford
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 244 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

15

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.03	.01	.02	.02	—	—	.09	.02	.05	.67	—	1
2	—	.05	—	.01	—	—	—	.54	—	—	.05	.03	2
3	—	.05	—	.07	.16	—	—	—	.55	—	.02	—	3
4	—	.01	—	—	—	—	—	.04	.56	.16	.31	.42	4
5	.01	.07	—	.04	.40	—	—	.05	.66	.11	.01	.03	5
6	.03	.10	—	.05	—	.03	—	—	.25	.13	—	.01	6
7	—	.05	—	.02	—	—	—	—	.35	.03	.14	—	7
8	.03	.13	—	—	.40	—	—	—	.06	.13	—	.01	8
9	.02	.09	—	.22	—	.20	.02	—	.15	.01	—	.08	9
10	.04	—	—	.03	—	—	.37	—	.10	.06	—	.08	10
11	—	—	.08	.03	.01	—	.12	—	.10	.01	.07	.04	11
12	—	.01	.08	—	.09	—	.06	—	.01	—	—	—	12
13	—	.01	—	—	.04	.01	.04	—	.15	.06	.01	.06	13
14	.18	—	.10	—	—	.02	.03	—	.32	.03	.01	.05	14
15	.80	—	—	.17	—	—	.24	—	.02	—	—	.25	15
16	.18	—	—	.60	—	.02	.01	—	.49	—	.01	.06	16
17	.17	—	.01	.01	—	.01	.06	—	.71	—	—	.07	17
18	.23	—	.05	—	—	.20	.03	—	1.04	.01	—	.40	18
19	.09	.01	.20	—	—	—	.04	—	—	.06	—	.02	19
20	.16	.03	—	.21	—	.03	.02	—	.20	—	—	—	20
21	.06	—	—	.44	—	—	.13	—	.23	.01	.01	.12	21
22	.01	—	—	—	.35	—	.10	—	.01	.01	—	.09	22
23	.03	—	—	—	.23	—	.39	—	—	—	.02	.01	23
24	—	.04	—	—	—	—	.05	.03	.05	.01	.09	—	24
25	—	—	—	—	.06	.02	.23	1.01	—	.02	.04	—	25
26	—	—	—	—	—	—	.32	.01	—	—	.03	.11	26
27	—	—	.07	.02	—	—	—	.15	.07	—	.01	.03	27
28	—	.09	.37	—	—	—	—	—	—	—	.03	.07	28
29	—	~~X~~	.05	—	—	—	—	—	.92	.01	.01	—	29
30	—	~~X~~	.21	—	—	—	—	—	—	—	.05	.09	30
31	—	~~X~~	.15	~~X~~	—	~~X~~	—	.04	~~X~~	—	~~X~~	.01	31
Total	2.04	.77	1.38	1.94	1.76	.54	2.26	1.96	7.02	.91	1.59	2.14	YEAR'S TOTAL
Rain Days.		2.81	4.19	6.13	7.89	8.43	10.69	12.65	19.67	20.58	22.17	24.31	2431

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL

28 JAN 20

Kept at

Holman Hall

Box 880

Lat. 52.6

Long. 2.31

Time of Observation 9 a.m.

Nearest Railway Station Hereford

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 3 in.

Sea Level 244 ft.

in the County of Hereford

by Rev. P. P. M. Hopton

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.15	—	.01	—	.06	—	.16	—	.03	.13	.02	.32	1
2	.04	.01	.04	—	—	—	—	—	.15	—	.07	.03	2
3	—	—	.11	—	.01	.08	.03	—	.06	—	.06	.04	3
4	.09	—	.37	—	—	—	.17	.04	.19	—	—	.18	4
5	.03	.39 ^m	.04	—	.06	—	.03	—	.06	.01	—	.16	5
6	.18	.04	.06	—	—	—	—	—	—	—	.02	.11	6
7	.10	—	.05	.09	.05	—	—	—	—	—	—	—	7
8	.29	—	.06	—	.01	.04	—	—	—	—	.01	—	8
9	.28	—	.02	.03	—	—	—	—	.01	—	—	—	9
10	.01	—	.60	—	—	—	—	—	—	.02	.02	.20	10
11	.01	—	.83	—	.03	—	.47	—	—	.05	—	.06	11
12	.01	—	.10	—	—	.18	—	—	.04	.03	.04	—	12
13	.05	—	—	.19	—	—	—	—	.27	.04	—	.02	13
14	.14	.03	—	.11	—	—	.05	—	.22	.03	—	.16	14
15	.31	.04	.01	.03	.05	—	—	—	—	.05	.02	.20	15
16	.05	.88	—	—	—	—	—	.12	—	—	.02	.01	16
17	—	.56	—	—	—	.03	—	—	—	—	.03	—	17
18	.03	—	.45	—	—	—	.02	.08	—	—	.02	.01	18
19	.17	.25	.75	—	—	.14	.77	.40	.11	—	.03	.03	19
20	.15	.03	.51 ^m	—	—	.05	.01	.07	.02	—	.07	.02	20
21	—	.30	.01	—	—	—	.12	—	.02	—	.01	.05	21
22	—	.05	—	—	—	—	.04	—	.18	—	—	.06	22
23	—	—	—	—	—	—	—	.04	—	.92	.03	.01	23
24	.01	.01	—	.02	—	.04	.04	—	—	.46	.14	.12	24
25	.05	—	—	—	.10	.01	—	.37	—	—	.06	.01	25
26	—	.05	—	.05	—	.04	—	.22	—	—	—	.25	26
27	.18 ^m	—	.06	.63	—	—	—	.50	.03	—	.06	—	27
28	.10 ^m	—	.18	.01	—	—	—	.36	—	—	.21	.28	28
29	—	X	—	.05	—	—	—	.01	—	.12	—	.22	29
30	—	X	—	.06	—	.17	—	.18	—	.02	.17	.20	30
31	—	X	.02	X	—	X	—	—	X	—	X	—	31
Total	2.43	2.64	4.28	1.27	.37	.78	1.91	2.39	1.39	1.88	1.11	2.74	YEAR'S TOTAL
Rain Days.		5.07	9.35	10.62	10.99	11.77	13.68	16.07	17.46	19.34	20.45	23.19	178

Days, 000, XI, 12
with rain 16

13
9

20
15

11
7

5

EDWARD STANFORD, Ltd., 12, 13 & 14, LANE ACRE, W.C.

Waterlow and Sons Limited, Printers, London Wall, London.

12
7

20
9

24
16

Price 2d.

120

REGISTER OF RAINFALL IN 1920

Kept at Holmer Hall
in the County of Hereford
by Regd. Prob. & H. Hopton

Lat. 52.6 Long. 2.31
Time of Observation 9 am
Nearest Railway Station Hereford
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 244 ft.

BRITISH RAINFALL FORM A.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
44

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.05	.12	.17	—	.13	—	.05	.13	—	.40	1
2	.05	—	.01	.04	—	—	.16	.05	.03	.16	—	.12	2
3	.02	.01	—	.23	.08	.01	1.14	.02	.03	.57	—	.02	3
4	—	—	.04	.02	—	—	.02	.17	—	.17	—	—	4
5	—	—	.12	.05	.03	—	.36	.01	—	.26	.01	—	5
6	—	—	.11	—	.08	—	.29	—	—	.14	—	.02	6
7	—	—	.02	.04	.01	—	.06	—	—	—	—	.01	7
8	.31	.05	—	.67	.03	—	.07	.07	—	—	—	.01	8
9	.14	.04	—	.37	—	—	.07	—	—	—	—	—	9
10	.32	.10	.03	.03	.26	.37	.03	—	—	—	.02	.01	10
11	.10	.02	.11	.50	—	.02	.01	—	—	—	.01	—	11
12	.13	.03	.38	.11	—	.60	—	.09	—	.06	.09	—	12
13	.04	.01	—	.11	—	.05	.03	—	—	—	—	.02	13
14	.01	.01	.60	.33	.01	.10	—	—	.33	.12	.17	.01	14
15	.01	.10	.06	.55	—	.04	—	—	—	.01	.03	—	15
16	—	—	—	.02	.14	.30	.10	—	.11	.50	.05	—	16
17	.02	—	.01	—	.11	.37	—	—	.55	.23	—	.03	17
18	.06	—	—	—	.06	—	—	.22	.41	—	.01	.01	18
19	.04	.32	—	—	.04	.18	—	—	—	—	—	—	19
20	—	.05	—	.23	—	.05	—	—	.01	—	—	.05	20
21	—	—	—	—	—	—	.08	—	—	.20	—	.09	21
22	.02	.01	—	.10	—	—	.02	.19	—	.02	—	.14	22
23	—	—	.01	—	—	—	.30	.03	—	.01	.01	.38	23
24	.01	.01	.12	—	—	—	—	—	.02	—	.02	.14	24
25	.05	—	.22	.01	—	—	.37	—	.01	—	—	—	25
26	.16	—	.20	.01	—	.02	.02	—	—	.01	—	.02	26
27	.39	—	.18	.03	.06	.24	.05	—	.01	—	.08	.37	27
28	.80	—	.10	—	1.22	.02	.01	—	—	—	.02	.02	28
29	.20	—	.17	—	.09	.01	.11	—	—	—	.05	.38	29
30	.01	X	.25	.27	—	.07	.02	—	.40	—	.22	.10	30
31	.64	X	.15	X	—	X	.02	—	X	.41	X	.02	31
Total	3.53	.76	2.90	3.84	2.39	2.45	3.47	.85	1.96	3.00	.79	2.37	YEAR'S TOTAL
Rain Days.	4.29	7.19	11.03	13.42	15.87	19.34	20.19	22.15	25.15	25.94	28.31	28.31	

R

Kept at

Breinton
H. A. W.

in the County of

by

HEREFORD

BREINTON COURT

HEREFORD

1911-1920

IMPORTANT NOTE
previous day. If an
requested to add the re
for it at the end of t
the selection and plac
Organization are given i
Dr. H. R. MILL, 62, Camden Square, London, N.W.

FORM A2.
BRITISH RAINFALL

5 in.

ve Ground 3 ft.

Sea Level 240 ft.

Name

H. A. W.

Distance

3.4

Direction

E

and the result entered to the
iversal rule, he is earnestly
ear in the space provided
ment of rain,
ritish Rainfall
application to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.03		.02	.04	.06			.12		.02	.07	.06	2
3					.33				.03		.02	.05	3
4			.20					.03	.07		.14	.37	4
5	.07		.02					.06		.09	.07		5
6	.16		.07					.01			.19	.63	6
7											.34		7
8	.21		.04								.26	.51	8
9	.06		.03								.14	.24	9
10		.04	.08									.44	10
11	.11	.01			.12						.52	.04	11
12			.35						.17		.12	.10	12
13					.03				.18	.04	.02	.62	13
14												.90	14
15											.16	.07	15
16			.02			.11					.14	.12	16
17						.44					.18	.86	17
18		.26	.05	.14		.03				.03	.01	.35	18
19		.04		.13		.16		.01	.40	.18		.36	19
20		.03							.10	.03		.40	20
21		.10	.33					2.01		.33		.07	21
22		.02	.05	.03		.04				.16		.42	22
23		.10	.14			.52			.11	.08		.10	23
24		.03				.36		.08	.01	.04		.05	24
25		.05	.01			.03			.03	.02		.09	25
26		.12		.14	.45			.03		.16	.13	.10	26
27		.05	.19	.03				.29	.16		.02	.12	27
28		.14		.12				.01			.17		28
29				.05		.09	.30		.05	.13	.02		29
30			.03		.03	.01	.04	.11		.18	.03	.01	30
31					.02		.03			.04			31
Total	.64	.99	1.66	.68	1.04	1.79	.37	3.24	1.31	1.63	2.81	4.08	TOTAL for year
No. of Rain Days	6	13	16	8	7	10	3	12	11	15	21	25	147

Kept at

in the County of

by

Brenton Court
Hampshire
H. D. Radworth

RAIN
GAUGE

Diameter of top 5 in.

Height of top above Ground 3 ft.

" " " Sea Level 240 ft.

Time of Observation 9 am

Nearest Railway Station

Name Houlford

Distance 3.7 Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.02	.04				.48			.03		1
2	.03				.06			.12		.02	.04	.06	2
3					.33				.03		.02	.05	3
4			.20					.03	.07		.14	.37	4
5	.07		.02					.06		.09	.07		5
6	.16		.07					.01			.19	.63	6
7											.34		7
8	.21		.04								.26	.51	8
9	.06		.03								.14	.24	9
10		.04	.08									.44	10
11	.11	.01			.12						.52	.04	11
12			.35						.17		.12	.10	12
13					.03				.18	.04	.02	.62	13
14												.90	14
15											.16	.07	15
16			.02			.11					.14	.12	16
17						.44					.18	.86	17
18		.26	.05	.14		.03				.03	.01	.35	18
19		.04		.13		.16		.01	.40	.18		.36	19
20		.03							.10	.03		.40	20
21		.10	.33					2.01		.33		.07	21
22		.02	.05	.03		.04				.16		.42	22
23		.10	.14			.52			.11	.08		.10	23
24		.03				.36		.08	.01	.64		.05	24
25		.05	.01			.03			.03	.02		.09	25
26		.12		.14	.45			.03		.16	.13	.10	26
27		.05	.19	.03				.29	.16		.02	.12	27
28		.14		.12				.01			.17		28
29				.05		.09	.30		.05	.13	.02		29
30			.03		.03	.01	.04	.11		.18	.03	.01	30
31					.02		.03			.04			31
Total	.64	.99	1.66	.68	1.04	1.79	.37	3.24	1.31	1.63	2.81	4.08	23.27
No. of Rain Days	6	13	16	8	7	10	3	12	11	15	21	25	147

REGISTER OF RAINFALL IN 1912

Kept at

Brimley Court

in the County of

Herefordshire

by

H. J. Wadworth

RAIN
GAUGE

Pattern *A. N. Stans 1890*
Diameter of top *5* in.
Height of top above Ground *3* ft.
" " " Sea Level *240* ft.
Time of Observation *9. AM*
Nearest Railway Station { Name *Hereford*
Distance *3 M* Direction *E*

FORM A2.
BRITISH RAINFALL
JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2			.12	.02		.84	.01	.04	.01	.31		.12	2
3			.18	.07	.01	.12	.02	.59	.02		.05		3
4	.05	.01	.61		.18	.05		.12			.22		4
5	.26	.08	.03		.15	.04		.31			.01		5
6	.11	.10			.04	.04		.67				.02	6
7		.24	.12		.04	.32	.02	.06					7
8	.39	.20	.13			.04	.16	.09	.04				8
9	.05		.45	.10		.10	.01	.28	.01			.19	9
10	.12	.04		.01		.02		.08			.08		10
11	.04	.03					.01	.02			.09	.46	11
12		.25	.03	.05		.02						.05	12
13								.02	.05	.04		.02	13
14	.02	.01	.38		.07			.10	.01				14
15	.25	.04			.39	.04		.02				.06	15
16	.68		.10					.04		.05	.01		16
17	.80		.07		.02	.03		.23			.05	.18	17
18	.10		.04				.11	.15			.04	.02	18
19	.05				.01		.10	.37		.02		.05	19
20	.05		.42					.03		.15	.02		20
21	.02	.03	.43		.75		.01	.50		.16			21
22	.35	.06	.02		.47		.19	.21				.08	22
23	.34	.16	.26			.02	.01	.42		.11	.02	.09	23
24	.11	.01				.25		.03				.17	24
25	.01		.02			.20		.87			.20	.17	25
26		.10					.15	.84		.72	.23	.41	26
27						.41	.69			.70		.20	27
28		.05				.11	.71	.40	.16	.31	.34	.29	28
29		.07	.06			.32	.14	.05	.40	.10			29
30		X	.05			.13	.23	.01	.01	.32		.01	30
31		X	.14	X		X	.45	.04	X		X	.02	31
Total	3.80	1.48	3.73	.18	2.13	8.57	3.19	6.69	.71	2.99	1.37	2.61	TOTAL for year 32.45
No. of Rain Days	19	17	21	4	11	20	18	29	9	12	13	19	192

REGISTER OF RAINFALL IN 1913

Kept at

in the County of

by

Lat. 52.3.14

Long. 2.42.58.9

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge

Height of top of Gauge above Ground

Sea Level

BRITISH RAINFALL FORM A. 3- JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.02	.05	.12	.03	.16				.88		.05		1
2	~~.04~~	.26	.05	.04	.02				.01	.80	.10		2
3	~~.04~~		.02		.36				.02	.02		.04	3
4	.92	.02			.20		.01		.46	.38	.04	.15	4
5	.02	.03			.06	.11	.11		.02	.28	.03	.02	5
6		.07	.14		.13	.05	.02			.24	.05	.38	6
7	.02	.27			.20	.03	.01			.55	.11	.03	7
8		.11			.17	.04	.02	.03		.13			8
9		.25		.01	.17	.12	.11	.15	.15		.19	.01	9
10	.21			.02	.06			.21		.15	.17		10
11	.73			.22	.10			10		.05	.40		11
12		.01			.24				.02		.23		12
13		.01	.07						.65		.23		13
14	.24		.19	.09				.02	.07	.06	.01		14
15		.03	.39	.90				.09	.03		.03		15
16	.11		.70	.03				.01			.01		16
17	.03	.01	.19	.06			.13						17
18	.07		.20	.07			.03				.02		18
19	.15		.16		.05	.16	.10		.05	.02			19
20	.15		.27	.10		.01				.05	.24		20
21			.32	.21	.07		.10				.12		21
22	.48		.68	.02		.08		.34	.38				22
23			.05					.02	.02		.08	.02	23
24	.02			.04					.04		.02		24
25				.19						.06			25
26				.64		.03		.33		.01		.09	26
27			.14	.26						.15			27
28	.20		.28	.40	.06					.26		.04	28
29	.01		.40	.52				.02		.23			29
30	.04									.86	.04		30
31	.02		.15		.02			.05		.04			31
Total	3.83	1.12	4.52	3.85	2.07	.63	.64	1.37	2.80	4.34	2.17	.78	27.82
Rain Days.	19	12	19	19	16	9	10	12	14	19	20	9	178

REGISTER OF RAINFALL IN 1914

Kept at Brenton Court
in the County of Herefordshire
by H A Wadworth

Lat. 52° 3' 14" Long. 2° 42' 58" 9"
Time of Observation 9 am
Nearest Railway Station Hereford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 240 ft.

FORM A.
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.02	.01			.04	.64	.16			.10	.07	1
2							.66	.05			.35	.47	2
3				.07	.16		.03	.03			.02	.18	3
4	.08			.06	.08		.22	.09			.53	.45	4
5	.06		.05	.10	.15		.05				.05		5
6		.03	.02	.03	.03						.02	.12	6
7	.01	.17	.15	.11	.25	.08	.17	.07				.30	7
8			.02	.01	.03	.37	.02	.04				.10	8
9		.01	.15	.37	.04	.10		.04	.03				9
10		.20	.01	.21	.02	.14			.26				10
11		.10	.18	.03	.11	.37	.26		.01		.27	.73	11
12		.28	.11				.02		.15		.05	.16	12
13		.14	.27				.04		.10	.38	.08	.27	13
14		.18	.17				.04			.13	.14		14
15			.09					.07	.02		.06		15
16			.01				.13		.05				16
17		.12	.19						.11	.01		.26	17
18			.06				.03					.33	18
19			.01			.02	<u>1.13</u>		.03		.08	.11	19
20		.30	.02									.06	20
21		.38				.08				.18			21
22		.04			.37	.02	.04	.05		.28			22
23			.08		.12		.04			.22			23
24			.04				.06	.17		.09			24
25	.06		.09				.02			.14	.02		25
26							.02	.16		.05	.08	.37	26
27	.03									.02	.15	~~18.05~~	27
28		.03	.04		.03					.17	.01	.62	28
29	.03	~~X~~	.06		.27					.09	.13		29
30		~~X~~	.10		.01		.02			.09	.38	.44	30
31	.17	~~X~~		~~X~~		~~X~~	.03		~~X~~	.15	~~X~~	.07	31
Total	.44	2.00	1.93	.99	1.67	2.42	3.67	.93	.76	2.00	~~2.53~~	5.29	24.63
Rain Days.	~~X~~	14	23	9	14	9	21	11	9	14	18	19	168

REGISTER OF RAINFALL IN 1915

Kept at Preinton Court
in the County of Hereford
by H. A. Wadworth

Lat. 52° 3' 14" N Long. 2° 42' 58" W
Time of Observation 9 AM
Nearest Railway Station Hereford 3 MI
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 240 ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.39	.03	.02		.16		.01	.05	.21	.22	.01		1
2	.09	.09	.08	.07		.10		1.26	.12	.13		.19	2
3	.40	.08	.02	.02	.10		.82	.02				.21	3
4	.03	.07			.12		34.82	.47				.63	4
5		.62						.06				57	5
6	.11	.04		.15			.49	.06				.10	6
7	.04	.22		.03	.63			.06		.02		.21	7
8	.17	.25					.01	.02			.10		8
9	.05	.22		.03							.12	.50	9
10	.14	.03	.04	.07						.05			10
11	.06		.01	.03	.02						1.21	.01	11
12	.05	.11		.16	.40			.10		.07	.31		12
13	.01	.59			.76			.09	.11			.02	13
14								.11	.07			.22	14
15	.14				.09		.03	.26		.04	.06	.03	15
16		.35			.43		.92	.09					16
17		.15	.03		.81							.03	17
18		.62								.02			18
19		.02			.16		.04						19
20	.04			.09								.06	20
21	.03	.04			.05		.14			.19		.03	21
22	.03	.12	.20	.14			.27					.23	22
23	.10		.05			.05	.01		.12	.75		.22	23
24			.06	.03			.37		.24	.74		.26	24
25						.15						.12	25
26		.02					.10		.02			.52	26
27		.08	.01			.02	.12			.26		.04	27
28		.10				.04	.01	.04	.18			.03	28
29		X						.02		.05	.09	.09	29
30	.09	X					.31	.13		.23	.15	.17	30
31		X		X		X	.05		X	1.08	X	.35	31
Total	1.97	3.85	.52	.82	3.73	.67	3.86	2.71	1.07	4.01	2.05	4.84	30.10
Rain Days.	18	21	10	11	12	6	17	15	8	14	8	24	164

REGISTER OF RAINFALL IN 1916

Kept at

in the County of

by

Lat. $52^{\circ}3'14''$ Long. $2^{\circ}42'58.9''$ W
Time of Observation 9 AM
Nearest Railway Station Hereford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 244 ft.
" " " " Sea Level 240 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03		.02			.05	.15			.20	.15		1
2	.17	.05	.28		.21		.01		.18	.65	.07		2
3		.77			.10	.02			.05	.16	.23		3
4	.07	.21			.40	.13			.03	.02	.58		4
5		.01	.03		.21	.02				.03	.08		5
6	.02	.08			.06		.64			.12	.33		6
7	.03	.02	.10		.17		.13			.16	.31	.21	7
8			.04		.20	.02				.02	.03	.15	8
9					.12	.08					.04		9
10		.38	.02		.02	.01				.02			10
11	.04	.02	.10	.03	.03	.06							11
12	.01	.02	.01		.15		.17			.04			12
13		.23	.27				.13	.25					13
14		.26	.10					.04			.01	.02	14
15		.12	.37	.15	.26			.07					15
16		.05		.11	.01		.28	.12		.07			16
17	.01	.10		.06				.02	.09	.40			17
18		.04	.10						.06		.34		18
19	.05		.65	.10						.06	.20	.19	19
20	.06	.02	.42	.02							.02	.36	20
21			.45		.11		.35					.11	21
22						.02				.22		.36	22
23		.20	.05	.26				.24		.05	.02	.21	23
24		.25	.03		1.29	.04		.11		.25		.15	24
25		.08	.08		.01			.15	.01	.08	.20	.02	25
26		.05	.07		.03	.14		.02	.02	.42			26
27	.05	.07	.80			.03	.02	.14	.16	.48			27
28	.01	.30	.10						.02	.18	.02	.07	28
29		.18				.18		.68		.12		.06	29
30		X				.02		.01		.17			30
31		X		X		X		.01	X	.21	X	.01	31
Total	.55	3.51	4.09	.73	8.38	.82	1.88	1.86	.62	4.13	2.63	1.90	26.10
Rain Days.	12	23	21	7	17	14	9	13	9	23	16	13	177

REGISTER OF RAINFALL IN 1917

Kept at

Brimston Court

in the County of

Hereford

by

H A Wadworth

Lat.

52-8-14

Long.

2-42-58.9

Time of Observation

9 am

Nearest Railway Station

Hereford

Diameter of Funnel of Rain Gauge

5 in.

Height of top of Gauge above Ground

3 ft.

in.

Sea Level

240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.12	.03		.14		.62	.06		.05		1
2				.02		.03		.04		.03	.22		2
3				.09						.26	.01		3
4			.21					.06		.13			4
5	.06	.11	.25	.12		.03		.02	.40	.18	.05		5
6			.59			.26				.06	.14	.02	6
7	.18						.07	.20		.18	.05		7
8	.39		.28	.08			.57	.84	.01	.15	.07	.06	8
9			.29	.03	.22			.35	.17	.11	.02		9
10	.20		.21	.12	.07			.29	.09		.01		10
11	.05		.23	.20				.07		.19			11
12				.01	.38			.14	.02	.17			12
13				.02				.32	.03				13
14			.19					.10			.02		14
15		.04			.12		.11	.02		.03		.12	15
16	.02	.04		.17		.55	.02					.13	16
17	.02			.02	.53	.27	.35	.24	.11	.06			17
18	.02	.03			.04	.01	.24	.01	1.15				18
19	.02	.35				.42		.02	.01				19
20		.12	.07		.60	.10		.03	.02				20
21			.25		.04	.09				.02			21
22		.04				.02		.29		.02			22
23		.20			.03			.16		.27		.02	23
24		.02	.01			.03	.05	.07		.14	.03		24
25		.05	.04					.02		.05			25
26					.02	.05		.54	0.7		.08		26
27					1.01	.23	.36	.65					27
28			.15		.02	.17		.05				.02	28
29			.03		.02	.15		.06		.40		.28	29
30							.02	.35		.05			30
31			.14		.10			.08		.03			31
Total	.96	.96	3.06	.89	3.20	2.55	1.79	5.64	2.14	2.53	.75	.65	25.12
Rain Days.	21	9	16	12	14	16	9	27	12	20	12	7	163

REGISTER OF RAINFALL IN 1918

Kept at Preinton Court
in the County of Hereford
by H A Wadsworth

Lat. 52° 3' 10" N Long. 2° 42' 58" W
Time of Observation 9 AM
Nearest Railway Station Hereford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 240 ft.

FORM A.
BRITISH RAINFALL
1. 19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.06			.02			.10	.03	.05	.80		1
2		.07								.02	.03	.02	2
3				.13	.25				.58		.10		3
4				.03				.03	.41	.13	.57	.50	4
5		.11			.49			.05	.57	.13		.02	5
6		.10		.08		.05			.55	.12			6
7		.04		.04	.43				.26	.02	.18	.03	7
8	.04	.06							.18	.11	.02		8
9	.01	.07		.18		.14	.02		.17	.01			9
10	.01			.05			.35		.13	.06		.17	10
11			.03	.02			.24		.06	.02	.07	.03	11
12			.12		.04		.07						12
13		.03					.05		.15	.03		.05	13
14	.25		.08		.04	.03	.03		.33	.02		.09	14
15	1.00						.29		.03			.26	15
16	.50			.80	.01	.03	.04		.53				16
17	.17		.02	.01			.13		.64	.12		.11	17
18	.28					.20	.04		1.06			.36	18
19	.08						.04			.06			19
20	.19	.03	.24	.20		.04	.02		.22				20
21	.07			.23			.07		.23			.10	21
22	.01				.30		.04					.13	22
23					.33		.33				.05		23
24		.03					.03		.05		.08		24
25				.01	.15	.06	.23	1.11		.04	.04		25
26				.02			.61				.04	.11	26
27		.09	.08					.16				.02	27
28			.35								.02	.04	28
29		X	.04						1.00				29
30		X	.23								.05	.06	30
31		X	.15	X		X	.05	X			X		31
Total	2.61	.68	1.34	1.80	2.06	.55	2.66	1.50	4.48	.94	2.05	2.10	25.77
Rain Days.	12	11	10	13	10	4	18	6	20	15	13	14	152

REGISTER OF RAINFALL IN 1919

Kept at

in the County of

by

Breinton Camp -

Hereford

H A Wadworth

Lat. $52^{\circ} 5' 14''$ N Long. $2^{\circ} 42' 58''$ W

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge

Height of top of Gauge above Ground

Sea Level

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	~~0.12~~ 0.06	0.02			0.04		0.15		0.02	0.12	0.01	0.33	1
2				0.01			0.12		0.22		0.05	0.02	2
3			0.09		0.02		0.09		0.09		0.05	0.04	3
4	0.10	0.05	0.32				0.15	0.02	0.23			0.11	4
5	0.04	0.34	0.05		0.02		0.02	0.02	0.06			0.09	5
6	0.16	0.03	0.06									0.15	6
7	0.13		0.06	0.06	0.03						0.01	0.02	7
8	0.18		0.07			0.03							8
9	0.30		0.01	0.04							0.01		9
10	0.01		0.59							0.06		0.20	10
11			1.11		0.02		0.44			0.02		0.06	11
12			0.04			0.14			0.05	0.03	0.02	0.01	12
13	0.06			0.11					0.29	0.03		0.01	13
14	0.15			0.08			0.09		0.22			0.13	14
15	0.19	0.09		0.04	0.03						0.03	0.16	15
16	0.11	0.98						0.06			0.03	0.01	16
17		0.54				0.02					0.01		17
18	0.03	0.06	0.63			0.15	0.01	0.06			0.03		18
19	0.16	0.24	0.73			0.01	0.81	0.30	0.15		0.02	0.02	19
20	0.18	0.05	0.54			0.02		0.18			0.05		20
21		0.34	0.01				0.08		0.02		0.01	0.07	21
22		0.01					0.05		0.11			0.05	22
23						0.01		0.02		0.88		0.02	23
24						0.04	0.05			0.84	0.10	0.11	24
25	0.06		0.03	0.06	0.08			0.42			0.05		25
26		0.03		0.06		0.04		0.16				0.25	26
27	0.17		0.02	0.49				0.44	0.01				27
28	0.03		0.20					0.39			0.02	0.27	28
29	0.04			0.05				0.01		0.12	0.23	0.24	29
30				0.04		0.15		0.21		0.03	0.18	0.18	30
31			0.05										31
Total	2.28	2.78	4.61	1.04	0.24	0.61	2.06	2.29	1.47	1.63	0.91	2.55	22.49
Rain Days.	20	13	18	11	7	10	12	13	12	9	18	23	166

REGISTER OF RAINFALL IN 1920.

Kept at Breinton Court
in the County of Hereford
by H. A. Wadsworth

Lat. 52° 3' 14" N Long. 2° 42' 58" W
Time of Observation 9 AM
Nearest Railway Station Hereford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.03	.16	.20		.21		.05	.18		.40	1
2	.06			.07			.21	.06	.02	.12		.11	2
3	~~.03~~	.01		.23	.13		.94		.02	.64			3
4			.03	.02				.19		.17			4
5			.10	.06			.38	.02		.28			5
6			.11		.05		.27			.18		.02	6
7				.05			.09						7
8	.22	.04		.67	.04		.40	.07					8
9	.15	.03		.38		.38	.06						9
10	.24	.08	.03	.03			.09				.01		10
11	.11	.01	.14	.43	.23		.03						11
12	.07	.01	.07	.13		.57	.02			.07	.08		12
13	.04	.06	.37	.12		.15							13
14		.01	.57	.35		~~.66~~	.02		.29	.28	.17	.05	14
15		.07	.03	.60	.02	.04							15
16				.03	.15	.49	.11		.14	.58	.10		16
17	.02				.14	~~.35~~			.52	.25			17
18	.06				.07			.22	.53				18
19	.02	.17		.13	.03	.14							19
20		.23		.17		.08						.09	20
21							.05			.12		.07	21
22				.10				.18				.24	22
23			.02				~~.23~~	.03				.41	23
24	.02		.15				?	.01			.03	.13	24
25	.05		.17			.01	.49						25
26	.15	.02	.21				.05				.10	.02	26
27	.40	.02	.21	.02	.02	.21	.02				.01	.46	27
28	.90		.11		.62	.02						.02	28
29	.21		.19		.12	.01	.12				.05	.40	29
30	.02	~~X~~	.39	.23	.02	.05	.05		.28		.26	.11	30
31	.05	~~X~~	.10	~~X~~		~~X~~	.04		~~X~~	.53	~~X~~	.03	31
TOTAL	2.82	.76	3.03	3.98	1.84	3.16	3.88	.78	1.85	3.40	.81	2.56	YEAR'S TOTAL 28.87
Days with .01 in. or more	19	13	19	20	14	14	21	8	8	12	9	15	172
(44,283).	W 1958-2187500.	1619.	Gp 182	A. & E. W.	10	11.59	17	5	6	12	6	11	128

BROOMY HILL
HEREFORD
1919-20

1919.

21 JAN 20

Kept at Broomy Hill
in the County of Hereford
by William Cooke

ong. Hereford
Rain Gauge 8 in.
ft. 10 in.
Sea Level 20.1 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13			.016	.04		.15			.16		.33	1
2	.03		.04		.01		.01		.19		.10	.02	2
3			.135	.007	.01	.09	.015		.05		.04	.03	3
4	.07			.19	.05		.165	.02				.12	4
5	.02						.015		.23			.115	5
6	.19	.03	.06									.145	6
7	.1		.08	.075	.03							.01	7
8	.25		.035										8
9	.21		.01	.03									9
10			.64			.17					.015	.125	10
11			.87		.02	.02	.415					.05	11
12	.01		.09	.01					.06	.05	.04		12
13	.05			.15			.04		.29	.015			13
14	.15	.02		.105					.19	.01	.01	.12	14
15	.305	.025		.03	.04					.04			15
16	.13	.87						.05			.03	.15	16
17		.66		.015		.02					.025	.01	17
18	.03		.35			.16	.01	.08			.02	.01	18
19	.15	.21	.78				.765	.43			.03	.03	19
20	.15	.03	.4				.01	.08			.04	.01	20
21		.34					.12				.01	.055	21
22		.02					.03					.035	22
23							.01	.02		.90	.01	.015	23
24					.1	.03				.42	.12	.13	24
25	.05	.197		.03		.04		.35	.26		.05		25
26		.02						.22	.02			.20	26
27	.14		.057	.64				.695					27
28	.06		.19	.01				.255			.21	.30	28
29	.05			.04				.01		.10		.24	29
30	.53			.04				.2		.02	.16	.23	30
31													31
TOTAL	2.335	2.522	1.140	1.434	.30	.70	1.355	2.410	1.32	1.715	.910	2.535	24.426
Days with .01 in. or more	21	11	14	13	8	7	13	12	8	9	16	23	154

REGISTER OF RAINFALL IN 1919.

Kept at Broomey Hill
in the County of Herefordshire
by William Cooke

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Hereford
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 10 ft.
" " " " Sea Level 201 ft.

21 JAN 20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.13			.016	.04		.15			.16		.33	1
2	.03		.04		.01		.01		.19		.10	.02	2
3			.135	.007	.01	.09	.015		.05		.04	.03	3
4	.07			.79	.05		.165	.02				.12	4
5	.02						.015		.23			.115	5
6	.19	.03	.06									.145	6
7	.1		.08	.075	.03							.01	7
8	.25		.035										8
9	.21		.01	.03									9
10			.64			.17					.015	.125	10
11			.87		.02	.02	.415					.05	11
12	.01		.09	.01					.06	.05	.04		12
13	.05			.15			.04		.29	.015			13
14	.15	.02		.105					.19	.01	.01	.12	14
15	.305	.025		.03	.04					.04			15
16	.13	.87						.05			.03	.15	16
17		.66		.015		.02					.025	.01	17
18	.03		.35			.16	.01	.08			.02	.01	18
19	.15	.21	.78				.765	.43			.03	.03	19
20	.18	.03	.4				.01	.08			.04	.01	20
21		.34					.12				.01	.055	21
22		.02					.03					.035	22
23							.01	.02		.98	.01	.015	23
24					.1	.03				.42	.12	.13	24
25	.05	.297		.03		.04		.35	.26		.05		25
26		.02						.22	.02			.20	26
27	.14		.057	.64				.695					27
28	.06		.19	.01				.255			.21	.30	28
29	.05			.04				.01		.10		.24	29
30	.03			.04				.2		.02	.16	.23	30
31													31
TOTAL	2.335	2.522	3.767	1.140	.30	.70	1.755	2.410	1.32	1.715	.910	2.535	4.85
Days with .01 in. or more	21	11	14	13	8	7	13	12	8	9	16	23	154

REGISTER OF RAINFALL IN 1921.

Kept at Nankton, Bromley Hill, Hereford
in the County of Herefordshire
by William Cooke

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Hereford
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 40 ft. 10 in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.045		.03	.15	.15		.18		.055	.15		.37	1
2		.02		.035			.635	.08	.04	.08		.11	2
3	.02			.26	.15		1.17		.01	.46			3
4			.03	.02			.02	.04		.20			4
5			.14	.105	.03		.4	.15		.40			5
6			.105	.045	.06		.22			.14			6
7			.01				.13						7
8	.28	.04		.66	.04		.29	.2					8
9	.145	.035		.39			.10	.04			.03		9
10	.37	.115	.04	.025		.44	.06						10
11	.17	.03	.125	.47	.26		.04						11
12	.08		.01	.09		.55				.05	.11	.03	12
13			.35	.125		.62				.18	.015		13
14	.03		.54	.41		.14	.61		.32	.02	.15		14
15		.16	.08	.525	.01	.03			.01	.59	.08		15
16				.035	.16	.20	.135		.12	.27	.06		16
17			.02		.12	.72			.62				17
18	.08				.12			.33	.455				18
19		.37		.155	.04	.15						.05	19
20	.02	.05		.10		.085						.05	20
21							.07			.165			21
22	.015			.07			.02	.17				.37	22
23			.01				.21	.02				.36	23
24	.015		.105	.01			.42			.61	.02	.17	24
25	.03		.295			.03	.03					.01	25
26	.15		.23	.01			.03			.01	.100	.03	26
27	.23	.03	.07		.06	.23					.02	.435	27
28	.755		.12		1.21	.025					.055	.02	28
29	.165		.20		.10	.01			.02		.227	.43	29
30	.02		.46	.26		.06			.41			.08	30
31	.04		.105		.01					.49		.02	31
TOTAL	2.660	0.85	3.045	3.950	2.55	2.69	3.645	1.03	2.06	3.195	0.867	2.535	YEAR'S TOTAL
Days with .01 in. or more	19	9	21	21	15	14	19	8	10	15	11	15	77
Days with .04 in. or more	12	8	15	15	12	9	14	7	7	12	7	10	127

REGI

HEREFORD

BROOMHILL HILL

BARTON LODGE

HEREFORD

1914 - 1917

Kept at Barton Lodge

in the County of Hereford

by William R. Buxton & Co.

90 a.m.
Hereford

5 in.
above Ground 1 ft. in.
Sea Level 200 ft.

FORM A.
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	02	01	01	—	02	70	03	—	—	06	07	1
2	—	—	—	—	01	—	62	02	—	—	48	47	2
3	—	—	—	06	17	—	04	—	—	—	01	15	3
4	05	—	—	06	05	—	26	13	—	—	45	55	4
5	14	05	03	09	13	—	06	—	—	—	04	—	5
6	—	23	—	03	02	—	02	—	—	—	—	12	6
7	—	—	18	13	21	02	06	07	—	—	—	31	7
8	—	—	02	03	02	50	02	04	—	—	—	07	8
9	—	27	18	37	02	14	—	05	—	—	—	—	9
10	—	11	03	20	01	15	—	—	46	—	—	—	10
11	—	23	16	05	09	35	13	—	—	—	23	56	11
12	—	15	13	—	—	—	11	—	13	—	05	13	12
13	—	20	23	—	—	—	05	—	10	38	11	23	13
14	01	—	17	—	—	—	—	—	—	15	15	01	14
15	—	—	09	—	—	—	—	09	—	—	08	—	15
16	—	—	—	—	—	—	10	—	15	—	—	—	16
17	—	12	20	—	—	—	02	—	09	—	—	39	17
18	—	—	06	—	—	04	02	—	—	—	—	—	18
19	—	01	01	—	—	—	146	—	05	—	06	01	19
20	—	28	01	—	—	01	—	—	—	—	—	10	20
21	—	48	—	—	—	07	01	10	—	19	—	—	21
22	—	08	01	—	16	02	02	07	—	25	—	—	22
23	—	01	04	—	06	—	02	—	—	23	—	—	23
24	—	—	10	—	—	—	02	13	1	15	02	—	24
25	06	—	13	—	—	—	01	15	—	16	—	02	25
26	—	—	01	—	—	—	03	(23)	—	04	10	43	26
27	04	—	—	—	—	—	—	—	—	03	12	17	27
28	—	02	—	—	02	—	—	—	—	28	09	55	28
29	06	—	12	—	23	—	—	—	—	33	17	—	29
30	—	X	08	—	02	—	—	—	—	07	37	60	30
31	22	X	—	X	—	X	—	01	X	11	X	06	31
Total	58	226	200	103	122	232	378	112	098	237	257	500	YEAR'S TOTAL 2523
Rain Days.	7	15	22	10	15	10	21	13	6	13	17	20	169

REGISTER OF RAINFALL IN 1914

Kept at Barton Lodge, Boomy Hill
 in the County of Hereford Hd Shire
 by William R. Butler Esq. Chav. Jackson Esq.

Lat. _____ Long. _____
 Time of Observation 9.0 a.m.
 Nearest Railway Station Hereford
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. _____ in.
 " " " " Sea Level 200 ft.

FORM A.
 BRITISH RAINFALL
 1 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	02	01	01	—	02	70	03	—	—	06	07	1
2	—	—	—	—	01	—	62	02	—	—	48	47	2
3	—	—	—	06	17	—	04	—	—	—	01	15	3
4	05	—	—	06	05	—	26	13	—	—	45	55	4
5	14	05	03	09	13	—	06	—	—	—	04	—	5
6	—	23	—	03	02	—	02	—	—	—	—	12	6
7	—	—	18	13	21	02	06	07	—	—	—	31	7
8	—	—	02	03	02	50	02	04	—	—	—	07	8
9	—	27	18	37	02	114	—	05	—	—	—	—	9
10	—	11	03	20	01	15	—	—	46	—	—	—	10
11	—	23	16	05	09	35	13	—	—	—	23	56	11
12	—	15	13	—	—	—	11	—	13	—	05	13	12
13	—	20	23	—	—	—	05	—	10	38	11	23	13
14	01	—	17	—	—	—	—	—	—	15	15	01	14
15	—	—	09	—	—	—	—	09	—	—	08	—	15
16	—	—	—	—	—	—	10	—	15	—	—	—	16
17	—	12	20	—	—	—	02	—	09	—	—	39	17
18	—	—	06	—	—	04	02	—	—	—	—	—	18
19	—	01	01	—	—	—	146	—	05	—	06	01	19
20	—	28	01	—	—	01	—	—	—	—	—	10	20
21	—	48	—	—	—	07	01	10	—	19	—	—	21
22	—	08	01	—	16	02	02	07	—	25	—	—	22
23	—	01	04	—	06	—	02	—	—	23	—	—	23
24	—	—	10	—	—	—	02	13	11	15	02	—	24
25	06	—	13	—	—	—	01	15	—	16	—	02	25
26	—	—	01	—	—	—	03	(23)	—	04	10	43	26
27	04	—	—	—	—	—	—	—	—	03	12	17	27
28	—	02	—	—	02	—	—	—	—	28	07	55	28
29	06	—	12	—	23	—	—	—	—	33	17	—	29
30	—	X	08	—	02	—	—	—	—	07	37	60	30
31	22	X	—	X	—	X	—	01	X	11	X	06	31
Total	58	226	200	103	122	232	378	112	098	237	257	500	2523
Rain Days.	7	15	22	10	15	10	21	13	6	13	17	20	169

REGISTER OF RAINFALL IN 1915

BRITISH RAINFALL FORM A.

Kept at Barton Lodge, Hereford.
in the County of Hereford.
by W R Bufton.

Lat. _____ Long. _____
Time of Observation 9.0 a.m.
Nearest Railway Station Hereford 3 1/4 miles
Diameter of Rain Gauge five inches
Height of top of Gauge above Ground one ft. _____ in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.140	.03	—	—	.17	—	—	.06	.33	.21	—	.09	1
2	.09	.14	.07	.05	—	.13	—	1.57	.02	.11	—	.10	2
3	.50	.06	—	.07	.05	—	.70	.04	—	.01	—	.19	3
4	.02	.05	—	—	.21	—	.61	.19	—	—	—	.53	4
5	—	.78	—	.02	—	—	—	.06	—	—	—	.55	5
6	.13	.03	—	.20	—	—	.56	.01	—	—	—	.12	6
7	.04	.27	—	.02	.58	—	—	.10	—	—	—	.21	7
8	.06	.23	—	.07	—	—	.01	.02	—	—	.06	—	8
9	.13	.20	—	.05	—	—	—	—	—	—	.14	.48	9
10	.15	.02	.05	.08	—	—	—	—	—	.07	.02	.01	10
11	.04	—	—	.02	—	—	—	—	—	—	1.02	—	11
12	.06	—	—	.15	.20	—	—	.08	—	.06	.38	—	12
13	.01	.57	—	—	.63	—	—	.03	.05	—	—	—	13
14	—	.07	—	—	—	—	—	.09	.09	—	—	.19	14
15	.23	—	—	—	.08	—	.02	.06	—	.05	.05	.09	15
16	—	.44	—	—	.40	—	1.06	.04	—	—	—	.03	16
17	—	.24	.02	—	.78	—	—	—	—	—	—	.01	17
18	—	.50	.02	—	—	—	—	—	—	—	—	—	18
19	—	.02	—	—	.11	—	.04	—	—	—	—	—	19
20	.05	—	—	.05	—	—	—	—	—	—	—	.07	20
21	.02	.02	—	—	.01	—	.13	—	—	.19	—	.03	21
22	.01	.13	.22	.12	—	—	.34	—	—	—	—	.24	22
23	.05	—	.04	—	—	.09	—	—	—	.92	—	.22	23
24	—	—	.03	.04	—	—	.56	—	.26	.53	—	.27	24
25	—	—	—	—	—	.19	.06	—	—	.02	—	.11	25
26	—	.02	—	—	—	—	.24	—	.03	—	—	.42	26
27	—	.13	—	—	—	.01	.09	—	—	.28	—	.09	27
28	—	.11	—	—	—	.03	—	.05	.02	.04	—	.02	28
29	—	~~—~~	—	—	—	.03	—	.02	.02	.01	.08	.07	29
30	.06	~~—~~	—	—	—	.30	.03	—	—	.30	.13	.09	30
31	—	~~—~~	—	~~—~~	—	~~—~~	.03	—	~~—~~	1.15	—	.43	31
Total	2.05	4.00	0.47	0.88	3.22	0.78	4.48	2.36	0.82	3.95	1.88	4.66	YEAR'S TOTAL 29.55
Rain Days.	15	21	7	13	11	7	15	15	8	15	8	25	163

REGISTER OF RAINFALL IN 19

Kept at Barton Lodge, Bromy Hill, Hereford
in the County of Hereford
by William R. Bufton

Lat. _____ Long. _____
Time of Observation 9.0 a.m.
Nearest Railway Station Hereford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 200 ft.

FORM A.
BRITISH RAINFALL.
8 JAN 1911

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

0.01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	—	.02	—	.03	—	.19	—	—	.29	.24	—	1
2	.17	.04	.27	—	.15	.02	—	—	.17	.53	.11	—	2
3	—	.89	—	—	.01	.04	—	—	.02	.15	.18	—	3
4	.08	.23	—	—	.46	.14	—	—	.03	.07	.59	—	4
5	.07	.07	—	—	.16	—	—	—	—	.04	.07	—	5
6	.07	.14	.02	—	.07	—	.39	—	—	.13	.38	—	6
7	.02	—	.11	—	.15	—	.16	—	—	.09	.48	.22	7
8	—	—	.03	—	.15	—	—	—	—	—	.02	.17	8
9	—	—	—	—	.10	—	—	—	—	—	.05	.02	9
10	—	.37	.03	—	.03	.08	—	—	—	.08	.07	—	10
11	.05	.53	.03	.55	.03	.15	—	—	.02	.03	—	.02	11
12	.02	.31	.06	—	.15	—	.15	—	—	.04	—	—	12
13	—	.24	.15	.07	—	—	.08	.40	—	—	.07	—	13
14	—	.43	.02	—	.02	—	—	.04	—	.03	—	—	14
15	—	.24	.40	.05	.30	—	—	.06	—	.02	—	—	15
16	—	.56	—	.11	.07	—	.21	.42	—	.04	—	—	16
17	.07	.09	—	.03	—	—	.02	.15	.15	.33	—	—	17
18	—	.03	.08	.07	—	—	—	—	.10	.02	.36	.20	18
19	.03	—	.50	.15	—	—	—	—	—	.02	.18	—	19
20	.07	—	.40	.01	—	—	—	—	—	—	.02	.23	20
21	.07	—	.35	—	.11	—	.24	—	—	—	—	.15	21
22	—	—	—	.10	—	.05	—	—	—	.24	—	.42	22
23	—	.07	.02	—	—	—	—	.19	—	.02	.07	.15	23
24	—	.21	.04	—	.33	—	—	.11	—	.23	—	.12	24
25	—	.08	.07	—	.57	—	—	.15	.07	.09	.11	.07	25
26	—	.04	.05	—	.08	.13	—	.07	.07	.24	.02	—	26
27	.07	.03	.89	—	—	—	.31	.10	.13	.62	—	—	27
28	.07	.31	.04	—	—	.07	—	—	.02	.15	—	.08	28
29	—	.18	—	—	—	.17	—	.73	—	.09	—	.12	29
30	—	X	—	—	—	.07	—	.07	—	.21	—	—	30
31	—	X	—	X	.57	X	—	.02	X	.18	X	.02	31
Total	0.61	5.03	3.56	1.02	2.85 3.42	0.80	1.75	2.39	0.66	3.89	2.84	1.93	27.30 27.33 18.5 183
Rain Days.	14	21	21	9	21	10	9	13	10	26	17	14	

REGISTER OF RAINFALL IN 1917

Kept at Barton Lodge. Hereford

in the County of Hereford.

by William R. Bafton

Lat. Long. Time of Observation 9.0 a.m. Nearest Railway Station Hereford Diameter of Funnel of Rain Gauge 5 in. Height of top of Gauge above Ground one ft. Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	—	.11	.26	—	.03	—	.67	.10	—	—	.01	1
2	—	—	—	.05	—	.04	—	.02	—	.01	.11	—	2
3	.03	.05	—	.13	—	—	—	—	—	—	.15	—	3
4	—	.06	.22	—	—	—	—	.04	—	.11	—	—	4
5	.09	—	.23	.11	—	.01	—	.02	.32	.10	.07	—	5
6	.02	—	—	—	—	.10	—	—	—	.45	.06	—	6
7	.15	—	.60	—	—	—	.13	.05	—	.18	.05	.01	7
8	.11	—	.07	.07	—	—	.52	.93	.01	.17	.10	—	8
9	.01	—	.19	.05	.16	—	—	.37	.19	.12	—	—	9
10	.20	—	.22	.15	.08	—	—	.16	—	.02	—	—	10
11	.03	—	.16	.14	—	—	—	.06	.13	.14	.02	—	11
12	.02	—	—	.02	.39	—	—	.07	.06	—	—	—	12
13	—	—	.08	—	—	—	—	.12	—	—	—	—	13
14	—	—	.24	.04	—	—	—	.02	—	—	.02	.01	14
15	.01	—	—	—	—	—	.22	.05	.01	—	—	.15	15
16	.02	.04	—	.11	.08	.35	—	—	—	—	—	.16	16
17	.02	.30	—	.05	.46	.03	.28	.30	—	.09	—	—	17
18	—	.30	—	—	—	—	.30	.01	1.06	—	—	—	18
19	.02	.14	.08	—	.08	.47	—	.01	.05	—	.01	—	19
20	—	.03	.06	—	.48	.13	—	.01	.01	—	.01	—	20
21	.02	.01	.22	—	.06	.10	—	—	—	—	—	—	21
22	.01	—	—	—	.01	—	—	.33	—	.02	—	.01	22
23	—	.22	—	—	.03	.01	—	.13	—	.01	—	—	23
24	—	.03	—	—	—	.06	.23	.09	—	.19	.06	—	24
25	—	.04	.05	—	—	—	.08	.01	—	—	.09	—	25
26	—	—	—	—	.05	.08	—	.60	.11	—	—	—	26
27	—	—	—	—	.90	.25	.31	.68	—	—	—	—	27
28	—	—	.17	—	.03	.14	—	.03	—	—	—	.02	28
29	—	X	—	—	.04	.06	.02	.08	—	.47	—	.23	29
30	—	X	.03	—	—	—	.01	.36	—	—	—	—	30
31	—	X	.51	X	.04	X	—	.04	X	.09	X	—	31
Total	0.77	1.22	3.24	1.18	2.89	1.86	2.10	5.26	2.05	2.17	0.75	0.60	YEAR'S TOTAL 24.09
Rain Days.	16	11	17	12	15	15	10	27	11	15	12	8	169

R.

HEREFORD

Kept at

Hereford

BARTON

HOUSE

HEREFORD.

in the County of

by

IMPORTANT NOTE

If an Observer prefers not to enter the reading at 9 a.m. on 1st January of the following year in the space provided in this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

in Gauge 8 in.
above Ground 1 ft.
Sea Level

entered to the previous day.

tested to add at the end of

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	.00	.01	.00	.04	.00	.14	.00	.02	.17	.01	.35	1
2	.06	.00	.05	.00	.03	.00	.01	.00	.15	.00	.00	.04	2
3	.00	.00	.03	.00	.01	.07	.00	.00	.09	.00	.18	.03	3
4	.10	.16	.39	.00	.00	.02	.19	.04	.18	.00	.00	.18	4
5	.03	.31	.06	.00	.07	.00	.03	.00	.10	.00	.00	.14	5
6	.21	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.16	6
7	.10	.00	.11	.12	.05	.00	.00	.00	.00	.01	.00	.02	7
8	.28	.00	.06	.02	.00	.03	.00	.00	.00	.00	.01	.00	8
9	.23	.00	.02	.04	.00	.00	.00	.00	.00	.02	.00	.01	9
10	.01	.00	.64	.00	.00	.00	.00	.00	.00	.00	.00	.25	10
11	.00	.00	.63	.00	.03	.00	.42	.00	.00	.05	.00	.06	11
12	.03	.00	.09	.00	.00	.19	.00	.00	.09	.01	.06	.00	12
13	.09	.02	.00	.17	.00	.00	.00	.00	.27	.04	.00	.04	13
14	.13	.03	.00	.12	.00	.00	.04	.00	.21	.02	.00	.17	14
15	.39	.04	.03	.04	.05	.00	.00	.00	.00	.05	.00	.23	15
16	.08	.93	.00	.00	.00	.00	.00	.07	.00	.00	.04	.02	16
17	.07	.69	.00	.02	.00	.04	.00	.00	.00	.00	.03	.00	17
18	.05	.00	.38	.00	.00	.00	.02	.10	.00	.00	.03	.02	18
19	.20	.27	.80	.00	.00	.16	.78	.36	.12	.00	.05	.04	19
20	.21	.07	.56	.00	.00	.00	.02	.17	.01	.00	.00	.02	20
21	.00	.37	.00	.00	.00	.01	.10	.00	.02	.00	.01	.08	21
22	.00	.03	.00	.00	.00	.00	.04	.00	.14	.00	.08	.05	22
23	.01	.00	.00	.00	.00	.00	.00	.05	.00	.04	.03	.02	23
24	.01	.02	.00	.00	.00	.04	.03	.00	.00	.40	.14	.14	24
25	.06	.00	.00	.07	.09	.00	.00	.34	.00	.00	.06	.02	25
26	.00	.05	.06	.00	.00	.06	.06	.23	.03	.00	.00	.22	26
27	.17	.00	.02	.70	.00	.00	.00	.38	.00	.00	.05	.04	27
28	.06	.01	.19	.01	.00	.00	.00	.42	.00	.00	.02	.28	28
29	.07		.00	.06	.00	.00	.00	.01	.00	.13	.25	.25	29
30	.01	X	.00	.05	.00	.17	.00	.21	.00	.02	.15	.26	30
31	.00	X	.03	X	.00	X	.00	.00	X	.00	X	.00	31
TOTAL	2.70	3.00	4.16	1.42	.37	.81	1.82	2.58	1.43	1.86	1.12	3.14	YEAR'S TOTAL
Days with .01 in. or more	25	14	19	12	8	10	12	12	13	12	16	28	24.41
	26												180

REGISTER OF RAINFALL IN 1919.

Kept at Hereford (City)
in the County of Hereford
by Rev. J. C. Jones

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Hereford
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	.00	.01	.00	.04	.00	.14	.00	.02	.17	.01	.35	1
2	.06	.00	.05	.00	.03	.00	.01	.00	.15	.00	.00	.04	2
3	.00	.00	.03	.00	.01	.07	.00	.00	.09	.00	.18	.03	3
4	.10	.16	.39	.00	.00	.02	.19	.04	.18	.00	.00	.18	4
5	.03	.31	.06	.00	.07	.00	.03	.00	.10	.00	.00	.14	5
6	.21	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.16	6
7	.10	.00	.11	.12	.05	.00	.00	.00	.00	.01	.00	.02	7
8	.28	.00	.06	.02	.00	.05	.00	.00	.00	.00	.01	.00	8
9	.23	.00	.02	.04	.00	.00	.00	.00	.00	.02	.00	.01	9
10	.01	.00	.64	.00	.00	.00	.00	.00	.00	.00	.00	.25	10
11	.00	.00	.63	.00	.03	.00	.42	.00	.00	.05	.00	.06	11
12	.03	.00	.09	.00	.00	.19	.00	.00	.09	.01	.06	.00	12
13	.09	.02	.00	.17	.00	.00	.00	.00	.27	.04	.00	.04	13
14	.13	.03	.00	.12	.00	.00	.04	.00	.21	.02	.00	.17	14
15	.39	.04	.03	.04	.05	.00	.00	.00	.00	.05	.00	.23	15
16	.08	.93	.00	.00	.00	.00	.00	.07	.00	.00	.04	.02	16
17	.07	.69	.00	.02	.00	.04	.00	.00	.00	.00	.03	.00	17
18	.05	.00	.38	.00	.00	.00	.02	.10	.00	.00	.03	.02	18
19	.20	.27	.80	.00	.00	.16	.78	.36	.12	.00	.05	.04	19
20	.21	.07	.56	.00	.00	.00	.02	.17	.01	.00	.00	.02	20
21	.00	.37	.00	.00	.00	.01	.10	.00	.02	.00	.01	.08	21
22	.00	.03	.00	.00	.00	.00	.04	.00	.14	.00	.00	.05	22
23	.01	.00	.00	.00	.00	.00	.00	.05	.00	.04	.03	.02	23
24	.01	.02	.00	.00	.00	.04	.03	.00	.00	.40	.14	.14	24
25	.06	.00	.00	.07	.09	.00	.00	.34	.00	.00	.06	.02	25
26	.00	.05	.06	.00	.00	.06	.06	.23	.03	.00	.00	.22	26
27	.17	.00	.02	.70	.00	.00	.00	.58	.00	.00	.05	.04	27
28	.06	.01	.19	.01	.00	.00	.00	.42	.00	.00	.02	.28	28
29	.07		.00	.06	.00	.00	.00	.01	.00	.13	.25	.25	29
30	.01	X	.00	.05	.00	.17	.00	.21	.00	.02	.15	.26	30
31	.00	X	.03	X	.00	X	.00	.00	X	.00	X	.00	31
TOTAL	2.70	3.00	4.16	1.42	.37	.81	1.82	2.58	1.43	1.86	1.12	3.14	YEAR'S TOTAL
Days with 0.1 in. or more	25	14	19	12	8	10	12	12	13	12	16	28	24.41

REGISTER OF RAINFALL IN 1920.

Kept at Barton House, Herefordin the County of Herefordby Rev. H. E. JonesLat. 52° 3' 20" N Long 2° 43' 10" WTime of Observation 9.9 a.m.Nearest Railway Station HerefordDiameter of Funnel of Rain Gauge 18 inchesHeight of top of Gauge above Ground 1 ft. in." " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.00	.00	.04	.16	.20	.00	.20	.00	.05	.24	.00	.43	1
2	.07	.00	.00	.04	.02	.00	.64	.09	.05	.18	.00	.11	2
3	.04	.02	.00	.23	.15	.01	.16	.00	.03	.68	.00	.03	3
4	.00	.01	.03	.02	.01	.00	.01	.22	.00	.21	.00	.00	4
5	.01	.00	.16	.13	.05	.00	.33	.00	.00	.20	.00	.00	5
6	.00	.00	.14	.00	.00	.00	.37	.00	.00	.26	.00	.02	6
7	.00	.00	.03	.05	.00	.00	.08	.02	.00	.00	.00	.00	7
8	.32	.06	.00	.64	.05	.00	.24	.00	.00	.00	.00	.02	8
9	.15	.05	.00	.40	.00	.00	.07	.00	.00	.00	.00	.00	9
10	.38	.12	.04	.04	.00	.40	.10	.02	.00	.00	.00	.01	10
11	.20	.00	.15	.46	.24	.02	.04	.65	.00	.00	.00	.00	11
12	.11	.07	.01	.21	.00	.57	.00	.02	.00	.04	.16	.00	12
13	.05	.02	.40	.15	.00	.03	.00	.00	.00	.00	.02	.03	13
14	.07	.00	.63	.33	.00	.13	.02	.00	.30	.21	.20	.02	14
15	.015	.10	.08	.68	.01	.04	.00	.00	.02	.02	.08	.00	15
16	.00	.00	.00	.05	.13	.27	.14	.00	.00	.55	.07	.00	16
17	.00	.00	.02	.00	.11	.68	.00	.00	.00	.27	.00	.03	17
18	.09	.00	.00	.00	.01	.00	.00	.19	.45	.00	.02	.01	18
19	.02	.43	.00	.14	.03	.15	.00	.00	.00	.00	.00	.00	19
20	.00	.01	.00	.17	.00	.08	.00	.00	.00	.00	.00	.08	20
21	.00	.00	.00	.00	.00	.00	.07	.00	.00	.20	.00	.06	21
22	.02	.02	.00	.11	.00	.00	.02	.18	.00	.01	.00	.01	22
23	.00	.00	.02	.00	.00	.00	.22	.00	.00	.00	.00	.64	23
24	.035	.00	.13	.00	.00	.00	.00	.00	.00	.00	.03	.17	24
25	.07	.02	.32	.00	.00	.02	.43	.00	.00	.00	.00	.015	25
26	.30	.01	.32	.01	.00	.00	.04	.00	.00	.02	.00	.04	26
27	.47	.02	.20	.03	.07	.22	.03	.00	.00	.00	.03	.405	27
28	.90	.00	.12	.00	.97	.02	.00	.00	.00	.00	.00	.04	28
29	.24	.00	.21	.00	.10	.03	.13	.00	.00	.00	.08	.40	29
30	.02	X	.50	.25	.00	.06	.15	.00	.30	.00	.26	.13	30
31	.06	X	.11	X	.00	X	.04	.00	X	.47	X	.03	31
TOTAL	3.58	.96	3.66	4.30	2.15	2.73	4.53	.79	1.90	3.56	1.05	2.73	YEAR'S TOTAL
Days with ".01 in. or more	22	14	21	21	15	16	22	8	8	15	11	22	195
Days with ".04 in. or more	15	6	14	18	9	10	18	5	6	12	7	11	134

REG

HEREFORD

Kept at *St Michael's P*

in the County of *Hereford*

by

BELMONT ABBEY

IMPORTANT NOTE.

previous day. If an Observer requested to add the reading for it at the end of this the selection and placing Organization are given in "

Dr. H. R. MILL, 62, Camden Square, London, N.W.

1911-17, 1919-20

FORM A2.
BRITISH RAINFALL.
15 JAN 1912

in.
und 1 ft. 0 in.
Level 29.2 ft.
e *Hereford*
ance 3ml. Direction *Nath.*
e result entered to the
al rule, he is earnestly
in the space provided
of rain,
Rainfall
lication to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	—	—	.02	.05	—	—	—	.42	—	—	.04	—	2
3	.02	—	—	—	.13	—	—	.20	—	—	.10	.09	3
4	—	—	—	.02	.41	—	—	—	.06	—	.04	.05	4
5	—	—	.22	.01	—	—	—	.03	—	—	.18	.40	5
6	.02	—	.02	—	—	—	—	.06	—	—	.07	—	6
7	.20	—	.07	—	—	—	—	—	—	—	.20	.80	7
8	.02	—	—	—	—	—	—	—	—	—	.38	—	8
9	.53	—	.08	—	—	—	—	—	—	—	.22	.66	9
10	.07	—	.03	.01	—	—	—	—	—	—	.14	.28	10
11	.02	.05	.11	—	—	—	—	—	—	—	—	.49	11
12	.15	.02	—	—	.22	—	—	—	—	—	.49	.04	12
13	—	—	.35	—	—	—	—	—	.14	—	.19	.01	13
14	—	—	.01	—	.01	—	—	—	.22	.08	.02	.52	14
15	—	—	—	—	—	—	—	—	—	—	—	1.14	15
16	—	.02	.03	—	—	—	—	—	—	—	.15	.08	16
17	—	—	.02	—	—	.15	—	—	—	.02	.13	.02	17
18	—	.01	—	—	—	.50	—	—	—	—	.16	1.00	18
19	—	.25	.06	.23	—	.03	—	—	—	—	—	.43	19
20	.01	.04	—	.19	—	.13	—	—	.50	.24	—	.40	20
21	—	.03	—	—	—	—	—	—	.10	.02	—	.45	21
22	—	.13	.35	.01	—	—	—	1.40	—	.35	—	.08	22
23	—	.03	.03	.01	—	.05	—	—	—	.15	—	.44	23
24	—	.20	.18	—	—	.68	—	—	.13	.05	—	.11	24
25	—	.03	—	.01	—	.40	—	.11	—	.07	—	.08	25
26	—	.08	—	.02	—	.03	—	—	.03	—	—	.10	26
27	—	.16	—	.15	.48	.02	—	—	—	.15	.14	.12	27
28	—	.11	.19	.05	—	—	—	.36	.23	—	.08	.13	28
29	—	.15	—	.15	—	—	—	.01	—	—	.15	—	29
30	—	—	—	.01	—	.09	.35	.01	.05	.15	—	—	30
31	—	—	.03	—	.03	.02	.05	—	—	.23	.05	—	31
Total	1.04	1.31	1.80	.92	1.28	2.10	.45	2.60	1.46	1.58	2.93	7.93	TOTAL for year 25.40
No. of Rain Days	9	15	17	14	6	11	3	9	9	12	19	25	149

REG

FORM A2.
BRITISH RAINFALL
15 JAN 1912

Kept at St Michael's Priory, Hereford.
in the County of Herefordshire.
by _____

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 292 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Hereford
Distance 3mls Direction North.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.02	.05	—	—	—	.42	—	—	.04	—	1
2	.02	—	—	—	.13	—	—	.20	—	—	.10	.09	2
3	—	—	—	.02	.41	—	—	—	.06	—	.04	.05	3
4	—	—	.22	.01	—	—	—	.03	—	—	.18	.40	4
5	.02	—	.02	—	—	—	—	.06	—	—	.07	—	5
6	.20	—	.07	—	—	—	—	—	—	—	.20	.80	6
7	.02	—	—	—	—	—	—	—	—	—	.38	—	7
8	.53	—	.08	—	—	—	—	—	—	—	.22	.66	8
9	.07	—	.03	.01	—	—	—	—	—	—	.14	.28	9
10	.02	.05	.11	—	—	—	—	—	—	—	—	.49	10
11	.15	.02	—	—	.22	—	—	—	—	—	.49	.04	11
12	—	—	.35	—	—	—	—	—	.14	—	.19	.01	12
13	—	—	.01	—	.01	—	—	—	.22	.08	.02	.52	13
14	—	—	—	—	—	—	—	—	—	—	—	1.14	14
15	—	.02	.03	—	—	—	—	—	—	—	.15	.08	15
16	—	—	.02	—	—	.15	—	—	—	.02	.13	.02	16
17	—	.01	—	—	—	.50	—	—	—	—	.16	1.00	17
18	—	.25	.06	.23	—	.03	—	—	—	—	—	.43	18
19	.01	.04	—	.19	—	.13	—	—	.50	.24	—	.40	19
20	—	.03	—	—	—	—	—	—	.10	.02	—	.45	20
21	—	.13	.35	.01	—	—	—	1.40	—	.35	—	.08	21
22	—	.03	.03	.01	—	.05	—	—	—	.15	—	.44	22
23	—	.20	.18	—	—	.68	—	—	.13	.05	—	.11	23
24	—	.03	—	.01	—	.40	—	.11	—	.07	—	.08	24
25	—	.08	—	.02	—	.03	—	—	.03	—	—	.10	25
26	—	.16	—	.15	.48	.02	—	—	—	.15	.14	.12	26
27	—	.11	.19	.05	—	—	—	.36	.23	—	.08	.13	27
28	—	.15	—	.15	—	—	—	.01	—	—	.15	—	28
29	—	—	—	.01	—	.09	.35	.01	.05	.18	—	—	29
30	—	—	.03	—	.03	.02	.05	—	—	.23	.05	—	30
31	—	—	—	—	—	—	.05	—	—	.04	—	.01	31
Total	1.04	1.31	1.80	.92	1.28	2.10	.45	2.60	1.46	1.58	2.93	7.93	TOTAL for year 25.40
No. of Rain Days	9	15	17	14	6	11	3	9	9	12	19	25	149

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

Kept at S^t Michael's Cathedral Priory

in the County of Hereford

by Dom. Ambrose Buisseret O.S.B.

Pattern
RAIN GAUGE Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 292 ft.
Time of Observation 9 am.
Nearest Railway Station { Name Hereford
Distance 2.7 mi Direction E.N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.15	-	-	.75	.01	.03	-	.38	-	.11	1
2	-	-	.21	-	.01	.46	.18	-	-	-	-	-	2
3	.01	-	.10	-	.05	.12	.01	.68	.04	-	.05	-	3
4	.10	-	.81	-	.15	.04	-	.10	-	-	.24	-	4
5	.26	-	.06	-	.20	.11	-	.34	-	-	-	.02	5
6	.12	.25	-	-	.04	.22	-	.67	-	-	-	.02	6
7	.01	.31	.17	-	.02	.31	-	.06	-	-	-	.03	7
8	.36	.23	.18	-	-	.02	.13	.17	.03	-	-	.02	8
9	.06	-	.40	.10	-	.06	-	.30	-	-	-	.19	9
10	.17	.06	-	.02	-	-	-	.13	-	-	.12	-	10
11	.02	.04	-	-	-	.01	.01	-	-	-	-	.46	11
12	.01	.27	.05	.06	.15	.05	-	-	-	-	-	.07	12
13	-	-	-	-	-	-	-	.02	.04	.03	-	.06	13
14	.03	-	.42	-	.20	-	-	.14	-	.01	-	-	14
15	.29	.07	-	-	.35	.09	-	-	-	-	-	.07	15
16	.69	-	.10	-	-	-	-	.05	-	.06	.02	-	16
17	-	-	.08	-	-	.04	-	.21	-	-	.04	.24	17
18	-	-	.05	-	-	-	-	.16	-	-	.02	.04	18
19	(1.00)	.04	-	-	.03	.01	.10	.28	-	.03	-	.05	19
20	-	-	.43	-	-	-	.09	.06	-	.24	.02	-	20
21	.01	.02	.50	-	.81	-	.01	.56	-	.18	-	-	21
22	-	.09	.02	-	.50	-	.17	.16	-	-	-	.07	22
23	.52	.17	.27	-	-	.01	-	.62	-	-	.02	-	23
24	.12	-	-	-	-	.15	-	.02	-	.05	-	-	24
25	-	.02	-	-	-	.27	-	.80	-	-	.22	.41	25
26	-	.12	.02	-	-	-	.15	.81	-	.62	.27	.81	26
27	.10	.01	-	-	-	.41	.63	-	-	.75	-	.23	27
28	-	.08	-	-	-	.11	.57	.43	.20	.25	.38	.34	28
29	-	.14	.05	-	-	.29	.09	.07	.47	.12	-	-	29
30	-	-	.02	-	-	.08	.18	-	-	.31	-	-	30
31	-	-	.24	-	-	-	.44	.04	-	-	-	.04	31
Total	3.88	1.92	4.33	.18	2.51	3.61	2.77	6.71	.78	3.03	1.45	2.78	TOTAL
No. of Rain Days.	11	16	21	3	12	21	15	25	5	13	11	19	178
	(22)												(183)

REGISTER OF RAINFALL IN 1913

Kept at Belmont Priory, Hereford

in the County of Herefordshire

by the Rev. Gregory Searns, O.S.B.

Lat. 52° 2' 18" N Long. 2° 45' 17" W

Time of Observation 9 AM

Nearest Railway Station Hereford

Diameter of Rain Gauge 8 ins

Height of top of Gauge above Ground 1 ft. 0 in.

Sea Level 292 ft.

23 FEB 1914
BRITISH RAINFALL
FORM A.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	.05	.09	.02	.13	-	-	-	.72	-	.12	-	1
2	-	.33	.04	.05	-	-	-	-	.08	.76	.11	-	2
3	.06	.02	.04	-	.41	-	-	-	-	-	-	.10	3
4	.95	.02	-	-	.19	-	.02	-	.45	.36	.03	.18	4
5	.05	.07	-	-	.07	.20	.12	-	.01	.34	.02	.01	5
6	.01	.06	.25	-	.13	.07	.01	-	-	.26	.04	.40	6
7	-	.38	-	-	.20	.03	.01	-	-	.50	.11	.03	7
8	.01	.15	-	.01	.16	.02	.02	.04	-	.07	-	-	8
9	.26	.26	-	.01	.19	.16	.15	-	.20	-	.18	.01	9
10	-	-	-	.03	.03	-	-	.12	-	.18	.17	-	10
11	-	-	-	.22	.19	-	-	.17	-	.05	.41	-	11
12	-	-	-	-	.31	.01	-	.09	.02	-	.45	-	12
13	-	-	.10	-	-	-	-	.01	.70	-	.23	-	13
14	.22	-	.22	.07	-	-	-	.03	.07	-	-	-	14
15	-	.02	.56	.92	-	-	-	(.14)	.03	.07	.04	.01	15
16	.11	-	.72	.03	-	-	-	.01	.05	-	-	-	16
17	-	.01	.14	.04	-	-	.15	-	-	-	-	-	17
18	.10	-	.27	.09	.04	-	.03	-	-	-	.01	-	18
19	.22	-	.35	.01	-	.28	.11	-	.07	-	-	-	19
20	.10	-	.29	.40	-	-	-	-	-	.05	.31	-	20
21	-	-	.50	.21	.08	-	.11	.01	-	-	.13	-	21
22	.44	-	.55	.01	-	.09	-	.41	.36	-	-	-	22
23	-	-	.06	-	-	-	-	-	.02	-	.07	.02	23
24	.02	-	-	.04	-	-	-	-	-	-	.02	.01	24
25	-	.01	-	.20	-	-	-	-	.04	.05	-	-	25
26	-	.01	-	.85	-	.02	-	.23	.01	.01	-	.17	26
27	-	-	.16	.59	-	-	-	-	-	.19	-	-	27
28	.20	-	.33	.37	.10	-	-	-	-	.17	-	-	28
29	-	.09	.45	.57	-	-	-	.03	-	.26	-	.05	29
30	.12	.09	.01	-	-	-	-	-	-	.91	.05	-	30
31	-	-	.14	-	.01	-	-	.04	-	.03	-	-	31
Total	2.89	1.39	5.32	4.49	2.24	.88	.73	1.33	2.83	4.26	2.50	.99	YEAR'S TOTAL 29.85
Rain Days.	16	13	20	21	15	9	10	13	15	17	18	11	178

REGISTER OF RAINFALL IN 1914

Kept at Belmont Priory hereford
in the County of hereford
by Rev E. C. Williams OSB

Lat. 52° 2' 18" N Long. 2° 45' 17" W
Time of Observation 9.45
Nearest Railway Station hereford
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
Sea Level 292 ft.

FORM A.
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1												59	1
2												15	2
3												58	3
4												31	4
5												10	5
6												14	6
7												33	7
8												07	8
9												-	9
10												01	10
11												76	11
12												18	12
13												25	13
14												-	14
15												-	15
16												-	16
17												35	17
18												37	18
19												09	19
20												09	20
21												-	21
22												-	22
23												01	23
24												-	24
25												12	25
26												47	26
27												20	27
28												58	28
29												-	29
30		X										62	30
31		X		X		X			X		X	10	31
Total	63	266	226	112	149	226	361	115	96	209	249	647	YEAR'S TOTAL 257
Rain Days.	10	16	23	9	12	8	23	13	10	15	18	23	180

27.19

REGISTER OF RAINFALL IN 1915

Kept at Belmont, Hereford
in the County of
by Rev E.C. Williams D.S.B.

Lat. 52-2-18 Long. 2-45-17
Time of Observation 9am
Nearest Railway Station Hereford
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft.
Sea Level 292 ft.

BRITISH RAINFALL FORM A. JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.48	.04	-	-	.15	.11		1.8	-	5.5	-	2.4	1
2	.09	.13	.10	.09	.12	-		32.4	2.3	2.8	-	4.7	2
3	.47	.12	-	.07	.13	-	16.1	0.1	-	0.1	-	4.2	3
4	.03	.07	-	-	-	-	15.0	13.5	-	Trace	-	15.4	4
5	.07	.75	-	.02	-	-		1.6	-	-	-	15.7	5
6	.13	.04	-	.13	.57	-	14.7	1.2	-	-	-	3.4	6
7	.06	.28	-	.07	-	-	0.2	2.4	-	-	-	5.7	7
8	.23	.3	-	.07	-	-		0.6	-	Trace	2.0	-	8
9	.06	.16	.05	.03	-	-		-	-	-	4.9	(12.8)	9
10	.19	.02	-	.04	-	-		0.2	-	1.5	.3	.1	10
11	.11	-	-	.03	.02	-		-	-	-	28.5	.3	11
12	.06	.12	-	.15	.39	-		0.7	-	1.7	10.2	Trace	12
13	.01	.66	-	-	.73	-		0.4	1.5	-	-	4.0	13
14	.25	.07	-	-	-	-		3.2	2.5	0.1	-	5.4	14
15	-	-	-	-	.07	-	1.1	4.2	-	1.2	1.1	2.2	15
16	.01	.43	.03	-	.43	-	26.1	2.0	-	-	-	0.5	16
17	-	.25	.01	-	.85	-		-	-	0.3	-	0.2	17
18	-	.54	-	-	-	-		-	-	0.1	-	-	18
19	-	.02	-	.02	.13	-	1.2	-	-	-	-	-	19
20	.05	-	-	.05	-	-		-	-	0.1	-	1.5	20
21	.03	.02	.21	-	.02	-	4.3	-	-	4.7	-	.5	21
22	.03	.12	.05	.10	-	-	8.8	-	-	-	-	7.0	22
23	.09	-	.06	-	-	.06		-	-	1.0	-	6.6	23
24	-	-	-	.04	-	-	13.8	-	5.1	18.2	-	9.0	24
25	-	-	-	Trace	-	.17	2.1	-	-	17.9	-	3.1	25
26	-	.03	-	-	-	-	4.6	-	0.5	.2	-	13.3	26
27	-	.08	-	-	-	.01	2.6	-	-	-	-	2.3	27
28	-	.15	-	-	-	.02		1.2	5.4	6.4	-	0.5	28
29	-	-	-	-	.01	-		0.4	-	10.2	2.6	2.2	29
30	.10	-	-	-	-	.20	3.9	-	-	1.1	3.5	5.8	30
31	-	-	-	-	-	-	1.0	-	-	20.1	-	10.9	31
Total	2.46	4.34	.51	0.78	3.65	.57	115.5	65.9	18.3	102.2	53.1	134.7	YEAR'S TOTAL
Rain Days.	21	22	7.7	5.4	10.13	4.61	15	15	6	10.15	9.8	2.5	166

N.B. From July onwards rain measured in turn 4.55, 2.59, 4.03, 2.09, 5.50, 31.79

REGISTER OF RAINFALL IN 1916

Kept at *St. Michael's Priory*
in the County of *Hertford*
by *Rev. W. G. Sweeney, B.S.B.*

Lat. *52° 2' 18" N* Long. *2° 45' 17" W*
Time of Observation *9 AM - 9 PM*
Nearest Railway Station *St. Albans*
Diameter of Funnel of Rain Gauge *8* in.
Height of top of Gauge above Ground *1* ft. — in.
" " " " Sea Level *292* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1.4		.6			2.4	5.5			8.9	2.4		1
2	5.0	1.4	6.5		4.5		.4			9.5	4.2		2
3		24.1	-		1.8	.2			Trace	7.6	6.6		3
4	2.4	6.4	-	Trace	10.5	6.5			3.9	Trace	15.5		4
5	0.2	.1	.6		5.7	.4				2.0	2.0		5
6	0.6	3.9	-		1.7		15.6			3.8	11.9		6
7	1.0		1.6		4.3		2.7		Trace	3.3	8.2	5.6	7
8			2.1		4.0	.4		Trace		.6	3.3	4.5	8
9			.3		3.9				.2		1.3	.2	9
10	Trace	10.0	1.7	.1	.4	.2			.1		Trace		10
11	1.3	.2	2.2	1.0	.5	1.5			.1			Trace	11
12	.5	.4	1.4	.2	4.2		3.8	~~0.03~~		1.5			12
13		5.7	5.9	1.2	.1		2.7	10.2		Trace		Trace	13
14		9.6	2.5	.2	.4			1.2		.4		Trace	14
15		3.6	9.0	3.6	6.8		Trace	1.6		1.4			15
16		1.9	.2	3.1	.2		6.1	12.4		1.4			16
17	.6	2.4	-	1.8			0.25		3.0	9.8			17
18	.2	.7	2.4						2.5	Trace	9.5	5.2	18
19	1.4		7.7	3.4						1.1	5.0	11.4	19
20	1.8	.5	10.9	.3							.4	2.9	20
21	.2		11.0	.1	2.9		5.3					10.9	21
22		Trace	-	4.4		.6				5.8	Trace	5.2	22
23	.1	6.6	.7			.1				1.5	.4	3.5	23
24		6.0	.5	Trace	32.2	.9			Trace	6.3		.2	24
25		2.2	4.1			1.4			.2	2.6	5.3		25
26		2.6	2.2		1.9	2.1			.3	11.2		Trace	26
27	1.9	1.5	23.2			.4	.5		4.1	14.3	Trace	3.1	27
28	.2	8.0	2.4			5.1			1.3	8.2	.2	1.4	28
29		5.1	.6			.3				2.6			29
30		X	Trace							6.8			30
31		X	-	X		X		(300)	X	8.3	X	Trace	31
Total	18.8	102.9	110.3	19.4	86.0	21.5	42.95	25.43	15.7	118.8	76.2	54.1	761.98
Rain Days.	16 ¹⁵	23 ²¹	25 ²⁴	14 ¹⁰	18 ¹⁷	15 ¹⁴	11 ¹⁰	6 ⁴	13 ⁸	26 ²³	18 ¹⁵	17 ¹⁴	201

REGISTER OF RAINFALL ^{and for auto. Hygmo} 1917

Kept Belmont Priory, Hereford
in the County of Herefordshire
by W. Gerard Sweeney B.S.B.

Lat. 52° 2' 15" N Long. 2° 45' 17" W.
Time of Observation 9 AM G.M.T.
Nearest Railway Station Hereford
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 29.2 ft.

2465
FORM A.
BRITISH RAINFALL
12 FEB 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			3.7	7.0		4.8		18.5	1.4		2.1	Trace	1
2				Trace		4		.8		Trace	6.0		2
3	Trace	.6		1.8				.2		7.3			3
4		3.2	9.3					.7		4.5			4
5	2.4		6.9	2.2		1.1		Trace	10.8	4.4	2.1		5
6	.04		17.5			4.9		Trace		1.6	5.1		6
7	4.5						3.4	5.2		5.6	1.2		7
8	8.9		5.4	3.0		Trace	15.2	18.9	.4	4.6	2.2	1.2	8
9			5.3	1.7	5.3			9.1	5.1	2.9	1.0		9
10	5.5		5.8	4.0	2.3			7.5	1.9	Trace			10
11	1.5		3.7	4.1	.3			1.9		5.7	Trace		11
12				Trace	9.1			6.5	.7	4.7	Trace		12
13			2.4	1.1				6.5	1.9				13
14			5.6	1.1			Trace	.8					14
15	Trace		Trace		2.3		4.1	1.6	Trace			3.0	15
16	.8			2.7		9.3				1.5		3.9	16
17	Trace			.7	14.0	1.8	9.5	8.1	5.5				17
18	Trace	1.7			1.4	Trace	7.7	Trace	28.3				18
19	.2	6.2	2.4			11.3		Trace					19
20	.4	6.4	1.2		16.5	2.5		.6	.5				20
21	.3	.9	10.4		1.1	2.1		1.0					21
22	.5				Trace	.4		8.4					22
23		5.9			2.1			3.7		2.2		Trace	23
24					Trace	1.1	4.1	3.0		3.9	Trace		24
25		1.7	.7					1.2		1.9	2.1		25
26					1.1	1.6		6.4	3.1				26
27					24.6	8.0	8.1	28.2					27
28			3.6			4.1		2.1				Trace	28
29			.4		.7	5.1	Trace	3.3		14.1		7.6	29
30		X					.7	7.9		2.0			30
31	Trace	X	3.0	X	4.3	X		2.5	X	1.1	X		31
Total	25.04	26.6	87.3	29.4	85.8	58.5	52.8	154.6	59.6	68.0	21.8	15.7	684.4
Rain Days.	10	8	17	13	16	15	8	20	12	16	8	7	175.48

YEAR'S TOTAL
684.4
175.48
684.4

from Weather Reports

11

To be filled and returned
to THE DIRECTOR,

BRITISH RAINFALL ORGANIZATION,

62 CAMDEN SQUARE, LONDON, N.W.

Copies of this form will be supplied with pleasure.

FORM B.
BRITISH RAINFALL

RAINFALL IN 1918

At Hereford

In the County of Hereford

Rain Gauge { Diameter of Funnel _____ in.

{ Height { Above Ground _____ ft. _____ in.

{ of Top { Above Sea Level 291 ft.

PLEASE
FILL IN

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with '01 or more recorded.
	~~inches~~	~~inches~~	Date.	
2.60 JAN.	66	23	15	11
.91 FEB.	23	4	9	13
1.57 MAR.	40	10	30	9
1.85 APR.	47	16	16	15
2.32 MAY	59	15	22	8
.71 JUNE	18	6	18	8
2.24 JULY	57	13	10	18
2.05 AUG.	52	28	25	8
2.48 SEPT.	190	28	18	25
1.14 OCT.	29	4	5	14
Nov.	---	---	---	---
DEC.	---	---	---	---
Total	---	---	---	---

Signed The Prior Belmore Priory

[Please fill in the other side also.]

REGISTER OF RAINFALL IN 1919.

Kept at Belmont Priory (Hereford) [MO]

in the County of Hereford

by The Prior

Lat. 52° 2' N. Long. 2° 45' W.

Time of Observation 9.1 P.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. 0 in.

Sea Level 292 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1						-	3.3	-	0.8	3.4	0.4	9.1	1
2						-	0.8	-	4.9	-	3.3	0.6	2
3						2.7	3.0	-	2.1	-	1.2	1.4	3
4						-	5.0	0.8	6.1	-	-	3.6	4
5						-	0.4	-	2.0	-	-	3.2	5
6						-	-	-	-	-	-	3.2	6
7						-	-	-	-	-	-	0.5	7
8						1.1	-	-	-	-	0.1	-	8
9						-	-	-	-	-	0.2	-	9
10						-	-	-	-	-	-	4.8	10
11						-	10.4	-	-	-	-	1.6	11
12						5.1	0.1	-	1.7	-	0.2	0.2	12
13						-	-	-	7.4	-	0.2	0.8	13
14						-	2.3	-	4.3	-	-	3.5	14
15						-	-	-	-	-	-	5.0	15
16						-	-	1.3	-	-	1.0	0.3	16
17						-	-	-	-	-	0.7	-	17
18						0.3	-	3.2	-	-	1.0	0.3	18
19						3.9	21.1	10.3	4.0	-	0.8	0.6	19
20						1.3	-	1.9	0.1	-	1.1	0.3	20
21						-	3.2	-	0.3	-	-	2.2	21
22						-	0.3	-	3.0	-	-	1.0	22
23						-	-	-	-	-	0.6	0.3	23
24						1.2	0.8	0.7	-	-	3.2	4.0	24
25						-	-	9.8	-	-	-	-	25
26						1.3	0.2	4.2	1.0	-	1.1	5.6	26
27						-	-	15.3	-	-	1.3	0.4	27
28						-	-	5.8	-	-	4.6	7.1	28
29						-	-	0.3	-	3.0	0.3	6.8	29
30		X				4.2	-	5.3	-	0.5	3.9	7.2	30
31		X		X		X	-	-	X	-	X	-	31
TOTAL						21.1	50.9	58.9	37.7	-	25.2	73.6	YEAR'S TOTAL
Days with 0.2 mm. or more						9	12	12	12	-	18	26	

REGISTER OF RAINFALL IN 1920.

Kept at Belmont Priory, Hereford
in the County of Hereford.
by The Prior

Lat. 52° 2' N Long. 2° 45' W
Time of Observation 9h
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground / ft. in.
" " " " Sea Level 292 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	-	0.8	4.4	5.5	-	6.1	-	1.4	4.2	-	11.1	1
2	1.1	-	0.4	3.4	0.2	-	10.6	1.6	1.3	4.8	-	3.5	2
3	1.0	0.6	-	5.0	4.4	0.3	23.9	-	0.7	4.3	-	0.6	3
4	0.1	-	1.1	0.1	-	-	0.5	6.3	-	7.4	0.2	-	4
5	-	-	4.2	2.0	0.6	-	8.7	0.6	-	6.6	0.2	-	5
6	-	-	4.0	-	1.6	-	6.4	-	0.2	5.8	-	0.6	6
7	-	-	-	1.6	-	-	6.7	-	-	0.2	-	0.2	7
8	6.1	1.7	0.2	17.1	0.6	-	11.1	-	-	0.4	-	0.1	8
9	3.9	1.1	-	9.9	-	-	2.3	1.9	-	-	-	-	9
10	9.7	2.6	1.0	1.4	-	11.1	2.7	-	-	-	1.1	0.3	10
11	4.3	0.2	3.9	13.6	-	0.3	0.8	-	-	-	0.3	0.1	11
12	2.3	0.8	0.2	3.1	7.7	14.6	0.5	-	-	1.5	2.2	0.1	12
13	1.0	1.9	11.3	4.0	-	1.6	-	-	0.2	-	0.3	0.4	13
14	0.1	0.4	14.1	10.3	-	13.4	0.4	-	9.3	7.5	5.9	1.0	14
15	-	2.8	0.7	18.7	0.6	1.3	-	-	0.3	0.8	1.3	-	15
16	-	-	-	0.8	4.2	10.5	3.5	-	3.7	15.2	1.1	-	16
17	-	-	0.3	-	2.9	10.5	-	0.7	15.2	8.1	-	-	17
18	1.9	-	-	-	4.6	0.2	-	4.5	14.1	0.1	0.2	0.4	18
19	0.7	10.2	-	3.8	1.2	4.4	-	0.1	0.1	-	0.2	0.1	19
20	-	0.7	-	5.2	-	2.3	0.2	-	0.2	-	-	2.0	20
21	0.1	-	-	0.1	-	-	0.9	-	-	3.2	-	2.2	21
22	0.4	-	-	2.8	-	-	0.6	4.7	0.2	0.3	-	6.6	22
23	-	0.2	0.3	-	-	-	6.2	0.9	0.2	0.2	-	9.4	23
24	0.3	-	4.1	0.2	-	-	-	0.2	0.2	-	0.6	4.2	24
25	2.1	-	8.4	-	-	1.1	15.0	-	0.3	-	-	0.3	25
26	4.7	-	9.3	-	-	0.2	1.7	-	-	0.4	2.7	1.1	26
27	14.4	0.7	6.4	1.0	0.9	5.9	0.9	-	0.3	-	-	11.8	27
28	15.4	-	3.6	0.1	23.9	0.8	0.2	-	-	0.1	0.5	4.6	28
29	12.4	-	5.5	-	3.6	0.6	3.4	-	0.2	-	2.2	8.1	29
30	0.6	~~X~~	6.5	7.8	0.5	2.0	1.7	-	9.4	-	7.4	3.8	30
31	1.1	~~X~~	2.7	~~X~~	0.4	~~X~~	0.6	-	~~X~~	12.8	~~X~~	1.2	31
TOTAL	83.7	23.9	89.0	116.4	63.1	81.1	115.6	21.5	57.5	83.9	26.4	43.8	YEAR'S TOTAL 835.9
Days with 0.2 mm. or more	19	13	22	20	17	18	25	9	18	18	16	21	216

REGI

HUNTINGTON
COURT.
HEREFORD
1911 - 1918

Kept at Huntington
in the County of Hereford
by E. Radcliffe

5 in.

Ground 1 ft.

Sea Level 833 ft.

Name

Distance

Direction

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. 04	in.	in. 20	in. 01	in.	in.	in. 02	in. 09	in.	in.	in. 04	in.	1
2	01		02	02	16		01	08		02	08	21	2
3				03	85			08	05		12	20	3
4			11	01	01		02	14	05	01	16	26	4
5	18		06	01				18		15	16	05	5
6	22		08	02				07			14	33	6
7	01										46		7
8	07		20								45	37	8
9	07		02								50	11	9
10	02	04	23								04	76	10
11	14				07				04		47	24	11
12		01	38		08				54		67	20	12
13					01				06	02	07	44	13
14		04	01							07	01	65	14
15		06				02				03	37	30	15
16						32				03	14	11	16
17		04		01		1.13					38	80	17
18		36	15	20		16				05	01	34	18
19		05	01	28		18		06	64	33		38	19
20	01	09		08					04	07		35	20
21	01	29	31			04		49	04	60		13	21
22	02	04	02	04		05			01	40		55	22
23		31	13			09	02		30	32		22	23
24		07	01	01		29		14	02	06		14	24
25		12		14		06		02	09	02		19	25
26		23		39	28	01		15	01	34	10	20	26
27		22	31	15				42	24		06	14	27
28		28	01	22		05		01	02		08	01	28
29				21		20	08		22	43	02		29
30			07	01	06	04				32	06		30
31			01				05			15			31
Total	80	2.25	2.34	1.84	1.52	2.64	20	1.93	2.37	3.42	4.59	7.68	31.58
No. of Rain Days	12	16	20	18	8	14	6	13	16	19	23	26	191

REGISTER OF RAINFALL IN 1911

368
FORM A2
BRITISH RAINFALL
26 JAN 1912

Kept at Huntington Court
in the County of Herefordshire
by E. Radclyffe Crump

Pattern _____
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level 833 ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
[]

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	04		20	01			02	09			04		1
2	01		02	02	16		01	08		02	08	21	2
3				03	85			08	05		12	20	3
4			11	01	01		02	14	05	01	16	26	4
5	18		06	01				18		15	16	05	5
6	22		08	02				07			14	33	6
7	01										46		7
8	07		20								45	37	8
9	07		02								50	11	9
10	02	04	23								04	76	10
11	14				07				04		47	24	11
12		01	38		08				54		67	20	12
13					01				06	02	07	44	13
14		04	01							07	01	65	14
15		06				02				03	37	30	15
16						32				03	14	11	16
17		04		01		1.13					38	80	17
18		36	15	20		16				05	01	34	18
19		05	01	28		18		06	64	33		38	19
20	01	09		08					04	07		35	20
21	01	29	31			04		49	04	60		13	21
22	02	04	02	04		05			01	40		55	22
23		31	13			09	02		30	32		22	23
24		07	01	01		29		14	02	06		14	24
25		12		14		06		02	09	02		19	25
26		23		39	28	01		15	01	34	10	20	26
27		22	31	15				42	24		06	14	27
28		28	01	22		05		01	02		08	01	28
29				21		20	08		22	43	02		29
30			07	01	06	04				32	06		30
31			01				05			15			31
Total	80	225	234	184	152	264	20	193	237	342	459	768	TOTAL for year 3158
No. of Rain Days	12	16	20	18	8	14	6	13	16	19	23	26	191

REGISTER OF RAINFALL IN 1912

Kept at Huntington Court
in the County of Herefordshire
by E. P. Crump

Pattern
RAIN GAUGE Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

366
FORM A2.
BRITISH RAINFALL.
25 JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
[]

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			16			89		01	02	02		18	1
2		04	39	02	01	85	26	02				03	2
3	03		04		03	21	08	1 03	03		03	04	3
4	50		1 04		19	10		11			21	04	4
5	37	10	30	01	10	02		47	04		01	05	5
6	40	15	06		11			38			01	09	6
7	02	11	03		18	72	18	06				06	7
8	46	22	15	06		07	04	11	02			01	8
9	07	05	56	23		44		38		02	04	39	9
10	36	07	02	01		15	05	21		01	21	01	10
11	02	09					03			01	16	75	11
12	01	27	11	10	10	07	06				01	04	12
13	04	03				03		05	03	13	02	13	13
14	06	01	52			01		19		02		03	14
15	08	11	04	02	40	30		02				34	15
16	69	02	18		01	03		10		08		06	16
17	58	02	08			10		28		01	05	58	17
18	25	04	05					34		03	04	21	18
19	06	05	02			03	11	48		09	02	04	19
20	06	01	37		02	02	12	14		29	05	01	20
21	01	04	36		64		02	59		45	01		21
22	47	20	04		27	02	44	42		02	05	14	22
23	36	04	59			14	18	26		12	11	05	23
24	14	02	04			40	08	04		01	01	32	24
25	01	01				10	02	1 23		02	41	40	25
26		23	13				10	1 30		96	38	50	26
27		02	03			37	1 22			93		38	27
28		16	01		03	20	62	67	41	21	40	08	28
29		12	26	02		01	19	16	67	22	02	02	29
30			08			14	09	03	01	56		01	30
31			16		07		41	04		02		09	31
Total	5 05	2 23	5 82	47	2 16	5 42	4 30	9 12	1 23	4 23	2 25	5 08	47 36
No. of Rain Days.	23	26	28	8	14	25	20	28	8	22	21	30	253

REGISTER OF RAINFALL IN 1913

Kept at *Huntington Court*
in the County of *Herefordshire*
by *E. Radclyffe Crump*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

BRITISH RAINFALL
FORM A.
28 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	06	03	23	03					16		15	01	1
2	02	36	10	09	12				06	46	29	02	2
3	10	03	09	01	41				01	03	01	13	3
4	69	06	03		04		05		89	110	06	48	4
5	11	11	03		37	20	04		10	23	22	06	5
6	08	17	23		14	09	03		01	65	02	36	6
7	04	69	06		58	19	03			57	22	02	7
8	02	20	01		49	07	15	04		11	01		8
9		34	02	01	14	47		10	05	01	23	03	9
10	31		03	09	16			15		26	04	01	10
11	60			46	07	02				03	53		11
12				01	36	01		01	01	01	27		12
13	05		35	03	04		03		45		30		13
14	25		68	12				02	04	20	11		14
15	10		57	120				26	07	01	13	02	15
16	07	03	41	05				05	01		01		16
17	06	02	23	15	02		11		03		07		17
18	16		37	28	03		04		01		10	01	18
19	17		10	03	01	04	06		05	19	02	01	19
20	21		61	15	01	02			01	13	60		20
21			20	48	05		08	02		03	18		21
22	87		88	01		16		48	59				22
23	01		03			06		03	23		09		23
24	14	03		04				01			06		24
25		05		22					10	07	03	05	25
26		01		77	19	02		08	03	01		35	26
27	09		13	22						76		05	27
28	38		37	50	06					18		15	28
29	01		59	42	08					36			29
30	18		01					04		30	18		30
31	10		23					04		03			31
Total	4.88	2.13	6.49	5.37	3.37	1.35	.62	1.33	2.91	5.73	3.93	1.76	39.87
Rain Days.	26	14	26	23	20	12	10	14	20	23	25	16	229

REGISTER OF RAINFALL IN 1914

Kept at Huntington Court
in the County of Hereford
by E. R. Crump

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

362
28 JAN 1915
FORM A
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.03	.07	.02		.09	.32	.95			.12	.12	1
2			.05		.05	.01	1.30	.20			.42	.38	2
3			.25	.25	.28		.02	.06			.02	.40	3
4	.26		.10	.14	.14		.25	.03			.59	.99	4
5	.12		.20	.33	.40		.23				.50	.03	5
6	.12	.05	.01	.09	.07		.02	.04			.03	.19	6
7	.01	.10	.34	.21	.22	.05	.30	.15	.06		.01	.43	7
8	.02		.10	.02	.25	.38	.05	.28				.14	8
9	.12	.09	.07	.36	.08	.99		.13	.04		.03	.01	9
10	.02	.23	.04	.35	.07	.10		.01	.25		.01		10
11		.33	.24	.02	.06	.09	.06		.07		.73	.72	11
12		.54	.19		.01	.01	.06		.30		.16	.29	12
13		.37	.30				.12		.18	.32	.29	.30	13
14		.38	.31					.01	.02	.08	.25	.01	14
15	.01	.01	.27				.03	.04	.09	.04	.12		15
16			.07				.02		.18	.01		.01	16
17	.03	.18	.20				.04		.30			1.06	17
18		.02	.35				.02		.05			.26	18
19		.03	.09				.99		.10	.01	.07	.22	19
20		.24	.06			.12		.04				.28	20
21		.47	.01			.90	.37	.24		.17	.02		21
22		.30	.02	.03	.07	.07	.05	.11		.82			22
23		.16	.07		.02		.07	.01		.24			23
24	.03	.01	.08	.01			.08	.09		.09	.05		24
25	.13		.10		.03		.09	.28		.43	.03	.27	25
26	.01		.03				.12	.08		.17	.16	.27	26
27	.03						.02			.06	.85	1.28	27
28	.10	.12	.07		.09		.01			.04	.05	.49	28
29	.08		.12		.09					.11	.46		29
30	.01		.15	.04	.01			.03		.09	.52	.35	30
31	.33		.01				.18	.02		.39		.19	31
Total	1.43	3.66	3.97	1.87	1.94	2.81	4.82	2.80	1.64	3.07	5.49	8.69	42.19
Rain Days.	17	19	30	13	17	11	25	20	12	16	23	24	227

82

REGISTER OF RAINFALL IN 1915

353
FORM A.
BRITISH RAINFALL

Kept at Huntington Court
in the County of Herefordshire
by E. R. Crump

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	57	15	06		15		01	09	06	34	02	17	1
2	18	27	28	17		10		1.05	03	17		16	2
3	21	08	05	05	05		43	03		03		28	3
4	08	50	01		22		30	15				1.12	4
5	01	27	01	03	02		03	09				99	5
6	16	06	02	22			83	10				14	6
7	23	61		08	62		09	10		02		48	7
8	38	29		08				04			14	02	8
9	03	76		12						01	49		9
10	47	06	07	08				03		10	13	83	10
11	07		02	01	01		02	06		02	1.49	09	11
12	07	21		07	58			07	03	07	56		12
13	02	1.05		01	70			39	04	01		06	13
14		03			01			11	14			24	14
15	73				16		08	45	02	05	17	10	15
16	02	44			58		1.79	06		02		02	16
17		33	06		1.04		01	06		01		03	17
18	05	78	05		02			01			02		18
19	01	05		04	25		37						19
20	23			05	02		04			05		06	20
21	14	01		04			30			09		03	21
22		03	10	08			52			02		45	22
23	08	05	14	01		05	02		01	82		38	23
24	01		13	11		02			28	1.14		66	24
25			02			55	17		03	03		29	25
26		07					35		04	01		64	26
27		11				21	41		02	45		18	27
28		36				13	01	02	17	04		06	28
29						19		03	02	03	34	08	29
30	11	X				60	02			60	25	27	30
31	02	X		X		X	19	10	X	1.10	X	85	31
Total	3.88	6.57	1.02	1.27	4.40	1.85	5.99	3.04	.89	5.23	3.61	8.68	46.43
Rain Days.	23	23	14	18	15	8	21	20	13	24	10	28	217
YEAR'S TOTAL													46.43

2297
316

01

REGISTEUse ofR OF RAINFALL IN 1916

Kept at Huntington Court
in the County of Herefordshire
by E. P. Gump

Lat. _____ Long. _____
Time of Observation 9am Summer time
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	21	02	04		06	15	19			35	26		1
2	52	21	48		02		08		45	91	24		2
3	01	67	01		06	03			25	37	38		3
4	23	40			58	49	03		04	07	62		4
5	07	04	03		23	08				24	25		5
6	08	41	04		14	01	49		02	34	40	02	6
7	17	03	06		27		01			24	34	13	7
8	02	08	08		32	01				07	09	10	8
9		01	01		15	13				02	08	03	9
10	03	36	05	05	04	04	04					01	10
11	07	02	14	19	03	10			01				11
12	06	13	04	18	38		30	08		07			12
13	01	25	32	10	01			44		04			13
14		50	22	07	02			18		04	03	01	14
15		74	32	18	20			48		09			15
16		17	01	14	04		16			09			16
17	08	17		35				01	27	52	03		17
18	03	24	13	24		01			20	06	28	09	18
19	10	02	80	18							20		19
20	16		31	02							09	17	20
21	03		44	14	03	02	25				01	10	21
22	01		01	02		05				24		40	22
23	03	13		03		03		18		20	06	21	23
24		32	02	01	150			15		41		13	24
25		06	16		06	03		24		15	44	02	25
26	02	10	15		02	28		12	14	57	02		26
27	07	06	99		14			21	34	44			27
28	01	47	08		04	02			03	15	03	30	28
29		26	02			27		40	03	35		31	29
30		X				06				28			30
31		X		X				10	X	59	X	09	31
Total	202	587	496	190	434	181	155	259	178	690	385	212	3969
Rain Days.	22	26	26	15	22	18	9	12	11	26	19	16	222

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

Kept at Huntington Court
in the County of Herefordshire
by E. Radcliffe Crump

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

2186
297
FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.03	.13	.55		.54		.11	.22		.03	.16	1
2			.02	.04		.06					.35		2
3	.03	.02	.01	.25		.01				.29	.08		3
4		.05	.42					.03		.37		.03	4
5	.21		.33	.20		.06		.09	.93	.27	.06		5
6	.04		.86			.09		.01		.08	.32	.02	6
7	.34		.02				.16	.22		.51	.27	.07	7
8	.35		.12	.14			.49	.56	.04	.46	.18	.09	8
9			.18	.13	.17			.95	.22	.11	.37		9
10	.19		.45	.10	.12			.40	.03				10
11	.12		.04	.10	.04			.26		.34	.09		11
12	.05				.94			.10		.28			12
13			.05	.04		.01		1.02	.05	.03			13
14			.01	.13			.02	.42		.06		.01	14
15				.03	.06		.12	.12		.10		.14	15
16	.03	.04		.17		.02	.12	.01				.33	16
17				.03	.45	.14	.43	1.16	.47	.20	.02		17
18		.01			.11		.74	.19	.78				18
19		.31	.18			.28			.02		.03		19
20		.10	.01		.66	.03	.16	.04	.11				20
21		.03	.20		.10	.02		.03		.03			21
22					.01	.02		.56	.01	.03			22
23		.16			.35			.55		.14		.01	23
24		.12	.01			.13		.12		.41	.21		24
25		.04	.06					.10		.19	.07		25
26					.02	.07		.96	.13	.14	.02		26
27		.01			.84	.45	.44	.80		.01	.01		27
28			.36			.03		.26				.01	28
29			.09					.44		.56		.35	29
30		X						.24		.26	.01	.01	30
31		X	.15	X	.18	X		.22	X	.05	X		31
Total	1.37	.92	3.70	1.91	4.05	1.96	2.68	9.97	3.01	4.92	2.12	1.23	37.84
Rain Days.	10	12	21	13	14	16	9	28	12	23	16	12	186

REGISTER OF RAINFALL IN 1918

Kept at Huntington Court
in the County of Herefordshire
by E. Radclyffe Crump

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
30.1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.05	.03										1
2		.08											2
3		.18											3
4		.10											4
5		.07											5
6	.08	.36											6
7		.09											7
8	.02	.18											8
9	.06	.45											9
10	.04	.03											10
11	.01	.02	.04										11
12	.03	.10	.06										12
13		.01											13
14	.45		.13										14
15	.75												15
16	.19												16
17	.57												17
18	.63		.04										18
19	.22	.06	.21										19
20	.22	.16											20
21	.13	.12											21
22	.02												22
23	.09												23
24	.01	.03											24
25													25
26													26
27	.02	.09	.17										27
28		.02	.77										28
29			.10										29
30		X	.27			X			X		X		30
31	.01	X	.54	X		X			X		X		31
Total	3.55	2.20	2.36										YEAR'S TOTAL
Rain Days.	19	19	11										

RE

Kept at Kentchurch
in the County of Hereford
by Rev R. P. D

KENTCHURCH
RECTORY
HEREFORD
1911 - 1920

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912
in.
around 1 ft. in.
Sea Level 215 ft.
Name Ponttrilas 2 1/2 m
Distance 2 1/2 Direction WNW
the result entered to the
versal rule, he is earnestly
r in the space provided
nt of rain,
ish Rainfall
Jan. 1, following.

IMPORTANT NOTE
previous day. If an Obs
requested to add the readi
for it at the end of this
the selection and placing
Organization are given in
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. .01	in. —	in. .01	in. .03	in. .01	in. —	in. .01	in. .37	in. —	in. —	in. .13	in. .01	1
2	.01	—	—	—	.19	—	—	—	—	.06	.10	.26	2
3	—	—	—	.02	.54	—	—	.27	.03	.01	.06	.07	3
4	—	—	.10	.02	—	—	—	.02	.07	.04	.15	.70	4
5	.09	—	.02	.04	—	—	—	.11	—	.08	.11	.01	5
6	.34	—	.05	.10	—	—	—	.02	—	—	.40	1.07	6
7	.02	—	—	—	—	—	—	—	—	—	.38	—	7
8	.01	—	.14	—	—	—	—	—	—	—	.21	1.03	8
9	.03	—	.01	—	—	—	—	—	—	—	.31	.38	9
10	.03	.04	.28	—	—	—	—	—	—	—	.02	.76	10
11	.14	—	—	—	.32	—	—	—	—	—	.55	.02	11
12	—	.01	.44	—	.01	—	—	—	.09	—	.42	.09	12
13	—	—	.01	—	.11	—	—	—	.23	—	.03	.72	13
14	—	—	—	—	—	—	—	—	—	.01	—	1.14	14
15	—	.06	.03	—	—	.02	—	—	—	.01	.38	.11	15
16	—	.01	.03	—	—	.27	—	—	—	—	.22	.25	16
17	—	.03	—	.04	—	.65	—	—	—	—	.15	.76	17
18	—	.37	.09	.26	—	.07	—	—	—	.08	—	.69	18
19	.02 ^{Fog}	.01	—	.28	—	.23	—	—	.71	.18	—	.55	19
20	—	.06	.05	.05	—	—	—	—	.12	.09	—	.57	20
21	—	.13	.26	—	—	.02	—	1.12	.05	.55	—	.15	21
22	—	.05	.03	.06	—	.03	—	—	—	.11	—	.75	22
23	—	.27	.16	—	—	.54	—	—	.17	.07	—	.21	23
24	—	.09	.01	—	—	.53	—	.16	.01	.07	—	.11	24
25	—	.05	.01	.06	—	.03	—	—	.07	.04	—	.03	25
26	—	.34	—	.19	.25	.01	—	.03	—	.27	.16	.16	26
27	—	.24	.31	.05	—	—	—	.42	.13	—	.07	.12	27
28	—	.23	—	.15	—	—	—	.06	—	—	.27	—	28
29	—	—	—	.03	—	.12	.09	—	.15	.34	.01	—	29
30	—	—	.01	.01	.01	.02	.06	.01	—	.24	.14	.01 ^{Fog}	30
31	—	—	—	—	—	—	.05	—	—	.01	—	—	31
Total	0.70	1.99	2.05	1.39	1.44	2.54	.21	2.59	1.83	2.26	4.27	10.73	TOTAL for year 32.00
No. of Rain Days	10	16	20	16	8	13	4	11	12	18	21	27	176

Kept at Kentchurch Rectory

in the County of Hereford

by Rer R. P. Dansey

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 215 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Ponttrilas 2½ m
Distance 2½ Direction WNW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	<u>.01</u>	<u>—</u>	<u>.01</u>	<u>.03</u>	<u>.01</u>	<u>—</u>	<u>.01</u>	<u>.37</u>	<u>—</u>	<u>—</u>	<u>.13</u>	<u>.01</u>	1
2	<u>.01</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.19</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.06</u>	<u>.10</u>	<u>.26</u>	2
3	<u>—</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>.54</u>	<u>—</u>	<u>—</u>	<u>.27</u>	<u>.03</u>	<u>.01</u>	<u>.06</u>	<u>.07</u>	3
4	<u>—</u>	<u>—</u>	<u>.10</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>.07</u>	<u>.04</u>	<u>.15</u>	<u>.70</u>	4
5	<u>.09</u>	<u>—</u>	<u>.02</u>	<u>.04</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.11</u>	<u>—</u>	<u>.08</u>	<u>.11</u>	<u>.01</u>	5
6	<u>.34</u>	<u>—</u>	<u>.05</u>	<u>.10</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>.40</u>	<u>1.07</u>	6
7	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.38</u>	<u>—</u>	7
8	<u>.01</u>	<u>—</u>	<u>.14</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.21</u>	<u>1.03</u>	8
9	<u>.03</u>	<u>—</u>	<u>.01</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.31</u>	<u>.38</u>	9
10	<u>.03</u>	<u>.04</u>	<u>.28</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>.76</u>	10
11	<u>.14</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.32</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.55</u>	<u>.02</u>	11
12	<u>—</u>	<u>.01</u>	<u>.44</u>	<u>—</u>	<u>.01</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.09</u>	<u>—</u>	<u>.42</u>	<u>.09</u>	12
13	<u>—</u>	<u>—</u>	<u>.01</u>	<u>—</u>	<u>.11</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.23</u>	<u>—</u>	<u>.03</u>	<u>.72</u>	13
14	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.01</u>	<u>—</u>	<u>1.14</u>	14
15	<u>—</u>	<u>.06</u>	<u>.03</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.01</u>	<u>.38</u>	<u>.11</u>	15
16	<u>—</u>	<u>.01</u>	<u>.03</u>	<u>—</u>	<u>—</u>	<u>.27</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.22</u>	<u>.25</u>	16
17	<u>—</u>	<u>.03</u>	<u>—</u>	<u>.04</u>	<u>—</u>	<u>.65</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.15</u>	<u>.76</u>	17
18	<u>—</u>	<u>.37</u>	<u>.09</u>	<u>.26</u>	<u>—</u>	<u>.07</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.08</u>	<u>—</u>	<u>.69</u>	18
19	<u>.02^{Fog}</u>	<u>.01</u>	<u>—</u>	<u>.28</u>	<u>—</u>	<u>.23</u>	<u>—</u>	<u>—</u>	<u>.71</u>	<u>.18</u>	<u>—</u>	<u>.55</u>	19
20	<u>—</u>	<u>.06</u>	<u>.05</u>	<u>.05</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.12</u>	<u>.09</u>	<u>—</u>	<u>.57</u>	20
21	<u>—</u>	<u>.13</u>	<u>.26</u>	<u>—</u>	<u>—</u>	<u>.02</u>	<u>—</u>	<u>1.12</u>	<u>.05</u>	<u>.55</u>	<u>—</u>	<u>.15</u>	21
22	<u>—</u>	<u>.05</u>	<u>.03</u>	<u>.06</u>	<u>—</u>	<u>.03</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.11</u>	<u>—</u>	<u>.75</u>	22
23	<u>—</u>	<u>.27</u>	<u>.16</u>	<u>—</u>	<u>—</u>	<u>.54</u>	<u>—</u>	<u>—</u>	<u>.17</u>	<u>.07</u>	<u>—</u>	<u>.21</u>	23
24	<u>—</u>	<u>.09</u>	<u>.01</u>	<u>—</u>	<u>—</u>	<u>.53</u>	<u>—</u>	<u>.16</u>	<u>.01</u>	<u>.07</u>	<u>—</u>	<u>.11</u>	24
25	<u>—</u>	<u>.05</u>	<u>.01</u>	<u>.06</u>	<u>—</u>	<u>.03</u>	<u>—</u>	<u>—</u>	<u>.07</u>	<u>.04</u>	<u>—</u>	<u>.03</u>	25
26	<u>—</u>	<u>.34</u>	<u>—</u>	<u>.19</u>	<u>.25</u>	<u>.01</u>	<u>—</u>	<u>.03</u>	<u>—</u>	<u>.27</u>	<u>.16</u>	<u>.16</u>	26
27	<u>—</u>	<u>.24</u>	<u>.31</u>	<u>.05</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.42</u>	<u>.13</u>	<u>—</u>	<u>.07</u>	<u>.12</u>	27
28	<u>—</u>	<u>.23</u>	<u>—</u>	<u>.15</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.06</u>	<u>—</u>	<u>—</u>	<u>.27</u>	<u>—</u>	28
29	<u>—</u>	<u>—</u>	<u>—</u>	<u>.03</u>	<u>—</u>	<u>.12</u>	<u>.09</u>	<u>—</u>	<u>.15</u>	<u>.34</u>	<u>.01</u>	<u>—</u>	29
30	<u>—</u>	<u>—</u>	<u>.01</u>	<u>.01</u>	<u>.01</u>	<u>.02</u>	<u>.06</u>	<u>.01</u>	<u>—</u>	<u>.24</u>	<u>.14</u>	<u>.01^{Fog}</u>	30
31	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>—</u>	<u>.05</u>	<u>—</u>	<u>—</u>	<u>.01</u>	<u>—</u>	<u>—</u>	31
Total	<u>0.70</u>	<u>1.99</u>	<u>2.05</u>	<u>1.39</u>	<u>1.44</u>	<u>2.54</u>	<u>.21</u>	<u>2.59</u>	<u>1.83</u>	<u>2.26</u>	<u>4.27</u>	<u>10.73</u>	TOTAL for year <u>32.00</u>
No. of Rain Days	<u>10</u>	<u>16</u>	<u>20</u>	<u>16</u>	<u>8</u>	<u>13</u>	<u>4</u>	<u>11</u>	<u>12</u>	<u>18</u>	<u>21</u>	<u>27</u>	<u>176</u>

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
JAN 1913

Kept at Kentchurch Rectory

in the County of Hereford

by R. R. P. Dansey

RAIN GAUGE { Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 215 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Pontrilas
Distance 2 1/2 Direction WNW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.32	—	—	.73	.04	.01	.02	.50	—	.15	1
2	—	.02 ^s	.38	.02	.01	.35	.33	.10	—	—	—	—	2
3	—	—	.18	—	.05	.17	.03	1.10	.03	—	.03	.01	3
4	.11	—	1.02	—	.20	.03	—	.15	—	—	.14	—	4
5	.33	.09 ^s	.08	—	.14	.06	—	.60	.04	—	.01	.05	5
6	.38	.24	.01	—	.06	.38	—	.34	—	—	—	.06	6
7	.06	.43	.37	—	.04	.26	.04	.04	—	—	—	.07	7
8	.40	.33	.36	—	—	.20	.05	.17	—	—	—	—	8
9	.03	.02	.57	.08	—	.37	.02	.23	—	—	.05	.25	9
10	.20	.10	.01	.01	—	.01	—	.09	—	—	.16	—	10
11	.05	.08	.01	—	—	—	.02	.03	—	—	.05	.39	11
12	.01	.40	.09	.08	.12	.03	.02	.01	—	.01	—	.09	12
13	.02	.01	—	.01	—	—	—	—	.04	.03	—	.10	13
14	.08	—	.56	—	.05	—	—	.04	.01	.01	—	.01	14
15	.42	.07	—	—	.40	.18	—	.01	—	—	—	.10	15
16	1.02	.01	.28	—	.03	.02	—	.09	.01	.05	.02	.02	16
17	1.00 ^s	—	.12	—	—	.07	—	.36	—	—	.06	.27	17
18	.14 ^s	.03	.03	—	—	—	—	.29	—	.01	.01	.05	18
19	.10	.04	—	—	.01	—	.13	.49	—	.01	—	.05	19
20	.09	—	.63	—	—	—	.19	.03	—	.21	—	.01	20
21	.02	.04	.49	—	.69	—	.08	.33	—	.30	—	—	21
22	.35	.16	.06	—	.28	—	.21	.19	—	.02	—	.05	22
23	.42	.34	.39	—	—	.26	.07	.15	—	.06	.05	.23	23
24	.19	.02	.02	—	—	.34	.05	.03	—	.01	.02	.17	24
25	.01	—	—	—	—	.43	.03	1.47	—	.02	.30	.34	25
26	—	.11	—	—	—	—	.08	.89	—	.75	.29	.52	26
27	—	.01	.02	—	—	.77	.80	—	—	.93	—	.33	27
28	—	.05	—	—	—	.25	.82	.66	.10	.45	.53	.33	28
29	—	.25	.02	—	—	.04	.37	.43	.45	.18	—	.03	29
30	—	—	.04	—	—	.30	.16	—	—	.39	—	—	30
31	.02	—	.26	—	.03	—	.40	.03	—	.01	—	.06	31
Total	5.45	2.85	6.32	0.20	2.11	5.25	3.94	8.36	0.70	3.95	1.72	3.74	TOTAL for year
No. of Rain Days.	23	22	25	5	14	21	21	28	8	19	14	25	4459 225

REGISTER OF RAINFALL IN 1913

Kept at Kentchurch Rectory
 in the County of Hereford
 by Rev R. P. Dansey.

Lat. 51° 55' N Long. 2° 52' W
 Time of Observation 9 a.m.
 Nearest Railway Station Pontilias
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. — in.
 " " " " Sea Level 215 ft.

FORM A.
 BRITISH RAINFALL
 3 - JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.07	.25	.02	.08	—	—	—	.40	.01	.09	—	1
2	.02	.37	.07	.05	.05	—	.01	—	.10	.93	.13	.01	2
3	.14	.04	.07	—	.42	—	—	—	—	.03	—	.13	3
4	1.15	.01	.01	—	.17	—	—	—	1.68	.62	.10	.27	4
5	.08	.04	.02	—	.22	.22	.03	—	.02	.09	.08	.06	5
6	.07	.14	.14	—	.12	.07	.05	—	—	.31	.21	.47	6
7	.02	.31	—	—	.37	.10	.02	—	—	.76	.17	.01	7
8	.02	.28	—	.01	.25	.01	.01	.05	—	.53	—	—	8
9	—	.26	.03	—	.26	.23	.03	.17	.15	.01	.37	.02	9
10	.30	—	.01	.06	.06	—	—	.14	—	.19	.18	—	10
11	1.12	—	—	.14	.27	—	—	—	—	.08	.62	—	11
12	—	—	—	—	.33	.01	—	.04	.05	—	.44	—	12
13	.05	—	.10	.01	.02	—	—	.05	.71	—	.23	—	13
14	.32	.01	.22	.07	—	—	—	.01	.14	.05	.01	—	14
15	.04	.04	.78	1.05	—	—	—	.09	.03	—	.05	—	15
16	.20	—	.78	.05	—	—	—	—	.21	—	.01	—	16
17	.04	.02	.05	.14	—	—	.07	—	.02	—	.02	—	17
18	.05	—	.46	.19	—	—	.04	—	—	—	.01	—	18
19	.19	—	.21	.03	.01	.09	.03	—	.16	.01	—	.03	19
20	.31	—	.39	.16	—	.01	—	—	—	.11	.55	—	20
21	—	—	.31	.19	.18	—	.09	.05	—	—	.14	—	21
22	.87	—	.81	.03	—	.09	—	.20	.33	—	—	—	22
23	.04	—	.02	—	—	.01	—	.03	.03	—	.07	.05	23
24	.03	.04	—	.03	—	—	—	.05	—	—	.09	—	24
25	—	.03	—	.40	—	—	—	—	.04	.04	.01	.05	25
26	—	.01	—	1.13	—	—	—	.19	.01	.02	—	.23	26
27	.02	—	.11	.48	—	—	—	—	—	.11	—	—	27
28	.30	—	.24	.52	.05	—	—	—	—	.28	—	.07	28
29	.01	—	.63	.44	—	—	—	.04	—	.26	—	.02	29
30	.11	—	—	—	—	—	—	—	—	1.13	.11	—	30
31	.02	—	.12	—	.15	—	—	.01	—	.04	—	—	31
Total	5.55	1.67	5.83	5.20	3.01	0.84	0.38	1.12	4.08	5.61	3.69	1.42	38.40
Rain Days.	26	15	23	21	17	10	10	14	16	21	22	13	208

YEARS TOTAL

REGISTER OF RAINFALL IN 1914

Kept at Kentchurch Rectory
in the County of Hereford
by R. W. P. Dansey

Lat. 51° 55' N Long. 2° 52' W
Time of Observation 9 a.m.
Nearest Railway Station Pentridge
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 215 in.
Sea Level 215 ft.

FORM A.
BRITISH RAINFALL.
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.05	.07	.03	—	.08	.69	.18	—	—	.11	.11	1
2	—	—	.01	—	.03	—	.80	.13	—	—	.51	.40	2
3	—	—	.03	.16	.24	—	.04	.07	—	—	.01	.20	3
4	.16	—	.01	.13	.10	—	.29	.07	—	—	.63	.66	4
5	.10	—	.06	.17	.23	—	.08	—	—	—	.12	—	5
6	.02	.07	.04	.07	.05	—	—	.02	—	—	.09	.26	6
7	—	.40	.22	.13	.34	—	.22	.18	.01	—	.01	.22	7
8	.01	—	.07	.02	.08	.91	.03	.07	.03	—	.01	.12	8
9	.03	.05	.17	.44	.01	1.38	—	.05	.07	—	—	—	9
10	—	.43	—	.40	.03	.02	—	—	.35	—	—	—	10
11	—	.14	.28	.03	.10	.30	.22	—	—	—	.24	.94	11
12	—	.21	.11	—	—	—	.07	—	.21	—	.09	.36	12
13	—	.29	.38	—	—	—	.06	—	.19	.49	.07	.26	13
14	.01	.36	.46	—	—	—	.04	.01	—	.21	.33	—	14
15	.02	.05	.29	—	—	—	.04	.45	—	.03	.08	—	15
16	—	—	—	—	—	—	.11	—	.34	—	—	—	16
17	.03	.25	.23	—	—	—	.08	—	.61	—	—	.75	17
18	—	—	.10	—	—	—	.01	—	—	.02	—	.30	18
19	.01	.05	.05	—	—	—	.76	—	.04	—	.09	.25	19
20	—	.41	.04	—	—	.01	—	—	—	—	—	.23	20
21	—	.42	—	—	—	.07	.01	.02	—	.20	—	—	21
22	—	.12	—	—	.20	—	.01	.15	—	.49	—	—	22
23	—	.03	.15	—	.14	—	.03	—	—	.29	—	—	23
24	—	—	.06	—	—	—	.03	.17	—	.10	.08	—	24
25	.05	—	.23	—	—	—	.06	.29	—	.29	—	.16	25
26	—	—	.04	—	—	—	.02	.14	—	.12	.21	.59	26
27	—	—	—	—	—	—	.03	—	—	.01	.23	.21	27
28	—	.08	.21	—	.02	—	—	—	—	.02	.04	.67	28
29	.09	—	.10	—	.20	—	—	—	—	.25	.25	—	29
30	.01	—	.19	—	.01	—	—	—	—	.17	.48	.73	30
31	.35	—	—	—	—	—	.18	.01	—	.35	—	.14	31
Total	0.89	3.41	3.60	1.58	1.78	2.77	3.91	2.01	1.25	3.04	3.68	7.56	YEAR'S TOTAL 35.48
Rain Days.	13	17	25	10	15	7	24	16	9	15	20	20	191

REGISTER OF RAINFALL IN 1915

Kept at Kentchurch Rectory
in the County of Hereford
by Rev R P Dansey

Lat. 51° 55' N Long. 2° 52' W
Time of Observation 9 a.m.
Nearest Railway Station Pontefract
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 215 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.48	.09	.02	—	.20	—	—	.17	.15	.29	.02	.10	1
2	.15	.19	.15	.07	—	.13	—	1.06	.03	.13	—	.16	2
3	.41	.21	.02	.03	.14	—	.63	.04	—	—	—	.30	3
4	.03	.18	—	—	.15	—	.98	.12	—	—	—	.57	4
5	—	.79	—	.10	—	—	.01	.09	—	—	—	1.06	5
6	.18	.03	—	.22	—	—	.55	.07	—	—	—	.27	6
7	.06	.59	—	.03	.03	—	—	.10	—	—	—	.32	7
8	.18	.35	—	.06	—	—	—	.03	—	—	.05	.03	8
9	.03	.16	—	.02	—	—	—	.02	—	—	.25	.74	9
10	.21	.08	.09	.10	—	—	—	—	—	.07	.03	.02	10
11	.06	—	.05	.02	.01	—	—	—	—	—	1.35	.07	11
12	.06	.25	—	.13	.88	—	—	.04	—	.11	.50	.02	12
13	—	.96	—	—	1.10	—	—	—	.14	—	—	.08	13
14	—	.01	—	—	—	—	—	.05	.04	—	—	.35	14
15	.36	—	—	—	.10	—	.04	.14	—	.02	.07	.18	15
16	.02	.85	—	—	.80	—	1.41	.18	—	—	—	.03	16
17	—	.48	.03	—	.88	—	—	.04	—	—	—	.01	17
18	—	.83	.01	—	—	—	—	—	—	.01	.01	—	18
19	—	.06	—	—	.21	—	.11	—	—	—	—	—	19
20	.11	—	—	.10	—	—	.01	—	—	.07	—	.03	20
21	.03	.03	—	—	.01	—	.04	—	—	.12	—	—	21
22	.08	.09	.23	.10	—	—	.55	—	.01	—	—	.32	22
23	.11	.02	.05	—	—	.06	.05	—	—	.70	—	.35	23
24	.04	—	.07	.06	—	—	.68	—	.29	.73	—	.56	24
25	—	—	.06	—	—	.36	.07	—	—	.01	—	.18	25
26	—	.14	—	—	—	.02	.35	—	.01	—	—	.80	26
27	—	.01	—	—	—	.17	.04	—	—	.63	—	.07	27
28	—	.14	—	—	—	.08	—	—	.27	.06	—	.09	28
29	—	X	—	—	—	.01	.05	.01	—	—	.18	.13	29
30	.12	X	—	—	—	.06	.35	—	—	.41	.30	.27	30
31	—	X	—	X	—	X	.10	.03	X	1.16	X	.60	31
Total	2.72	6.54	0.78	1.04	4.51	0.89	6.02	2.19	0.94	4.52	2.76	7.71	YEAR'S TOTAL 40.62
Rain Days.	19	23	11	13	12	8	18	16	8	15	10	28	£181 days

REGISTER OF RAINFALL IN 1916

Kept at Kentchurch Rectory

in the County of Hereford

by R. W. P. Dainey

Lat. 51° 55' N Long. 2° 52' W

Time of Observation 9 a.m.

Nearest Railway Station Pontefract

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 215 ft.

FORM A.
BRITISH RAINFALL
JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	—	.05 ^s	—	.04	.09	.26	—	—	.15	.23	—	1
2	.35	.10	.41 ^s	—	.13	.07	—	—	.24	.70	.15	—	2
3	.01	1.17	.02 ^s	—	.08	.08	.03	—	.06	.27	.38	—	3
4	.16	.16	—	.02	.44	.24	—	—	.01	.17	.75	—	4
5	.01	.02	.02 ^s	—	.20	.06	.02	—	—	.15	.14	—	5
6	.04	.15	.05 ^s	—	.15	—	.94	—	—	.32	.76	—	6
7	.12	—	.15 ^s	—	.18	—	.02	—	—	.16	.17	.20	7
8	—	.02	.09 ^s	—	.37	.03	—	—	—	—	.02	.21	8
9	—	—	.02 ^s	—	.12	.02	—	—	—	.03	.05	.14 ^s R	9
10	—	.39	.05 ^s	.02	.03	—	—	—	—	.03	—	.04 ^s R	10
11	.06	.01	.14 ^s	.08	.02	.08	—	—	—	—	—	—	11
12	.03	.04	.07	.01	.46	—	.25	.02	—	.02	—	—	12
13	—	.24	.27	.04	—	—	—	.74	—	—	—	—	13
14	—	.58 ^s	.35	.02	.02	—	—	.02	—	.06	—	—	14
15	—	.38	.31	.10	.07	—	—	.17	—	—	—	—	15
16	.01	.08	.02	.17	—	—	.26	.19	—	.01	—	—	16
17	.08	.09	—	.15	—	—	—	—	.09	.36	.20 ^s	—	17
18	.01	.03	.17	.02	—	—	—	.01	.06	.05	.30 ^s	.20 ^s	18
19	.12	—	.65	.05	—	—	—	—	—	.02	.20 ^s R	—	19
20	.08	.04	.36	—	—	—	—	—	—	—	.01	.48	20
21	.01	—	.60	.10	.11	—	.05	—	—	—	—	.18 ^s R	21
22	—	—	—	.02	—	.04	—	—	—	.31	—	.50 ^s R	22
23	—	.29 ^s	.04 ^s	.01	—	.06	—	.20	—	.07	.05	.19	23
24	—	.16 ^s	.02 ^s	—	1.50	.01	—	.12	—	.35	—	.23 ^s R	24
25	—	.25 ^s	.22	—	—	.01	—	.50	.01	.16	.30	—	25
26	—	.18 ^s	.02 ^s	—	.30	.08	—	.03	.14	.42	.02	—	26
27	.03	.13 ^s	1.42 ^s	—	—	—	—	.53	.25	.63	—	—	27
28	.03	.52 ^s	.02 ^s	—	.02	—	—	—	.15	.23	.03	.16	28
29	—	.33 ^s	.02	—	—	.29	—	.86	—	.29	—	.21	29
30	—	X	—	—	.02	—	—	—	—	.29	—	—	30
31	—	X	—	X	—	X	—	.03	X	.43	X	.02	31
Total	1.21	5.36	5.56	0.81	4.26	1.16	1.83	3.42	1.01	5.68	3.76	2.76	YEAR'S TOTAL 36.82
Rain Days.	17	23	26	14	19	14	8	13	9	25	17	13	35 198

REGISTER OF RAINFALL IN 1917

Kept at Kentchurch Rectory
in the County of Hereford
by R. R. P. Dansey

Lat. 51° 55' N Long. 2° 52' W
Time of Observation 9 a.m.
Nearest Railway Station PONTILAS
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 215 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.23	.41 ^s	—	.32	—	.86	.09	—	.06	.05	1
2	—	—	—	—	—	.06	—	.04	—	.08	.24	—	2
3	.01	.05 ^s	—	.06 ^s	—	—	—	.03	—	.38	.01	—	3
4	—	.15 ^s	.30 ^s	—	—	—	.01	.02	—	.10	—	—	4
5	.09	—	.36 ^s	.10 ^{Res}	—	.18	—	.10	1.20	.22	.06	—	5
6	.02	—	.82 ^{Res}	—	—	.29	—	—	—	.09	.33	—	6
7	.30	—	—	—	—	—	.17	.19	—	.43	.04	—	7
40 8	.40	—	.13 ^s	.12 ^{Res}	—	.02	.66	.64	—	.40	.13	.04	8
9	—	—	.26 ^s	.16 ^s	.26	—	—	.08	.20	.01	.33	—	9
10	.20	—	.35	.26 ^{Res}	.10	—	—	.46	.05	—	—	.01	10
11	.04	—	.12	.16 ^s	.07	—	—	.37	—	.31	.03	—	11
12	.02	—	—	—	.59	.08	—	.31	—	.21	—	—	12
13	.01	—	.17	.04	—	—	—	.61	.03	—	—	—	13
14	—	—	.05	.04	—	—	—	.06	—	—	—	.01	14
15	.03	—	—	—	.04	—	—	.28	.02	.06	—	.19	15
16	.02	.02	—	.17	—	.08	—	.02	—	—	—	.17	16
17	.02	—	—	—	.66	—	.43	.39	.15	.05	—	—	17
18	.01	.04	—	—	.04	—	.57	.01	1.38	—	—	—	18
19	.03	.31	.07	—	—	.47	—	—	—	—	—	—	19
20	.02	.09	.03	—	.87	.10	—	—	.10	—	—	.01	20
21	.02	.04	.35 ^s	—	.05	.05	—	.06	—	.02	—	—	21
22	.01	—	.02 ^s	—	.01	.02	—	.45	—	.02	—	—	22
23	—	.14	—	—	.06	—	—	.28	—	.05	—	.01	23
24	—	.02	.02	—	—	.04	.05	.10	—	.40	.05	—	24
25	—	.03	.04	—	—	—	—	.04	—	.05	.05	—	25
26	—	—	—	—	.07	.01	—	.67	.12	.01	—	—	26
27	—	—	.02	—	1.33	.26	.24	.90	—	—	—	—	27
28	—	—	.08	—	.11	.19	—	.09	—	—	—	.06	28
29	—	X	.03	—	—	.39	—	.02	—	.71	—	.48	29
30	—	X	—	—	—	—	.03	.42	—	.22	.01	.01	30
31	—	X	.09 ^s	X	.22	X	—	.15	X	.05	X	—	31
Total	1.25	0.89	3.54	1.52	4.48	2.56	2.16	7.65	3.34	3.87	1.34	1.04	33.64
Rain Days.	17	10	20	10	15	16	8	28	10	21	12	11	178

REGISTER OF RAINFALL IN 1918

Kept at Kentchurch Rectory
in the County of Hereford
by Rev R. P. Dansey

Lat. 51° 55' N Long. 2° 52' W
Time of Observation 9 a.m.
Nearest Railway Station PONTRILAS
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 215 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
		1.04											
1	—	2.18	.02	.06	.01	—	—	.15	.01	.12	.91	—	1
2	—	3.18	—	.10	—	—	—	.43	—	.02	.07	.10	2
3	—	4.04	.02	.21	.40	—	—	.15	.50	.07	.11	—	3
4	—	5.03	.02	.03	—	—	—	.04	.67	.30	.85	.59	4
5	—	6.20	—	.09	.56	—	—	.10	.26	.21	.03	.03	5
6	.03	7.06	—	.14	—	.03	—	—	.08	.28	—	.06	6
7	—	8.17	—	.01	.54	—	—	—	.97	.08	.22	.23	7
8	—	9.16	—	—	—	—	—	—	.06	.16	.01	.02	8
9	—	10.01	—	.31	—	.08	.07	—	.30	.03	—	.04	9
10	.03	—	—	.15	—	—	.56	—	.16	.08	—	.31	10
11	—	—	.06	.04	.02	—	.18	—	.02	.03	.03	.04	11
12	—	.06	.18	—	.08	—	.12	—	.02	—	—	—	12
13	—	.03	—	—	—	—	.13	—	.21	.04	—	.06	13
14	.37	—	.10	—	.02	.02	.03	—	.65	.03	—	.11	14
15	1.43	—	—	.18	—	—	.37	—	.03	—	—	.29	15
16	.31	—	—	.98	—	.05	.05	.01	.47	—	—	.03	16
17	.22	—	.05	.02	—	—	.23	—	.70	.12	—	.13	17
18	.41	—	—	—	—	.49	.08	—	1.38	.01	—	.50	18
19	.12	—	.16	—	—	—	.08	—	.03	.09	—	.03	19
20	.25	.05	—	.20	—	.03	.05	—	.24	—	—	—	20
21	.14	.08	—	.24	—	—	.02	—	.45	.04	—	.15	21
22	.02	—	—	—	.92	—	.14	—	.03	.02	—	.42	22
23	.04	—	—	—	.41	—	.23	—	.04	—	.04	—	23
24	.01	.08	—	—	—	—	.06	.05	.03	—	.07	.01	24
25	—	—	—	.21	.19	.02	.21	.54	—	.04	.05	—	25
26	—	—	—	.02	—	—	.32	.03	.01	.01	.06	.13	26
27	—	.05	.13	—	—	—	—	.13	.23	—	.02	.04	27
28	—	.09	.35	.02	—	—	—	—	—	—	.01	.05	28
29	—	~~X~~	.03	—	—	—	—	—	1.30	.01	—	.02	29
30	—	~~X~~	.47	—	—	—	—	—	.04	.02	.03	.11	30
31	—	~~X~~	.25	~~X~~	—	~~X~~	—	.08	~~X~~	—	~~X~~	—	31
Total	3.38	1.51	1.84	3.01	3.15	0.72	2.93	1.71	8.89	1.81	2.51	3.50	YEAR'S TOTAL 34.96
Rain Days.	13	17	13	18	10	7	18	11	27	22	15	24	195

REGISTER OF RAINFALL IN 1919

Kept at Kentchurch Rectory
in the County of Hereford
by R. R. P. Dansey

Lat. 51° 55' N Long. 2° 52' W
Time of Observation 9 a.m.
Nearest Railway Station Pontreilas
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 220 ft.

FORM A
BRITISH RAINFALL

2023
JAN 20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.42	.01	.04	.05	.03	.03	.16	—	.10	.09	—	.50	1
2	.16	—	.03	—	—	—	.22	—	.25	.02	.11	.07	2
3	.02	—	.12	—	.04	.09	.18	—	.03	—	.13	.16	3
4	.11 ^s	.21 ^{RS}	.39	—	—	.04	.14	—	.44	—	—	.15	4
5	.01	.31 ^s	.17	—	.03	—	—	—	.14	—	.02	.27	5
6	.21	.04 ^{SR}	.15	—	.06	—	—	—	—	—	—	.10	6
7	.23	—	.16	.07	.04	—	—	—	—	—	—	—	7
8	.29	—	.08	—	—	.02	—	—	—	—	—	—	8
9	.47	—	—	.04	—	—	—	—	—	—	.11	—	9
10	.01	—	.58	—	—	—	—	—	—	.03	.05	.48	10
11	—	—	.88	—	.07	.01	.44	—	—	—	—	.09	11
12	—	—	.14 ^s	.03	—	.32	—	—	.13	.02	.01	.01	12
13	.09	—	—	.27	—	—	—	—	.35	.06	—	.05	13
14	.32	.07	—	.20	—	—	.01	—	.05	.02	—	.34	14
15	.26	.10	—	—	.01	—	—	—	—	.04	—	.27	15
16	.14	1.33	—	—	—	—	—	—	—	—	.06	—	16
17	—	1.00 ^R	—	.03	—	.03	—	—	—	—	.21	—	17
18	.02	—	.65	—	—	—	.03	.10	.03	—	.10	.04	18
19	.32	.36	1.17	—	—	.16	1.32	.40	.08	—	.03	.04	19
20	.50	.10	.58 ^s	—	—	.06	—	.08	—	—	.15	.05	20
21	—	.62	.05 ^s	—	—	—	.12	—	—	—	—	.20	21
22	—	.04	—	—	—	—	.01	—	.26	—	—	.12	22
23	—	—	—	—	—	—	—	—	—	.96	.08	.02	23
24	—	—	—	.11	—	.03	—	—	—	.70	.18	.08	24
25	.04	—	—	.03	.09	—	—	.46	—	—	.01	.06	25
26	—	.05	.12	.02	—	.07	—	.02	.02	—	—	.27	26
27	.08 ^s	.01	.13	.40	—	—	—	.63	—	—	.05	—	27
28	.04 ^s	—	.26 ^s	—	—	—	—	.35	—	—	.33	.33	28
29	.08 ^s	X	.01 ^s	.05	—	—	—	.01	—	.15	.08	.29	29
30	—	X	—	.10	—	.14	—	.27	—	.01	.33	.53	30
31	.02 ^s	X	.09 ^H	X	—	X	—	—	X	—	X	.03	31
Total	3.84	4.25	5.80	1.40	0.37	1.00	2.63	2.32	1.88	2.10	2.04	4.55	32.18
Rain Days.	22	14	20	13	8	12	10	9	12	11	18	25	174

Year (32.18) below av (1907-19, 13 yrs) by 3.90"

B.R. Form B 1.

form letter

1936 A

METEOROLOGICAL OFFICE.
BRITISH RAINFALL ORGANIZATION.

To be filled and returned to

THE SUPERINTENDENT,
BRITISH RAINFALL ORGANIZATION,
62, CAMDEN SQUARE, LONDON, N.W.1.

Copies of this form will be supplied with pleasure.

RAINFALL IN 1920

NOTE.—Records taken in millimetres should not be entered on this form.

At.....*Kentchurch Rectory M*

In the County of.....*Bucks*

Rain Gauge { Diameter of Funnel.....*5*.....in.
Height { Above Ground.....ft.....in.
of Top { Above Sea Level.....ft

PLEASE
FILL IN.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with	
		Inches	Date.	01 in. or more	04 in. or more
JAN.	<i>4.64</i>				
FEB.	<i>9.0</i>				
MAR.	<i>4.35</i>				
APR.	<i>5.74</i>				
MAY	<i>2.55</i>				
JUNE	<i>3.86</i>				
JULY	<i>4.88</i>				
AUG.	<i>.66</i>				
SEPT.	<i>2.60</i>				
OCT.	<i>4.17</i>				
NOV.	<i>1.06</i>				
DEC.	<i>4.15</i>				
Total	<i>39.56</i>	<i>1.005</i>			

Signed.....*Rw R P Dansey*

Titles.....

[Please fill in the other side also.]

REGISTER OF RAINFALL IN 1920.

Kept at Kentchurch Rectory
in the County of Hereford
by The Rev R. P. Dansey

Lat. 51° 55' N Long 2° 52' W
Time of Observation 9 a.m.
Nearest Railway Station Pontillas
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.03	.19	.41	—	.48	—	.05	.12	—	.58	1
2	.13	—	—	.13	.02	—	.13	—	.05	.25	—	.25	2
3	.10	.03	—	.30	.13	.01	1.51	—	.04	1.00	—	.10	3
4	—	—	.03	.03	—	—	.02	.31	—	.30	—	—	4
5	—	—	.20	.07	.04	—	.35	.07	—	.55	—	—	5
6	—	—	.20	—	.13	—	.19	—	—	.18	—	.02	6
7	—	—	—	.07	—	—	.21	—	—	—	—	—	7
8	.12	.03	—	.58	.03	—	.36	.07	—	.01	—	—	8
9	.26	.10	—	.46	—	.01	.06	—	—	—	—	—	9
10	.50	.19	.04	.02	—	.75	.16	—	—	—	.01	.03	10
11	.32	—	.36	.50	.35	.03	.03	—	—	—	—	—	11
12	.18	.04	.03	.22	—	.70	.02	—	—	.02	.05	—	12
13	.06	.04	.61	.27	—	—	—	—	—	—	.01	.03	13
14	.01	.05	.65	.85	—	.20	.05	—	.46	.34	.28	.06	14
15	—	.12	.03	.95	.07	.08	—	—	—	.21	.02	—	15
16	—	—	.01	.10	.15	.81	.13	—	.24	.49	.07	—	16
17	—	—	.01	—	.35	.76	—	—	.86	.28	—	.04	17
18	.06	—	—	.03	.14	—	—	.15	.54	—	—	.02	18
19	.04	.29	—	.43	.04	.16	—	—	—	—	—	.01	19
20	—	.07	—	.32	—	.08	—	—	—	—	—	.26	20
21	—	—	—	—	—	—	.06	—	—	.06	—	.24	21
22	.03	—	—	.17	—	—	.11	.20	—	—	—	.35	22
23	—	—	—	—	—	—	.34	—	—	—	—	.40	23
24	.01	—	.30	—	—	—	—	.01	—	—	.03	.29	24
25	.13	.01	.37	—	—	—	.71	—	—	—	—	.02	25
26	.29	—	.45	—	—	.05	.04	—	—	—	.17	.10	26
27	.93	.04	.36	.03	.02	.22	.03	—	—	—	.01	.55	27
28	.93	—	.12	—	.72	.05	—	—	—	—	—	.04	28
29	.58	—	.21	.01	.11	—	.15	—	—	—	.13	.55	29
30	.07	~~—~~	.24	.08	—	.17	.02	—	.50	—	.37	.45	30
31	.03	~~—~~	.25	~~—~~	.01	~~—~~	.01	—	~~—~~	.52	~~—~~	.06	31
TOTAL	4.78	1.01	4.50	5.81	2.72	4.08	5.17	0.81	2.74	4.33	1.15	4.45	YEAR'S TOTAL
Days with '01 in. or more	20	12	20	22	16	15	23	6	8	14	11	22	189

RE

2251

Kept at Grantsin the County of Herefordby Emma

Kim BOLTON

GRANTSFIELD.

1913 - 20

2.40 8

2 a.m.

dominster

5 in.

ve Ground 1 ft. — in.

Sea Level 424 ft.

the result entered to the
versal rule, he is earnestly

in the space provided

Jan. 1, following.

IMPORTANT NOTE

previous day. If an

requested to add the re

for it at the end of this paragraph.

Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
13 1	.03	.02	.12	.07	.10	—	—	—	.45	—	.04	—	1
2	—	.24	.04	—	—	—	—	—	.06	.37	.17	—	2
3	.04	.03	.03	—	.67	—	—	—	—	.03	—	.07	3
4	.86	.03	—	—	.32	—	.01	—	.66	.19	.10	.30	4
5	.06	.06	—	—	.10	.13	.14	—	.09	.89	.07	—	5
6	.02	.04	.17	—	.25	.15	.05	—	—	.30	—	.40	6
7	.01	.30	—	—	.19	.08	.03	—	—	.37	.16	.02	7
8	.02	.12	.03	.01	.08	.09	—	.06	—	.10	.01	—	8
9	.01	.40	—	.01	.10	.10	.03	.09	.18	—	.11	.02	9
10	.18	—	—	.09	.10	—	—	.03	—	.12	.02	—	10
11	.49	—	—	.38	.06	—	—	—	—	.03	.47	—	11
12	—	—	—	—	.24	—	—	.02	.04	—	.30	—	12
13	—	.02	.19	.01	.04	—	—	.02	.33	—	.26	—	13
14	.21	.01	.79	.06	—	—	.04	.02	.04	.12	.07	—	14
15	.04	.01	.61	1.04	—	—	—	.03	.32	—	.16	.01	15
16	.03	.01	.51	—	—	—	—	.09	—	.01	—	—	16
17	.01	.01	.06	.07	—	.01	.25	—	.15	—	.04	—	17
18	.02	—	.22	.134	.01	—	.04	—	—	—	.01	.01	18
19	.16	—	.08	—	—	.04	.03	—	.09	.02	—	—	19
20	.20	—	.34	.09	—	—	—	—	—	.06	.50	—	20
21	—	—	.14	.11	.04	—	.27	—	—	—	.20	—	21
22	.66	—	.66	—	—	.09	—	.85	.45	—	.01	—	22
23	—	—	.06	—	—	.02	—	.07	.12	—	.06	.01	23
24	.07	—	—	.04	—	—	—	—	—	—	.05	—	24
25	—	—	—	.16	—	—	—	—	.08	—	—	.01	25
26	—	.02	—	.55	—	—	—	.18	.02	.07	—	.15	26
27	.02	.02	.10	.21	—	—	—	—	—	.14	—	.01	27
28	.20	—	.31	.47	.09	—	—	—	—	.14	—	.05	28
29	.01	—	.44	.46	—	—	—	.07	—	.10	—	—	29
30	.13	—	—	—	—	—	—	—	—	.81	.24	—	30
31	.04	—	.24	—	.03	—	—	.04	—	.022	—	—	31
99													YEAR'S TOTAL
Total	3.52	1.34	5.14	3.96	2.42	.80	.89	1.57	2.08	3.89	3.05	1.06	30.72
Rain Days.	24	16	20	19	16	9	10	13	15	19	21	12	194

RE

Kept at Grantsfield Timbolton
 in the County of Hereford
 by Emma Hutchinson

Lat. 52 20 Long. 2 40 8
 Time of Observation 9 a.m.
 Nearest Railway Station Leominster
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. — in.
 " " " " Sea Level 425 ft.

FORM A.
 BRITISH RAINFALL
 8 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
13 1	.03	.02	.12	.07	.10	—	—	—	.45	—	.04	—	1
2	—	.24	.04	—	—	—	—	—	.06	.37	.17	—	2
3	.04	.03	.03	—	.67	—	—	—	—	.03	—	.07	3
4	.86	.03	—	—	.32	—	.01	—	.66	.19	.10	.30	4
5	.06	.06	—	—	.10	.13	.14	—	.09	.89	.07	—	5
6	.02	.04	.17	—	.25	.15	.05	—	—	.30	—	.40	6
7	.01	.30	—	—	.19	.08	.03	—	—	.37	.16	.02	7
8	.02	.12	.03	.01	.08	.09	—	.06	—	.10	.01	—	8
9	.01	.40	—	.01	.10	.19	.03	.09	.18	—	.11	.02	9
10	.18	—	—	.09	.10	—	—	.03	—	.12	.02	—	10
11	.49	—	—	.38	.06	—	—	—	—	.03	.47	—	11
12	—	—	—	—	.24	—	—	.02	.04	—	.30	—	12
13	—	.02	.19	.01	.04	—	—	.02	.33	—	.26	—	13
14	.21	.01	.79	.06	—	—	.04	.02	.04	.12	.07	—	14
15	.04	.01	.61	1.04	—	—	—	.03	.32	—	.16	.01	15
16	.03	.01	.51	—	—	—	—	.09	—	.01	—	—	16
17	.01	.01	.06	.07	—	.01	.25	—	.15	—	.04	—	17
18	.02	—	.22	.134	.01	—	.04	—	—	—	.01	.01	18
19	.16	—	.08	—	—	.04	.03	—	.09	.02	—	—	19
20	.20	—	.34	.09	—	—	—	—	—	.06	.50	—	20
21	—	—	.14	.11	.04	—	.27	—	—	—	.20	—	21
22	.66	—	.66	—	—	.09	—	.85	.45	—	.01	—	22
23	—	—	.06	—	—	.02	—	.07	.12	—	.06	.01	23
24	.07	—	—	.04	—	—	—	—	—	—	.05	—	24
25	—	—	—	.16	—	—	—	—	.08	—	—	.01	25
26	—	.02	—	.55	—	—	—	.18	.02	.07	—	.15	26
27	.02	.02	.10	.21	—	—	—	—	—	.14	—	.01	27
28	.20	—	.31	.47	.09	—	—	—	—	.14	—	.05	28
29	.01	—	.44	.46	—	—	—	.07	—	.10	—	—	29
30	.13	—	—	—	—	—	—	—	—	.81	.24	—	30
31	.04	—	.24	—	.03	—	—	.04	—	.022	—	—	31
99 Total	3.52	1.34	5.14	3.96	2.42	.80	.89	1.57	3.08	3.89	3.05	1.06	30.72
Rain Days.	24	16	20	19	16	9	10	13	15	19	21	12	194

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

Kept at Grantsfield Kimbolton
in the County of Hereford
by Emma Hutchinson

Lat. 52° 20' N Long. 2° 40' W
Time of Observation 9 a.m.
Nearest Railway Station Leominster
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 420 ft.

FORM A.
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.01	.01	.01	—	.02	.81	.21	—	—	.01	.03	1
2	—	—	—	—	.01	—	.72	.40	—	—	.41	.39 ⁺	2
3	—	—	.01	.10	.21	—	.03	.06	—	—	.02	.25	3
4	.14 ^s	—	.01	.09	.05	—	.28	.05	—	—	.51	.60	4
5	.07 ^s	—	.06	.17	.17	—	.03	.05	—	—	.07	—	5
6	—	.05	—	.11	.01	—	.05	.01	—	—	.02	.11	6
7	.03	.19	.36	.09	.15	.05	.25	.13	.11	—	—	.20	7
8	—	.01	.02	.04	.06	.53	—	.04	—	—	—	.23	8
9	.08	.01	.08	.21	.08	1.27	—	.08	.11	—	—	.04	9
10	.01	.15	.01	.20	.01	.11	—	—	.30	—	—	—	10
11	—	.17	.28	.03	—	.08	.01	—	—	—	.18	.64	11
12	—	.31	.16	—	—	—	.16	—	.20	—	.06	.24	12
13	—	.17	.22	—	—	—	.07	—	.06	1.02	.28	.20	13
14	—	.59	.16	—	—	—	.09	—	—	.10	.14	—	14
15	.03	.02	.12	—	—	—	.05	.03	.05	.11	.02	—	15
16	—	—	—	—	—	—	.01	—	.13	—	—	—	16
17	—	.11	.21	—	—	—	.02	—	—	—	—	.35	17
18	—	—	.20	—	—	—	.05	—	—	.02	—	.35	18
19	—	.01	.01	—	—	—	.74	—	—	—	.13	.08	19
20	—	.30	.03	—	—	—	.01	—	—	—	—	.08	20
21	—	.34	—	—	—	.07	.53	.10	—	.14	—	—	21
22	—	.07	.05	—	.48	.02	.05	.11	—	.29	—	—	22
23	—	.09	.08	—	.11	.02	.01	—	—	.15	—	—	23
24	—	—	.07	—	.02	—	.05	.26	—	.05	.01	—	24
25	—	—	.04	—	—	—	.10	.48	—	.35	.01	.30	25
26	—	—	.03	—	—	—	.01	.03	—	.07	.18	.33	26
27	.11	—	—	—	—	—	—	—	—	.04	.36	.66	27
28	.03	.04	.08	—	.04	—	.02	—	—	.02	.02	.70 ^s	28
29	.03	—	.14	—	.19	—	—	—	—	.14	.20	—	29
30	—	—	.06	—	—	—	—	—	—	.04	.57	.45	30
31	.41	—	—	—	—	—	.18	—	—	.11	—	.07	31
99 Total	.94	2.64	2.50	1.05	1.59	2.17	4.33	2.04	.96	2.65	3.20	6.30	30.37
Rain Days.	10	18	25	10	14	9	25	15	7	15	19	21	188

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915

Kept at Grantsfield Leominster
in the County of Hereford
by Miss Emma Hutchinson

Lat. 52° 20' Long. 2° 40'
Time of Observation 9 a.m.
Nearest Railway Station Leominster
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 424 ft.

FORM A.
BRITISH RAINFALL
3 JAN 1916
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
15 1	33	08	—	—	23	—	03	06	22	24	02	02	1
2	12	15	15	13	08	11	—	1.20	—	12	—	11	2
3	55	07	01	07	—	—	60	03	—	—	—	18	3
4	01	09	01	—	23	—	09	23	—	01	—	79	4
5	01	50	—	—	—	—	03	05	—	—	—	52	5
6	13	03	—	13	—	—	52	04	—	—	—	05	6
7	12	28	—	06	27	—	24	07	—	—	—	30	7
8	12	39	—	03	—	—	—	03	—	—	04	—	8
9	25	37	—	07	—	—	—	—	—	—	29	44	9
10	21	01	04	10	—	—	—	02	—	04	04	—	10
11	03	—	—	02	34	—	—	—	—	—	1.07	04	11
12	11	08	—	16	35	—	—	—	—	06	52	—	12
13	—	72	—	—	07	—	—	23	04	—	—	03	13
14	—	02	—	—	—	—	—	35	10	01	—	33	14
15	25	—	—	—	09	—	04	04	—	03	08	10	15
16	10	41	—	—	34	—	1.26	03	—	01	—	02	16
17	—	38	01	—	62	—	—	—	—	02	—	01	17
18	—	44	02	—	—	—	—	—	—	01	—	—	18
19	—	01	—	—	14	—	27	—	—	—	—	—	19
20	05	—	—	03	—	—	—	—	—	—	—	07	20
21	08	01	—	01	—	—	19	—	—	—	—	03	21
22	02	01	15	12	—	—	28	—	—	—	09	—	22
23	05	03	03	—	—	05	—	—	—	86	—	27	23
24	01	—	01	05	—	—	34	—	35	61	—	37	24
25	—	—	—	—	—	38	04	—	03	02	—	16	25
26	—	03	—	—	—	—	17	—	03	—	—	41	26
27	—	15	—	—	—	04	59	—	—	38	—	08	27
28	—	16	—	—	—	09	—	09	12	01	—	—	28
29	—	~~X~~	—	—	—	16	09	01	02	—	08	—	29
30	04	~~X~~	—	02	—	33	08	—	—	29	06	07	30
31	—	~~X~~	—	~~X~~	—	~~X~~	05	12	~~X~~	1.10	~~X~~	46	31
99 Total	2.59	4.42	.43	1.00	3.36	1.16	4.91	2.60	.91	3.82	2.22	4.94	32.36
Rain Days.	20	23	9	14	11	7	18	16	8	17	9	24	176

REGISTER OF RAINFALL IN 1916

Kept at *Quarriorsfield Leominster*

in the County of *Hereford*

by *Miss Hutchinson*

Lat. *52° 20'* Long. *2° 40' W*

Time of Observation *9 a.m.*

Nearest Railway Station *Leominster*

Diameter of Funnel of Rain Gauge *5* in.

Height of top of Gauge above Ground *1* ft. *—* in.

" " " " Sea Level *424* ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
<i>16</i>													
1	<i>.16</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.07</i>	<i>.17</i>	<i>.12</i>	<i>—</i>	<i>—</i>	<i>.14</i>	<i>.18</i>	<i>—</i>	1
2	<i>.28</i>	<i>.07</i>	<i>.04</i>	<i>—</i>	<i>.15</i>	<i>—</i>	<i>.26</i>	<i>—</i>	<i>.12</i>	<i>.82</i>	<i>.07</i>	<i>—</i>	2
3	<i>—</i>	<i>.77</i>	<i>.29</i>	<i>—</i>	<i>.04</i>	<i>.03</i>	<i>—</i>	<i>—</i>	<i>.02</i>	<i>.18</i>	<i>.20</i>	<i>—</i>	3
4	<i>.08</i>	<i>.41</i>	<i>.02</i>	<i>—</i>	<i>.42</i>	<i>.27</i>	<i>—</i>	<i>—</i>	<i>.05</i>	<i>.03</i>	<i>.38</i>	<i>—</i>	4
5	<i>.02</i>	<i>.01</i>	<i>.02</i>	<i>—</i>	<i>.32</i>	<i>.03</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>.00</i>	<i>.08</i>	<i>—</i>	5
6	<i>.02</i>	<i>.24</i>	<i>.05</i>	<i>—</i>	<i>.14</i>	<i>.07</i>	<i>.48</i>	<i>—</i>	<i>.01</i>	<i>.24</i>	<i>.39</i>	<i>—</i>	6
7	<i>—</i>	<i>.01</i>	<i>.06</i>	<i>—</i>	<i>.13</i>	<i>—</i>	<i>.40</i>	<i>—</i>	<i>.01</i>	<i>.08</i>	<i>.16</i>	<i>.29</i>	7
8	<i>—</i>	<i>.03</i>	<i>.03</i>	<i>—</i>	<i>.21</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.03</i>	<i>.05</i>	<i>—</i>	8
9	<i>—</i>	<i>—</i>	<i>.02</i>	<i>—</i>	<i>.16</i>	<i>.10</i>	<i>—</i>	<i>—</i>	<i>.01</i>	<i>—</i>	<i>.04</i>	<i>.10</i>	9
10	<i>—</i>	<i>.45</i>	<i>.05</i>	<i>.02</i>	<i>.02</i>	<i>.02</i>	<i>.01</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.02</i>	10
11	<i>.02</i>	<i>.04</i>	<i>.06</i>	<i>.06</i>	<i>.03</i>	<i>.04</i>	<i>—</i>	<i>—</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>.03</i>	11
12	<i>.04</i>	<i>.09</i>	<i>.04</i>	<i>—</i>	<i>.27</i>	<i>—</i>	<i>.15</i>	<i>—</i>	<i>—</i>	<i>.05</i>	<i>—</i>	<i>—</i>	12
13	<i>—</i>	<i>.20</i>	<i>.15</i>	<i>.01</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.51</i>	<i>—</i>	<i>—</i>	<i>.01</i>	<i>—</i>	13
14	<i>—</i>	<i>.42</i>	<i>.05</i>	<i>—</i>	<i>.03</i>	<i>—</i>	<i>—</i>	<i>.17</i>	<i>—</i>	<i>.02</i>	<i>—</i>	<i>.04</i>	14
15	<i>—</i>	<i>.42</i>	<i>.30</i>	<i>.12</i>	<i>.24</i>	<i>—</i>	<i>—</i>	<i>.29</i>	<i>—</i>	<i>.01</i>	<i>—</i>	<i>—</i>	15
16	<i>—</i>	<i>.05</i>	<i>.01</i>	<i>.14</i>	<i>.03</i>	<i>—</i>	<i>.05</i>	<i>.13</i>	<i>—</i>	<i>.04</i>	<i>—</i>	<i>—</i>	16
17	<i>.04</i>	<i>.10</i>	<i>—</i>	<i>.05</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.25</i>	<i>.29</i>	<i>—</i>	<i>—</i>	17
18	<i>.02</i>	<i>.04</i>	<i>.05</i>	<i>.03</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.13</i>	<i>.04</i>	<i>.41</i>	<i>.17</i>	18
19	<i>.06</i>	<i>—</i>	<i>.38</i>	<i>.07</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.12</i>	<i>.24</i>	19
20	<i>.07</i>	<i>—</i>	<i>.48</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.04</i>	<i>—</i>	20
21	<i>—</i>	<i>—</i>	<i>.45</i>	<i>.02</i>	<i>.15</i>	<i>—</i>	<i>.87</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.15</i>	21
22	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.04</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.10</i>	<i>—</i>	<i>.34</i>	22
23	<i>—</i>	<i>.13</i>	<i>—</i>	<i>.01</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.13</i>	<i>—</i>	<i>.05</i>	<i>.02</i>	<i>.22</i>	23
24	<i>—</i>	<i>.18</i>	<i>.03</i>	<i>—</i>	<i>.55</i>	<i>—</i>	<i>—</i>	<i>.17</i>	<i>—</i>	<i>.21</i>	<i>—</i>	<i>.13</i>	24
25	<i>—</i>	<i>.07</i>	<i>.13</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.13</i>	<i>—</i>	<i>.03</i>	<i>—</i>	<i>—</i>	25
26	<i>.04</i>	<i>.06</i>	<i>.05</i>	<i>—</i>	<i>.08</i>	<i>.19</i>	<i>—</i>	<i>.08</i>	<i>.02</i>	<i>.40</i>	<i>.17</i>	<i>—</i>	26
27	<i>.04</i>	<i>.09</i>	<i>.33</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.15</i>	<i>.19</i>	<i>.62</i>	<i>—</i>	<i>—</i>	27
28	<i>—</i>	<i>.30</i>	<i>.02</i>	<i>—</i>	<i>.09</i>	<i>.03</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.10</i>	<i>.01</i>	<i>.10</i>	28
29	<i>—</i>	<i>.29</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.15</i>	<i>—</i>	<i>.52</i>	<i>.01</i>	<i>.10</i>	<i>—</i>	<i>.13</i>	29
30	<i>—</i>	<i>X</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.04</i>	<i>—</i>	<i>.07</i>	<i>—</i>	<i>.07</i>	<i>—</i>	<i>—</i>	30
31	<i>—</i>	<i>X</i>	<i>—</i>	<i>X</i>	<i>—</i>	<i>X</i>	<i>—</i>	<i>.04</i>	<i>X</i>	<i>.38</i>	<i>X</i>	<i>.03</i>	31
Total	<i>.89</i>	<i>4.47</i>	<i>3.11</i>	<i>.55</i>	<i>3.13</i>	<i>1.16</i>	<i>2.36</i>	<i>2.39</i>	<i>.84</i>	<i>4.07</i>	<i>2.28</i>	<i>1.99</i>	YEAR'S TOTAL <i>27.24</i>
Rain Days.	<i>13</i>	<i>23</i>	<i>24</i>	<i>11</i>	<i>19</i>	<i>13</i>	<i>9</i>	<i>12</i>	<i>12</i>	<i>24</i>	<i>16</i>	<i>14</i>	<i>190</i>

REGISTER OF RAINFALL IN 1917

Kept at Grantsfield
in the County of Hereford
by Emma Hutchinson

Lat. 52° 20' Long. 2° 40'
Time of Observation 9 a.m.
Nearest Railway Station Leominster
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 424 ft.

FORM A
BRITISH RAINFALL
JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.07	.14	—	.18	—	.62	.04	—	.03	—	1
2	.03	—	.02	—	—	.04	—	.03	—	—	.15	.01	2
3	—	.04	—	.41	—	—	—	.03	.01	.25	—	—	3
4	—	.05	.16	—	—	—	—	.02	—	.11	—	—	4
5	—	—	.14	.19	—	—	—	—	.04	.17	.05	.32	5
6	.05	—	.22	—	—	.15	—	—	—	.08	.21	—	6
7	.28	—	—	—	—	—	.16	.15	—	.31	—	.09	7
8	.59	—	.04	.08	—	—	.24	.55	—	.23	.17	—	8
9	—	—	.14	.06	.22	—	—	.41	.06	.06	.04	—	9
10	.19	—	.27	.17	.04	—	—	.22	—	—	—	—	10
11	.08	—	.13	.29	.02	—	—	.04	—	.25	.02	—	11
12	—	.01	—	—	.74	—	—	.05	.07	.19	.02	—	12
13	.03	—	.12	.02	—	—	—	.24	.08	—	—	—	13
14	.02	—	—	.22	—	—	—	.05	—	.03	—	.02	14
15	.03	—	.29	—	.05	—	.41	.18	—	.05	—	.08	15
16	.04	—	—	.15	—	.15	.14	—	—	—	—	.17	16
17	—	—	—	.02	.34	.48	.33	.45	.28	.09	.01	—	17
18	.03	.08	—	.01	.07	—	.47	.05	.90	—	—	—	18
19	.03	.32	.21	—	—	.47	—	—	.03	—	.02	—	19
20	—	.15	.01	—	.58	.24	.12	.04	.12	—	—	—	20
21	—	.03	.17	—	.05	.52	—	.06	—	.03	.02	—	21
22	—	—	—	—	.02	.06	—	.17	.02	.03	—	—	22
23	—	.20	—	—	.10	—	—	.19	.01	.03	.01	—	23
24	—	.01	—	—	—	.23	—	.03	—	.23	.03	—	24
25	—	.08	.06	—	—	—	—	.04	—	.18	.13	—	25
26	—	—	—	—	.13	.06	—	.51	.09	.04	.01	—	26
27	—	—	—	—	1.21	.24	.72	.61	—	.02	—	—	27
28	—	—	.14	—	.03	.07	—	.07	—	—	—	.02	28
29	—	X	.01	—	—	.06	.04	—	—	.40	—	.33	29
30	—	X	—	—	—	—	—	.53	.01	.11	.01	—	30
31	—	X	.09	X	.05	X	—	.32	X	.02	X	—	31
99 Total	1.40	.97	2.29	1.76	3.65	2.95	2.63	5.66	1.76	2.91	.93	1.04	YEAR'S TOTAL 27.95
Rain Days.	12	10	18	12	15	14	9	26	14	22	16	8	176

REGISTER OF RAINFALL IN 1918

Kept at Kimbolton (Grantsfield)
in the County of Hereford
by G. Hutchinson (Miss)

Lat. 52-20 Long. 2-40
Time of Observation 9 a.m.
Nearest Railway Station Leominster
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. ~ in.
" " " " Sea Level 424 ft.

FORM A.
BRITISH RAINFALL
2.1.19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
18													
1	—	—	.01	.03	.02	—	—	.07	.01	.04	.67	—	1
2	—	.05	—	—	—	—	—	.07	—	.03	.02	.10	2
3	—	.09	.01	.09	.24	—	—	.02	.65	.03	.23	—	3
4	—	—	—	—	—	—	—	.03	.33	.19	.47	.45	4
5	—	.04	—	.05	.36	—	—	.05	.26	.12	.02	.32	5
6	.06	.24	.02	.17	—	.16	—	—	.10	.21	—	.03	6
7	—	.06	—	.01	.29	—	—	—	.17	.06	.27	.01	7
8	.01	.12	—	—	—	—	—	—	.11	.13	—	.02	8
9	.01	.25	—	.24	—	.11	.05	—	.37	.06	—	.01	9
10	.05	.02	—	.11	—	—	.30	—	.07	.07	—	.16	10
11	—	—	.08	.05	.03	—	.67	—	.14	—	.07	.10	11
12	.03	.03	.08	—	.09	—	.16	—	.55	—	—	.02	12
13	—	—	—	—	.05	—	.02	—	.13	.03	—	.04	13
14	.33	—	.10	—	—	.01	.05	—	.26	.06	—	.17	14
15	1.00	—	—	.08	—	—	.35	—	.03	—	—	.26	15
16	.13	—	—	.60	—	.09	.02	.02	.61	.01	—	.10	16
17	.32	—	.02	—	—	.01	.09	.01	.11	.15	—	.08	17
18	.31	.13	—	—	—	.39	.07	—	1.00	.03	—	.28	18
19	.08	—	.21	—	—	—	.05	—	.04	.05	—	.03	19
20	.19	.06	—	.57	—	.06	.03	—	.38	.01	.01	—	20
21	.08	.02	—	.31	—	—	.08	—	.34	—	—	.05	21
22	.01	—	—	—	.88	—	.17	.02	.03	.01	—	.30	22
23	.02	—	—	—	.26	—	.20	—	—	—	—	—	23
24	—	.09	—	—	—	—	.11	.10	.05	.02	.08	—	24
25	—	—	—	.04	.08	.01	.36	1.65	—	.02	.04	—	25
26	—	—	—	—	—	—	.37	.01	.01	—	.06	.16	26
27	—	.04	.04	—	—	—	—	.28	.17	—	.02	.03	27
28	—	.07	.26	—	—	—	—	—	—	—	—	—	28
29	—	X	.15	—	—	—	—	—	.91	.02	.06	.02	29
30	—	X	.25	—	—	—	—	.03	—	.02	.07	.13	30
31	—	X	.25	X	—	X	—	.05	X	—	X	—	31
99	2.63	1.31	1.48	2.35	2.30	.84	3.15	2.41	6.83	1.37	2.09	2.87	YEAR'S TOTAL
Total	2.63	1.31	1.48	2.35	2.30	.84	3.15	2.41	6.83	1.37	2.09	2.87	29.63
Rain Days.	15	15	13	13	10	8	18	14	25	22	14	23	190

REGISTER OF RAINFALL IN 1919.

Kept at Grantsfield Seominster
in the County of Hereford
by Miss Hutchinson

Lat. 52.20 Long. 2.40 W
Time of Observation 9 a.m. Greenwich time
Nearest Railway Station Seominster
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 7 in.
" " " " Sea Level 424 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
19 1	.22	—	.02	.01	.05	.02	.23	—	—	.11	—	.30	1
2	.15	—	.08	—	.03	—	—	.02	.06	—	.07	—	2
3	—	—	.09	—	.01	.10	.07	—	.01	—	.08	.18	3
4	.02	.07	.28	—	—	—	.15	.10	.21	—	—	.10	4
5	.02	.21	—	—	.07	—	—	—	.03	—	—	.21	5
6	.09	.03	.07	—	.01	—	—	—	—	—	.03	.06	6
7	.13	—	—	.09	.01	—	—	—	—	—	—	—	7
21 8	.21	—	.12	—	—	.06	—	—	—	—	.01	—	8
18 9	.18	—	—	.06	—	—	—	—	—	—	—	—	9
03 10	.03	—	.68	—	—	—	—	—	.01	.04	—	.22	10
11	.02	—	1.07	.01	.05	—	.52	—	—	.03	—	.06	11
12	.08	—	.28	.02	—	.16	—	—	.04	.07	.03	.01	12
13	.08	—	—	.25	—	—	—	—	.50	.05	—	.04	13
14	.26	.02	—	.24	—	—	.11	—	.33	.02	—	.08	14
15	.45	.06	.03	.04	.09	—	—	—	—	.05	—	.32	15
16	.10	.69	—	.01	—	—	.04	.13	—	—	.02	.01	16
17	—	.38	—	—	—	.06	—	.03	—	—	.09	.01	17
18	—	—	.68	—	—	—	—	.29	—	—	.01	—	18
19	.19	.25	.89	—	—	.18	.83	.40	.10	—	.03	.03	19
20	.18	.01	.35	—	—	.08	.01	.08	—	—	.23	.07	20
21	—	.31	.02	—	—	.02	.23	—	.04	—	.03	.04	21
22	—	.04	—	—	—	—	—	—	.27	—	—	.10	22
23	—	—	—	—	—	—	—	.01	—	.55	.01	.62	23
24	.04	—	—	.01	.07	.04	.05	—	—	.31	.16	.14	24
25	.02	—	—	.10	.06	.01	—	.53	—	—	.02	.02	25
26	—	.02	.07	.14	—	.05	.01	.06	.02	.02	.01	.34	26
27	.17	—	.07	.59	—	—	—	.48	—	—	—	.02	27
28	.05	—	.15	.03	—	—	—	.27	—	—	.06	.26	28
29	.03	X	—	.12	—	—	—	.02	—	.25	.06	.19	29
30	.01	X	.01	.04	—	.10	—	.09	—	.02	.11	.19	30
31	—	X	.05	X	—	X	.02	—	X	—	X	—	31
99 TOTAL	2.73	2.09	5.01	1.76	.45	.88	2.27	2.51	1.62	1.52	1.06	3.02	YEAR'S TOTAL 24.92
Days with .01 in. or more	23	12	19	16	10	12	12	14	12	12	18	25	185

REGISTER OF RAINFALL IN 1920.

Kept at Grantsfield Kimbolton
in the County of Hereford
by J. M. Hutchinson

Lat. 52° 20' Long. 2° 40'
Time of Observation 9 a.m.
Nearest Railway Station Leominster
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 424 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
<u>20</u>	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.06	.14	.23	—	.37	—	.03	.10	—	.33	1
2	.03	—	—	.07	—	—	.16	—	.10	.20	—	.24	2
3	.08	.04	—	.30	.05	—	.98	—	.19	.50	—	.03	3
4	—	—	—	.02	—	—	.02	.46	.01	.22	—	—	4
5	—	—	—	.15	.04	—	.51	.01	.03	.22	—	—	5
6	—	—	—	.01	.15	—	.19	—	—	.17	—	.02	6
7	—	—	.18	.08	.01	—	.09	—	—	—	—	.01	7
8	.22	.07	.05	.64	.04	—	.35	.13	—	.01	—	.01	8
9	.35	.03	—	.35	—	—	.04	.01	—	—	—	.01	9
10	.38	.05	.07	.02	—	.22	.06	—	—	—	.08	.02	10
11	.12	.07	.11	.53	.21	.07	.11	—	—	—	.01	.01	11
12	.18	.04	.01	.20	—	.83	.04	.11	—	.03	.06	.02	12
13	.05	.03	.27	.15	—	.06	—	—	—	—	—	.02	13
14	.01	—	.83	.26	—	.29	.05	—	.33	.15	.28	.02	14
15	—	.09	.03	.72	—	.32	—	—	.04	.01	.09	—	15
16	—	.01	—	.46	.36	.12	.16	—	.07	.60	.02	—	16
17	.03	—	—	—	.19	.07	—	.02	.59	.15	—	.02	17
18	.12	—	—	.01	.01	—	—	.08	.80	—	—	—	18
19	.03	.48	—	.12	.02	.14	—	—	—	—	—	—	19
20	—	.04	—	.23	—	.08	—	—	.09	—	—	.09	20
21	—	—	—	.03	—	—	.27	—	—	.13	—	.11	21
22	.05	—	—	.07	—	—	.05	.17	—	.02	—	.17	22
23	—	—	.03	—	—	—	.28	.04	—	.01	.02	.33	23
24	.05	.01	.11	—	—	—	—	.01	—	—	.01	.19	24
25	.05	.02	.13	—	—	—	.56	—	.02	—	—	—	25
26	.19	.02	.23	—	.84	—	—	—	—	—	.08	.04	26
27	.29	.01	.16	.01	.14	.23	.11	—	.01	—	.04	.34	27
28	.77	—	.15	—	.59	.03	—	—	—	—	—	.06	28
29	.15	—	.11	—	.29	.05	.13	—	—	—	.12	.36	29
30	.02	~~X~~	.27	.15	.02	.14	—	—	.45	—	.23	.17	30
31	.06	~~X~~	.10	~~X~~	.04	~~X~~	.01	—	~~X~~	.41	~~X~~	.04	31
99 TOTAL	3.23	1.01	2.90	4.72	3.23	2.65	4.54	1.04	2.76	2.93	1.04	2.66	YEAR'S TOTAL 32.71
Days with ".01 in. or more	21	15	18	23	17	14	21	10	14	16	12	24	205
Days with ".04 in. or more	16	8	15	17	13	13	19	6	9	11	8	13	148

KINGTON
GRAVEL HILL
HEREFORD
1911 - 1920

11. 10. 12

11

now down

5 in.

Ground ft.

Sea Level 535 ft.

BRITISH RAINFOREST FORM A2

JAN 1912

9 a.m. S.W.B.
Name Kingdon
Distance Null Direction S.E.
the result entered to the

Kept at Gro. & Hill.
in the County of Ther
by Colonel G. Z. Peo

IMPORTANT NOTE.—If the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.02	in.	.23	.01	in.	in.	in.	.26	in.	.01	.04	.01	1
2	.02	.02	.02	.02	.17	in.	in.	.07	in.	.03	.07	.20	2
3	—	—	—	.02	.69	in.	in.	.07	.04	—	.10	.17	3
4	—	—	.07	.02	—	in.	in.	.12	.08	—	.19	.36	4
5	.07	—	.04	.02	—	in.	in.	.19	—	.15	.16	.02	5
6	.30	—	.10	.02	—	in.	in.	.05	—	.01	.13	.28	6
7	.01	—	.01	—	—	in.	in.	—	—	—	.39	—	7
8	.02	—	.13	—	—	in.	in.	—	—	—	.36	.49	8
9	.07	—	.03	—	—	in.	in.	—	—	—	.58	.08	9
10	.02	.04	.19	—	—	in.	in.	—	.02	—	.10	.67	10
11	.18	.02	.02	—	.08	in.	in.	—	.03	—	.43	.15	11
12	.02	—	.28	—	.03	in.	in.	—	.32	.01	.50	.06	12
13	—	—	.01	—	—	in.	in.	.01	.10	.02	.05	.30	13
14	.02	.04	.03	—	—	in.	in.	—	.01	—	.01	.56	14
15	—	.05	.02	—	—	.02	in.	—	—	.03	.26	.37	15
16	—	.02	.01	—	—	.20	in.	—	—	.03	.15	.10	16
17	—	.03	.08	—	—	.16	in.	—	—	—	.34	.75	17
18	—	.46	.25	.30	—	.23	in.	—	—	.03	—	.26	18
19	.01	.04	—	.24	—	.17	in.	.05	.42	.10	—	.14	19
20	.02	.05	—	.09	—	.01	in.	.02	.16	.18	.01	.48	20
21	—	.25	.32	.02	—	.02	in.	.23	.03	.40	—	.27	21
22	.02	.04	.02	.02	—	.04	in.	—	—	.23	—	.51	22
23	—	.40	.09	.01	—	.40	in.	—	.26	.27	—	.23	23
24	.02	.10	.02	.02	—	.02	in.	.14	.03	.13	—	.19	24
25	.02	.14	—	.04	—	.01	in.	—	.10	.03	—	.23	25
26	—	.17	—	.28	.27	—	in.	.11	—	.30	.10	.18	26
27	.01	.30	.22	.17	—	.06	in.	.33	.17	—	.09	.12	27
28	—	.31	.02	.18	—	.15	in.	.01	.01	—	—	—	28
29	—	+	—	.16	—	.03	in.	—	.20	.40	—	—	29
30	—	+	.07	.02	.07	—	in.	.01	.01	.42	.03	—	30
31	—	+	.02	+	—	+	in.	—	+	.08	+	.01	31
Total	8.3	2.48	2.20	1.60	1.31	2.50	3.32	1.57	1.99	2.86	4.16	7.19	TOTAL for year 29.29
No. of Rain Days	15	18	20	16	6	13	5	16	17	20	22	25	194

Mem. — To deduct bus. exp. & 10 vouchers from total acct of A. L. Miller, etc. of 94 August 1911

[illegible]

REGISTER OF RAINFALL IN 1911

Kept at Grange Hill, Kington
in the County of Hertfordshire
by Colonel F. Z. Pearson

Pattern Snowdon
RAIN Diameter of top 5 in.
GAUGE Height of top above Ground ft
" " " Sea Level 535 ft.
Time of Observation 9 a.m. S.W.R.
Nearest Railway Station { Name Kington
Distance 1/2 mile Direction S.E.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.02	in.	.23	.01	in.	in.	in.	.26	in.	.01	.04	.01	1
2	.02	.02	.02	.02	.17	in.	in.	.07	—	.03	.07	.20	2
3	—	—	—	.02	.69	in.	in.	.07	.04	—	.10	.17	3
4	—	—	.07	.02	—	in.	in.	.12	.08	—	.19	.36	4
5	.07	—	.04	.02	—	in.	in.	.19	—	.15	.16	.02	5
6	.30	—	.10	.02	—	in.	in.	.05	—	.01	.13	.28	6
7	.01	—	.01	—	—	in.	in.	—	—	—	.39	—	7
8	.02	—	.13	—	—	in.	in.	—	—	—	.36	.49	8
9	.07	—	.03	—	—	in.	in.	—	—	—	.58	.08	9
10	.02	.04	.19	—	—	in.	in.	—	.02	—	.10	.67	10
11	.18	.02	.02	—	.08	in.	in.	—	.03	—	.43	.15	11
12	.02	—	.28	—	.03	in.	in.	—	.32	.01	.50	.06	12
13	—	—	.01	—	—	in.	in.	.01	.10	.02	.05	.30	13
14	.02	.04	.03	—	—	in.	in.	—	.01	—	.01	.56	14
15	—	.03	.02	—	—	.02	in.	—	—	.03	.26	.37	15
16	—	.02	.01	—	—	.20	in.	—	—	.03	.15	.10	16
17	—	.03	.08	—	—	.11	in.	—	—	—	.34	.75	17
18	—	.46	.25	.30	—	.23	in.	—	—	.03	—	.26	18
19	.01	.04	—	.24	—	.17	in.	.05	.42	.10	—	.14	19
20	.02	.05	—	.09	—	.01	in.	.02	.16	.18	.01	.48	20
21	—	.25	.32	.02	—	.02	in.	.23	.03	.40	—	.27	21
22	.02	.04	.02	.02	—	.04	in.	—	—	.23	—	.51	22
23	—	.40	.09	.01	—	.40	in.	—	.26	.27	—	.23	23
24	.02	.10	.02	.02	—	.02	in.	.14	.03	.13	—	.19	24
25	.02	.14	—	.04	—	.01	in.	—	.10	.03	—	.23	25
26	—	.17	—	.28	.27	—	in.	.11	—	.30	.10	.18	26
27	.01	.30	.22	.17	—	.06	in.	.33	.17	—	.09	.12	27
28	—	.31	.02	.18	—	.15	in.	.01	.01	—	—	—	28
29	—	+	—	.16	—	.03	in.	—	.20	.40	—	—	29
30	—	+	.07	.02	.07	—	in.	.01	.01	.42	.03	.01	30
31	—	+	.02	+	—	+	in.	—	—	.08	+	—	31
Total	8.3	2.48	2.25	1.60	1.31	2.50	0.32	1.57	1.99	2.86	4.16	7.19	TOTAL for year 29.29
No. of Rain Days	15	18	20	16	6	13	5	15	17	20	22	22	194

2 - JAN 1912

COLONEL PEARSON,
KINGTON,
HEREFORDSHIRE.

Memo

Form A

As agreed with D. Mill I have erased
every other day in this form on which
.01 appears, for the first six months
of the year during which my record
Measuring Flamm was used - but for tunkins
of account have deducted .10 inches
and ten days from the total of August.

As .01 appears only twelve times in
the last six months of the year during
which the Cumulus square class
was in use, this allowance see
herewith, put -

Form B - The number of days
in this return for each month to
be corrected -

Geo. F. Pearson

12 January
1912

REGISTER OF RAINFALL IN 1912

Kept at Gravel Hill Kingston
in the County of Herefordshire
by Colonel G. Z Pearson

Pattern Snowdon
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 8 ft.
" " " Sea Level 535 ft.
Time of Observation 9 a.m.
Name Kingston
Nearest Railway Station { Distance 1/2 mile Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.18	—	—	.73	.02	.01	.02	.01	—	.19	1
2	—	.02	.15	—	.02	.52	.28	.02	—	—	.01	.01	2
3	.02	—	.02	.01	—	.18	.02	.03	.03	—	.04	.02	3
4	.36	—	.06	—	.15	.16	—	.09	—	—	.12	.02	4
5	.25	.11	.19	.02	.11	.01	—	.37	.02	.01	.01	.07	5
6	.48	.07	—	—	.05	—	—	.33	—	—	.01	.09	6
7	.01	.10	.01	—	.12	.62	.08	.07	—	—	—	.08	7
8	.48	.23	.25	.02	—	.04	.03	.06	.02	—	—	.01	8
9	.05	.07	.62	.23	—	.22	—	.33	—	—	.03	.38	9
10	.19	.07	—	—	—	.06	.01	.12	—	.01	.16	.01	10
11	.12	.05	—	—	—	.01	.04	.01	—	—	.17	.58	11
12	.01	.26	.12	.07	.11	.13	.03	.02	—	—	.01	.03	12
13	.04	.03	—	—	—	.04	—	.02	.02	.07	.02	.11	13
14	.06	—	.35	—	—	.15	—	.04	—	.01	—	.03	14
15	.05	.10	.02	.02	.36	—	—	.04	.01	—	—	.18	15
16	.57	.01	.15	—	—	—	—	.05	—	.05	—	.04	16
17	.13	.02	.08	—	—	.12	—	.27	—	—	.05	.50	17
18	.16	.03	.06	—	—	—	—	.15	—	.02	.03	.04	18
19	.05	.04	—	—	—	.04	.10	.46	—	.06	—	.04	19
20	.07	—	.27	—	—	.03	.10	.10	—	.18	.01	.02	20
21	—	.03	.38	—	.65	—	.04	.56	—	.33	—	—	21
22	.45	.10	.02	—	.11	.01	.54	.16	—	—	.04	.13	22
23	.37	.06	.53	—	—	.11	.40	.39	—	.10	.09	.05	23
24	.18	.01	.02	—	—	.34	.05	.07	—	—	.02	.32	24
25	—	—	.02	—	—	.13	.01	.93	—	.01	.42	.40	25
26	—	.20	.08	—	—	.03	.15	.13	0	.02	.49	.42	26
27	—	.02	.03	—	—	.28	.86	.01	—	.92	—	.34	27
28	—	.10	—	—	.04	.09	.41	.63	.28	.27	.42	.11	28
29	—	.13	.18	.02	—	.06	.25	.14	.74	.25	.02	.03	29
30	—	+	.05	—	—	.22	.05	—	.01	.44	.01	.01	30
31	.02	+	.15	+	.18	+	.40	.02	+	.04	+	.14	31

Total	5.42	1.86	4.94	3.9	1.90	4.33	3.87	7.80	1.15	3.80	2.18	4.41	TOTAL for year
No. of Rain Days	6	8	11	9	2	12	2	14	2	18	4	22	41.75
	22	23	25	7	11	25	21	30	21	31	26	34	242

22 x 23 x 25 x 7 x 11 x 25 x 21 x 30 x 9 x 18 x 21 x 30

REGISTER OF RAINFALL IN 1913

Kept at Kington/gravel Hill
in the County of Hertfordshire
by Colmell J. Pearson

Lat. 52°12'30" Long. 3°1'20"
Time of Observation 8 a.m.
Nearest Railway Station Kington
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 8 ft.
3.4 levelled Sea Level 5.35 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.03	.21	.03	—	—	—	—	.18	—	.13	—	1
2	.03	.28	.05	.06	.06	—	—	—	.05	.23	.39	—	2
3	.10	.03	.10	.01	.62	—	—	—	.01	.03	.01	.13	3
4	.64	.05	.01	—	.07	.29	.01	—	.58	.35	.05	.36	4
5	.10	.09	.02	—	.21	.05	.08	—	.07	.38	.15	.03	5
6	.05	.15	.32	—	.35	.13	.01	—	.01	.35	.05	.33	6
7	.02	.60	.03	—	.50	.10	.02	—	—	.42	.20	.01	7
8	.01	.17	.01	.01	.48	.45	.01	.08	—	.38	.02	—	8
9	—	.40	.02	.01	.18	.01	.08	.07	.05	.01	.22	.01	9
10	.16	—	.02	.05	.23	—	.01	.10	.01	.35	.05	—	10
11	.63	.01	—	.38	.08	—	—	.02	—	.03	.52	.01	11
12	—	—	—	.01	.30	.01	—	—	.02	.01	.18	—	12
13	.02	—	.23	.02	.07	—	.01	.01	.45	—	.15	—	13
14	.26	.01	.45	.09	—	—	—	.04	.04	.14	.10	—	14
15	.05	—	.79	.97	—	—	—	.12	.05	—	.09	.01	15
16	.08	—	.52	.02	—	—	—	.03	.02	.02	.01	—	16
17	.02	.04	.29	.12	—	—	.05	—	.02	.01	.04	—	17
18	.14	—	.31	.26	—	—	.01	—	—	—	.05	.01	18
19	.19	—	.16	.02	—	.11	.12	—	.05	.13	.01	—	19
20	.20	—	.45	.11	—	.01	—	—	—	.20	.45	—	20
21	—	.01	.28	.41	.02	.14	.07	.01	—	.03	.20	—	21
22	.86	—	.91	.03	—	.04	—	.40	.48	.01	—	—	22
23	—	—	.02	—	—	—	—	.04	.19	.01	.05	.02	23
24	.15	.01	.01	.04	—	—	—	.05	.01	—	.08	—	24
25	—	.03	—	.15	—	—	—	.01	.09	.04	.02	.03	25
26	—	.01	—	.50	.12	—	—	.07	.03	.02	—	.37	26
27	.04	—	—	.16	—	—	—	—	.01	.84	—	.03	27
28	.29	—	.30	.37	—	—	—	—	.01	.15	—	.09	28
29	.01	†	.48	.32	.12	—	—	.02	—	.37	—	.01	29
30	.24	†	.01	.01	—	—	—	—	—	.35	.14	—	30
31	.08	†	.28	×	.02	×	—	.05	+	.03	×	—	31
Total	4.41	1.92	6.28	4.16	3.43	1.34	.48	1.16	2.43	5.89	3.36	1.45	36.91
Rain Days.	6.33	12.61	16.77	20.20	21.54	22.02	23.18	25.61	31.50	34.86	36.31	—	235

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

Kept at *Gravel Hill Kingston*
in the County of *Herefordshire*
by *Colonel G. F. Pearson*

Lat. *52° 12' 38"* Long. *3° 1' 20"*
Time of Observation *9 a.m.*
Nearest Railway Station *Kingston*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *538* ft. *8* in.
By *leveling* Sea Level *535* ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.01	.08	.01	—	.09	.30	.47	.01	—	.14	.08	1
2	—	—	.02	—	.04	.01	.20	.48	—	—	.45	.29	2
3	—	—	.07	.24	.21	—	.10	.11	—	—	.01	.39	3
4	.15	—	.05	.14	.08	—	.34	.03	—	—	.66	.65	4
5	.09	—	.10	.25	.29	—	.17	.01	—	—	.15	.02	5
6	.04	.05	.01	.18	.05	—	.02	.03	—	—	.02	.15	6
7	.02	.05	.30	.12	.08	—	.32	.10	—	—	.01	.34	7
8	.01	—	.05	.01	.14	.26	.05	.25	.03	—	—	.15	8
9	.09	.07	.07	.28	.04	.90	.02	.15	.10	—	.01	.01	9
10	.01	.12	.02	.22	.03	.14	—	.01	.18	—	.55	—	10
11	—	.32	.29	.05	.03	.06	.01	—	.15	—	.01	.63	11
12	—	.47	.16	—	—	.02	.04	—	.42	—	.09	.19	12
13	—	.36	.20	.01	—	—	.12	—	.17	.35	.36	.22	13
14	—	.46	.26	—	—	—	—	.01	.03	.05	.24	.02	14
15	.02	.02	.21	—	—	—	—	.05	.07	.04	.09	—	15
16	—	—	.02	—	—	—	.03	—	.17	—	—	.01	16
17	.02	.18	.20	—	—	—	.05	—	.15	—	—	.83	17
18	—	.02	.30	—	—	.01	.01	—	.02	—	—	.20	18
19	—	.04	.03	—	—	—	.10	—	.05	—	.05	.19	19
20	—	.25	.04	—	—	.14	.01	.24	.01	—	—	.24	20
21	—	.42	.01	—	—	.17	.62	.70	—	.30	.02	—	21
22	—	.13	—	.01	.08	.08	.04	.08	—	.71	—	—	22
23	—	.24	.08	—	.01	—	.04	.02	—	.22	—	.01	23
24	.03	.02	.08	—	—	—	.13	.28	—	.05	.02	—	24
25	.09	—	.10	—	—	—	.04	.25	—	.44	.03	.24	25
26	.01	—	.02	—	—	—	.02	.10	—	.10	.14	.20	26
27	.02	—	.01	—	—	—	—	.01	—	.03	.58	.08	27
28	.10	.08	.06	—	.06	—	.01	—	—	.04	.22	.50	28
29	.05	x	.20	—	.08	—	—	—	—	.09	.35	—	29
30	.02	x	.14	—	—	—	—	.01	—	.04	.45	.25	30
31	.38	x	.01	x	—	x	.14	.05	x	.25	x	.10	31
Total	1.15	33.1	3.19	15.2	12.2	1.88	4.83	3.24	1.56	2.71	4.65	6.99	36.25
Rain Days.	17	44	6	9	17	10	39	12	27	17	10	20	34
	21	90	24	6	12	9	20	34	21	90	24	6	12
	2	5	2	3	2	1	1	1	1	1	1	1	1

REGISTER OF RAINFALL IN 19 15

Kept at Gravel Hill - Kington
in the County of Herefordshire
by Col. G. F. Pearson

Lat. 52° 12' 30" Long. 3° 1' 20" W
Time of Observation 9 a.m.
Nearest Railway Station Kington
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 8 in.
" By levelling Sea Level 535 ft.

FORM A.
BRITISH RAINFALL
4 JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.51	.10	.09	—	.13	—	—	.10	.21	.23	.02	.16	1
2	.10	.17	.19	.10	—	.70	—	1.54	.02	.14	.02	.15	2
3	.27	.06	.02	.13	—	—	.46	.2	—	.01	.01	.28	3
4	.02	.29	—	—	.26	—	.26	.6	—	—	—	1.17	4
5	.02	.23	—	.02	—	—	.01	.5	—	—	—	.84	5
6	.10	.09	—	.14	—	—	1.10	.01	—	—	—	.10	6
7	.17	.47	—	.07	1.44	—	.16	.13	—	.01	—	.36	7
8	.27	.34	—	.03	—	—	—	.02	—	—	.10	.01	8
9	.08	.40	—	.09	—	—	—	—	—	—	.27	.80	9
10	.32	.17	.01	.08	—	—	—	.02	—	.09	.09	.02	10
11	.04	.01	.04	.01	.03	—	.02	.05	—	—	1.58	.07	11
12	.03	.07	—	.07	.38	—	—	.05	.01	.08	.69	.02	12
13	—	1.11	—	—	.77	—	—	.22	.02	—	.01	.03	13
14	—	.01	—	—	—	—	—	.03	.09	—	—	.32	14
15	.56	—	—	—	.13	—	.7	.09	.01	.04	.10	.14	15
16	.03	.36	—	—	.38	—	1.25	.11	—	.01	—	.01	16
17	.01	.31	.05	—	1.04	—	—	.01	—	—	.02	—	17
18	—	.62	.04	—	.01	—	—	—	—	—	—	—	18
19	—	.02	.01	—	.20	—	.34	—	—	—	—	—	19
20	.09	—	—	.06	.01	—	—	—	—	—	—	.03	20
21	.08	—	—	—	—	—	.20	—	—	.16	—	.01	21
22	.03	—	.11	.09	—	—	.39	—	—	.02	—	.26	22
23	.11	.03	.09	—	—	—	—	—	.01	.91	—	.35	23
24	—	—	.11	.08	—	—	.1	—	.17	1.19	—	.43	24
25	—	—	.01	—	—	.17	.10	—	.07	.03	—	.60	25
26	—	.04	—	—	—	—	.30	—	.03	—	—	.15	26
27	—	.06	—	—	—	.70	.45	—	—	.47	—	.21	27
28	—	.21	.01	—	—	.08	—	.02	.10	.02	—	.05	28
29	—	+	—	—	—	.02	—	.02	—	.19	.29	.08	29
30	.05	+	—	—	—	.40	.20	—	—	.40	.15	.11	30
31	.01	+	—	+	—	+	.13	.06	+	.78	+	.73	31
Total	290	517	.78	97	4.78	15	15.46	2.61	74	47.8	33.5	7.49	YEAR'S TOTAL 4054
Rain Days.	21	8.07	8.85	9.82	14.60	16.11	21.57	24.18	24.92	29.70	33.05	1.94	

REGISTER OF RAINFALL IN 1916

Kept at *Gravel Hill - Kington*
in the County of *Herefordshire*
by *Colonel G. F. Pearson*

Lat. *52° 11' 30"* Long. *5° 1' 20"*
Time of Observation *9 a.m.*
Nearest Railway Station *Kington*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *8* ft. in.
By ~~Barometer~~ g. Sea Level *535* ft.

FORM A.
BRITISH RAINFALL
JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.30	.01	.03	—	.13	.07	.21	—	—	.20	.24	—	1
2	.43	.14	.31	—	.01	—	.10	—	.25	.10	.13	—	2
3	—	.40	—	—	—	—	.12	—	.11	.37	.36	.02	3
4	.18	.36	—	—	.56	.36	.04	—	.03	.05	.78	—	4
5	.06	.02	.01	—	.23	.05	.01	—	—	.19	.22	—	5
6	.06	.34	.02	—	.17	—	.37	—	—	.26	.33	—	6
7	.03	.03	.10	—	.30	—	.19	—	.03	.22	.24	.14	7
8	—	.05	.05	—	.25	.03	.01	—	—	.01	.04	.12	8
9	—	.03	—	—	.26	.07	—	—	—	.10	.07	.03	9
10	—	.34	.04	.02	.01	.03	.02	—	—	.02	—	—	10
11	.09	.04	.05	.12	.01	.01	—	—	—	—	—	—	11
12	.05	.08	.06	.05	.48	—	.16	.03	—	.09	—	—	12
13	—	.20	.27	.06	—	—	.06	.34	—	.03	—	—	13
14	—	.54	.09	.07	.02	—	—	.15	—	.05	.02	.03	14
15	—	.77	.36	.12	.14	—	—	.13	—	.04	—	—	15
16	—	.20	.01	.08	.05	—	.07	.05	—	.05	—	—	16
17	.06	.15	—	.10	—	—	—	—	.25	.41	—	—	17
18	.02	.12	.15	.08	—	—	—	.01	.05	.06	.23	.15	18
19	.10	—	.89	.09	—	—	—	—	—	—	.21	—	19
20	.15	.01	.35	.02	—	—	—	—	—	—	.08	.18	20
21	—	—	.38	.05	.05	—	.44	—	—	—	.02	.12	21
22	—	—	—	.08	—	.07	—	—	—	.19	.01	.36	22
23	.01	.12	.01	.07	.15	—	—	.16	—	.09	.04	.15	23
24	—	.28	.01	—	.15	—	—	.15	—	.38	—	.08	24
25	—	.02	.07	—	.12	—	—	.26	—	.11	.33	.05	25
26	.01	.03	.06	—	.16	.24	—	.06	.09	.69	.05	—	26
27	.08	.14	.46	—	.02	—	—	.22	.24	.34	.02	—	27
28	—	.40	.07	—	—	.01	—	—	.02	.21	.04	.24	28
29	—	.16	.01	—	—	.25	—	.28	—	.19	—	.27	29
30	—	—	—	—	—	.07	—	.01	—	.33	—	—	30
31	—	—	—	—	—	—	—	.08	—	.47	—	.07	31
Total	1.63	4.98	3.86	1.01	4.47	12.6	1.80	1.93	1.07	6.15	3.46	2.01	YEAR'S TOTAL 33.63
Rain Days.	15	26	24	14	19	12	13	14	9	27	20	15	208

REGISTER OF RAINFALL IN 1914

Kept at Gravel Hill Kington
in the County of Herefordshire
by Colonel G. F. Reardon

Lat. 52° 12' 30" Long. 3° 1' 20"
Time of Observation 9 a.m.
Nearest Railway Station Kington
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground — ft. 8 in.
By level Sea Level 535 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.01	.17	.55	—	.52	—	.05	.22	—	.10	.05	1
2	—	—	.03	.05	—	.08	—	.01	.03	.02	.30	.02	2
3	—	.02	.02	.22	—	.04	—	—	—	.13	.07	.01	3
4	—	.01	.27	.01	—	—	—	.02	—	.38	—	.03	4
5	.10	—	.44	.13	—	—	—	.02	.68	.25	.10	—	5
6	.03	—	.12	—	—	.08	—	.01	.02	.27	.22	.02	6
7	.29	—	—	—	—	—	—	.17	—	.17	.09	.02	7
8	.58	—	.19	.12	—	—	.42	.42	.03	.44	.16	.08	8
9	—	—	.20	.07	.18	—	—	.33	.23	.05	.20	.02	9
10	.17	—	.42	.23	.14	—	—	.24	.05	.01	—	—	10
11	.04	—	.03	.08	—	—	—	.15	—	.29	.05	—	11
12	.05	—	—	—	.34	.02	—	.04	—	.25	—	—	12
13	.01	—	.06	.03	.02	—	—	.07	.04	—	.02	—	13
14	.02	—	.03	.14	—	—	.02	.36	—	.03	—	—	14
15	—	—	.01	—	.04	—	.14	.03	.01	.07	.02	.15	15
16	—	.01	—	.13	—	.18	.10	.01	—	.02	—	.21	16
17	—	—	—	.01	.52	.11	.30	.93	.43	.14	.01	.02	17
18	—	—	—	.02	.05	—	.72	.06	.69	.02	—	—	18
19	—	.33	.14	—	—	.48	—	.02	.04	—	—	—	19
20	.01	.15	.04	—	.71	.09	.03	—	.13	—	—	—	20
21	—	.10	.21	—	.10	.12	—	.05	—	.03	—	—	21
22	—	—	—	—	.04	.02	—	.59	.11	.05	—	—	22
23	—	.19	—	—	.25	.02	—	.35	.02	.09	—	.03	23
24	—	.10	—	—	—	.16	—	.07	—	.32	.15	—	24
25	—	.02	.09	—	—	—	—	.07	—	.18	.11	—	25
26	—	—	.01	—	—	.05	.01	.94	.11	.09	.02	—	26
27	—	—	—	—	.16	.35	.44	.91	—	.11	.01	—	27
28	—	—	.21	—	.09	.03	.01	.17	—	—	—	—	28
29	—	—	.04	—	—	—	.02	.18	—	.05	—	.26	29
30	—	X	—	—	—	—	—	.28	—	.40	.02	—	30
31	—	X	.12	X	.10	X	—	.12	X	.17	X	—	31
Total	1.33	.94	.29	.31	.79	.47	.42	.35	.22	.76	.28	.44	3.43
Rain Days.	11	10	21	14	14	16	11	29	16	26	17	13	198

REGISTER OF RAINFALL IN 1918

Kept at *New Hill, Kington*
in the County of *Herefordshire*
by *Colonel G. Pearson*

Lat. *52° 13' 30"* Long. *3° 1' 20"*
Time of Observation *9.3 a.m.*
Nearest Railway Station *Kington*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *—* ft. *8* in.
" " " " Sea Level *535* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.04				.09	.05		.80		1
2		.07		.03	.01			.30	.04	.04	.01	.11	2
3		.13		.19	.31			.01	.58	.08			3
4		.09		.05				.06	.45	.22	.56	.48	4
5		.04		.06	.39			.08	.31	.36	.02	.03	5
6	.05	.31	.02	.12	.02	.03			.02	.28		.04	6
7		.06		.02	.38				.42	.18	.25	.01	7
8	.07	.26							.13	.15	.03		8
9	.04	.60		.20		.12			.64	.08	.02	.04	9
10	.03	.03		.10			.45		.11	.04		.09	10
11		.05	.06	.09	.08		.38		.09	.06	.06	.06	11
12		.09	.07		.09		.12		.05			.02	12
13	.02	.02			.03		.02		.15	.03		.05	13
14	.38		.17		.01	.04	.26		.35			.24	14
15	.85						.56		.14			.39	15
16	.20			.56			.11	.02	.46			.19	16
17	.56			.01		.01	.44	.01	.16	.12		.14	17
18	.52		.01			.47	.13		.50	.04		.34	18
19	.11	.08	.20			.01	.11		.07	.05		.04	19
20	.12	.10	.01	.28		.02	.02		.29				20
21	.14	.04		.35			.03		.27			.15	21
22	.03	.02		.02	.15		.10		.16	.03		.29	22
23	.07				.28		.08		.03		.03		23
24		.04	.01				.03	.10	.04		.10	.07	24
25					.22		.12	.70		.03	.05	.02	25
26							.24		.04	.02	.07	.11	26
27	.05	.03	.14					.25	.16		.01	.04	27
28		.02	.45					.01	.02		.01	.10	28
29			.10						.86	.03		.04	29
30		X	.18						.01	.02	.04	.06	30
31		X	.26	X		X		.09	X		X		31
Total	3.24	2.08	1.68	2.12	1.97	.70	3.20	1.72	6.62	1.86	2.06	3.15	30.40
Rain Days.	16	19	13	15	12	7	17	12	29	19	15	25	189

REGISTER OF RAINFALL IN 1919.

Kept at Gravel Hill, Kington
in the County of Herefordshire
by Colonel G. F. Pearson

Lat. 52° 12' 30" Long. 3° 1' 20" W
Time of Observation 9 AM
Nearest Railway Station Kington G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 8 ft.
" " " " Sea Level 535 ft.
(by levelling)

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.20	—	.09	.01	.07	—	.22	—	—	.18	.02	.33	1
2	.23	—	.05	—	.03	—	.07	—	.05	—	.05	.07	2
3	—	—	.06	—	.01	—	.01	—	.02	—	.04	.12	3
4	.01	.06	.25	—	—	.10	.06	.04	.17	—	—	.13	4
5	.03	.51	—	—	.03	—	.03	—	.02	—	—	.20	5
6	.27	.09	.15	—	—	—	—	—	.02	.01	—	.12	6
7	.24	.04	.06	.05	—	—	—	—	—	—	—	—	7
8	.25	—	.09	.06	—	.06	—	—	—	—	.01	—	8
9	.27	—	.02	.07	—	—	—	—	—	—	—	.15	9
10	.12	—	.50	.01	.04	—	—	—	—	—	.05	.20	10
11	.03	—	.48	.01	.08	—	.17	—	—	.04	—	.05	11
12	.01	—	.19	.02	—	.30	—	—	.06	.01	.03	.01	12
13	.07	—	—	.13	—	—	—	—	.86	.05	—	.07	13
14	.37	.03	—	.32	—	—	.01	—	.33	—	—	.18	14
15	.43	.07	—	.03	.03	—	—	.03	—	—	—	.28	15
16	.20	.84	—	—	—	—	.01	.14	—	—	.05	—	16
17	.02	.70	—	—	—	.05	—	.02	—	—	.13	.01	17
18	.27	—	.50	—	—	—	.02	.27	—	—	.08	.04	18
19	.20	.36	.73	—	—	.17	.52	.23	.18	—	.20	.02	19
20	.57	.05	.37	—	—	—	—	.17	.02	—	.04	.12	20
21	.02	.67	.05	—	—	.03	.13	.03	.04	—	—	.03	21
22	—	.12	—	—	—	—	—	—	.17	—	.05	.13	22
23	—	—	—	—	—	.01	—	—	—	.43	.06	.01	23
24	.03	—	.02	.04	—	.05	—	—	.01	.32	.20	.11	24
25	.03	—	—	.10	.12	—	—	.95	—	—	.10	.05	25
26	—	.03	.17	.11	—	.05	—	.14	—	—	—	.41	26
27	.14	—	.06	.47	—	—	—	.31	—	—	.04	.02	27
28	.03	—	.19	.05	—	—	—	.70	—	—	.02	.34	28
29	—	—	.01	.02	—	—	—	.01	—	.09	.03	.09	29
30	.01	X	.03	.03	—	.06	—	.13	—	.01	.20	.30	30
31	—	X	—	X	—	X	.03	—	X	—	X	—	31
Total	60.5	3.5	15.0	1.5	.41	.88	1.28	3.17	1.95	1.14	1.40	3.59	YEAR'S TOTAL 28.04
Rain in in.	25	13	21	17	8	10	12	14	13	9	19	27	1.88

REGISTER OF RAINFALL IN 1920.

Kept at Gravel Hill, Kington
in the County of Herefordshire
by Colonel G. F. Pearson

Lat. 52°-12'-36" Long. 3°-1'-20" W.
Time of Observation 9 A.M.
Nearest Railway Station Kington, G. W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 8 ft.
Sea Level 535 ft. by levelling

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.01	.05	.17	.44	—	.40	—	.09	.11	—	.33	1
2	.04	—	.07	.15	.01	—	.20	.02	.04	.03	—	.23	2
3	.03	.04	—	.28	.07	.02	.43	—	.02	.81	—	.03	3
4	.01	—	—	.01	—	—	.05	.37	.01	.96	—	—	4
5	—	.01	.12	.05	.07	—	.41	—	.02	.09	—	—	5
6	—	—	.20	—	.09	—	.21	—	—	.28	—	.02	6
7	—	—	.02	.10	—	—	.19	.19	—	.01	—	—	7
8	.30	.06	—	.64	.07	—	.20	—	—	.02	—	—	8
9	.23	.01	—	.37	—	—	.09	—	—	—	—	—	9
10	.27	.03	.05	.04	—	.44	.12	—	—	.02	.05	—	10
11	.14	.02	.12	.34	.19	.03	.06	—	—	.03	—	—	11
12	.11	.02	—	.17	—	.60	.05	.21	—	.03	.04	—	12
13	.05	.03	.22	.18	—	.11	—	—	—	.01	—	.08	13
14	—	.04	.54	.33	—	.25	.06	—	.40	.60	.23	.03	14
15	—	.11	.05	.83	.09	.03	—	—	.28	.02	.05	—	15
16	—	—	—	.27	.14	.48	.46	—	.03	.54	.10	—	16
17	.05	—	.03	.04	.15	.27	.01	.04	.67	.20	—	—	17
18	.10	—	—	.09	.09	.16	—	.06	.60	—	—	—	18
19	.05	.45	—	.19	.03	.07	—	.01	—	—	—	—	19
20	.01	.14	—	.18	—	.09	.01	—	—	—	—	.09	20
21	—	—	—	.02	—	—	.31	—	—	.02	—	.08	21
22	.04	—	—	.01	—	—	.06	.10	—	—	.02	.20	22
23	—	—	.03	—	—	—	.18	.03	—	—	—	.44	23
24	.02	—	.32	—	—	—	.01	—	—	—	.07	.17	24
25	—	.03	.08	—	—	.02	.85	—	—	—	—	.02	25
26	.12	.06	.36	.01	.13	—	.02	—	—	—	.08	.09	26
27	.14	.01	.19	.07	.04	.24	.10	—	—	—	.06	.32	27
28	.62	—	.23	.06	.19	.05	—	—	—	—	—	.05	28
29	.09	—	.17	.07	.19	.04	.12	—	—	—	.14	.43	29
30	.06	—	.66	.24	.05	.10	.05	—	.26	—	.28	.19	30
31	.07	—	.08	—	—	—	.03	—	—	.68	—	.04	31
TOTAL	2.55	1.07	3.59	4.91	1.94	3.00	4.60	1.04	2.42	4.46	1.12	2.84	YEAR'S TOTAL 33.54
Days with .01 in. or more	21	16	20	26	17	17	25	10	11	18	11	18	210

S. J. J. J.

REG

KINGTON

Kept at *Lynhales*

in the County of *Hereford*

by *S. Robinson Esq*

LYNHALES

HEREFORD

1911-15, 1917

FORM A2.
BRITISH RAINFALL.

6 - JAN 1918

in.
round 1 ft.
sea Level 566 ft.

H.
Name *Lynhales*

Distance *1 mile* Direction *East*
The result entered to the
versal rule, he is earnestly
ear in the space provided
nent of rain,
itish Rainfall
application to

Jan. 1, following.

IMPORTANT NOTE
previous day. If an Obs
requested to add the read
for it at the end of this
the selection and placin
Organization are given in
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.2		.16					.55			.6	.1	1
2	.1			.1	.24			.8		.2	.6	.16	2
3	0			.2	.68			.3	.8		.13	.14	3
4	0		.8	.1				.18	.6		.21	.28	4
5	.4		.4	.1				.10		.12	.13	.4	5
6	.21			.2				.6			.10	.36	6
7	.1		.16								.30		7
8	.2		.14								.40	.44	8
9	.6		.3								.50	.15	9
10	.3	.5	.15						.2		.4	.52	10
11	.23				.15				.3		.45	.15	11
12			.31		.8				.40		.48	.10	12
13		.3	.1						.14	.2	.5	.28	13
14			.1								.1	.40	14
15										.1	.21	.28	15
16		.1	.1			.8				.3	.15	.18	16
17		.4	.4			1.10				.1	.20	.42	17
18		.45	.23	.31		.20				.2	.2	.15	18
19		.3		.12		.40	.2	.2	.48	.15		.36	19
20	.2	.5	.3	.6		.1		.1	.4	.12		.2	20
21		.25	.24	.1		.2		.18		.34		.8	21
22	.2	.5	.2	.3		.2				.23		.52	22
23		.41	.12			.10			.30	.24		.31	23
24	.1	.14	.1			.32		.11	.2	.12		.8	24
25		.13		.5		.2			.4			.25	25
26		.25		.34	.50			.8		.20	.10	.19	26
27		.20	.19	.5		.8		.28	.14		.10	.14	27
28		.14	.2	.15		.9					.13		28
29			.1	.8		.13	.40			.48	.2	.1	29
30			.4		.4	.2	.6	.29		.34	.5		30
31			.1		.1		.1			.8			31
Total	.78	2.26	2.15	1.24	1.40	2.59	.49	1.94	1.84	2.53	3.90	6.65	TOTAL for year
No. of Rain Days.	12.	15	23	15	4	14	4	13	12	14	23	24	28.13

Lyfads

REC

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

Kept at *Lynehall*
in the County of *Herefordshire*
by *S. Roberts Esq*

RAIN GAUGE { Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 566 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name *Lynehall*
Distance *1 1/2* miles Direction *West*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.2		.16					.55			.6	.1	1
2	.1			.1	.24			.8		.2	.6	.16	2
3	0			.2	.68			.3	.8		.13	.14	3
4	0		.8	.1				.18	.6		.21	.28	4
5	.74		.4	.1				.10		.12	.13	.4	5
6	.21			.2				.6			.10	.36	6
7	.1		.16								.30		7
8	.2		.14								.40	.44	8
9	.6		.3								.50	.15	9
10	.3	.5	.15						.2		.4	.52	10
11	.23				.15				.3		.45	.15	11
12			.31		.8				.40		.48	.10	12
13		.3	.1						.14	.2	.5	.28	13
14			.1								.1	.70	14
15										.1	.21	.28	15
16		.1	.1			.8				.3	.15	.18	16
17		.4	.4			1.10				.1	.20	.42	17
18		.45	.23	.31		.20				.2	.2	.15	18
19		.3		.12		.40	.2	.2	.48	.15		.36	19
20	.2	.5	.3	.6		.1		.1	.4	.12		.2	20
21		.25	.24	.1		.2		.18		.34		.8	21
22	.2	.5	.2	.3		.2				.23		.52	22
23		.44	.12			.10			.30	.24		.31	23
24	.1	.14	.1			.32		.11	.2	.12		.8	24
25		.13		.5		.2			.4			.25	25
26		.25		.34	.50			.8		.20	.10	.19	26
27		.20	.19	.5		.8		.28	.14		.10	.14	27
28		.14	.2	.15		.9					.13		28
29			.1	.8		.13	.40			.48	.2	.1	29
30			.4		.4	.2	.6	.29		.34	.5		30
31			.1		.1		.1			.8			31
Total	.78	2.26	2.15	1.24	1.40	2.59	.49	1.94	1.84	2.53	3.90	6.65	TOTAL for year
No. of Rain Days.	12.	15	23	15	4	14	4	13	12	14	23	24	2813

1824

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL FORM A.
15 JAN 1913

Kept at Lynghales
in the County of Herefordshire
by Stephen Robinson Esqre

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Lyonshall
Diameter of Rain Gauge X & 5 in.
Height of top of Gauge above Ground _____ ft. 10 in.
" " " " Sea Level 566 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		12	15			73	3	2	2			18	1
2			21			64	34	1				2	2
3			2		2	19	4	117	3		4	2	3
4	33		64		15	6	1	10			12		4
5	26	10	21	3	10			41			1	5	5
6	40	12			2		2	24				7	6
7	2	12	7		14	81	12	7			1	9	7
8	55	22	20			3	2	5		2		1	8
9	8	3	63	26		29	1	35		1	3	46	9
10	34					16	3	15			16	1	10
11	6	5					6			1	14	60	11
12	3	29	12	9	9	1	4	1				2	12
13	7	1						3	8	8		14	13
14	9	12	44			2		11				2	14
15	14		1		42	18		2			1	46	15
16	71	2	18			13		6		7		3	16
17	102	4	14			8		36			7	49	17
18	25	3	5					14		4		9	18
19	7	1			1	6	11	56	3	10		2	19
20	3		32				5	8		23	3	1	20
21	2		29		64		2	46			1	2	21
22	47	15	6		9	2	50	36		2	3	9	22
23	45	3	50			9	10	35		11	7	3	23
24	10	1	5			27	17	3			2	46	24
25			2			10	5	115			46	30	25
26		20	8				15	102		98	47	39	26
27			2			38	75			77	48	38	27
28		13	11		2	9	49	75	28	25		67	28
29		4				6	14	13	62	20	8	1	29
30			8			26	8		1	41		2	30
31			11		11		44	3		4		7	31
Total	552	184	471	38	184	466	380	822	107	334	224	523	YEAR'S TOTAL 4285
Rain Days.	21	20	25	3	12	22	24	28	7	16	18	30	226

REGISTER OF RAINFALL IN 1913

Kept at Lynhales
in the County of Herefordshire
by Stephen Robinson Esq

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Lyonshall
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 10 1/2 ft.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
23 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	5	3	19	3					21		13	2	1
2	2	30	5	4	23				8	34	30		2
3	4	5	10		43				1	1		14	3
4	48	4			8		2		64	58	6	35	4
5	14	10	6		20	18	5		9	32	15	2	5
6	4	13			16		2			59	6	25	6
7	2	55	3		22	10	6			34	14	3	7
8	2	27			36	8		8		27		1	8
9	1	83	3	1	34	48	10	15	8		27	2	9
10	18	1		6	10			12		30	2		10
11	48		2	46						2	60		11
12				1	24					3	16		12
13	4		37	3	2		2	1	40	14	20		13
14	47			9				4	3		8		14
15	4		45	84				8			10		15
16	8		57	3				5			1		16
17	4		46	13			7				4		17
18	8	2	33								5		18
19	22		23			3			8	10	2	2	19
20	19		68	20		5				18	58		20
21			14	25		2	8				14		21
22	73		95	2		13	6	38	48				22
23	2		4					4	27		5		23
24	16			5				3			3		24
25		4		18					13	5	2	6	25
26				50	22			8	4			34	26
27	8		12	9						75			27
28	25		16	35	9					18		12	28
29	2		54	35	2			3		22			29
30	23							5		44	13		30
31	10		30					2					31
Total	456	240	612	372	271	107	48	116	254	486	334	138	YEAR'S TOTAL 3434
Rain Days.	27	12	21	20	14	8	9	14	13	18	23	12	191

REGISTER OF RAINFALL IN 1914

Kept at Lynhales
 in the County of Herefordshire
 by Stephen Robinson Esqre

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Lyonshall
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground ft. 10 1/2 in.
 " " " " Sea Level _____ ft.

FORM A.
 BRITISH RAINFALL
 20 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		3	9			2	38	65			11	13	1
2					2		140	2			40	32	2
3			10	16	27		4	6			2	43	3
4	20	2	8	13	9		35	1			64	80	4
5	2		3	26	31		14				8	3	5
6		7		13	6		1	2			3	21	6
7	18	10	32		15			18	4			54	7
8			3	2	17	35		28				23	8
9	6	7	6	24		98		15				2	9
10		15	4	30	7				24		2		10
11		30	29	2	2	11	5		6		65	64	11
12		59	17			1	11		30		18	22	12
13		33	31				23		13	29	23	21	13
14		63	19				2		5	4	20	1	14
15	1	2	24				3	8	10		5		15
16			3				5		13				16
17		20	24									82	17
18		2	44			8	3		1		11	24	18
19		3	5				117		13			21	19
20		34	4			13					1	20	20
21		40				9	26	35		38			21
22		20			7	5	1	13		63			22
23		19	4	2	3		3	2		30			23
24	3		11				13	30		22	3	2	24
25	10		10				5	25		42		28	25
26							1	5		14	11	34	26
27			3							2	75	95	27
28	8	8	6		8						2	62	28
29	6		12		8					14	35		29
30	5	X	19	1				2		8	51	36	30
31	39	X	2	X		X	18	1	X	28	X	15	31
Total	1.18	3.77	3.42	1.29	1.42	1.87	4.68	2.58	1.19	2.94	4.50	7.98	36.82
Rain Days.	11	12	26	10	13	9	21	17	10	12	20	24	192

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915

Kept at Lynghales
 in the County of Herefordshire
 by Stephen Robinson Esqre

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Lyonskall
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground _____ ft. 10½ in.
 " " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	4.8	1.5	4		1.6			1.0			8		1
2	1.1	1.4	2.5	1.4		1.0	1	1.55	6	1.5		1.8	2
3	2.4	3	2	1.0	1		6.5	2	1.0	1		1.5	3
4	3	3.3					4.0	3				1.11	4
5	1	3.4		3				6				8.5	5
6	1.3	1.0		1.1			4.2	8		2		1.2	6
7	2	4.8		8	1.00			5				4.0	7
8	2.8	3.6		5				2					8
9	6	6.8	3	1.2				1			1.2	1.1	9
10	3.8	6		9				2		1.0	2.0	4	10
11	8							5			1.4	9	11
12	5	1.2		8	5.0			3		8	1.66		12
13	1	1.00			8.4			1.0			3.8	4	13
14		3						1.5	8		3	3.2	14
15	5.8				1.6			8			7	1.8	15
16	6	2.0			4.0		1.40	1.8				2	16
17	1		4		9.0			3				3	17
18			6				4.4	1.1					18
19		3											19
20	1.5			2	9								20
21	1.1						2.3			1.6		2	21
22		2	8	1.0			3.4			2		2.0	22
23	1.0		1.4			5	1.1		3	1.02		2.8	23
24			1.5	8					1.4	1.20		6.2	24
25						1.5	2		4			3.0	25
26		4					4.0					2.6	26
27		3.0				2.5	5.2			5.6		6.2	27
28		3				1.8			4.5			4	28
29						2		2		1.5		9	29
30	4	~~X~~				4.5	4.0				1.4	3.4	30
31		~~X~~		~~X~~		~~X~~	4.5	1.0	~~X~~	4.6	~~X~~	7.3	31
Total	2.99	4.50	8.4	1.03	4.36	1.20	6.42	2.79	9.3	3.93	3.05	7.14	YEAR'S TOTAL 39.21
Rain Days.	20	19	9	12	9	7	14	20	7	12	9	25	163

REGISTER OF RAINFALL IN 1914

Kept at Lynnhales
in the County of Herefordshire
by H Mitchell Henderson Esq

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Titley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 10 1/2 in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
MAY 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
nil

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.5	.25	.51		.79		.2	.14		.3	.9	1
2	.2	.6	.5	.24		.4				.2	.26		2
3						.1		.3		.14	.4		3
4			.42	.7						.30			4
5	.12		.37			.9		.3	.63	.20	.10		5
6			1.15	.12						.31	.26		6
7										.36	.9	.4	7
8	.61		.20	.11			.45	.83			.16	.10	8
9			.12	.12	.17			.71	.16	.3	.25		9
10	.22		.42	.15				.16		.1			10
11			.4	.14				.20		.37	.6		11
12				.1	1.20			.6		.23		.1	12
13			.10	.13				.21	.7				13
14			.2					.13					14
15	.3			.2	.6		.9			.6		.3	15
16		.5				.27	.8					.16	16
17					.52	.6	.61	1.02	.42	.12			17
18		.3			.4		.72	.2	.77				18
19		.48	.9			.44		.1	.2		.4		19
20		.12			.80	.14	.1		.10				20
21		.8	.28		.6	.4	.1	.6		.3			21
22					.2	.4		.47	.1				22
23					.16	.2		.45		.14	.1		23
24						.8		.26		.35	.22		24
25		.9	.12					.8		.18	.15		25
26		.5				.12		1.38	.8	.10			26
27					1.24	.42	.45	1.19			.1		27
28			.34		.4	.3	.1	.18				.3	28
29	.3							.6		.30	.1	.32	29
30		X						.40		.20	.2	.1	30
31		X	.21	X	.13	X		.16	X	.6	X		31
Total	1.03	1.01	4.18	1.62	4.44	2.64	2.43	8.12	2.45	3.51	1.71	.79	YEAR'S TOTAL 33.93
Rain Days.	6	9	16	11	12	15	9	.24	10	20	16	9	154

REC

LED BURY

UNDERDOWN
HEREFORD

Kept at Underdown
in the County of Hereford
by S. H. Bickha

NOTE.—Full instructions respecting
“Rules for Rainfall Observations”

FORM A.
BRITISH RAINFALL.
30 JAN 1912
ong. 2. 25. 0
on Sedbury 9 am.
in.
round 1 ft. — in.
ea Level 307 ft.
fall Organization are given in
quare, London, N.W.

Date.	JAN.	FEB.	MARCH.
	in.	in.	in.
1	—	—	·04
2	—	—	—
3	—	—	—
4	·01	—	·14
5	·07	—	·03
6	·22	—	·05
7	—	—	—
8	·10	—	·14
9	·09	—	·01
10	·01	·12	·26
11	·14	—	—
12	·02	—	·51
13	—	·01	—
14	—	—	·03
15	—	·01	·02
16	—	—	—
17	·01	—	·04
18	—	·28	·04
19	·02	·01	—
20	·02	·06	·05
21	—	·10	·14
22	—	—	·04
23	·01	·11	·12
24	—	·05	—
25	—	·16	·01
26	—	·15	—
27	—	·17	·19
28	—	·18	—
29	—	—	·01
30	—	—	·02
31	—	—	—
Totals	·72	1·41	1·88
Total from Jan. 1		2·13	4·01

1911 - 1920

OCT.	NOV.	DEC.	Date.
in.	in.	in.	
—	·01	·02	1
11	·04	·06	2
—	·03	·01	3
·04	·11	·42	4
·02	·07	—	5
—	·10	·80	6
—	·23	—	7
—	·04	·39	8
—	·37	·29	9
—	—	·59	10
—	·57	·02	11
·06	·10	·04	12
·36	·01	·35	13
—	—	·88	14
·01	·18	·07	15
—	·15	·15	16
—	·21	·34	17
·04	—	·38	18
·34	·01	·17	19
·01	—	·76	20
·33	—	·09	21
·22	—	·54	22
·10	—	·09	23
·13	—	·08	24
—	—	·10	25
·20	·22	·13	26
·01	·10	·08	27
—	·29	—	28
·23	·01	—	29
·26	·01	·01	30
·02	—	—	31
2·21	2·86	6·86	
11·86	14·72	21·58	

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

Kept at Underdown, Sedbury
in the County of Hereford 2
by S. H. Bickham T.S.S.

Lat. 52. 1. 55" N Long. 2. 25. 0 W
Nearest Railway Station Sedbury
Time of Observation 9 am.
Diameter 5 in.
Height of top above Ground 1 ft. — in.
" " Sea Level 307 ft.

NOTE.—Full instructions respecting the measurement of rain and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	JAN.	FEB.	MARCH.	APRIL.	MAY.	JUNE.	JULY.	AUG.	SEPT.	OCT.	NOV.	DEC.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.04	.09	—	—	.01	.11	—	—	.01	.02	1
2	—	—	—	.03	.07	—	—	.10	—	.11	.04	.06	2
3	—	—	—	.05	.41	—	—	—	.02	—	.03	.01	3
4	.01	—	.14	.03	—	—	—	—	.06	.04	.11	.42	4
5	.07	—	.03	.06	—	—	—	.08	—	.02	.07	—	5
6	.22	—	.05	.02	—	—	—	—	—	—	.10	.80	6
7	—	—	—	—	—	—	—	—	—	—	.23	—	7
8	.10	—	.14	—	—	—	—	—	—	—	.04	.39	8
9	.09	—	.01	—	—	—	—	—	—	—	.37	.29	9
10	.01	.12	.26	—	—	—	—	—	—	—	—	.59	10
11	.14	—	—	—	—	—	—	—	—	—	.57	.02	11
12	.02	—	.51	—	—	—	—	—	.06	—	.10	.04	12
13	—	.01	—	—	.04	—	—	—	.36	.14	.01	.35	13
14	—	—	.03	—	—	—	—	—	—	—	—	.88	14
15	—	.01	.02	—	—	—	—	—	—	.01	.18	.07	15
16	—	—	—	—	—	.07	—	—	—	—	.15	.15	16
17	.01	—	.04	.01	—	.07	—	—	—	—	.21	.34	17
18	—	.28	.04	.12	—	.02	—	—	—	.04	—	.38	18
19	.02	.01	—	.03	—	.12	—	—	.20	.34	.01	.17	19
20	.02	.06	.05	.02	—	.01	—	—	.05	.01	—	.76	20
21	—	.10	.14	—	—	—	—	.28	—	.33	—	.09	21
22	—	—	.04	.03	—	.02	—	—	—	.22	—	.54	22
23	.01	.11	.12	—	—	.18	—	—	.19	.10	—	.09	23
24	—	.05	—	.02	—	.46	—	.11	—	.13	—	.08	24
25	—	.16	.01	.05	—	.03	—	—	.01	—	—	.10	25
26	—	.15	—	.16	.25	—	.01	.05	—	.20	.22	.13	26
27	—	.17	.19	.07	—	—	—	.35	.22	.01	.10	.08	27
28	—	.18	—	.12	—	—	—	.01	—	—	.29	—	28
29	—	—	—	.01	—	.20	.08	—	.15	.23	.01	—	29
30	—	—	.02	.07	.02	.03	.11	.02	—	.26	.01	.01	30
31	—	—	—	—	.01	—	—	—	—	.02	—	—	31
Totals	.72	1.41	1.88	.99	.80	1.21	.21	1.11	1.32	2.21	2.86	6.86	
Total from Jan. 1		2.13	4.01	5.00	5.80	7.01	7.22	8.33	9.65	11.86	14.72	21.58	

REGISTER OF RAINFALL IN 1912

Kept at Underdown, Sedbury
 in the County of Hereford
 by Spencer H. Rickham F.R.S.

Lat. 52.1.55 Long. 2.25.0 W
 Time of Observation 9 a.m.
 Nearest Railway Station Sedbury
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. in.
 " " " " Sea Level 307 ft.

BRITISH RAINFALL
 FORM A.
 4- FEB 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	—	.11	—	—	.73	.14	.03	.01	.34	—	.07	1
2	—	—	.20	.04	.01	.52	.32	.03	—	—	—	—	2
3	.02	—	.06	—	.02	.18	.20	.64	—	—	.02	.04	3
4	.09	—	.58	—	.13	.64	—	.19	—	—	.20	—	4
5	.19	.22	.19	—	.09	.21	—	.34	.05	—	.01	.02	5
6	.19	—	—	—	.04	.44	.13	.10	.01	—	—	—	6
7	—	.20	.09	—	.04	.37	—	.06	—	—	.01	.02	7
8	.38	.15	.11	—	.37	.09	.03	.21	—	—	—	.02	8
9	.05	—	.46	.07	—	.35	.01	.15	—	—	.01	.15	9
10	.05	.07	—	.01	—	.04	—	.16	—	—	.11	—	10
11	.07	.03	—	—	—	.04	.04	.05	—	—	.05	.36	11
12	.02	.24	.09	.03	.11	.05	—	—	—	—	—	.04	12
13	—	.01	—	—	—	—	.01	.34	—	.01	—	.01	13
14	.05	.01	.40	—	.06	—	—	.09	—	.01	—	—	14
15	.30	.09	.01	.02	—	.19	—	.02	—	.01	—	.14	15
16	.91	—	.06	—	—	—	—	.10	—	.06	—	—	16
17	.55	—	.20	—	—	.03	—	.46	—	—	.03	.31	17
18	.25	.02	.06	—	—	—	—	.19	—	.01	.01	.01	18
19	.40	.01	—	—	—	—	.19	.69	—	.01	—	.03	19
20	.03	.01	.28	—	—	—	.19	.08	—	.40	.09	—	20
21	.02	.02	.42	—	.89	—	.01	.63	—	.38	—	—	21
22	.20	.08	.03	—	.45	.03	.24	.21	—	—	—	.03	22
23	.57	.32	.27	—	—	.12	.21	.34	—	.01	.03	.26	23
24	.12	.02	—	—	—	.27	.09	.03	—	.09	—	.12	24
25	—	—	—	—	—	.29	—	.78	—	.01	.37	.39	25
26	—	.05	.01	—	—	.01	.42	.79	—	.52	.23	.20	26
27	—	.01	—	—	—	.35	.53	—	—	.71	—	.27	27
28	—	.08	—	—	—	.01	.72	.58	.13	.26	.33	.89	28
29	—	.15	.06	—	—	.23	.49	.21	.67	.22	—	.03	29
30	—	—	.06	—	—	.09	.08	—	—	.27	—	.03	30
31	—	—	.27	—	.55	—	.45	.04	—	.01	—	.01	31
Total	4.47	1.79	4.02	.47	2.76	5.28	4.50	8.54	.87	3.33	1.50	2.95	40.18
Rain Days.	21	20	22	5	12	23	20	28	5	18	14	23	211

YEARS TOTAL

REGISTER OF RAINFALL IN 1913

Kept at Underdown, Sedbury
in the County of Hereford
by Spencer A. Rickham, T.S.P.

Lat. 52. 1. 55^N Long. 2. 25. 0
Time of Observation 9 am
Nearest Railway Station Sedbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 307 ft.

FORM A.
BRITISH RAINFALL.
14 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.02	.10	.02	.12	—	—	—	.77	—	.03	—	1
2	.02	.18	.02	.08	—	—	.01	—	.12	1.90	.10	—	2
3	.05	—	.04	—	.47	—	—	—	.01	.02	.02	.03	3
4	.94	—	—	—	.31	—	—	—	.75	.78	.08	.25	4
5	.10	.03	—	—	.05	.34	.14	—	.04	.23	—	.04	5
6	.03	.07	.14	—	.26	.09	.17	—	—	.28	.03	.29	6
7	—	.25	—	—	.22	.05	.04	—	—	.78	.17	.01	7
8	—	.10	—	.02	.13	—	—	.01	—	.72	—	—	8
9	—	.27	.02	—	.08	.15	.05	.12	.26	—	.07	.01	9
10	.16	—	—	.12	.04	—	—	.11	—	.02	.13	—	10
11	.86	—	—	.32	.02	—	—	.01	—	.06	.75	—	11
12	—	—	—	—	.53	—	—	—	—	—	.28	—	12
13	.02	.02	.05	—	—	—	—	—	.12	—	.20	—	13
14	.24	—	.44	.05	—	—	—	.03	.02	.12	—	—	14
15	.10	.06	.68	.61	—	—	—	.09	.28	—	.01	—	15
16	.11	.01	.70	.04	—	—	—	.03	.04	—	—	—	16
17	.04	—	.30	.11	—	—	.17	—	.04	—	—	—	17
18	.08	—	.27	.07	—	—	.04	—	—	—	.01	—	18
19	.25	—	.22	—	—	.21	.05	—	.10	—	—	—	19
20	.23	—	.24	.11	—	—	—	—	—	.11	.20	—	20
21	—	—	.26	.21	.09	—	.05	—	—	.01	.22	—	21
22	.63	—	.57	—	—	.07	—	—	.39	—	—	—	22
23	—	—	.04	—	—	.05	—	.17	.02	—	.03	.03	23
24	.02	—	—	.05	—	—	—	.02	—	—	.01	—	24
25	—	—	—	.11	—	—	—	.07	.04	—	—	.04	25
26	—	.03	—	.67	—	—	—	.33	.02	—	—	.21	26
27	.01	—	.06	.22	.11	—	—	—	—	.02	—	—	27
28	.31	—	.11	.24	.03	—	—	—	—	.29	—	—	28
29	.01	—	.53	.71	—	—	—	.21	—	.15	—	—	29
30	.20	—	—	—	—	—	—	—	—	.58	.07	—	30
31	—	—	.13	—	—	—	—	.02	—	.03	—	—	31
Total	4.42	1.04	4.92	3.76	2.46	.96	.72	1.22	3.02	6.10	2.51	1.01	YEAR'S TOTAL 32.14
Rain Days.	22	11	20	18	14	7	9	13	16	19	18	9	174

REGISTER OF RAINFALL IN 1914

Kept at Underdown, Sedbury
in the County of Hereford
by Spencer H. Bickham, F.R.S.

Lat. 52.1.55 N Long. 2.25.0 W
Time of Observation 9 am
Nearest Railway Station Sedbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 307 ft.

FORM A.
BRITISH RAINFALL
25 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
I conform

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.01	.03	.01	.06	—	.01	.86	.25	—	—	.05	.16	1
2	—	—	—	—	—	—	.32	.07	—	—	.62	.38	2
3	—	—	—	.12	.25	—	.03	.01	—	—	.03	.03	3
4	.19	—	—	.13	.03	—	.15	.06	—	—	.55	.45	4
5	.06	—	.05	.11	.16	—	.44	—	—	—	.09	—	5
6	.02	.09	.13	.01	.02	.03	—	—	—	—	.08	.12	6
7	.04	.11	.01	.08	.24	.08	.15	.10	.07	—	.01	.13	7
8	—	—	.09	.05	.04	.91	.04	.04	—	—	—	.02	8
9	.04	.03	.27	.40	.08	1.42	—	.05	.09	—	—	—	9
10	.03	.21	—	.40	.02	.03	—	—	.41	—	—	—	10
11	—	.07	.16	.07	.04	.43	—	—	—	—	.11	.58	11
12	—	.27	.16	—	—	—	.17	—	.21	.02	.06	.22	12
13	—	.14	.35	—	—	—	.02	—	.15	.23	.07	.35	13
14	.04	.13	.22	—	—	—	—	—	—	.37	.15	—	14
15	—	.02	.13	—	—	—	—	.10	.03	.01	.04	—	15
16	—	—	—	—	—	—	.05	—	.14	—	—	—	16
17	—	.15	.09	—	—	—	.01	—	.03	—	—	.14	17
18	—	—	.01	—	—	.10	.15	—	—	.03	—	.29	18
19	—	—	.09	—	—	—	.67	—	.01	—	.05	—	19
20	—	.33	.02	—	—	.06	—	—	—	—	—	.33	20
21	—	.20	—	—	—	.01	—	—	—	.13	—	.03	21
22	—	.06	.04	—	.12	.03	.02	.06	—	.11	—	—	22
23	—	—	.14	—	—	—	—	—	—	.12	—	—	23
24	—	—	.25	—	—	—	.02	.05	—	.08	.04	—	24
25	.07	—	.20	—	—	—	.01	.19	—	.21	.02	.09	25
26	—	—	.04	—	—	—	.03	.05	—	.05	.16	.36	26
27	.05	—	—	—	—	—	—	—	—	—	.19	.09	27
28	—	.11	.10	—	.04	—	—	—	—	.01	.06	.93	28
29	.03	—	.07	—	.24	—	—	—	—	.44	.13	—	29
30	.13	X	.05	—	—	.17	—	—	—	.09	.43	.55	30
31	—	X	—	X	—	X	.23	—	X	.03	X	.02	31
Total	.71	1.95	2.68	1.43	1.28	3.28	3.37	1.03	1.14	1.73	2.94	5.27	26.81
Rain Days.	12	15	23	10	12	12	18	12	9	15	20	20	178

REGISTER OF RAINFALL IN 1915

Kept at Underdown Sedbury
in the County of Hereford
by Spencer H. Pichham F.R.S.

Lat. 52.1.55 Long. 2.25.0 W
Time of Observation 9 am
Nearest Railway Station Sedbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 307 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.18	.06	—	—	.22	—	.30	—	.03	.24	.02	.04	1
2	.18	.15	.13	.19	—	.20	—	<u>1.80</u>	—	.15	—	.08	2
3	.82	.09	.04	.06	.15	—	<u>1.00</u>	.09	—	—	—	.19	3
4	—	.02	—	—	.05	—	.60	.03	—	—	—	.56	4
5	—	.61	—	.01	—	—	.08	.07	—	.04	—	.48	5
6	.20	.02	—	.18	—	—	.44	.01	—	—	—	.10	6
7	.05	.30	—	.01	.04	—	.03	.11	—	—	.01	.38	7
8	.25	.35	—	—	—	—	.07	.02	—	—	.04	—	8
9	.18	.03	—	.10	—	—	—	—	—	—	.15	.36	9
10	.16	.01	.05	.06	—	—	—	—	—	.08	—	.01	10
11	.02	—	.03	.03	.04	—	—	—	—	—	.87	—	11
12	.12	.02	—	.10	.33	—	—	—	—	.03	.40	.03	12
13	.01	.40	—	—	<u>1.42</u>	—	—	.08	.02	—	—	—	13
14	—	.02	—	—	—	—	—	.27	.08	.02	—	.22	14
15	.31	—	—	—	.11	—	.02	—	—	—	.04	.15	15
16	.01	.32	—	—	.25	—	.93	.12	—	—	—	—	16
17	.02	.27	.01	—	<u>1.22</u>	—	—	.13	—	—	—	.03	17
18	—	.37	.04	—	—	—	—	—	—	—	—	—	18
19	—	.02	—	—	.07	—	.10	—	—	—	—	—	19
20	.11	—	—	.10	—	—	—	—	—	—	—	.09	20
21	.14	.01	—	—	.01	—	.11	—	—	.14	—	.05	21
22	.10	.13	.29	.05	—	—	.21	—	—	—	—	.22	22
23	.05	.07	.10	—	—	—	.22	—	—	<u>1.02</u>	—	.30	23
24	—	—	.09	.01	—	.03	.37	—	.45	<u>1.33</u>	—	.18	24
25	—	—	—	—	—	.57	.35	—	—	.04	—	.20	25
26	—	.05	—	—	—	—	.57	—	.02	—	—	.45	26
27	—	.05	—	—	—	—	.12	—	—	.34	—	.04	27
28	—	.08	—	—	—	—	.69	—	.21	.02	—	.02	28
29	—	—	—	—	—	.08	—	.08	—	—	.05	.05	29
30	.08	X	—	—	—	.34	.08	—	—	.18	.08	.13	30
31	.01	X	—	X	—	X	.11	.04	X	<u>1.25</u>	X	.30	31
Total	3.00	3.45	.78	.90	3.91	1.22	6.34	2.85	.81	4.88	1.66	4.66	34.46
Rain Days.	20	23	9	12	12	5	20	13	6	14	9	25	168

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at Underdown Sedbury
in the County of Hereford
by Spencer H. Bickham, F.R.S.

Lat. 52. 1. 55 N Long. 2. 25. 0 W
Time of Observation 9 am
Nearest Railway Station Sedbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 307 ft.

2308
FORM A.
BRITISH RAINFALL.
3 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.06	—	.04	—	.04	.09	.14	—	—	.11	.19	—	1
2	.21	.04	.15	—	.31	—	.02	—	.02	.68	.13	—	2
3	—	.80	.06	—	.06	—	—	—	.02	.25	.17	—	3
4	.20	.13	—	—	.41	.42	.03	—	.09	.03	.56	—	4
5	.01	—	.08	—	.32	.06	.08	—	—	.04	.15	—	5
6	.02	.14	.05	—	.13	—	.61	—	—	.17	.33	—	6
7	—	—	.02	—	.09	—	.08	—	—	.20	.22	.20	7
8	.02	—	.12	—	.17	—	—	—	—	—	.02	.22	8
9	—	—	.01	—	.08	.41	—	—	.01	—	.03	—	9
10	—	.45	—	.05	—	.06	.01	—	—	.07	—	—	10
11	.02	.03	.18	.09	.03	.12	—	—	.01	—	—	.04	11
12	.02	—	.05	—	.36	—	.23	—	—	—	—	—	12
13	—	.27	.18	.01	.02	—	.02	.49	—	—	—	—	13
14	—	—	.11	—	.22	—	—	.04	—	.09	—	—	14
15	—	.72	.29	.07	.02	—	.01	.35	—	.03	—	—	15
16	—	.06	—	.23	—	—	.21	.91	—	—	—	—	16
17	.07	.12	—	.09	—	—	—	.06	.33	.38	—	—	17
18	—	.03	.04	.02	—	—	—	.01	.16	.04	.09	—	18
19	.08	—	.35	.19	—	—	—	—	.01	—	.63	.10	19
20	.03	—	.50	—	—	—	—	—	—	—	.03	.20	20
21	.03	—	.45	.23	.18	—	.31	—	—	—	—	.22	21
22	—	—	—	.05	—	.05	—	—	—	.17	—	.42	22
23	.01	.52	—	.01	—	—	—	.15	—	.05	—	.29	23
24	—	.10	.12	.01	.50	.03	—	.05	—	.19	.25	.15	24
25	—	.11	.16	—	—	—	—	.26	—	.01	—	—	25
26	—	—	.08	—	—	.08	—	—	—	.11	—	—	26
27	.06	.20	.58	—	—	.05	—	.44	.28	.26	—	—	27
28	—	—	.32	—	—	—	—	—	.03	.15	—	.14	28
29	—	.68	.02	—	—	.33	—	1.15	.01	.35	—	.10	29
30	—	X	—	—	—	.10	—	.01	—	.29	—	—	30
31	—	X	—	X	—	X	—	—	X	.28	X	.02	31
Total	.84	4.40	3.96	1.05	2.94	1.80	1.75	3.92	.97	3.26	2.80	2.10	30.39
Rain Days.	14	17	24	12	16	12	12	12	11	22	13	12	177

REGISTER OF RAINFALL IN 1917

Kept at Underdown Sedbury
in the County of Hereford
by S. H. Bickham F.R.S.

Lat. 52. 1. 55 N Long. 2. 25. 0 W
Time of Observation 9 am
Nearest Railway Station Sedbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 307 ft.

2195
FORM A.
BRITISH RAINFALL
JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.09	.15	—	.16	—	1.09	.25	—	.16	—	1
2	—	—	—	.10	—	.03	—	.10	—	.03	.01	—	2
3	—	.15	—	.05	—	.03	—	.05	—	.33	—	—	3
4	—	.30	.02	—	—	—	—	.02	—	.38	—	—	4
5	.12	.07	.35	.16	—	.05	—	—	—	.16	.04	—	5
6	—	—	.07	—	—	.17	—	—	—	.05	.25	.04	6
7	.21	—	—	—	—	—	—	.03	—	.15	.03	—	7
8	.39	—	.04	.15	—	—	.54	.62	—	.27	.19	.07	8
9	—	—	.32	.07	.12	—	—	1.25	.13	.03	.01	—	9
10	.30	—	.18	.10	.40	—	—	.18	—	—	—	—	10
11	.08	—	.10	.09	.02	—	—	.14	—	.10	.02	—	11
12	—	—	—	.06	.27	—	—	—	—	.10	.01	—	12
13	—	—	.08	.01	—	—	—	.07	.07	—	—	—	13
14	—	—	.23	.08	—	—	—	.16	—	—	—	—	14
15	—	—	—	—	.05	—	—	.12	—	.04	—	.15	15
16	.15	—	—	.20	—	—	.03	—	—	—	—	.08	16
17	—	—	—	.10	.62	—	.33	.14	.08	.03	—	—	17
18	—	.01	—	—	.02	—	.16	.02	1.27	—	.01	—	18
19	.08	.78	.21	—	—	.28	—	—	.02	—	—	—	19
20	—	.18	.10	—	.67	.27	.02	—	.05	—	—	—	20
21	—	—	.16	—	.02	.02	—	.03	—	.02	.08	—	21
22	.10	—	.30	—	—	.20	—	.11	—	.01	—	—	22
23	.03	.19	—	—	.07	—	—	.30	—	.11	—	.01	23
24	—	.01	—	—	—	.08	—	.11	—	.13	.03	—	24
25	—	.04	.04	—	—	—	—	—	—	.01	.02	—	25
26	—	—	—	—	.03	.10	—	.43	.10	—	.04	—	26
27	—	—	—	—	1.30	.08	.05	.56	—	—	.01	—	27
28	—	—	.26	—	.03	.21	—	.11	—	—	—	.03	28
29	—	X	.06	—	.03	.46	.09	.33	—	.45	—	.35	29
30	.05	X	—	—	—	—	.04	—	—	.08	—	—	30
31	—	X	.11	X	.02	X	.01	.04	X	.01	X	.02	31
Total	1.53	1.73	2.66	1.32	3.67	2.14	1.29	6.01	1.97	2.49	.91	.75	YEAR'S TOTAL 26.47
Rain Days.	10	9	18	13	15	14	9	23	8	20	15	8	162

REGISTER OF RAINFALL IN 1918

Exd. E.F.E

40

FORM A.
BRITISH RAINFALL

Kept at Underdown, Sedbury
in the County of Hereford
by Spencer H. Bickham, F.R.S.

Lat. 52.1.55 N Long. 2.25.0 W
Time of Observation 9 a.m.
Nearest Railway Station Sedbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 307 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.01	.01	.01	.07	—	—	.09	—	.01	.68	—	1
2	—	.03	—	.02	—	—	—	.42	—	.02	.01	.02	2
3	—	.05	.01	.20	.23	—	—	—	.47	—	.13	.01	3
4	—	.06	.02	—	—	—	—	.03	.10	.05	.43	.37	4
5	—	—	—	.02	.29	—	—	.03	.24	.06	.01	.02	5
6	.04	.19	.01	.07	—	.06	—	—	.29	.17	—	.03	6
7	—	.11	—	.01	.40	.01	—	—	.13	.05	.19	.02	7
8	.01	.11	—	—	—	—	—	—	.09	.13	—	.08	8
9	.03	.08	—	.27	—	.12	.05	—	.18	.10	—	.03	9
10	—	—	—	.06	—	—	.26	—	.09	.04	—	.14	10
11	—	—	.07	.02	.05	—	.06	—	.04	.01	—	.06	11
12	—	—	.23	—	.08	—	.13	—	.01	—	—	—	12
13	—	—	—	.01	.01	—	.06	—	.07	.05	—	.08	13
14	.24	—	.24	—	—	.01	.06	—	.55	.15	—	.03	14
15	1.12	—	—	.20	—	—	.25	—	.01	.01	—	.21	15
16	.16	—	.01	.90	—	.03	—	—	.26	—	—	.03	16
17	.17	—	—	.05	—	.04	.11	—	.14	.08	—	.05	17
18	.32	—	—	—	—	.32	.06	—	.78	—	—	.53	18
19	.08	.01	.28	—	—	—	.12	—	.01	.10	—	.01	19
20	.13	.05	—	.27	—	.05	—	—	.13	.01	—	—	20
21	.10	—	—	.56	—	.01	.07	—	.34	.04	—	.07	21
22	.01	—	—	—	.08	—	.07	—	.07	.04	—	.18	22
23	.01	—	—	—	.34	—	.15	—	—	—	.06	—	23
24	—	.10	—	—	—	—	.01	.01	.03	—	.05	.14	24
25	—	—	—	—	—	.01	.23	.71	—	.02	.02	—	25
26	—	—	—	—	—	—	.70	—	—	.03	.05	—	26
27	—	.01	—	—	—	.03	—	.17	.05	—	.05	.01	27
28	—	.12	.30	.04	—	.02	—	—	—	—	.10	.05	28
29	—	X	.05	—	—	—	—	—	1.28	—	—	.04	29
30	—	X	.26	—	—	—	—	—	.01	—	.08	.09	30
31	—	X	.13	X	—	X	—	.09	X	—	X	—	31
Total	2.42	.93	1.59	2.71	1.55	.71	2.39	1.55	5.37	1.17	1.86	2.20	YEAR'S TOTAL 24.55
Rain Days.	13	13	13	16	9	12	16	8	24	20	13	24	181

REGISTER OF RAINFALL IN 1919.

Kept at Underdown, Sedbury
in the County of Hereford
by Spencer H. Bickham T.I.S.

Lat. 52° 1' 55" Long. 2° 25' 0" W
Time of Observation 9 am
Nearest Railway Station Sedbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 307 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	24	—	02	08	05	13	05	—	04	10	—	40	1
2	12	—	—	—	06	—	34	—	20	—	08	10	2
3	30	—	09	—	02	04	03	—	02	—	16	16	3
4	34	09	41	—	—	13	12	10	15	—	—	17	4
5	10	23	22	—	08	—	01	—	40	—	—	28	5
6	04	11	05	—	06	—	—	—	—	—	03	08	6
7	13	—	25	15	12	—	—	—	—	—	09	—	7
8	25	—	03	05	—	01	—	—	—	—	—	—	8
9	12	—	03	08	—	—	—	—	—	—	03	01	9
10	—	—	55	01	—	—	—	—	—	03	02	20	10
11	—	—	56	—	03	—	54	—	—	—	—	03	11
12	—	—	08	06	—	36	—	—	—	05	—	01	12
13	05	—	—	10	—	—	—	—	—	05	05	05	13
14	18	—	—	25	—	—	12	—	02	10	—	03	14
15	19	03	—	02	10	—	—	—	—	01	—	25	15
16	19	03	—	—	—	—	—	—	—	—	07	01	16
17	—	37	—	01	—	01	—	05	—	—	09	—	17
18	02	61	63	—	01	—	01	07	01	—	03	05	18
19	15	29	80	—	—	—	1 35	47	09	—	03	02	19
20	36	—	61	—	—	02	01	20	02	—	05	05	20
21	—	41	06	—	—	01	17	—	01	—	01	14	21
22	—	05	—	—	—	—	06	—	25	—	—	12	22
23	—	—	—	—	—	—	—	23	—	98	02	—	23
24	—	—	—	06	—	05	04	—	—	89	12	11	24
25	08	—	—	04	09	—	—	26	—	01	01	08	25
26	—	—	08	—	—	03	—	04	09	—	—	20	26
27	16	—	—	77	—	—	—	37	—	—	—	08	27
28	—	—	12	—	—	—	—	32	—	—	35	30	28
29	13	XX	—	06	—	—	—	02	—	28	12	15	29
30	—	XX	01	09	—	16	—	18	—	05	08	33	30
31	—	XX	01	XX	—	XX	—	—	XX	03	XX	—	31
TOTAL	3 15	3 22	4 61	1 83	62	95	2 85	2 11	1 20	2 58	1 44	3 41	YEAR'S TOTAL
Days with 01 in. or more	19	10	19	15	10	11	13	12	12	12	19	26	178

REGISTER OF RAINFALL IN 1920.

Kept at Underdown Sedbury
in the County of Hereford
by Spencer H. Bickham F.R.S.

Lat. 52. 1. 55 N Long. 2. 25. 0 W.
Time of Observation 9 a.m.
Nearest Railway Station Sedbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 307 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.02	.29	.24	—	—	.03	.01	.20	—	.33	1
2	.07	—	—	.10	—	—	—	—	.08	.21	—	.09	2
3	.06	.03	—	.16	.08	.01	.65	.03	.08	.55	—	—	3
4	—	—	—	.06	—	—	—	.17	—	.18	—	—	4
5	—	—	.13	.07	.11	—	.31	.02	—	.33	—	—	5
6	—	—	.23	—	.12	—	.21	—	—	.25	—	—	6
7	—	—	.03	.13	—	—	.18	—	—	—	—	.01	7
8	.27	.03	—	.43	.05	—	.34	—	—	.01	—	.02	8
9	.17	—	—	.30	—	—	.10	.04	—	—	—	—	9
10	.40	.08	.02	.09	—	.28	.19	—	—	—	.02	.01	10
11	.17	.01	.10	.51	.31	.07	.08	—	—	—	—	—	11
12	.19	.01	—	.25	—	.74	.02	—	—	—	.02	—	12
13	.02	—	.30	.12	—	—	—	.07	—	—	—	—	13
14	—	.02	.35	.22	—	.13	—	.03	.28	.07	.15	—	14
15	.01	.05	.37	.76	—	.24	—	—	.06	.05	.03	—	15
16	—	—	—	.07	.04	.30	.21	—	.16	.34	.01	—	16
17	—	—	.01	—	.12	.11	—	—	.62	.20	—	.02	17
18	.12	—	—	.02	.04	—	—	.21	.46	—	—	.01	18
19	.04	.10	—	.23	—	.18	—	—	—	—	—	.01	19
20	.02	.12	—	.20	—	.16	—	—	—	—	—	.05	20
21	—	—	—	.06	—	—	—	—	—	.01	—	.06	21
22	.01	—	—	.09	—	—	—	.12	—	—	—	.20	22
23	—	—	—	.01	—	—	.40	.06	—	—	—	.39	23
24	—	—	.17	—	—	—	—	.01	—	—	.01	.14	24
25	—	.07	.08	.02	—	.08	.53	—	—	—	—	.02	25
26	.13	.01	.27	—	—	—	.02	—	—	—	.07	.05	26
27	.45	.03	.16	.10	.09	.25	.01	—	—	—	.01	.60	27
28	.99	—	.10	—	.29	—	.02	—	—	—	.01	—	28
29	.25	—	.09	—	.06	.01	.08	—	—	—	.05	.40	29
30	.01	XX	.17	.10	—	—	.07	—	.21	—	.20	.15	30
31	.07	XX	.11	XX	.03	XX	.03	—	XX	.16	XX	.03	31
TOTAL	3.45	.56	2.71	4.39	1.58	2.56	3.45	.79	1.96	2.51	.58	2.59	27.13
Days with ".01 in. or more	19	12	18	24	13	13	18	11	9	13	11	19	180
Days with ".04 in. or more	14	5	14	21	12	11	13	6	8	11	4	11	139
YEAR'S TOTAL													130



REG

LED BURY
WELLINGTON HEATH

11

FORM A2.
BRITISH RAINFALL
12 MAR 1912

Kept at Wellington
in the County of H
by F. S. Cook

HEREFORD

1911 - 1920

5 in.
ove Ground 1 ft. 2 in.
Sea Level 505 ft.
9 a.m.
Name Ledbury
Distance 1 1/2 Direction SE

IMPORTANT NOTE. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'01	—	'04	'09	—	—	'02	'10	—	—	'03	—	1
2	—	—	—	'05	'08	—	—	'05	—	—	'06	'08	2
3	—	—	'01	—	'58	—	—	'01	'01	'11	—	'01	3
4	'03	—	'17	'02	—	—	—	'01	'05	'01	'25	'48	4
5	'06	—	'04	'11	—	—	—	'08	—	'05	'07	—	5
6	'21	—	'08	'02	—	—	—	—	—	'03	'09	'68	6
7	'01	—	—	—	—	—	—	—	—	—	'26	—	7
8	'13	—	'18	—	—	—	—	—	—	—	'09	'35	8
9	'13	—	'02	—	—	—	—	—	—	—	'48	'23	9
10	'01	'12	'32	—	—	—	—	—	—	—	'01	'62	10
11	'14	'12	—	—	—	—	—	—	—	—	'62	'01	11
12	—	'02	'55	—	—	—	—	—	'07	—	'11	—	12
13	'01	—	'01	—	'04	—	—	—	'29	'13	'01	'45	13
14	—	—	'04	—	—	—	—	—	—	—	—	'82	14
15	—	'02	—	—	—	—	—	—	—	'02	'25	'07	15
16	—	—	—	—	—	'08	—	—	—	'01	'16	'13	16
17	—	—	'01	—	'01	'08	'03	—	—	—	'20	'25	17
18	—	'30	'08	'11	—	'10	—	—	—	'04	'01	'28	18
19	—	'02	—	'04	—	'23	—	—	'28	'25	'01	'26	19
20	'05	'07	'04	—	—	—	—	—	—	'01	—	'60	20
21	—	'10	'09	—	—	—	—	'41	'02	'22	—	'10	21
22	'01	'01	'08	'02	—	'03	—	'01	—	'15	'01	'55	22
23	—	'10	'07	—	—	'27	—	—	'17	'04	—	'18	23
24	'01	'08	'01	'03	—	'46	—	'16	'01	—	—	'08	24
25	'05	'16	—	'06	—	'03	—	'23	—	'02	—	'09	25
26	—	'16	'01	'18	'38	—	'01	'06	'01	'24	'22	'15	26
27	—	'23	'24	'08	'01	—	—	'46	'17	—	'04	'08	27
28	—	'18	—	'14	—	—	—	'01	—	—	'33	'01	28
29	—	—	—	'12	—	'19	'08	'01	'16	'23	'02	—	29
30	—	—	'07	'05	'07	'03	'12	'28	—	'34	—	'02	30
31	—	—	—	—	'04	—	—	—	—	'02	—	—	31
Total	80.6	1.69	2.16	1.12	1.21	1.50	.26	1.88	1.24	1.92	3.33	6.58	TOTAL for year 23.75
No. of Rain Days.	14	15	21	15	8	10	5	14	11	18	22	25	178

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
12 MAR 1912

Kept at Wellington Heath Vicarage
in the County of Hereford 2
by J. S. Cooke-Vaughan

RAIN GAUGE { Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 2 in.
" " " Sea Level 505 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Sedbury
Distance 1 1/2 Direction SE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	—	.04	.09	—	—	.02	.10	—	—	.03	—	1
2	—	—	—	.05	.08	—	—	.05	—	—	.06	.08	2
3	—	—	.01	—	.58	—	—	.01	.01	.11	—	.01	3
4	.03	—	.17	.02	—	—	—	.01	.05	.01	.25	.48	4
5	.06	—	.04	.11	—	—	—	.08	—	.05	.07	—	5
6	.21	—	.08	.02	—	—	—	—	—	.03	.09	.68	6
7	.01	—	—	—	—	—	—	—	—	—	.26	—	7
8	.13	—	.18	—	—	—	—	—	—	—	.09	.35	8
9	.13	—	.02	—	—	—	—	—	—	—	.48	.23	9
10	.01	.12	.32	—	—	—	—	—	—	—	.01	.62	10
11	.14	.12	—	—	—	—	—	—	—	—	.62	.01	11
12	—	.02	.55	—	—	—	—	—	.07	—	.11	—	12
13	.01	—	.01	—	.04	—	—	—	.29	.13	.01	.45	13
14	—	—	.04	—	—	—	—	—	—	—	—	.82	14
15	—	.02	—	—	—	—	—	—	—	.02	.25	.07	15
16	—	—	—	—	—	.08	—	—	—	.01	.16	.13	16
17	—	—	.01	—	.01	.08	.03	—	—	—	.20	.25	17
18	—	.30	.08	.11	—	.10	—	—	—	.04	.01	.28	18
19	—	.02	—	.04	—	.23	—	—	.28	.25	.01	.26	19
20	.05	.07	.04	—	—	—	—	—	—	.01	—	.60	20
21	—	.10	.09	—	—	—	—	.41	.02	.22	—	.10	21
22	.01	.01	.08	.02	—	.03	—	.01	—	.15	.01	.55	22
23	—	.10	.07	—	—	.27	—	—	.17	.04	—	.18	23
24	.01	.08	.01	.03	—	.46	—	.16	.01	—	—	.08	24
25	.05	.16	—	.06	—	.03	—	.23	—	.02	—	.09	25
26	—	.16	.01	.18	.38	—	.01	.06	.01	.24	.22	.15	26
27	—	.23	.24	.08	.01	—	—	.46	.17	—	.04	.08	27
28	—	.18	—	.14	—	—	—	.01	—	—	.33	.01	28
29	—	—	—	.12	—	.19	.08	.01	.16	.23	.02	—	29
30	—	—	.07	.05	.07	.03	.12	.28	—	.34	—	.02	30
31	—	—	—	—	.04	—	—	—	—	.02	—	—	31
Total	8.6	1.69	2.16	1.12	1.21	1.50	.26	1.88	1.24	1.92	3.33	6.58	TOTAL for year 1911 23.45
No. of Rain Days.	14	15	21	15	8	10	5	14	11	18	22	25	178

REGISTER OF RAINFALL IN 1912

27 FEB 1913
FORM A.
BRITISH RAINFALL

Kept at Wellington Heath Vicarage
in the County of Hereford
by J. S. Stooke-Vaughan

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Ledbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 505 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'01	—	'14	'06	'02	'61	'11	'02	'01	—	—	'08	1
2	—	—	'25	'04	—	'30	'33	'03	—	'01	—	—	2
3	'02	—	'04	—	'02	'21	'20	'84	'02	—	'04	'04	3
4	'17	—	'76	—	'12	'71	—	'15	—	—	'17	—	4
5	'29	'12	'21	—	'15	'19	—	'45	'02	—	'01	'02	5
6	'18	'17	'01	—	'04	'09	'17	1.25	'01	—	'01	'01	6
7	'04	'21	'09	—	'06	'50	—	'09	—	'01	'01	'03	7
8	'33	'17	'10	—	—	'07	—	'34	—	—	—	'02	8
9	'02	'01	'54	'05	—	'12	'02	'15	—	—	—	—	9
10	'04	'04	—	'03	—	'11	—	'13	—	—	—	—	10
11	'10	'06	'01	—	—	'03	—	'04	—	—	—	'45	11
12	'02	'25	'10	'02	'12	'05	'02	—	—	'01	'10	'08	12
13	'01	'01	'01	—	—	—	—	'22	—	'01	—	'02	13
14	'07	—	'49	—	'08	—	—	'07	'01	—	—	—	14
15	'28	'08	'02	—	'44	'17	—	'05	—	—	—	'20	15
16	1.01	—	'03	—	'03	'02	—	'09	—	'12	—	'01	16
17	1.24	—	'16	—	—	'03	—	'55	—	—	'04	'33	17
18	'11	'01	'05	—	—	'01	—	'25	—	'02	—	'01	18
19	'15	'01	—	—	'01	—	'16	'57	—	—	—	'05	19
20	'03	—	'21	—	—	—	'20	'07	—	'46	'19	—	20
21	—	'02	'45	—	'91	—	'12	'91	—	'37	—	—	21
22	'52	'08	'03	—	'37	'05	'19	'32	—	'02	—	—	22
23	'39	'29	'31	—	'01	'06	'22	'40	—	—	'03	'20	23
24	'07	'01	'01	—	—	'18	'12	'05	'01	'04	—	'20	24
25	—	—	—	—	—	'44	—	'91	—	'01	'41	'45	25
26	—	'04	—	—	—	'01	'39	1.16	—	'62	'25	'30	26
27	—	'01	—	—	—	'40	'57	—	—	'79	—	'23	27
28	—	'08	—	—	'01	'07	'60	'65	'14	'29	'34	—	28
29	—	'20	'04	—	—	'21	'29	'27	'79	'28	—	—	29
30	—	—	'06	—	—	'12	'06	—	—	'26	—	—	30
31	'01	—	'47	—	'46	—	'57	'04	—	'01	—	'04	31
Total	5.11	1.84	4.59	.20	2.85	4.76	4.34	10.07	1.02	3.33	1.60	2.77	YEAR'S TOTAL 42.51
Rain Days.	23	20	25	5	16	25	18	28	8	17	12	20	217

REGISTER OF RAINFALL IN 1913

Kept at Wellington Heath near
in the County of Hertford
by Rev. F. S. Slooke-Vaughan

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Sedbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 505 ft.

FORM A.
BRITISH RAINFALL
17 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.01	.14	.05	.19	—	—	—	1.09	.01	.06	—	1
2	.01	.19	.05	.11	—	—	.03	—	.08	1.95	.06	—	2
3	.05	.01	.06	—	.77	—	—	—	.04	.01	—	.05	3
4	.95	.01	—	—	.29	—	—	—	.77	.77	.04	.20	4
5	.08	.02	.01	—	.04	.33	.18	—	.03	.34	.09	.02	5
6	.03	.06	.16	—	.34	.10	.25	—	—	.44	.03	.40	6
7	—	.31	—	—	.14	.06	.06	—	—	.83	.22	.02	7
8	—	.11	—	.01	.14	.05	.01	—	—	.70	—	—	8
9	.01	.31	.02	—	.11	.11	.05	.20	.32	—	.07	—	9
10	.14	—	—	.14	.10	—	—	.10	—	.02	.13	—	10
11	.93	.02	—	.30	—	—	—	—	—	.06	.75	—	11
12	.02	—	—	—	.66	—	—	.04	—	—	.40	—	12
13	.02	—	.11	—	—	—	—	.01	.15	—	.26	—	13
14	.22	—	.51	.03	—	—	—	.02	—	.14	.01	—	14
15	.08	.07	.76	.70	—	—	—	.10	.22	—	.02	—	15
16	.12	—	.80	.06	—	—	—	.01	.11	—	—	—	16
17	.03	—	.16	.07	—	.03	.19	—	.02	—	—	.01	17
18	.07	.02	.33	.08	—	—	.06	—	—	—	.02	—	18
19	.23	—	.15	—	—	.04	.05	—	.15	—	—	—	19
20	.25	—	.20	.11	—	—	—	—	—	.11	.30	—	20
21	—	—	.38	.31	.06	—	.09	.03	—	—	.33	—	21
22	.77	—	.48	—	—	.13	—	.30	.39	—	.01	—	22
23	—	—	.10	—	—	.03	—	.03	.01	—	.04	.03	23
24	.07	.02	—	.04	—	—	—	.05	—	—	.02	.02	24
25	—	—	—	—	—	—	—	—	—	.01	.01	—	25
26	—	.04	—	.70	—	—	—	.43	.01	.01	—	.21	26
27	.02	—	.10	.23	—	—	—	.23	—	.03	—	—	27
28	.34	—	.18	.30	.04	—	—	—	—	.35	—	—	28
29	.01	—	.58	.83	.01	—	—	.01	—	.12	—	—	29
30	.31	—	—	—	—	—	—	.01	—	.74	.09	—	30
31	.01	—	.16	—	—	—	—	.02	—	.02	—	—	31
Total	4.78	1.20	5.44	4.07	2.89	.88	.97	1.59	3.39	6.36	3.01	.96	YEARS TOTAL 35.54
Rain Days.	25	14	21	17	13	9	10	16	14	19	21	9	188

REGISTER OF RAINFALL IN 1914

Kept at Wellington Heath Vicarage
in the County of Hereford
by Rev. F. S. Stooke-Vaughan

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Sedbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 505 ft.

FORM A.
BRITISH RAINFALL
8 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.06	—	.04	—	.01	.70	.27	—	—	.05	.11	1
2	.01	—	.01	—	.02	.01	.36	.10	—	—	.70	.49	2
3	—	—	.01	.14	.15	—	.04	.03	—	—	—	.04	3
4	.27	—	—	.11	.06	—	.17	.12	—	—	.63	.45	4
5	.04	—	.04	.11	.38	—	.25	—	—	—	.12	—	5
6	—	.41	.05	.02	.04	—	—	—	—	—	.10	.08	6
7	.01	.20	.18	.13	.28	.07	.12	.13	.03	—	—	.16	7
8	—	.01	.08	.03	.02	.93	.18	.07	—	—	—	.08	8
9	.05	.03	.34	.30	.09	1.45	—	.08	.15	—	—	—	9
10	.01	.18	—	.54	.02	.42	—	—	.61	—	—	—	10
11	—	.08	.21	.07	.07	.30	—	—	.05	—	.11	.76	11
12	—	.34	.49	—	—	.01	.28	—	.23	.01	.09	.39	12
13	.01	.15	.31	—	—	—	.01	—	.16	.21	.06	.45	13
14	—	.14	.21	—	—	—	.01	—	—	.39	.15	.61	14
15	.04	.02	—	—	—	—	—	.18	—	.02	.05	—	15
16	.01	—	.13	—	—	—	.03	—	.19	—	—	—	16
17	—	.18	.15	—	—	—	—	—	.04	—	—	.17	17
18	—	.01	.03	—	—	.12	.17	—	—	—	—	.32	18
19	—	—	.10	—	—	—	.80	—	—	—	.05	.15	19
20	—	.29	.02	—	—	.02	—	—	—	—	—	.26	20
21	—	.31	.01	—	—	—	—	.28	—	—	—	.03	21
22	—	.04	.09	—	—	.61	.03	.22	—	.15	—	—	22
23	—	.01	.21	—	.05	—	.01	.10	—	.09	—	—	23
24	.06	—	.18	.04	—	—	—	—	—	.15	.02	—	24
25	.09	.01	.19	—	—	—	.03	.32	—	.25	.03	.09	25
26	—	—	.03	—	—	—	.02	.09	—	.04	.29	.31	26
27	.07	—	—	—	—	—	—	—	—	.01	.12	.11	27
28	—	.11	.13	—	.02	—	—	—	—	.01	.09	.77.Snow	28
29	.02	—	.06	—	.23	—	—	—	—	.24	.13	.02	29
30	—	X	.07	—	.01	.10	—	—	—	.11	.40	.48	30
31	.15	X	—	X	—	X	.26	—	X	.04	X	.03	31
Total	.79	2.28	3.03	1.53	1.44	3.45	3.47	1.99	1.46	1.72	3.19	5.76	YEAR'S TOTAL 30.11
Rain Days.	14	19	25	11	14	12	18	13	8	14	18	23	189

REGISTER OF RAINFALL IN 1915

Kept at Wellington Head Vicarage
in the County of Hereford
by F. S. Steele - Rauplan

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Sedbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 509 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.21	.08	—	—	.12	—	.49	.01	.07	.27	.05	.03	1
2	.19	.13	.13	.25	—	.20	—	1.47	.01	.16	—	.08	2
3	.71	.10	.02	.09	.15	—	1.35	.13	—	—	—	.14	3
4	—	.01	—	—	.05	—	.36	—	—	—	—	.67	4
5	—	.58	—	.01	—	—	.01	.09	—	.05	—	.53	5
6	.20	.01	—	.15	—	—	.49	.09	—	—	.01	.20	6
7	.09	.30	—	.02	.01	—	.06	.07	—	.01	.03	.43	7
8	.25	.35	—	.01	—	—	.04	.03	—	—	.21	.86	8
9	.22	.02	—	.10	—	—	.01	—	—	—	—	.27	9
10	.18	.01	.07	.06	—	—	—	—	—	.07	—	.04	10
11	.02	—	.09	.04	.05	—	—	—	—	—	1.12	.03	11
12	.11	.08	—	.13	.26	—	—	.02	—	.09	.47	.23	12
13	.01	.40	—	—	1.17	—	—	.14	.01	—	—	.26	13
14	—	.03	—	—	—	—	—	.13	.10	.02	—	.13	14
15	.21	—	—	—	.09	—	.04	.19	—	—	.04	.04	15
16	.06	.27	—	.01	.24	—	1.00	.01	—	—	—	.01	16
17	—	.30	.02	—	1.22	—	—	.04	—	—	.02	—	17
18	.01	.56	—	—	—	—	—	—	—	—	—	—	18
19	—	.02	—	—	.11	—	.09	—	—	—	—	—	19
20	.12	—	—	—	—	—	—	—	—	—	—	.09	20
21	.15	.01	—	—	—	—	.12	—	.04	.13	—	.09	21
22	.12	.09	.29	.16	—	—	.40	—	.05	—	—	.31	22
23	—	—	.04	—	—	.04	.02	—	—	1.15	—	.23	23
24	—	.01	.10	.03	—	—	.73	—	.55	1.49	—	.36	24
25	.01	—	.04	—	—	.58	.40	—	—	.06	—	.14	25
26	—	.01	—	—	—	—	.47	—	.01	—	—	.50	26
27	—	.07	—	—	—	.01	.12	—	—	.35	—	.05	27
28	—	.08	—	—	—	.10	—	.06	.18	—	.01	.01	28
29	—	—	—	—	—	.04	.70	.03	—	.01	.05	.05	29
30	.06	X	—	—	—	.37	.14	—	—	.26	.08	.08	30
31	—	X	—	X	—	X	.11	.05	X	1.24	X	.34	31
Total	2.93	3.52	.80	1.06	3.47	1.34	7.15	2.56	1.02	5.36	2.09	5.72	YEAR'S TOTAL 37.02
Rain Days.	19	23	9	13	11	7	21	16	9	15	11	28	182

REGISTER OF RAINFALL IN 1916

BRITISH RAINFALL FORM A.
27 FEB 1917

Kept at Wellington Heath Vicarage
in the County of Hereford
by F. J. Stook-Rampan

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Leckbury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 505 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.13	.01	.05	—	.01	.05	.12	—	—	.19	.22	—	1
2	.24	—	.25	—	.28	—	.04	—	.02	.59	.04	—	2
3	.01	.69	.01	—	.01	—	—	—	.01	.18	.16	—	3
4	.22	.13	—	—	.44	.31	—	—	.08	.02	.59	—	4
5	.03	.01	.04	—	.33	.06	.01	—	—	.07	.17	—	5
6	.02	—	.06	—	.18	.13	.51	—	—	.17	.36	—	6
7	—	.02	.09	—	.08	.01	.17	—	—	.12	.16	.01	7
8	.03	.01	.05	—	.26	.01	—	—	—	—	.04	.18	8
9	—	.43	.04	—	.06	.19	—	—	.02	.05	.03	.20	9
10	—	—	.07	.04	.01	.05	.02	—	.01	.04	.01	—	10
11	.03	.06	.09	.10	.03	.12	—	—	.03	—	—	—	11
12	.03	.01	.05	.01	.43	—	.23	—	—	.07	—	—	12
13	—	.26	.15	—	—	—	—	.34	—	—	—	—	13
14	—	.40	.05	.01	.02	—	—	.02	—	.09	.01	—	14
15	—	.18	.25	.10	.32	—	—	.20	—	.03	—	—	15
16	—	.03	—	.22	.03	—	—	.63	—	.01	—	—	16
17	.07	.12	.01	.12	—	—	—	.07	.40	—	—	—	17
18	—	—	.04	.03	—	—	.01	.02	.21	.04	.70	.08	18
19	.04	—	.39	.13	—	—	—	—	.02	—	—	—	19
20	.03	—	.49	.02	—	—	—	—	—	—	.20	.20	20
21	.02	—	.39	.23	.12	—	.24	—	—	—	.01	.22	21
22	—	.01	.01	.04	—	.05	—	—	—	.16	—	.58	22
23	.01	.17	.02	.02	—	—	—	.14	—	.06	—	.11	23
24	—	.28	.11	.01	.54	.01	—	.05	—	.19	—	.08	24
25	—	.13	.23	—	.04	.02	—	.30	—	.03	.26	—	25
26	.02	.01	.10	—	—	.06	—	.03	.03	.14	—	—	26
27	.03	.14	.47	—	—	.04	—	.12	.30	.35	—	.02	27
28	—	.77	.06	—	—	—	—	—	.02	.10	—	.11	28
29	—	.19	—	—	—	.27	—	.93	—	.37	—	.10	29
30	—	~~—~~	~~—~~	~~—~~	~~—~~	.05	—	.02	—	.26	—	—	30
31	—	~~—~~	~~—~~	~~—~~	~~—~~	~~—~~	—	.01	~~—~~	.28	—	.08	31
Total	.96	4.06	5.57	1.08	3.19	1.43	1.35	2.85	1.15	3.61	2.96	1.97	YEAR'S TOTAL 26.18
Rain Days.	16	22	26	14	18	16	9	13	12	24	15	13	198

REGISTER OF RAINFALL IN 1917

Kept at Wellington Heath Vicarage
in the County of Ledbury
by Rev F. S. Scooke, Vicar

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Ledbury
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	.02	.06	.13	—	.17	—	.95	.06	—	.12	—	1
2	—	.04	.01	.09	—	.06	—	.07	—	.03	.02	—	2
3	.02	—	—	.08	—	—	—	.06	—	.30	—	—	3
4	—	.13	.21	—	—	—	—	.04	.02	.19	—	—	4
5	.10	—	.11	.20	—	.01	—	—	—	.16	.06	—	5
6	.01	—	.05	—	—	.25	—	—	—	.03	.22	.01	6
7	.14	—	—	—	—	—	.05	.03	—	.23	.06	—	7
8	.40	—	.05	.09	—	—	.44	.61	.09	.30	.17	.07	8
9	—	.01	.19	.06	.20	—	—	.41	—	.03	.03	.01	9
10	.39	—	.19	.09	.41	—	—	.20	—	.02	—	—	10
11	.05	—	.09	.10	.02	—	—	.26	—	.09	.02	—	11
12	.01	.01	—	.02	.32	—	—	.03	.08	.13	.01	—	12
13	—	—	.11	.05	—	—	—	.06	—	.03	—	—	13
14	—	—	.21	.06	—	—	—	.15	—	—	—	—	14
15	.01	—	—	—	.05	—	.02	.09	—	.04	.01	.16	15
16	.02	.02	—	.15	—	—	—	.14	—	—	—	.11	16
17	.02	—	—	.12	.70	—	.38	.13	.10	.04	—	—	17
18	.02	.02	—	.01	—	—	.24	—	1.22	.01	—	—	18
19	.01	.42	.20	—	—	.34	.06	—	.05	—	—	—	19
20	.02	.15	.13	—	.63	.34	—	—	.02	—	.01	.02	20
21	—	—	.39	—	.02	.19	—	.04	—	.01	.07	—	21
22	—	—	.11	—	—	—	—	.10	.01	.03	—	—	22
23	—	.20	—	—	.09	—	—	.22	—	.05	—	—	23
24	—	—	—	—	—	.06	.01	.11	—	.14	—	—	24
25	—	.06	.05	—	—	—	—	.45	—	—	.03	—	25
26	—	—	—	—	.10	.16	—	—	.12	.01	.04	—	26
27	—	—	—	—	1.27	.10	.08	.55	—	—	.02	—	27
28	—	—	.17	—	—	.27	—	.10	—	—	—	.02	28
29	—	—	.02	—	—	.41	.06	.05	—	.33	—	.32	29
30	—	X	—	—	.01	—	.03	.37	—	.13	—	.01	30
31	—	X	.11	X	.03	X	—	.08	X	.01	X	—	31
Total	1.22	1.08	1.46	1.25	3.85	2.36	1.37	5.39	1.77	2.34	.89	.73	YEAR'S TOTAL 24.62
Rain Days.	14	11	19	14	13	12	10	25	10	23	15	9	175

REGISTER OF RAINFALL IN 1918

Kept at Wellington Heath Vicarage, Lechlery
in the County of Hereford
by Rev. F. S. Scoote, Vicar

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Lechlery
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 50.5 ft.
" " " " Sea Level 50.5 ft.

Jan. 1. following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W.1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	—	—	.05	.07	—	—	.10	—	.01	.69	—	1
2	.01	.03	—	.03	—	—	—	.44	.27	.03	.03	.03	2
3	—	.04	.02	.12	.24	—	—	.03	.10	.01	.07	—	3
4	—	.05	.01	.01	.24	—	—	.04	.28	.10	.42	.33	4
5	—	—	—	.02	.26	—	—	.02	.16	.06	—	—	5
6	.02	.27	—	.09	—	—	—	—	—	.19	—	.03	6
7	.02	.12	—	.03	.30	.30	—	—	—	.03	.18	.02	7
8	.01	.08	—	—	—	—	—	—	.20	.13	.02	.03	8
9	.03	.11	—	.30	—	.19	.04	—	—	.06	—	.03	9
10	.05	.01	—	.08	—	—	.22	—	.18	.08	—	.11	10
11	—	—	.05	.04	.01	—	.05	—	—	.03	.01	.07	11
12	—	.01	.19	.02	.14	—	.12	—	.05	—	—	.01	12
13	—	—	.15	—	.02	.02	.04	—	.07	.04	—	.06	13
14	.22	—	.21	.02	—	.01	.06	—	.43	.12	—	.04	14
15	.85	—	—	.12	—	.01	.28	—	.01	—	—	.24	15
16	.24	—	—	.92	—	.05	.02	—	.26	.01	—	.09	16
17	.10	—	.03	.05	—	.03	.34	.05	.78	.10	—	.06	17
18	.35	—	—	—	—	.34	.14	—	.01	—	—	.49	18
19	.04	.02	.21	.01	—	—	.07	—	.13	.12	—	.01	19
20	.17	.06	.01	.43	—	.05	.06	—	.34	—	.01	—	20
21	.08	—	—	.33	—	—	.14	—	.07	.02	—	.04	21
22	.01	—	—	.01	.12	.01	.18	—	—	.03	—	.24	22
23	—	.03	—	—	.36	—	.09	—	.03	—	—	—	23
24	.01	.07	—	—	—	—	.01	.03	—	—	.08	—	24
25	—	—	—	—	.01	.04	.10	.58	—	.04	.01	—	25
26	—	—	—	—	—	—	.55	.01	.03	.03	.05	.11	26
27	—	.01	.32	—	—	.01	—	.18	.10	—	.09	.04	27
28	—	.10	.32	.03	—	—	—	—	—	—	—	.04	28
29	.01	X	.05	—	—	—	—	—	.08	—	—	.02	29
30	—	X	.28	—	—	—	—	—	.02	—	.05	.05	30
31	—	X	.11	X	—	X	—	.09	X	.01	X	.01	31
Total	2.25	1.01	1.64	2.71	1.77	1.06	2.51	1.57	4.60	1.25	1.71	2.20	24.28
Rain Days.	18	15	13	20	11	12	18	11	28	21	13	24	1967

Wellington Heath Hayes
Bedbury

Apr. 16 1919

Dear Sir

I return the Rainfall with
correction. I do not understand
how the omission occurred and
was done for Feb 29, 1.08.

Yours faithfully

H. C. R. Taylor

REGISTER OF RAINFALL IN 1919.

Kept at Wellington Head
in the County of Hereford
by F. S. Scooke-Vaughan

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Seelby
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea-Level 525 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.28	.01	.02	—	.06	.02	.07	—	.05	.18	.02	.37	1
2	.12	—	.01	—	.07	—	.33	—	.15	—	.10	.07	2
3	.41	—	.09	—	.03	—	.03	—	.04	—	.18	.12	3
4	.14.5	.05	.35	—	—	.14	.07	.05	.17	—	—	.15	4
5	.02	.24	.15	—	.09	—	.06	—	.40	—	—	.26	5
6	.06	.02	.07	—	.09	—	—	—	—	—	.03	.07	6
7	.14	—	.24	.13	.01	—	—	—	—	—	.08	.02	7
8	.22	—	.04	.14	.01	.03	—	—	—	—	.01	—	8
9	.10	—	.03	.08	—	—	—	—	—	—	.03	—	9
10	.02	—	.55	.02	—	—	—	—	—	.05	.02	.23	10
11	.01	—	.45	—	.05	—	.59	—	—	.02	—	.04	11
12	—	—	.05	.05	—	.36	—	—	—	.09	.06	.01	12
13	.05	.01	—	.06	—	—	—	—	.09	.05	—	.04	13
14	.16	.02	—	.18	.11	—	.11	—	.05	—	—	.03	14
15	.32	.02	.02	.06	—	—	—	—	—	—	.01	.25	15
16	.13	.08	—	.01	—	—	—	.07	.01	—	.05	.02	16
17	—	.63	—	.02	—	.02	.02	—	—	—	.07	—	17
18	—	—	.58	—	.01	—	—	.10	.01	—	.03	.05	18
19	.15	.24	.82	—	.02	.14	.12	.42	.09	—	.08	.02	19
20	.33	.02	.47	—	—	.03	.02	.21	.02	—	.11	.07	20
21	—	.36	.08	—	—	.03	.16	—	.03	—	.02	.10	21
22	.22	.04	.01	—	—	—	.05	—	.30	—	.01	.12	22
23	—	—	—	—	—	—	—	.02	.01	.90	.02	.01	23
24	—	—	—	.07	—	.05	.02	—	.02	.95	.11	.09	24
25	.08	—	—	.08	—	—	—	—	.05	.02	.02	.10	25
26	.64	—	.08	.05	.09	.03	—	.04	—	—	.01	.22	26
27	.19.5	—	.09	.76	—	—	—	.35	—	—	.06	.05	27
28	.06	—	.06	.01	—	—	—	—	—	—	.50	.31	28
29	.07	—	.03	.06	—	—	—	.04	—	.28	.12	.18	29
30	.05	X	.05	.10	—	.20	.01	—	—	.08	.09	—	30
31	.02	X	—	X	—	X	—	.02	X	.02	X	.01	31
Total	33.9	27.4	4.44	1.88	.64	1.05	2.66	1.32	14.9	2.64	1.81	3.01	YEAR'S TOTAL 27.07
Rain Days	25	13	23	17	12	11	14	10	16	11	25	27	204

REGISTER OF RAINFALL IN 1920

Kept at Wellington Heath Vicarage
in the County of Hertford
by F. S. Scole-Ramplan

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Welsh
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 505 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	·02	·20	·24	—	·20	—	·01	·18	·01	—	1
2	—	—	—	·11	·06	—	·22	·01	·08	·23	—	·33	2
3	·07	·01	—	·16	—	—	1·15	—	·07	·50	—	·02	3
4	·01	—	·02	·06	—	—	·02	·18	—	·18	—	—	4
5	—	—	·12	·04	·15	—	·31	·05	—	·23	—	—	5
6	—	—	·19	—	—	—	·16	·08	·03	·31	—	·01	6
7	·01	—	·04	·15	—	—	·32	—	—	—	—	·02	7
8	·22	·05	·01	·44	·06	—	·42	·02	—	—	—	·02	8
9	·16	·02	—	·32	—	—	·08	—	—	—	—	·01	9
10	·38	·13	·04	·09	—	·36	·18	—	—	—	·04	—	10
11	·20	—	·10	·40	·27	·04	·08	—	—	·01	—	·02	11
12	·21	·01	·05	·23	—	·90	·03	—	—	—	·03	—	12
13	·03	·03	·22	·11	—	—	—	·06	—	—	—	—	13
14	·03	·03	·77	·24	—	·22	·02	·04	·30	·08	·19	·02	14
15	·01	·06	·05	·61	—	·32	·01	·01	·12	·01	·09	—	15
16	·01	·01	—	·03	·04	·10	·20	·02	·10	·30	·03	—	16
17	—	—	—	—	·11	·07	—	·19	·63	·22	—	·04	17
18	·09	—	—	·02	·20	·01	·09	—	·46	—	—	·02	18
19	·01	·23	—	·23	—	·07	—	—	—	—	—	·02	19
20	·03	·01	—	·26	—	·11	·01	—	·02	—	—	·06	20
21	·01	—	—	·04	—	·20	·02	—	—	·02	—	·05	21
22	·01	—	—	·10	—	·01	·01	·12	—	—	—	·17	22
23	—	·01	—	—	—	—	·55	·06	—	—	—	·37	23
24	—	—	·16	·01	—	—	·01	·02	—	—	·02	·19	24
25	—	·06	·07	·01	—	·03	·57	·01	·01	—	—	·02	25
26	·11	—	·22	—	·03	·01	·01	—	—	—	·07	·05	26
27	·28	·02	·13	·07	·11	·25	·02	—	—	—	·02	·57	27
28	·56	·01	·10	—	·38	·02	·01	—	—	—	·02	·01	28
29	·15	—	·14	—	·07	·02	·04	—	·01	—	·06	·42	29
30	·01	~~—~~	·33	·12	—	·08	·07	—	·21	—	·20	·11	30
31	·06	~~—~~	·08	~~—~~	~~—~~	~~—~~	·02	—	~~—~~	·19	~~—~~	·02	31
TOTAL	2·96	·69	2·86	4·05	1·62	2·82	4·88	·87	2·05	2·46	·78	2·57	28·61
Days with "01 in. or more	23	15	20	24	12	18	28	14	13	13	12	23	215
Days with "04 in. or more	12	5	17	20	11	12	17	8	8	10	6	11	137
YEAR'S TOTAL													

RE

LEDBURN

ORCHARDLEIGH

Kept at *Orchardleigh*in the County of *Herts*by *Miss A. R.*

HEREFORD

1911 - 1920

911

op *5* in.above Ground *3* ft. *6* in.,, Sea Level *180* ft.*9 a.m.*on { Name *Leobury*Distance *1/2* mile Direction *N.*

Jan. 1, following.

IMPORTANT NOTE: Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. .0	in. .0	in. .03	in. .11	in. .0	in. .0	in. .01	in. .10	in. .0	in. .0	in. .02	in. .02	1
2	.0	.0	.0	.0	.03	.0	.0	.08	.0	.0	.06	.06	2
3	.0	.0	.0	.01	.44	.0	.0	.0	.01	.0	.0	.0	3
4	.02	.0	.10	.04	.0	.0	.0	.0	.05	.05	.14	.42	4
5	.02	.0	.0	.01	.0	.0	.0	.08	.0	.01	.0	.01	5
6	.28	.0	.07	.08	.0	.0	.0	.0	.0	.0	.11	.70	6
7	.03	.0	.01	.0	.0	.0	.0	.0	.0	.0	.21	.0	7
8	.0	.0	.15	.0	.0	.0	.0	.0	.0	.0	.05	.32	8
9	.21	.0	.0	.0	.0	.0	.0	.0	.0	.0	.37	.42	9
10	.04	.04	.25	.0	.0	.0	.0	.0	.0	.0	.02	.34	10
11	.12	.05	.02	.0	.0	.0	.0	.0	.0	.0	.50	.02	11
12	.0	.0	.47	.0	.0	.0	.0	.0	.09	.04	.10	.00	12
13	.0	.0	.0	.0	.03	.0	.0	.0	.28	.14	.02	.30	13
14	.0	.0	.02	.0	.0	.0	.0	.0	.0	.0	.0	.75	14
15	.0	.03	.02	.0	.0	.0	.0	.0	.0	.03	.19	.05	15
16	.0	.0	.0	.0	.0	.07	.0	.0	.0	.0	.09	.19	16
17	.0	.0	.06	.0	.0	.11	.0	.0	.0	.0	.24	.25	17
18	.0	.27	.07	.11	.0	.0	.0	.0	.0	.0	.01	.32	18
19	.03	.0	.0	.04	.0	.0	.0	.0	.26	.35	.0	.44	19
20	.0	.09	.01	.0	.0	.0	.0	.0	.02	.04	.0	.50	20
21	.0	.09	.14	.02	.0	.01	.0	.30	.0	.38	.0	.12	21
22	.02	.10	.05	.02	.0	.02	.0	.0	.0	.03	.0	.54	22
23	.0	.07	.10	.0	.0	.18	.0	.0	.16	.07	.0	.11	23
24	.0	.0	.0	.05	.0	.46	.07	.13	.01	.12	.0	.08	24
25	.0	.0	.02	.03	.0	.03	.0	.21	.0	.11	.0	.09	25
26	.0	.24	.01	.20	.30	.0	.0	.04	.0	.09	.18	.14	26
27	.0	.23	.19	.05	.0	.0	.0	.32	.16	.0	.16	.08	27
28	.0	.05	.0	.12	.0	.0	.07	.01	.0	.0	.23	.0	28
29	.0		.0	.03	.0	.20	.14	.0	.15	.24	.01	.02	29
30	.0		.02	.03	.0	.03	.09	.0	.0	.22	.0	.0	30
31	.0		.0		.02		.0	.0		.0		.01	31
Total	.77	.126	1.81	.95	.82	1.11	.26	1.27	1.19	1.92	2.71	6.40	TOTAL for year
No. of Rain Days	9	11	20	16	5	9	5	9	10	15	19	27	155

REGISTER OF RAINFALL IN 1911

FORM A.2.
BRITISH RAINFALL
5-JAN-1912

Kept at Richard Leigh Sedbury
in the County of Hereford
by Mike A Wood F.R.C.S.

RAIN GAUGE
Pattern Hyett's
Diameter of top 5 in.
Height of top above Ground 3 ft. 6 in.
" " " Sea Level 180 ft.
Time of Observation 9 am.
Nearest Railway Station { Name Sedbury
Distance 1/2 mile Direction N.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.0	.0	.03	.11	.0	.0	.01	.10	.0	.0	.02	.02	1
2	.0	.0	.0	.0	.03	.0	.0	.08	.0	.0	.06	.06	2
3	.0	.0	.0	.01	.44	.0	.0	.0	.01	.0	.0	.0	3
4	.02	.0	.10	.04	.0	.0	.0	.0	.05	.05	.14	.42	4
5	.02	.0	.0	.01	.0	.0	.0	.08	.0	.01	.0	.01	5
6	.28	.0	.07	.08	.0	.0	.0	.0	.0	.0	.11	.70	6
7	.03	.0	.01	.0	.0	.0	.0	.0	.0	.0	.21	.0	7
8	.0	.0	.15	.0	.0	.0	.0	.0	.0	.0	.05	.32	8
9	.21	.0	.0	.0	.0	.0	.0	.0	.0	.0	.37	.42	9
10	.04	.04	.25	.0	.0	.0	.0	.0	.0	.0	.02	.34	10
11	.12	.05	.02	.0	.0	.0	.0	.0	.0	.0	.50	.02	11
12	.0	.0	.47	.0	.0	.0	.0	.0	.09	.04	.10	.00	12
13	.0	.0	.0	.0	.03	.0	.0	.0	.28	.14	.02	.30	13
14	.0	.0	.02	.0	.0	.0	.0	.0	.0	.0	.0	.75	14
15	.0	.03	.02	.0	.0	.0	.0	.0	.0	.03	.19	.05	15
16	.0	.0	.0	.0	.0	.07	.0	.0	.0	.0	.09	.19	16
17	.0	.0	.06	.0	.0	.11	.0	.0	.0	.0	.24	.25	17
18	.0	.27	.07	.11	.0	.0	.0	.0	.0	.0	.01	.32	18
19	.03	.0	.0	.04	.0	.0	.0	.0	.26	.35	.0	.44	19
20	.0	.09	.01	.0	.0	.0	.0	.0	.02	.04	.0	.50	20
21	.0	.09	.14	.02	.0	.01	.0	.30	.0	.38	.0	.12	21
22	.02	.10	.05	.02	.0	.02	.0	.0	.0	.03	.0	.54	22
23	.0	.07	.10	.0	.0	.18	.0	.0	.16	.07	.0	.11	23
24	.0	.0	.0	.05	.0	.46	.07	.13	.01	.12	.0	.08	24
25	.0	.0	.02	.03	.0	.03	.0	.21	.0	.11	.0	.09	25
26	.0	.24	.01	.20	.30	.0	.0	.04	.0	.09	.18	.14	26
27	.0	.23	.19	.05	.0	.0	.0	.32	.16	.0	.16	.08	27
28	.0	.05	.0	.12	.0	.0	.07	.01	.0	.0	.23	.0	28
29	.0		.0	.03	.0	.20	.14	.0	.15	.24	.01	.02	29
30	.0		.02	.03	.0	.03	.09	.0	.0	.22	.0	.0	30
31	.0		.0		.02		.0	.0		.0		.01	31
Total	.77	.126	1.81	.95	.82	1.11	.26	1.27	1.19	1.92	2.71	6.40	TOTAL for year
No. of Rain Days	9	11	20	16	5	9	5	9	10	15	19	27	155

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL FORM A.

Kept at Orchardleigh Leobury
in the County of Hereford
by Miss Wood F.R.S.

Lat. 52.08 Long. 2.4 W.
Time of Observation 9 am
Nearest Railway Station Leobury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.0	.0	.14	.0	.0	.70	.13	.08	.01	.32	.0	.08	1
2	.0	.01	.01	.07	.01	.34	.25	.02	.0	.0	.0	.0	2
3	.02	.0	.27	.0	.0	.23	.20	.62	.0	.0	.05	.05	3
4	.09	.0	.48	.0	.15	.61	.0	.17	.0	.0	.20	.0	4
5	.31	.04	.18	.0	.12	.27	.0	.39	.06	.0	.01	.03	5
6	.10	.14	.0	.0	.07	.49	.13	.08	.0	.0	.0	.0	6
7	.0	.28	.0	.0	.04	.39	.0	.04	.0	.0	.0	.04	7
8	.39	.04	.18	.0	.0	.13	.03	.35	.0	.0	.0	.01	8
9	.0	.05	.50	.04	.0	.31	.0	.13	.0	.0	.0	.17	9
10	.10	.07	.01	.02	.0	.04	.0	.18	.0	.0	.18	.0	10
11	.0	.08	.0	.0	.0	.03	.03	.05	.0	.0	.01	.38	11
12	.10	.16	.10	.03	.09	.04	.0	.08	.0	.01	.0	.07	12
13	.0	.0	.0	.0	.0	.0	.02	.35	.0	.01	.0	.01	13
14	.05	.02	.40	.0	.01	.0	.0	.09	.0	.0	.0	.01	14
15	.25	.08	.02	.02	.40	.08	.0	.03	.0	.0	.0	.11	15
16	.99	.0	.05	.0	.0	.0	.0	.10	.0	.07	.01	.03	16
17	1.06	.0	.21	.0	.0	.03	.0	.43	.0	.0	.04	.20	17
18	.18	.01	.07	.0	.01	.0	.0	.18	.0	.0	.0	.15	18
19	.13	.02	.02	.0	.01	.0	.17	.76	.0	.04	.01	.03	19
20	.02	.0	.28	.0	.0	.0	.15	.15	.0	.37	.08	.0	20
21	.02	.03	.37	.0	.44	.06	.03	.62	.0	.33	.0	.0	21
22	.18	.02	.17	.0	.43	.06	.0	.30	.0	.02	.0	.0	22
23	.39	.30	.15	.0	.0	.16	.46	.28	.0	.01	.03	.07	23
24	.08	.02	.0	.0	.0	.14	.70	.01	.0	.07	.04	.43	24
25	.0	.0	.0	.0	.0	.27	.0	.89	.0	.01	.27	.34	25
26	.0	.0	.0	.0	.0	.0	.45	.62	.0	.56	.18	.23	26
27	.0	.0	.0	.0	.0	.35	.54	.01	.0	.71	.01	.23	27
28	.0	.09	.0	.0	.0	.04	1.13	.58	.15	.26	.37	.39	28
29	.0	.0	.04	.0	.0	.13	.10	.32	.68	.23	.0	.01	29
30	.0	.0	.08	.0	.0	.22	.32	.0	.0	.27	.0	.02	30
31	.0	.0	.29	.0	.31	.0	.48	.09	.0	.0	.0	.03	31
Total	4.46	1.46	4.02	.18	2.59	5.16	4.72	9.00	.90	3.29	1.49	3.12	40.39
Rain Days.	18	18	21	5	13	22	18	30	4	16	15	24	204

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1913

Kept at Neerowleigh Leatery
in the County of Hereford
by Miss A. Wood Jones

Lat. 52.08 Long. 2.4
Time of Observation 9 a.m.
Nearest Railway Station Leatery
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 1.80 ft.

FORM A.
BRITISH RAINFALL
28 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.0	.01	.12	.02	.21	.0	.0	.0	.72	.0	.04	.0	1
2	.02	.29	.0	.09	.0	.0	.0	.0	.25	2.38	.09	.0	2
3	.03	.0	.0	.0	.44	.0	.0	.0	.01	.02	.0	.0	3
4	.41	.0	.0	.0	.12	.25	.34	.0	.75	.88	.0	.17	4
5	.08	.21	.07	.0	.0	.0	.0	.0	.03	.18	.08	.0	5
6	.03	.0	.0	.0	.27	.10	.0	.0	.0	.37	.03	.37	6
7	.0	.31	.13	.0	.24	.0	.0	.0	.0	.98	.19	.0	7
8	.0	.10	.0	.0	.13	.04	.0	.0	.0	.18	.0	.03	8
9	.0	.25	.07	.0	.19	.18	.0	.10	.27	.0	.08	.0	9
10	.04	.0	.0	.17	.01	.0	.0	.14	.0	.0	.16	.0	10
11	1.19	.0	.0	.28	.04	.0	.0	.01	.0	.08	.76	.0	11
12	.0	.0	.0	.01	.43	.0	.0	.0	.0	.0	.31	.0	12
13	.02	.0	.04	.01	.0	.0	.0	.01	.13	.0	.19	.0	13
14	.28	.30	.42	.08	.0	.0	.0	.02	.03	.04	.0	.0	14
15	.10	.06	.48	.63	.0	.0	.0	.0	.15	.0	.0	.0	15
16	.13	.0	.68	.13	.0	.0	.0	.10	.06	.0	.0	.0	16
17	.04	.01	.17	.08	.0	.02	.02	.0	.02	.0	.0	.0	17
18	.12	.0	.30	.02	.0	.0	.09	.0	.0	.0	.0	.0	18
19	.29	.0	.13	.0	.0	.18	.19	.0	.11	.0	.0	.0	19
20	.27	.0	.28	.10	.0	.0	.0	.0	.0	.09	.30	.0	20
21	.0	.0	.19	.16	.07	.0	.01	.01	.0	.02	.0	.0	21
22	.58	.0	.59	.01	.0	.14	.0	.18	.38	.0	.0	.0	22
23	.03	.0	.08	.0	.0	.0	.0	.06	.01	.0	.16	.0	23
24	.0	.0	.0	.05	.0	.0	.0	.01	.0	.0	.0	.0	24
25	.0	.0	.0	.07	.0	.0	.0	.0	.07	.0	.03	.0	25
26	.0	.03	.0	.61	.0	.0	.0	.35	.0	.0	.0	.21	26
27	.07	.0	.14	.12	.02	.0	.0	.0	.0	.0	.0	.0	27
28	.29	.0	.03	.23	.04	.0	.0	.0	.0	.34	.0	.0	28
29	.0	.0	.44	.73	.0	.0	.0	.19	.0	.17	.0	.0	29
30	.78		.0	.0	.0	.0	.0	.01	.0	.63	.0	.0	30
31	.0		.14		.0		.0	.02		.03		.0	31
Total	4.75	1.57	4.38	3.60	2.21	.91	.65	1.21	2.99	6.44	2.42	.78	31.91
Rain Days.	20	10	19	20	13	7	5	14	15	15	13	4	155

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1914

Referred
to 15

only obs. 7.11.15

FORM A.
BRITISH RAINFALL
11 JAN 1915

Kept at Orchardleigh, Leobury
in the County of Hereford
by _____

Lat. 52.00 Long. 2.4
Time of Observation 9 am
Nearest Railway Station Leobury
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	01	04	04	0	0	80	23	0	0	04	14	1
2	0	0	0	0	0	0	28	09	0	0	64	47	2
3	0	0	0	16	27	0	0	0	0	0	01	04	3
4	0	0	0	13	65	0	18	06	0	0	56	46	4
5	07	0	06	02	15	0	27	0	0	0	04	0	5
6	0	09	03	01	04	32	04	13	0	0	08	04	6
7	0	17	12	03	14	0	18	0	0	0	01	09	7
8	0	0	06	05	11	78	0	03	08	0	0	03	8
9	07	03	29	28	02	133	0	05	0	0	04	03	9
10	0	21	0	25	01	05	0	0	43	0	0	0	10
11	0	06	16	23	07	35	0	0	0	0	08	58	11
12	0	26	17	0	0	0	04	0	21	0	03	24	12
13	0	15	33	0	0	0	0	0	13	23	16	35	13
14	0	11	23	0	0	0	05	0	0	34	04	0	14
15	60	01	10	0	0	0	0	13	0	03	0	0	15
16	0	0	0	0	0	0	06	0	17	0	0	05	16
17	0	17	11	0	0	0	02	0	0	04	0	10	17
18	0	0	0	0	0	27	19	0	0	0	04	15	18
19	0	0	03	0	0	0	64	0	03	0	0	26	19
20	0	17	01	0	0	0	0	0	0	0	0	21	20
21	0	22	03	0	0	04	03	10	0	14	0	04	21
22	0	12	04	0	13	05	03	0	0	05	0	0	22
23	0	0	02	0	03	0	0	0	0	14	03	0	23
24	01	0	23	0	0	0	03	07	0	04	0	0	24
25	07	0	19	0	0	0	0	16	0	12	0	10	25
26	0	0	04	0	0	0	03	03	0	05	18	24	26
27	07	0	0	0	0	0	0	0	0	02	19	08	27
28	01	0	02	0	0	0	0	0	0	0	03	90	28
29	03		13	0	27	0	0	0	0	24	04	0	29
30	0	X	06	0	02	0	0	0	0	09	43	57	30
31	07	X	0	X	0	X	0	0	X	04	X	05	31
Total	1.10	1.78	2.50	1.20	1.41	3.19	2.87	1.08	1.05	1.57	2.75	5.19	YEAR'S TOTAL 25.52
Rain Days.	9	14	23	10	13	8	16	11	6	14	19	23	25.52

REGISTER OF RAINFALL IN 1915

Kept at Orchardleigh Station
in the County of Hereford
by Miles A Wood F.R.C.S.

Lat. 52.08 Long. 2.4
Time of Observation 9.30 am
Nearest Railway Station Leominster
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 180 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.14	.07	.0	.0	.16	.0	.30	.02	.05	.0	.04	.02	1
2	.17	.24	.13	.23	.0	.21	.98	1.63	.0	.14	.0	.06	2
3	.58	.01	.04	.03	.21	.0	.59	.10	.0	.0	.0	.46	3
4	.04	.0	.0	.0	.0	.0	.12	.04	.0	.0	.0	.25	4
5	.02	.62	.0	.0	.0	.0	.47	.12	.0	.05	.0	.45	5
6	.22	.0	.0	.19	.0	.0	.03	.04	.0	.0	.02	.33	6
7	.05	.02	.0	.03	.0	.0	.08	.12	.0	.0	.0	.0	7
8	.22	.27	.0	.0	.0	.0	.0	.10	.0	.0	.04	.0	8
9	.14	.39	.0	.09	.0	.0	.0	.0	.0	.0	.15	.32	9
10	.15	.04	.07	.06	.0	.0	.0	.0	.0	.08	.0	.0	10
11	.03	.0	.04	.10	.05	.0	.0	.0	.0	.0	.97	.0	11
12	.12	.14	.0	.08	.33	.0	.0	.0	.0	.0	.23	.0	12
13	.02	.30	.0	.0	1.20	.0	.0	.13	.01	.05	.0	.04	13
14	.26	.0	.0	.0	.0	.0	.0	.29	.11	.0	.0	.29	14
15	.02	.02	.0	.0	.12	.0	.04	.11	.0	.0	.0	.14	15
16	.0	.28	.0	.02	.25	.0	.86	.02	.0	.0	.0	.0	16
17	.0	.19	.0	.0	1.13	.0	.0	.08	.0	.0	.0	.04	17
18	.04	.36	.03	.0	.0	.0	.0	.0	.0	.02	.0	.0	18
19	.06	.02	.0	.06	.09	.0	.04	.0	.0	.0	.0	.0	19
20	.15	.0	.0	.03	.0	.0	.01	.0	.0	.0	.0	.08	20
21	.11	.05	.0	.0	.02	.0	.21	.0	.06	.14	.0	.23	21
22	.14	.0	.29	.06	.0	.0	.09	.0	.07	.0	.0	.04	22
23	.03	.07	.14	.03	.0	.03	.15	.0	.0	1.15	.04	.27	23
24	.0	.0	.08	.01	.0	.0	.24	.0	.44	1.05	.0	.15	24
25	.0	.0	.0	.0	.0	.58	.32	.0	.07	.0	.0	.19	25
26	.0	.05	.0	.0	.0	.0	.54	.0	.0	.0	.0	.38	26
27	.0	.05	.0	.0	.0	.0	.24	.0	.0	.38	.0	.0	27
28	.0	.08	.0	.0	.0	.03	.02	.09	.14	.05	.0	.02	28
29	.0	.0	.0	.0	.0	.0	.70	.02	.0	.0	.0	.04	29
30	.08	X	.0	.03	.0	.25	.14	.0	.0	.25	.13	.23	30
31	.0	X	.0	X	.0	X	.12	.0	X	1.21	X	.09	31
Total	2.79	3.23	.82	1.05	3.56	1.10	6.29	2.91	.83	4.57	1.62	4.12	32.89
Rain Days.	22	20	8	15	10	5	22	15	8	12	8	22	167

REGISTER OF RAINFALL IN 1916

Kept at Orchardleigh Ledbury
in the County of Hereford
by Miles A Wood F.R.C.S.

Lat. 52.08 Long. 2.4
Time of Observation 9 a.m.
Nearest Railway Station Ledbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
Sea Level 180 ft.

2307
FORM A.
BRITISH RAINFALL.
3 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.24	.04	.02	.0	.05	.08	.13	.0	.0	.0	.16	.0	1
2	.18	.01	.22	.0	.0	.0	.0	.0	.0	.76	.12	.0	2
3	.0	.74	.0	.0	.09	.0	.06	.0	.02	.26	.13	.01	3
4	.14	.12	.0	.0	.38	.45	.01	.0	.03	.06	.46	.0	4
5	.0	.11	.02	.0	.30	.08	.07	.0	.0	.07	.10	.0	5
6	.03	.0	.10	.0	.14	.0	.76	.0	.0	.16	.28	.0	6
7	.0	.01	.12	.0	.10	.0	.06	.0	.0	.21	.20	.09	7
8	.02	.01	.10	.0	.24	.64	.0	.0	.0	.01	.0	.34	8
9	.0	.0	.01	.0	.07	.08	.0	.0	.02	.0	.0	.0	9
10	.03	.47	.11	.0	.02	.07	.0	.0	.0	.01	.0	.02	10
11	.01	.0	.02	.0	.03	.14	.01	.0	.0	.07	.0	.04	11
12	.0	.0	.05	.07	.34	.0	.24	.0	.02	.0	.0	.0	12
13	.0	.34	.19	.0	.0	.0	.0	.43	.0	.04	.0	.01	13
14	.0	.49	.17	.0	.03	.0	.0	.05	.0	.0	.0	.0	14
15	.0	.10	.14	.09	.26	.0	.0	.30	.0	.07	.0	.0	15
16	.0	.03	.0	.10	.0	.0	.23	1.02	.0	.05	.0	.0	16
17	.07	.14	.0	.0	.0	.0	.0	.04	.31	.0	.0	.0	17
18	.01	.01	.07	.04	.0	.0	.0	.0	.01	.0	.39	.03	18
19	.0	.0	.41	.18	.0	.0	.0	.01	.0	.08	.26	.04	19
20	.10	.0	.54	.03	.0	.0	.0	.0	.0	.0	.0	.37	20
21	.03	.0	.37	.07	.13	.0	.28	.0	.0	.0	.01	.39	21
22	.0	.38	.03	.0	.0	.06	.0	.0	.0	.16	.0	.16	22
23	.0	.11	.02	.03	.0	.0	.0	.16	.0	.07	.03	.15	23
24	.01	.04	.12	.0	.57	.0	.0	.10	.0	.20	.0	.11	24
25	.0	.08	.08	.0	.0	.0	.0	.28	.0	.03	.23	.10	25
26	.04	.24	.0	.0	.0	.12	.0	.0	.0	.14	.02	.0	26
27	.02	.0	.69	.0	.0	.0	.0	.0	.23	.28	.0	.02	27
28	.0	.49	.66	.0	.0	.09	.0	.01	.06	.09	.0	.09	28
29	.0	.09	.0	.0	.0	.30	.0	.85	.0	.43	.02	.09	29
30	.0	X	.0	.0	.0	.0	.0	.01	.0	.28	.0	.0	30
31	.0	X	.0	X	.0	X	.0	.02	X	.28	X	.06	31
Total	.93	4.13	4.26	.69	2.69	2.11	1.85	3.28	.70	3.81	2.49	2.12	29.06
Rain Days.	14	21	23	8	15	11	10	13	8	23	14	18	178

W. 8,000, 1877 16 145 212

REGISTER OF RAINFALL IN 1917

Kept at Orchardleigh Leobury
in the County of Hereford
by Dr. Miles & Wood Falls

Lat. 52° 08' Long. 2° 4'
Time of Observation 9.30 am
Nearest Railway Station Leobury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 180 ft.

2194
FORM A.
BRITISH RAINFALL
5 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	01	10	23	0	17	0	1.09	11	0	14	0	1
2	0	0	0	09	0	07	0	04	0	02	03	01	2
3	0	18	0	07	0	0	0	02	0	25	0	0	3
4	0	0	18	0	0	0	0	0	0	23	01	0	4
5	10	02	27	15	0	0	0	25	0	18	07	0	5
6	0	0	14	0	0	0	0	0	0	05	29	0	6
7	12	0	0	0	0	0	0	04	0	07	0	0	7
8	36	0	10	13	0	21	46	42	0	27	24	04	8
9	0	01	29	02	21	0	0	1.08	13	04	0	0	9
10	33	0	32	10	37	0	0	26	0	0	0	03	10
11	08	0	13	09	07	0	0	14	0	09	0	0	11
12	0	0	0	0	0	0	0	02	0	20	0	0	12
13	0	0	11	07	0	0	0	08	07	0	05	01	13
14	04	01	22	0	07	0	0	33	02	0	0	0	14
15	02	0	0	0	0	0	0	24	0	05	0	0	15
16	0	01	0	10	04	0	0	01	0	01	0	14	16
17	0	06	0	08	57	0	37	13	06	06	01	0	17
18	02	0	0	0	04	0	17	0	1.27	0	01	0	18
19	0	59	0	0	0	0	0	0	05	01	0	01	19
20	01	07	0	0	0	39	02	0	04	0	0	0	20
21	0	102	34	0	02	04	0	0	0	0	09	0	21
22	0	0	06	0	0	0	0	10	0	04	0	0	22
23	0	08	0	0	07	06	0	25	0	09	0	0	23
24	0	0	0	0	0	0	0	14	0	19	04	0	24
25	0	0	0	0	0	0	0	0	0	01	04	0	25
26	0	0	01	0	0	14	0	40	10	02	04	0	26
27	0	0	0	0	1.26	07	12	58	0	0	02	0	27
28	0	0	16	0	0	09	0	12	0	0	0	05	28
29	02	0	01	0	0	61	08	02	0	41	0	27	29
30	0	X	0	0	0	0	08	24	0	0	0	0	30
31	0	X	13	X	07	X	0	07	X	10	X	0	31
Total	1.10	1.06	2.57	1.23	2.79	1.85	1.30	6.07	1.85	2.39	1.08	56	23.85
Rain Days.	10	11	16	11	11	10	7	24	9	20	14	8	152

REGISTER OF RAINFALL IN 1918

Kept at Orchardleigh Rectory
in the County of Hereford
by Miles a Wood F.R.C.S.

Lat. 52.08 Long. 2.4
Time of Observation 9 a.m.
Nearest Railway Station Ledbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
Sea Level 180 ft.

FORM A.
BRITISH RAINFALL
10119

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.07	0	.0	.03	.06	.0	.0	.10	.0	.37	.37	.02	1
2	.0	0	.0	.0	.0	.0	.0	.43	.0	.04	.0	.05	2
3	.0	.05	.03	.18	.25	.0	.0	.0	.50	.0	.09	.07	3
4	.0	.07	.02	.03	.0	.0	.0	.08	.18	.06	.76	.0	4
5	.0	.01	.0	.01	.32	.0	.0	.02	.20	.0	.0	.38	5
6	.0	.19	.0	.09	.0	.08	.0	.0	.18	.14	.04	.06	6
7	.0	.04	.0	.03	.40	.0	.0	.04	.14	.0	.21	.03	7
8	.03	.07	.0	.0	.0	.0	.0	.0	.18	.17	.04	.06	8
9	.0	.0	.0	.23	.0	.08	.12	.0	.04	.09	.0	.10	9
10	.04	.04	.0	.05	.0	.0	.11	.0	.08	.07	.0	.08	10
11	.0	.0	.15	.02	.0	.0	.0	.0	.02	.04	.0	.07	11
12	.0	.0	.14	.04	.10	.0	.0	.0	.04	.0	.0	.04	12
13	.0	.0	.0	.0	.0	.0	.04	.0	.09	.06	.01	.08	13
14	.21	.0	.27	.0	.03	.0	.07	.0	.57	.16	.0	.04	14
15	1.57	.0	.0	.12	.0	.01	.20	.0	.02	.0	.03	.21	15
16	.23	.0	.0	.86	.0	.05	.02	.01	.28	.0	.0	.0	16
17	.22	.0	.0	.06	.0	.04	.38	.0	.14	.0	.0	.02	17
18	.28	.0	.0	.07	.0	.31	.27	.0	.76	.08	.0	.0	18
19	.09	.01	.0	.0	.0	.0	.09	.0	.03	.12	.0	.45	19
20	.08	.05	.43	.37	.0	.0	.05	.0	.17	.09	.01	.03	20
21	.09	.0	.0	.44	.0	.02	.03	.0	.34	.03	.0	.10	21
22	.04	.0	.0	.0	.16	.0	.18	.0	.16	.04	.03	.20	22
23	.0	.0	.0	.0	.10	.0	.07	.0	.0	.0	.0	.04	23
24	.0	.0	.0	.0	.0	.0	.03	.03	.04	.0	.04	.0	24
25	.0	.0	.0	.0	.02	.0	.07	.70	.02	.02	.0	.0	25
26	.0	.0	.0	.0	.0	.0	1.05	.0	.03	.04	.06	.08	26
27	.02	.0	.03	.0	.0	.04	.0	.15	.03	.0	.14	.07	27
28	.0	.06	.26	.0	.0	.02	.0	.0	.0	.0	.0	.01	28
29	.0	.0	.03	.0	.0	.0	.0	.0	.02	.03	.04	.16	29
30	.0	X	.0	.0	.0	.0	.0	.0	1.26	.0	.09	.03	30
31	.0	X	.19	X	.0	X	.0	.08	X	.0	X	.0	31
Total	2.91	.59	1.55	2.57	1.44	.65	2.78	1.64	5.52	1.65	1.96	2.42	25.68
Rain Days	13	10	10	16	9	9	16	10	26	18	15	25	177

REGISTER OF RAINFALL IN 1919.

Kept at Oddartegh Leedbury
in the County of Hereford
by Dr. Miles a Wood

Lat. 52.08 Long. 2.4
Time of Observation 9 am
Nearest Railway Station Leedbury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. 6 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	0	03	0	04	11	07	0	06	12	10	37	1
2	18	0	03	0	02	0	21	0	03	0	11	06	2
3	66	09	14	0	0	12	09	0	04	0	06	0	3
4	16	02	42	0	02	0	25	0	02	0	07	16	4
5	07	39	14	0	08	0	04	0	47	0	10	22	5
6	10	06	09	0	12	0	0	0	0	0	02	04	6
7	18	0	29	06	0	0	02	0	0	0	07	01	7
8	17	0	06	09	0	0	0	0	0	0	0	0	8
9	10	0	04	07	0	0	0	0	0	0	09	0	9
10	04	0	58	02	0	0	0	0	0	04	0	0	10
11	02	0	49	02	02	0	59	0	0	0	0	11	11
12	0	0	08	0	0	25	0	0	0	05	06	0	12
13	08	0	0	08	0	0	02	0	02	04	0	06	13
14	09	0	0	14	0	0	07	0	0	07	0	02	14
15	14	09	0	04	11	0	0	0	0	0	0	14	15
16	09	104	0	02	0	0	0	05	0	0	09	04	16
17	02	52	0	0	0	08	0	02	01	0	08	0	17
18	06	15	64	0	02	0	04	07	09	0	07	05	18
19	21	28	61	0	0	15	85	45	07	0	06	04	19
20	17	09	48	0	0	0	16	35	06	0	04	06	20
21	04	32	09	0	0	0	04	0	21	0	04	0	21
22	0	06	0	07	0	0	06	0	0	0	0	14	22
23	0	0	0	02	0	0	04	04	0	102	07	0	23
24	07	0	0	0	0	01	0	0	0	85	14	13	24
25	0	0	0	09	09	0	02	26	0	0	0	0	25
26	04	0	0	0	0	0	0	06	06	0	02	26	26
27	21	0	0	89	0	0	0	26	0	0	0	0	27
28	04	0	16	0	0	0	0	30	0	01	45	32	28
29	0		0	08	0	0	0	04	0	26	0	16	29
30	04	X	0	0	0	15	0	19	0	09	09	27	30
31	0	X	0	X	0	X	04	01	X	02	X	-	31
TOTAL	288	311	437	179	52	87	261	210	114	257	177	276	YEAR'S TOTAL
Days with 01 in. or more	23	12	17	14	9	7	17	13	12	11	20	20	175

REGISTER OF RAINFALL IN 1920.

Kept at Orcheston Le Stray
in the County of Hereford
by Miss A. Wood F.R.C.S.

Lat. 52.08 Long. 2.4
Time of Observation 9.30 am
Nearest Railway Station Leobury
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4.6 ft. 6 in.
" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.0	.0	.03	.24	.0	.0	.25	.02	.0	.32	.0	.35	1
2	.11	.0	.0	.11	.24	.0	.04	.01	.10	.24	.0	.10	2
3	.0	.0	.0	.14	.09	.0	.71	.03	.08	.54	.0	.0	3
4	.04	.0	.02	.07	.0	.0	.15	.18	.0	.19	.0	.0	4
5	.0	.0	.09	.11	.0	.0	.42	.02	.0	.49	.0	.0	5
6	.0	.0	.19	.0	.23	.0	.14	.0	.0	.19	.0	.0	6
7	.0	.0	.04	.04	.0	.0	.46	.0	.0	.0	.0	.0	7
8	.17	.0	.02	.57	.0	.0	.52	.02	.0	.04	.0	.0	8
9	.22	.03	.0	.32	.0	.10	.21	.03	.0	.0	.0	.0	9
10	.41	.07	.02	.11	.02	.24	.10	.02	.0	.0	.02	.0	10
11	.05	.0	.0	.60	.26	.06	.11	.0	.0	.01	.0	.0	11
12	.32	.0	.04	.48	.0	.72	.05	.0	.0	.0	.0	.0	12
13	.01	.0	.28	.12	.0	.0	.04	.05	.0	.10	.02	.0	13
14	.04	.0	.49	.17	.0	.0	.0	.06	.29	.04	.18	.02	14
15	.0	.04	.0	.98	.0	.04	.01	.0	.17	.39	.0	.0	15
16	.0	.0	.0	.11	.0	.62	.21	.0	.15	.20	.01	.0	16
17	.0	.0	.0	.02	.14	.09	.0	.02	.65	.0	.0	.02	17
18	.09	.0	.0	.04	.0	.0	.0	.20	.39	.0	.0	.01	18
19	.04	.0	.0	.12	.0	.0	.0	.0	.0	.09	.0	.08	19
20	.0	.0	.0	.37	.0	.08	.0	.0	.04	.0	.0	.01	20
21	.0	.0	.01	.04	.03	.25	.06	.0	.0	.0	.0	.0	21
22	.0	.0	.0	.12	.0	.0	.40	.0	.0	.0	.0	.20	22
23	.04	.0	.01	.0	.0	.0	.01	.16	.0	.0	.0	.48	23
24	.0	.0	.18	.09	.0	.0	.02	.0	.0	.0	.0	.12	24
25	.02	.0	.07	.0	.0	.11	.54	.0	.01	.0	.0	.10	25
26	.14	.05	.26	.02	.0	.20	.0	.0	.0	.0	.08	.0	26
27	.0	.0	.14	.0	.11	.07	.03	.0	.0	.0	.0	.58	27
28	.99	.0	.0	.02	.0	.0	.0	.0	.0	.03	.01	.02	28
29	.74		.16	.0	.25	.0	.14	.0	.0	.0	.06	.36	29
30	.05	X	.28	.14	.04	.0	.05	.0	.11	.0	.20	.14	30
31	.0	X	.0	X	.0	X	.05	.0	X	.19	X	.0	31
TOTAL	2.88	.19	2.33	4.85	1.41	2.58	4.52	.82	1.99	3.06	.68	2.59	YEAR'S TOTAL
Days with .01 in. or more	172	AX	818	325	102	12	244	37	110	152	4	155	17137 days
Days with .04 in. or more	15	3	12	22	8	12	20	58	9	13	4	10	134

2264

Kept at Leintwardine
in the County of Hereford
by E. Ch...

LEINTWARDINE

1911-20

11

3 in.

ove Ground 1 ft. 6 in.
Sea Level 450 ft.

9 a.m.

Name Hopton Heath
Distance 3 m. Direction N.W.

and the result entered to the
universal rule, he is earnestly

Jan. 1, following.

IMPORTANT N
previous day. If an

requested to add the reading at 9 a.m. on 1st January of the following year in the space provided
for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Sept. Aug.	Sept. Sept.	Oct.	Nov.	Dec.	Date
1	in. .02	in. -	in. .165	in. -	in. .015	in. -	in. -	in. -	in. .65	in. .02	in. .10	in. -	1
2	-	-	.015	.015	.11	-	.02	-	.25	.04	.11	.115	2
3	.02	-	.015	.01	.355	-	-	.005	.06	-	.165	.10	3
4	-	-	.65	.015	.02	-	-	.037	.08	.02	.12	.64	4
5	-	-	.035	.015	-	-	-	.038	.07	.11	.045	-	5
6	.44	-	.06	.035	-	-	-	-	.095	-	.425	.46	6
7	.02	.01	-	-	-	-	-	-	.01	-	.19	-	7
8	.01	-	.09	-	-	-	-	-	-	-	1.06	.50	8
9	.08	-	.045	-	-	-	-	-	-	-	.015	.19	9
10	.025	.05	.13	-	-	-	-	.45	-	-	.435	.54	10
11	.05	-	.01	-	.025	-	-	.03	-	-	.445	.16	11
12	-	.02	.295	-	-	-	-	.61	-	-	.05	.04	12
13	-	.01	.02	-	-	-	-	.025	-	.015	-	.32	13
14	-	.02	.03	-	-	-	-	-	-	-	.13	.83	14
15	-	.055	.035	-	-	-	-	-	-	.025	.10	.29	15
16	-	.015	-	-	-	.07	-	-	-	.015	.36	.07	16
17	-	.08	.025	-	-	.38	-	-	-	-	-	.765	17
18	-	.42	.025	.36	-	.24	-	-	-	.01	.30	.45	18
19	-	.02	.005	.16	-	.32	.055	.265	.02	.35	-	.385	19
20	-	.065	-	-	-	-	-	.08	-	.06	-	.36	20
21	.02	.16	.13	.045	-	.03	-	-	.32	.44	.035	.09	21
22	.03	.05	.03	-	-	-	-	.24	.01	.285	-	.606	22
23	-	.285	.105	.02	-	.16	-	.02	.01	.115	-	.205	23
24	.015	.06	.01	-	-	.22	-	.05	.09	.12	-	.215	24
25	-	.065	-	.03	-	.025	-	.015	.015	.01	.08	.16	25
26	-	.21	-	.28	.49	.025	-	.15	.045	.34	.08	.09	26
27	-	.16	.21	.13	.01	.02	-	.015	.35	.02	.15	.09	27
28	-	.25	.015	.20	-	.155	-	.24	.35	-	.035	.01	28
29	-	-	.05	.20	-	.165	.49	-	-	.30	.09	-	29
30	-	-	.086	.03	-	.05	.055	-	-	.25	.055	-	30
31	-	-	.015	-	.155	-	.06	-	.03	.175	-	.013	31
Total	.63	2.01	2.30	1.545	1.38	1.85	.68	1.935	2.455	2.72	4.675	7.755	TOTAL for Year 29.935
No. of Rain Days	11	19	26	15	8	13	5	16	17	20	23	26	198

Kept at Pentwryn
in the County of Herefordshire
by E. Charnock

Pattern Snowden
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 450 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Hopton Heath
Distance 3 m. Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Sept. Aug.	Sept. Sept.	Oct.	Nov.	Dec.	Date
1	in. .02	in. —	in. .165	in. —	in. .015	in. —	in. —	in. .65	in. .02	in. .10	in. —	in. —	1
2	—	—	.015	.015	.11	—	.02	—	.25	.04	.11	.185	2
3	.02	—	.015	.01	.555	—	—	.005	.06	—	.165	.10	3
4	—	—	.65	.015	.02	—	—	.037	.08	.02	.12	.64	4
5	—	—	.035	.015	—	—	—	.038	.07	.11	.045	—	5
6	.44	—	.06	.035	—	—	—	—	.095	—	.425	.46	6
7	.02	.01	—	—	—	—	—	—	.01	—	.19	—	7
8	.01	—	.09	—	—	—	—	—	—	—	1.06	.50	8
9	.08	—	.045	—	—	—	—	—	—	—	.015	.19	9
10	.025	.05	.13	—	—	—	—	.45	—	—	.435	.54	10
11	.05	—	.01	—	.025	—	—	.03	—	—	.445	.16	11
12	—	.02	.295	—	—	—	—	.61	—	—	.05	.04	12
13	—	.01	.02	—	—	—	—	.025	—	.015	—	.32	13
14	—	.02	.03	—	—	—	—	—	—	—	.13	.83	14
15	—	.055	.035	—	—	—	—	—	—	.025	.10	.29	15
16	—	.015	—	—	—	.07	—	—	—	.015	.36	.07	16
17	—	.08	.025	—	—	.38	—	—	—	—	—	.765	17
18	—	.42	.025	.36	—	.24	—	—	—	.01	.30	.46	18
19	—	.02	.006	.16	—	.32	.055	.265	.02	.35	—	.385	19
20	—	.065	—	—	—	—	—	.08	—	.06	—	.36	20
21	.02	.16	.13	.045	—	.03	—	—	.32	.44	.035	.09	21
22	.03	.05	.03	—	—	—	—	.24	.01	.285	—	.606	22
23	—	.285	.105	.02	—	.16	—	.02	.01	.115	—	.205	23
24	.015	.06	.01	—	—	.22	—	.05	.09	.12	—	.215	24
25	—	.065	—	.03	—	.025	—	.015	.015	.01	.68	.16	25
26	—	.21	—	.28	.49	.025	—	.15	.045	.34	.08	.09	26
27	—	.16	.21	.13	.01	.02	—	.015	.35	.02	.15	.09	27
28	—	.255	.015	.20	—	.155	—	.24	.35	—	.035	.01	28
29	—	—	.05	.20	—	.165	.49	—	—	.30	.09	—	29
30	—	—	.086	.03	—	.05	.055	—	—	.25	.055	—	30
31	—	—	.015	—	.155	—	.06	—	.03	.175	—	.015	31
Total	.63	2.01	2.30	1.545	1.38	1.85	.68	1.935	2.455	2.72	4.675	7.755	TOTAL for year 29.935
No. of Rain Days	11	19	26	15	8	13	5	16	17	20	23	26	198

REGISTER OF RAINFALL IN 1912

Kept at Leintwardine
in the County of Herefordshire
by E. Charnock

Lat. 52° 39' N. Long. 2° 34' W.
Time of Observation 9 a.m.
Nearest Railway Station Hopton Heath
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.12	—	—	.65	.06	.03	.015	—	—	.16	1
2	—	.40	.23	—	.06	.72	.07	—	—	—	—	—	2
3	.01	—	.07	—	.04	.20	.02	<u>1.07</u>	.025	—	.01	.035	3
4	.185	—	.95	—	.10	—	—	.40	—	—	.16	.02	4
5	.275	.08	.23	—	.07	.02	—	.38	.02	—	.015	.02	5
6	.30	.15	.04	—	.05	.435	—	.36	—	—	—	.10	6
7	—	.34	.10	—	.09	.56	.07	.02	.01	—	—	.03	7
8	.42	.22	.20	.02	—	.075	.01	—	.03	—	—	—	8
9	.19	.03	.42	.11	—	.185	—	.28	—	—	.025	.37	9
10	.33	.02	.02	.04	—	.12	.06	.12	.03	—	.24	—	10
11	.15	.105	.02	.10	—	—	.04	.03	—	—	.19	.46	11
12	.035	.34	.08	.01	.025	.08	—	.02	—	—	.02	.04	12
13	.015	.03	—	—	—	—	—	.03	.035	.055	.015	.11	13
14	.05	—	.54	.01	—	.135	—	.04	—	—	—	.04	14
15	.05	.15	.04	—	.39	.33	—	.01	—	—	—	.40	15
16	<u>.06</u>	.025	.15	—	.02	.05	—	.05	.62	.09	—	.08	16
17	.73	.02	.30	—	.015	.10	—	.37	—	—	.06	.74	17
18	<u>.50</u>	.02	.08	—	—	—	—	.37	—	.02	.015	.05	18
19	.15	.05	.02	—	.135	.015	.13	.60	—	.025	.02	.03	19
20	.085	—	.39	—	—	—	.06	.02	—	.21	.04	.03	20
21	.03	.03	.10	—	.485	—	—	.64	—	.23	—	—	21
22	—	.10	.08	—	.145	.03	.19	.26	—	—	—	.05	22
23	.38	.02	.39	—	—	.04	.19	.22	—	.025	.11	.05	23
24	.29	.03	.06	—	—	.34	.025	.02	—	—	.06	.30	24
25	.10	.015	.01	—	—	.38	—	.91	—	—	.36	.45	25
26	.025	—	.08	—	—	.05	.22	.96	—	.94	.32	.30	26
27	—	.17	.05	—	—	.38	.72	.015	—	.99	—	.27	27
28	—	.085	—	—	—	.06	.325	.46	.14	.30	.56	.09	28
29	—	.06	.05	—	—	.23	.19	.25	.42	.26	.02	.08	29
30	—	—	.21	—	—	.185	.09	.025	—	.25	—	.03	30
31	—	—	—	—	.07	—	.235	.03	—	.04	—	.04	31
Total	4.31	2.44	5.03	.29	1.665	5.27	2.705	7.99	.745	3.535	2.24	4.375	40.665
Rain Days.	22	23	28	6	14	24	18	29	10	13	18	27	232

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1913

Kept at Leintwardine
in the County of Hampshire
by E. Charnock

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Horton Heath
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 420 ft.

FORM A.
BRITISH RAINFALL
2-JAN-1914
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.15	.04	.02	.01	—	—	.13	—	.07	—	1
2	.03	.15	.11	.19	.15	—	—	—	.03	.38	.14	.03	2
3	.10	.09	.10	.02	.43	—	—	—	.07	.08	.03	.27	3
4	.10	.04	—	—	.14	—	—	—	.59	.09	.07	.35	4
5	.23	.09	.04	—	.16	.16	.15	—	.03	1.72	.06	.11	5
6	.10	.13	.30	—	.20	.09	.11	—	—	.36	—	.23	6
7	.03	.47	.02	—	.48	.16	.04	—	—	.45	.22	.045	7
8	—	.12	—	.02	.37	.16	.045	.09	—	.31	—	—	8
9	—	.45	.04	.04	.17	.40	.045	.09	.14	—	.23	.02	9
10	.33	—	.02	.06	.08	—	.02	.05	.015	.24	.12	—	10
11	.41	—	.03	.49	.03	.01	—	—	.01	.06	.35	.15	11
12	—	—	—	—	.28	—	.01	—	—	—	.16	—	12
13	—	—	.20	.03	.01	.02	.02	.03	.47	.02	.56	—	13
14	.32	—	.55	.06	—	—	—	—	.01	.09	.07	—	14
15	.07	.04	.79	.86	—	—	—	—	.225	—	.17	.02	15
16	—	.03	.49	.15	—	—	.01	—	.03	—	.02	—	16
17	.17	—	.02	.20	—	—	.10	—	.03	—	.02	—	17
18	.10	—	.42	.22	—	—	.06	—	.025	—	.02	—	18
19	.10	—	.08	.03	.03	.01	.04	.025	.05	.17	.02	.02	19
20	—	—	.38	.15	—	.035	—	.68	.01	.16	.38	—	20
21	—	—	.10	.21	.06	—	.23	—	—	—	.11	—	21
22	.85	—	.88	—	.01	.14	.02	.02	.57	—	—	—	22
23	.02	—	.02	—	—	—	—	—	.075	—	.01	—	23
24	.13	—	—	—	—	—	—	.10	—	—	.04	—	24
25	—	.04	—	.08	—	—	—	—	.16	.07	.01	.03	25
26	—	.12	.06	1.13	.02	—	—	—	.35	.02	—	.38	26
27	.04	—	.25	.25	—	—	—	.04	—	.85	—	—	27
28	.21	—	.50	.68	—	—	—	—	—	.27	—	.13	28
29	—	—	—	.41	.15	—	—	.33	—	.69	—	—	29
30	.21	—	—	.01	—	—	—	—	—	.39	.15	—	30
31	.04	—	.32	—	.07	—	—	—	—	.06	—	—	31
Total	3.59	1.77	5.87	5.33	2.86	1.195	.90	1.455	2.96	6.48	2.96	1.775	YEAR'S TOTAL 37.145
Rain Days.	20	12	24	22	19	11	14	10	20	20	23	13	208

and for unit 1. IV. 15

REGISTER OF RAINFALL IN 1914

Kept at Rentonardine
in the County of Steuernshire
by Enoch Charnock

Lat. 52° 27' Long. 2° 46' W
Time of Observation 9 a.m.
Nearest Railway Station Hopton Heath
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 430 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.03	.05	—	—	.45	.70	—	—	.03	.15	1
2	—	—	—	—	.02	—	.21	.47	—	—	.34	.30	2
3	.02	—	.03	.13	.21	—	.02	—	—	—	.02	.55	3
4	.175	—	.06	.16	.02	—	.30	.08	—	—	.78	.41	4
5	.08	—	.09	.36	.04	—	.13	.01	—	—	.13	.05	5
6	—	.04	.02	.08	.09	—	.03	.02	—	—	.02	.20	6
7	.03	.29	.47	.05	.11	.03	.30	.01	.06	—	.01	.35	7
8	—	—	.03	.015	.09	.37	.02	.24	.03	—	.02	—	8
9	.05	.06	.02	.16	.08	.05	—	.07	.25	—	.01	.03	9
10	—	.31	.03	.38	.04	.09	—	—	.31	—	—	—	10
11	—	.49	.38	.02	.07	.06	.06	—	.07	—	.32	.54	11
12	—	.67	.14	—	—	.02	.44	—	.26	—	.15	.21	12
13	—	.29	.34	—	—	—	.13	—	.07	.41	.46	.24	13
14	—	.25	.24	—	—	—	—	—	.01	.06	.25	.02	14
15	—	.03	.25	—	—	—	—	—	.13	.06	.04	—	15
16	—	—	—	—	—	—	—	—	.11	—	.01	—	16
17	—	.20	.22	—	—	—	—	—	.04	—	—	.88	17
18	.03	—	.18	—	—	.21	.02	—	.03	—	—	.19	18
19	—	.02	—	—	—	—	.94	—	.05	—	.11	.09	19
20	—	.36	.09	—	—	.05	.01	—	—	—	—	.18	20
21	—	.64	—	—	—	.15	.47	.25	—	.20	—	.02	21
22	—	.16	—	—	—	.24	.04	.16	—	.36	—	—	22
23	—	.15	.14	—	.13	.02	—	.01	—	.25	—	.02	23
24	.02	—	—	—	.01	—	.03	.40	—	.08	.03	—	24
25	.10	—	.08	—	—	—	.19	.28	—	.47	.05	.02	25
26	—	—	.035	—	—	—	.01	.02	—	.15	.14	.46	26
27	.04	.03	—	—	—	—	—	—	—	.08	.59	.91	27
28	.06	.07	.19	—	.08	—	—	—	—	.03	.02	.66	28
29	.05	—	.14	—	.08	—	—	—	—	.14	.35	.05	29
30	—	X	.17	.04	—	—	—	.02	—	.12	.32	.54	30
31	.27	X	—	X	—	X	.20	—	X	—	X	.11	31
Total	.925	4.06	3.375	1.445	1.07	2.29	5.00	2.74	1.42	2.41	4.19	7.23	36.155
Rain Days.	19	17	23	11	14	11	20	15	13	13	23	25	197

REGISTER OF RAINFALL IN 1915

Kept at Lentwardine
in the County of Herefordshire
by Mr. E. Chamock

Lat. 52° 27' N. Long. 2° 46' W.
Time of Observation 9 a.m.
Nearest Railway Station Hopton Heath
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 450 ft.

FORM A.
BRITISH RAINFALL
3 - JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.62	.13	—	—	.37	.13	.03	.45	.19	—	.03	.11	1
2	.07	.19	.19	.14	—	—	.05	1.27	.02	.41	—	.14	2
3	.66	.10	.03	.07	—	—	.43	.07	—	—	—	.23	3
4	.03	.32	—	—	.19	.08	.35	.02	—	—	—	1.06	4
5	.06	.42	—	.02	.01	—	.02	.03	—	.02	—	1.11	5
6	.06	.08	—	.03	—	—	.70	.02	—	—	—	.05	6
7	.17	.40	.02	.19	.01	—	.09	.15	—	—	—	.27	7
8	.14	.35	—	.09	—	—	.03	.04	—	—	.18	.06	8
9	.22	.02	—	.07	—	—	—	—	—	—	.22	1.68	9
10	.42	—	.02	.18	—	—	.02	.06	—	.07	.08	.21	10
11	.04	.15	—	.15	.22	—	.02	.06	—	—	1.20	—	11
12	.08	.83	—	.06	.36	—	—	.16	—	.08	.75	—	12
13	—	—	—	—	.75	—	—	.46	.03	—	—	.13	13
14	—	—	—	.03	.01	—	—	.06	.13	—	—	.28	14
15	.62	.41	—	—	.16	—	.15	.40	—	—	.70	.20	15
16	.08	.91	—	—	.44	.03	1.80	.04	.02	.04	—	—	16
17	.05	.41	.05	—	.81	—	.32	.03	—	—	—	—	17
18	.03	—	.04	—	—	—	—	.01	—	—	—	—	18
19	—	—	—	—	.12	—	.29	.02	—	—	—	—	19
20	.10	—	—	.02	—	—	.02	—	—	—	—	.07	20
21	.14	—	—	—	.02	—	.29	—	—	.16	—	—	21
22	.02	.04	.12	.32	—	.02	.17	—	—	—	—	.16	22
23	.09	.06	—	.02	—	—	.04	—	—	.83	—	.37	23
24	—	—	.16	.10	—	.27	.16	—	.28	.70	—	.45	24
25	—	.07	—	.01	—	.01	.12	—	.02	.04	—	.24	25
26	—	.16	—	—	—	.10	.34	—	.05	—	—	.56	26
27	—	.19	—	—	—	.14	.26	—	—	.41	—	.24	27
28	—	.25	—	—	—	.13	.03	.06	.08	—	—	—	28
29	—	—	—	—	—	.35	.02	.02	.02	.08	.28	.10	29
30	.09	X	—	—	—	—	—	—	—	.55	.16	.39	30
31	—	X	—	X	—	X	.12	.09	X	.34	X	.62	31
Total	3.78	5.44	.63	1.50	3.47	1.26	5.87	3.52	.84	3.73	3.00	8.73	YEAR'S TOTAL 41.77
Rain Days.	21	20	8	16	13	10	25	21	10	13	9	23	189

REGISTER OF RAINFALL IN 1916

Kept at Leintwardine
in the County of Herefordshire
by Mr. E. Charnock

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Hopton Heath L. & N.W.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 450 ft.

FORM A.
BRITISH RAINFALL
2 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.15	-	.05	-	-	.08	.23	-	.19	.14	.19	-	1
2	.36	.17	.16	-	.05	.01	.34	-	.08	.68	.15	-	2
3	.01	.95	-	-	.03	-	.14	-	.03	.27	.37	-	3
4	.10	.28	-	.04	-	.35	.01	-	-	.13	.45	-	4
5	.35	.04	.14	-	.85	.02	-	-	.02	.22	.21	-	5
6	.09	.39	-	-	.35	.03	.51	-	-	.19	.48	-	6
7	.065	-	.17	-	.20	-	.17	-	-	.13	.28	.23	7
8	.055	-	.07	-	.15	-	-	-	-	.09	.06	.09	8
9	-	-	-	-	.34	.10	.04	-	-	.02	.10	-	9
10	.02	.46	.05	-	.30	.04	-	-	-	.04	.02	.02	10
11	.03	-	.03	.10	.02	.08	-	-	-	.01	-	-	11
12	.05	.11	-	.10	.02	.02	.12	-	-	.02	-	-	12
13	.02	.24	.29	.02	.45	-	-	.09	-	.01	-	.05	13
14	-	.15	-	.10	.02	-	-	.17	-	.04	-	-	14
15	-	1.08	.32	.10	.03	-	-	.21	-	.04	-	-	15
16	-	.16	-	.15	.12	-	.01	.10	-	.07	-	-	16
17	.09	.11	-	.22	.03	-	-	-	.19	.36	-	-	17
18	.02	.06	.04	.14	-	-	-	-	.19	.01	.46	-	18
19	.04	-	.68	.07	-	-	-	.01	.01	.07	.22	-	19
20	.15	-	.49	-	-	-	-	.03	-	.01	.09	.31	20
21	.01	-	.63	-	-	-	.03	-	-	-	-	.09	21
22	-	-	-	.06	.09	.07	-	-	-	.17	.03	.34	22
23	-	-	-	-	-	-	-	-	-	.04	.08	.38	23
24	-	-	-	.01	-	.13	-	.08	-	.39	-	.14	24
25	-	-	.05	-	.93	.02	-	.14	-	.02	.21	-	25
26	.06	-	.15	-	.08	.24	-	.25	-	.52	.09	-	26
27	.04	-	.25	-	.17	.02	-	.06	.25	.59	-	-	27
28	-	-	.41	-	-	.06	-	.03	.03	.20	.12	.35	28
29	-	1.15	.10	-	.07	.27	-	.28	.07	.20	.02	.19	29
30	-	X	-	-	-	.04	-	.09	-	.18	-	.02	30
31	-	X	-	X	-	X	-	.03	X	.30	X	.03	31
Total	1.73	5.35	3.99	1.11	4.30	1.58	1.60	1.57	1.06	5.16	3.63	2.24	YEARS TOTAL 33.32
Rain Days.	19	19	18	12	20	17	10	14	10	30	19	13	20 1

end for month 6
REGISTER OF RAINFALL IN 1917

Kept at Leintwardine
in the County of Herefordshire
by Mr E Charnock

Pattern Snowden
RAIN Diameter of top 8.5 in.
GAUGE Height of top above Ground 1 ft. 6 in.
" " " Sea Level 450 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Hopsten Heath
Distance 2 m Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.06	.32		.58		.09	.05		.02	.05	1
2			.03			.06		.04	.01		.15		2
3				.29		.02		.03	.01		.01		3
4								.20				.05	4
5			.50	.14				.53	.04		.14		5
6	.09			.05		.10		.01			.23	.01	6
7	.30						.04	.11		.61	.05	.03	7
8	.66		.50	.09			.30	.46		.25	.11		8
9			.50	.25	.22		.01	.19	.12		.14	.01	9
10	.24		.03	.20	.09			.18	.04				10
11	.13			.13				.15			.03		11
12	.06		.12	.04	.74			.09	.03		.01	.02	12
13	.02		.04	.09		.01		.63	.07				13
14	7mt				.01			.20			7mt	.03	14
15			.05		.04		.27	.19	.02			.20	15
16				.34	.01	.39	.05	.01	.01		.03	.52	16
17				.02	.45	.58	.35	.89	.72		.02		17
18		.17	.21	.03	.22		.46	.14	.03				18
19	.08	.29	.08		.01	.50	.01	.01	.05		.01		19
20	7mt	.18			.61	.08	.06		.01				20
21		.04	.04		.06	.06	.01	.05	.01				21
22						.02		.44	.02	1.26			22
23		.13	.08		.15			.18	.21	.10		.02	23
24		.04	.06		.01	.21		.06		.28	.10		24
25		.07						.09		.19	.06		25
26		.03	.02		.02	.23		1.12	.04	.16	.08		26
27			.40		1.05	.02	.47	.92			.01		27
28			.05		.01	.30	.01	.09				.02	28
29							.13	.08		.56	.56	.43	29
30							.01	.33		.06	.01		30
31			.06		.02			.28		.02			31
Total	1.60	.95	2.53	1.95	3.73	3.13	2.18	7.74	1.49	3.50	1.21	1.39	31.44
No. of Rain Days	8	8	22	13	17	15	14	30	18	about 16 (22)	14	12	(195)

68 412 cm fr. m. W.D
REGISTER OF RAINFALL IN 1918

Kept at Leintwardine
in the County of Herefordshire
by E. Charnock.

Lat. 52° 27' Long. 2° 46' W.
Time of Observation 9 a.m.
Nearest Railway Station Hopton Heath. L.N.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 450 ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

42

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.03	—	.02	—	—	—	.11	—	.06	.81	.05	1
2	—	.06	—	.24	—	—	—	.10	—	.02	.02	.30	2
3	—	.12	.02	.10	.35	—	—	.05	—	.07	.23	.01	3
4	.02	.06	—	—	—	—	.06	.04	.80	.24	.64	.43	4
5	—	.03	.02	.04	.47	—	—	.13	.36	.32	—	.04	5
6	—	.32	.02	.33	—	.79	—	—	.40	.31	—	—	6
7	—	.09	—	.04	.37	.02	.02	—	.02	.06	.30	.03	7
8	.05	.32	—	—	—	—	.01	—	.42	.15	.01	—	8
9	.09	.67	—	.18	—	.18	.01	—	.08	.07	.03	.06	9
10	.05	.07	—	.10	—	.01	.48	—	.41	.03	.01	.12	10
11	.02	.04	.04	.07	.04	—	.77	—	.08	.01	—	.04	11
12	—	.06	.07	.01	.09	.01	.20	—	.09	—	—	.03	12
13	.12	.02	.01	—	.04	—	.83	—	.02	.12	—	.03	13
14	.41	—	.06	—	.02	.02	.13	—	.26	.03	—	.19	14
15	.50	—	.01	—	—	.03	.65	—	.38	.01	—	.55	15
16	.13	—	—	.39	—	.06	.07	—	.14	—	—	.12	16
17	.30	—	.01	.01	.10	.11	.20	.03	—	.16	—	.21	17
18	.84	—	—	—	—	.36	.36	—	.44	.03	—	.41	18
19	.07	.03	.27	—	—	.01	.08	—	.70	.03	—	.14	19
20	.17	.15	.02	.21	—	.07	.20	—	.06	—	—	—	20
21	.05	.09	—	.73	.05	.01	.07	—	.41	.02	—	.08	21
22	.05	.01	—	—	.96	.02	.11	—	.38	.05	—	.58	22
23	.05	—	—	.01	.44	—	.44	—	.06	—	.08	—	23
24	—	.10	—	—	.02	—	.14	—	.06	.01	.08	—	24
25	—	—	—	—	.11	.01	.11	.06	—	.01	.03	—	25
26	—	.01	—	—	—	—	.31	.54	—	—	.06	.09	26
27	.01	.03	.05	—	—	—	.01	.03	.02	—	—	.09	27
28	—	.05	.42	—	—	—	—	.28	.34	.01	.05	.22	28
29	—	~~.33~~	.06	—	—	—	—	.01	.03	—	—	.13	29
30	—	~~X~~	.33	—	—	—	—	—	.94	.01	—	.12	30
31	—	~~X~~	.52	~~X~~	—	~~X~~	—	—	~~X~~	—	~~X~~	.01	31
Total	2.93	2.36	1.93	2.48	3.06	1.71	4.46	1.38	6.88	1.87	2.35	4.08	YEAR'S TOTAL
Rain Days	17	21	16	15	13	15	22	11	24	23	13	25	215

REGISTER OF RAINFALL IN 1919

Kept at

Leintwardine

in the County of

Herefordshire

by

Mr. E. Charnock

RAIN
GAUGE

Pattern *Snowdon*

Diameter of top *1.5* in.

Height of top above Ground *1* ft. *6* in.

Sea Level *450* ft.

Time of Observation *8 am*

Nearest Railway Station

Name

Hopton Heath

Distance *3 1/2* Direction *NE*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.42	-	.05	-	.05	-	.19	-	.02	.16	-	.57	1
2	.20	-	-	-	.03	-	.02	-	.09	.03	.10	.04	2
3	-	-	.23	.19	.03	-	.13	-	.02	-	.08	.17	3
4	-	.09	.38	.01	-	.14	.24	.03	.15	-	.01	.14	4
5	-	<i>Snow 2 in</i>	-	-	.04	-	.04	-	.02	-	.04	.27	5
6	.22	.44	.14	-	.03	-	.01	-	.01	.02	.03	.30	6
7	.14	-	.11	.05	-	-	.02	-	-	-	.01	-	7
8	.34	-	.07	.05	-	.04	-	-	-	-	-	-	8
9	.24	-	.03	.04	-	-	-	-	-	-	.03	-	9
10	.09	-	.50	.03	.04	-	-	-	-	.04	-	.31	10
11	.02	-	1.18	.03	.05	-	.44	-	-	.09	-	.06	11
12	.13	-	-	.03	-	.27	.02	-	.02	.06	-	.03	12
13	.16	-	-	.22	-	-	.06	-	.01	.09	-	.04	13
14	.41	.08	-	.39	-	-	.04	-	.71	-	-	.13	14
15	.41	.14	-	.10	.12	-	-	.11	.07	.10	-	.39	15
16	.11	-	-	.04	-	-	-	.27	-	.02	-	-	16
17	.02	-	1.40	.02	-	.04	.01	.02	-	-	.30	.03	17
18	-	-	<i>Snow +</i>	-	-	.01	.01	.35	.06	-	.01	.04	18
19	.33	2.08	1.30	-	-	.15	.88	.37	.10	-	.11	.03	19
20	.29	.06	-	-	-	.02	.02	.23	.02	-	.11	.10	20
21	-	.45	-	-	-	-	.16	.02	.45	-	.02	.12	21
22	-	.09	-	-	-	-	.06	.01	-	-	-	.19	22
23	-	-	-	-	-	.01	.01	-	.01	.66	.03	.07	23
24	-	-	-	-	-	.03	-	-	-	.46	.16	.10	24
25	.07	-	-	.15	.18	.03	-	.46	.04	.03	.03	-	25
26	-	-	.13	.09	-	.04	-	.20	.09	-	-	.41	26
27	-	-	.06	.65	-	-	-	.15	-	-	.06	.15	27
28	.08	.03	-	.01	-	-	-	.90	-	-	.01	.43	28
29	-	-	-	.04	-	.02	-	.04	-	.24	-	.20	29
30	-	-	-	.04	-	.05	-	.10	-	.02	-	.35	30
31	-	-	-	-	-	-	.82	.01	-	-	-	-	31
Total	3.68	3.46	5.58	2.17	.57	.85	25.8	3.27	1.89	2.02	1.24	4.67	TOTAL FOR YEAR 31.1
No. of Rain Days.	18	13	15	19	9	13	19	16	17	14	17	25	192

REGISTER OF RAINFALL IN 1920.

Kept at Leintwardine
in the County of Hertfordshire
by W. E. P. Charnock

Lat. 52° 27' Long. 2° 46' W
Time of Observation 8 a.m.
Nearest Railway Station St. Albans
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

.03

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.11	.02	.17	.35	-	.37	.03	.03	.21	.02	.41	1
2	.08	-	-	.18	.03	-	.16	-	.13	.05	-	.22	2
3	.02	.04	.03	.31	.03	.03	.44	-	.07	.24	-	.11	3
4	-	-	.02	.02	.01	-	.06	.45	.02	.34	-	.01	4
5	-	-	.03	.26	.11	-	.14	.06	-	.12	-	-	5
6	.12	-	.42	.03	.10	-	.29	.01	-	.38	-	.03	6
7	.34	-	-	.07	.05	-	.20	-	-	.01	-	.04	7
8	.25	-	-	.58	.20	-	.62	.14	-	-	.01	-	8
9	.44	.16	.03	.47	.02	-	.07	.02	-	-	-	-	9
10	.19	.26	.06	.04	-	.25	.36	-	-	-	-	.03	10
11	.22	.04	.28	.43	.20	.13	.13	-	-	-	-	-	11
12	.11	.02	.04	.29	-	.54	.06	.15	-	.02	.14	-	12
13	.05	.03	.18	.25	-	.06	.01	.01	-	-	.02	-	13
14	-	.02	-	.35	-	.15	-	-	.32	.52	.36	-	14
15	-	.15	.71	.82	-	.30	.04	-	.24	.02	.08	-	15
16	-	.03	.02	.07	.09	.26	.06	-	.22	.73	.09	-	16
17	.03	-	-	.03	.18	.02	.12	.02	.53	.14	.04	-	17
18	.11	.01	-	.05	.17	.01	.28	.10	.51	-	-	-	18
19	.10	.63	-	.18	.02	.04	-	.03	.03	-	-	.13	19
20	.02	.26	-	.27	-	.11	-	.01	.03	.01	-	.14	20
21	-	-	-	.03	-	.01	.16	-	.01	-	-	.07	21
22	.06	-	-	.08	-	-	.30	.11	-	-	-	.40	22
23	.03	-	.02	.01	-	-	.25	.10	-	-	-	.17	23
24	.02	-	.35	.01	-	-	.01	.02	-	.02	.03	.02	24
25	.12	.02	.28	.03	-	-	.67	-	.01	-	-	.07	25
26	.15	.06	.47	.02	-	-	.03	-	-	-	.04	.52	26
27	.48	.03	.43	.05	.11	.30	.05	-	-	-	.12	-	27
28	.33	.01	.30	.01	.12	.06	.01	-	-	-	-	.10	28
29	.42	.02	.23	.02	.21	.06	.15	-	-	-	.14	.52	29
30	.06	X	.38	.21	.03	.12	.04	-	.36	-	.35	.19	30
31	-	X	.07	X	.04	X	.03	-	X	.52	X	.03	31
TOTAL	4.31	1.89	4.67	4.88	2.07	2.55	5.56	1.31	2.51	3.38	1.40	3.21	YEAR'S TOTAL
Days with .01 in. or more	24	18	21	28	19	17	28	15	14	14	12	19	38
Days with .04 in. or more	19	9	15	20	13	13	23	8	8	10	9	14	155

METEOROLOGICAL OFFICE—AIR MINISTRY.

IMPORTANT.

All communications should be
addressed to

THE SUPERINTENDENT.

In reply to this letter quote No.

Telephone : NORTH 142.



BRITISH RAINFALL ORGANIZATION,

62, CAMDEN SQUARE,

LONDON, N.W.1.

7th April 1921.

Dear Sir,

In preparing for publication the rainfall return for last year which you have been so kind as to send us, trifling discrepancies have been observed between the totals for the months of March and April and the sum of the daily entries. A careful comparison with other records leads us to believe that no error occurs in the daily entries and we therefore propose to adopt the correct totals making them 4.55 ~~at~~ 5.28 in. The total for the year thus becomes 38.02 inches

If by any chance you do not concur in this we shall be much obliged if you would kindly let us know.

Yours faithfully,

John Glasspoole

Mr. E. Charnock,
Leintwardine
Herefordshire.

for SUPERINTENDENT.

Leintwardine

Also

Herefordshire

April 8. 1921

Dear Sir

In reply to your note on looking through my record I find I did make an error in adding April records and your total of 5.28 is correct as to March however I find no error. I give you the ^{daily} records I may have made an error in copying them I cannot say I send you the figures in my book for March. March Rainfall which I hope you can correct - I am sorry to have made the

error

Yours faithfully
Edgar Brock.

1	.02
2	—
3	.03
4	.02
5	.13
6	.42
7	—
8	.03
9	.06
10	.28
11	—
12	.04
13	.18
14	—
15	.71
16	.02
17	—
18	—
19	—
20	—
21	—
22	—
23	.02
24	.38
25	.28
26	.67
27	.43
28	.30
29	.23
30	.38
31	.01
4.67 ✓	

✓

R

LEOMINSTER
FARM
HEREFORD
1911-12

Kept at Farm
in the County of Hereford
by The Late Eliza

1911

Not known

FORM A2.
BRITISH RAINFALL

2-JAN 1912

of top 5 in.
top above Ground 1 ft. 5 in.
Sea Level 268 ft.
on 94. m
Name Leominster
station { Distance 910 yds Direction 175° E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.05	.03	.01			.10			.04	.01	1
2	.01			.02	.06			.06		.02	.07	.05	2
3					.53				.07		.01	.10	3
4			.12		.01			.09	.06	.02	.11	.47	4
5	.10		.04					.06		.05	.06	.04	5
6	.19		.05					.07			.05	.47	6
7	.03										.23	.01	7
8	.13		.13								.27	.48	8
9	.11		.06								.33	.22	9
10	.02		.15								.01	.40	10
11	.18	.06									.45	.06	11
12		.01	.39						.31		.26	.04	12
13			.01		.04				.09	.02	.04	.43	13
14		.02	.01									.98	14
15		.03	.04								.17	.13	15
16						.07					.08	.04	16
17			.06			1.05					.29	.74	17
18		.28	.05	.12		.04				.03	.02	.27	18
19		.04		.12		.21	.15	.02	.54	.30		.43	19
20	.02	.04	.02	.06				.03	.03	.06		.38	20
21		.16	.29					.14	.10	.27		.14	21
22		.03	.02	.01		.01				.16		.38	22
23		.20	.08			.02			.17	.13		.33	23
24		.06		.02		.09	.01	.11		.06		.11	24
25		.15		.10		.28			.02			.23	25
26		.16		.24	1.08	.01		.15		.22	.15	.14	26
27		.09	.23	.15	.05			.32	.17			.09	27
28		.13	.01	.26							.21	.01	28
29				.11		.10	.14	.03	.14	.17	.02		29
30			.09	.02	.05	.02	.14	.02		.27	.02	.01	30
31					.07		.01			.05			31
Total	.79	1.46	1.90	1.26	1.85	1.90	.45	1.19	1.70	1.83	2.89	7.10	TOTAL for year
No. of Rain Days.	9	15	20	13	8	11	5	13	11	15	21	29	24-41

REGISTER OF RAINFALL

1911

FORM A2.
BRITISH RAINFALL.

Kept at Farm Hemmister
in the County of Herefordshire
by The Late Elizabeth Southall

Pattern Not known
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 5 in.
" " " Sea Level 268 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Hemmister
Distance 9 1/2 Direction 17 S by E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.05	.03	.01			.10			.04	.01	1
2	.01			.02	.06			.06		.02	.07	.05	2
3					.53				.07		.01	.10	3
4			.12		.01			.09	.06	.02	.11	.47	4
5	.10		.04					.06		.05	.06	.04	5
6	.19		.05					.07			.05	.47	6
7	.03										.23	.01	7
8	.13		.13								.27	.48	8
9	.11		.06								.33	.22	9
10	.02		.15								.01	.40	10
11	.18	.06									.45	.06	11
12		.01	.39						.31		.26	.04	12
13			.01		.04				.09	.02	.04	.43	13
14		.02	.01									.98	14
15		.03	.04								.17	.13	15
16						.07					.08	.04	16
17			.06			1.05					.29	.74	17
18		.28	.05	.12		.04				.03	.02	.27	18
19		.04		.12		.21	.15	.02	.54	.30		.43	19
20	.02	.04	.02	.06				.03	.03	.06		.38	20
21		.16	.29					.14	.10	.27		.14	21
22		.03	.02	.01		.01				.16		.38	22
23		.20	.08			.02			.17	.13		.33	23
24		.06		.02		.09	.01	.11		.06		.11	24
25		.15		.10		.28			.02			.23	25
26		.16		.24	1.08	.01		.15		.22	.15	.14	26
27		.09	.23	.15	.05			.32	.17			.09	27
28		.13	.01	.26							.21	.01	28
29			.11			.10	.14	.03	.14	.17	.02		29
30			.09	.02	.05	.02	.14	.02		.27	.02	.01	30
31					.07		.01			.05			31
Total	.79	1.46	1.90	1.26	1.85	1.90	.45	1.19	1.70	1.83	2.89	7.14	TOTAL for year
No. of Rain Days.	9	15	20	13	8	11	5	13	11	15	21	29	244

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

Kept at *Farm, Leominster*
in the County of *Herefordshire*
by *A. T. Southall*

RAIN GAUGE { Pattern _____
Diameter of top _____ in.
Height of top above Ground _____ ft. _____ in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			20										1
2		03	15										2
3	02		01										3
4	24		64										4
5	26	15	24										5
6	22	22	01										6
7	01	31	08										7
8	42	18	22										8
9	07	03	59										9
10	21	02	01										10
11	01	04	02										11
12	01	17	10										12
13		01											13
14	04		64										14
15	13	17	04										15
16	73	01	13										16
17	64	01	06										17
18	22	01	05										18
19	13	02											19
20	04		31										20
21	04	02	22										21
22	32	18	08										22
23	15	03	34										23
24	10		02										24
25	01												25
26		13	06										26
27		01	02										27
28		07											28
29		05	04										29
30			04										30
31			26										31
Total	4.02	1.87	4.58										TOTAL for year
No. of Rain Days.	22	22	27										

✓ WD cont. 22.11.12

REGIS

Co. Operative

Kept at Fruit Farm

in the County of Hereford

by M Pipes

MARDEN

CO-OP FRUIT FARM

HEREFORD

1911 - 1914

ishers

8 in.

Ground — ft. 9 in.

Sea Level ft.

A. 772.

Name Moreton on Lugg

Distance 1 3/4 Direction S.W.

Jan. 1, following.

(—)

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0.16		0.10	0 0.9		00.3			0 0.8	0 0.3	1
2			0.03					0.33			0 0.8		2
3				0 0.6				0.15		00.4	0 0.6		3
4					0.41				00.6		0 0.3	0.18	4
5			0.12	0 0.3		0 0.2		00.5	0.14	00 3		0.31	5
6	0 10		0 0.4	0 0.5						00 3	0.10		6
7			0 0.4								0.19	0.57	7
8											0.30		8
9	0 24		0.16										9
10	0 0.9		0 0.3								0.25	0.57	10
11	0.10	0 0.7	0.15						00.3		0.26	0.63	11
12											0.33	0.10	12
13			0.37					0.10			0.20	0 0.9	13
14			0 0.3		0.10			0.35	00.3	0 0.3	0 0.3	0.54	14
15												0.90	15
16		0 0.4	00.3								0.10	0.05	16
17		0.15				0.13					0.12	0.50	17
18		0 0.7	0.12			0.56					0.13	0.45	18
19			0.13	0.18		0 0.5					0.03	0.15	19
20				0.10		00.8		0.47	0 35			0.30	20
21		0 0.4	0 0.3	0 0.5				0.33	0.12			0.35	21
22		0 0.7	0.30					1.85		0.18		0 0.4	22
23		0 0.4				0 0.3				0.30			23
24		0.18	0.15			0.65		0.15	0 0.9			0.30	24
25						0 43		0.15	00.2	0 0.5		0.25	25
26		0 0.8		0 0.6		0 0.3				0 0.3		0.12	26
27		0.26		0.20	0.94					0.21	0.14	0.15	27
28		0 0.8	0.17	0.18				0.35	0.13		0 0.8	0.10	28
29				0.16		0.10					0.12		29
30				0 0.7		00.3	0.16		0.15	0.51			30
31			0.03		0 0.5		00 8	0 0.4		0.21			31
Total	0.53	1.08	2.09	1.14	1.60	2.20	0.24	2.95	1.93	2.18	2.63	6.62	TOTAL for year 23.19
No. of Rain Days	53	1.24	1.93	1.24	1.59	2.11	2.27	2.92	1.93	2.26	2.58	6.59	137
	4	11	18	11	5	12	2	8	11	14	19	22	
		12	17	12		11	3	7		15		21	

WD cont. 22.11.22

REGIS

Co. Operative ~~Worcestershire~~
Rept at Fruit Farm. Marden

in the County of Hereford

by M. Pies ~~to H. H. H. H. H.~~ ^{Dead}
J. Lawrence.

Pattern Wishers
RAIN GAUGE Diameter of top 8 in.
Height of top above Ground — ft. 9 in.
" " " Sea Level — ft.
Time of Observation 9-2.72.
Nearest Railway Station { Name Moreton on Lugg
Distance 1 3/4 Direction S.W.

FORM A2.
BRITISH RAINFALL
3-JAN 1912

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
(—)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0.16		0.10	0 0.9		00.3			0 0.8	0 0.3	1
2			0.0.3					0.33			0 0.8		2
3				0 0.6				0.15		00.4	0 0.6		3
4					0.41				00.6		0 0.3	0.18	4
5			0.12	0 0.3		0 0.2		00.5	0.14	00 3		0.31	5
6	0 10		0 0.4	0 0.5						00 3	0.10		6
7			0 0.4								0.19	0.57	7
8											0.30		8
9	0 24		0.16										9
10	0 0.9		0 0.3								0.25	0.57	10
11	0.10	0 0.7	0.15						00.3		0.26	0.63	11
12											0.33	0.10	12
13			0.37						0.10		0.20	0 0.9	13
14			0 0.3		0.10				0.35	00.3	0 0.3	0.54	14
15												0.90	15
16		0 0.4	00.3								0.10	0.0.5	16
17		0.15				0.13					0.12	0.50	17
18		0 0.7	0.12			0.56					0.13	0.45	18
19			0.13	0.18		0 0.5					0.0.3	0.15	19
20				0.10		00.8			0.47	0 35		0.30	20
21		0 0.4	0 0.3	0 0.5					0.33	0.12		0.35	21
22		0 0.7	0.30					1.85		0.18		0 0.4	22
23		0 0.4				0 0.3				0.30			23
24		0.18	0.15			0.65			0.15	0 0.9		0.30	24
25						0 43		0.15	00.2	0 0.5		0.25	25
26		0 0.8		0 0.6		0 0.3				0 0.3		0.12	26
27		0.26		0.20	0.94					0.21	0.14	0.15	27
28		0 0.8	0.17	0.18				0.35	0.13		0 0.8	0.10	28
29				0.16		0.10					0.12		29
30				0.0.7		00.3	0.16		0.15	0.57			30
31			0.0.3		0 0.5		00 8	0 0.4		0 21			31
Total	0.53	1.0.8	2.0.9	1.14	1.60	2.20	0.24	2.95	1.93	2.18	2.63	6.62	TOTAL for year
No. of Rain Days	53	1.24	1.93	1.24	1.59	2.11	2.7	2.92	1.93	2.26	2.58	6.59	23-19
	4	11	18	11	5	12	2	8	11	14	19	22	137
		12	17	12		11	3	7		15		21	

REGISTER OF RAINFALL IN 1912

BRITISH RAINFALL FORM A.
17 JAN 1913

C.W.S. FRUIT FARM,
BURMARSH,
in the County of MARDEN,
by M. Piper
J. Lawrence manager.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Moleton on Lugg
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 9 ft.
Sea Level

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
(02)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0 0 8	0.17			0.13	0.55	0 0 3		0 0 3		1
2			0.10			0.77	0 0 3		0 0 4	0.11		0.10	2
3		0 0 2	0.10		0 0 3	0.50	0.18						3
4			0 0 4		0.15	0.14	0 0 7	0 0 8	0 0 3		0 0 7		4
5	0.22		0.57		0.13	0.12		0.82			0.18		5
6	0.25	0 0 6	0.15		0.16			0.27	0 0 2				6
7	0.12	0 0 3	0.03		0 0 3	0.11		0.37				0 0 3	7
8		0.23	0.13		0 0 5	0.18	0 0 3	0.15					8
9	0 3 6	0.16	0.14			0 0 6	0 0 4	0.52	0 0 5				9
10	0 0 5		0.40	0.11		0.12	0 0 3	0.38				0.18	10
11	0 1 7	0 0 3						0 0 4			0 0 4		11
12	0 0 2	0 0 4						0 0 3			0 0 7	0.48	12
13		0.13	0.10		0.14								13
14									0 0 7			0.04	14
15	0 0 5		0.39					0 0 5					15
16	0.15	0.16			0.45			0 0 3				0 0 9	16
17	0.82		0 0 7			0.11		0 0 6	0 0 2	0.09			17
18	0.55		0 0 6			0 0 3		0.20			0 0 8	0.22	18
19	0 1 0		0 0 3					0.40					19
20	0 1 2	0 0 2	0 0 4			0 0 2	0.13	0 2 8				0 0 4	20
21	0 0 5		0.38				0 0 8	0 0 3		0.19	0 0 3		21
22	0 0 4		0 3 6		0.82			0.35		0.20			22
23	0.20	0 0 6	0 0 6		0.22		0 3 4	0.45				0.27	23
24	0 0 9	0.15	0.35			0 0 6	0 0 9	0.65		0 0 6		0.12	24
25	0 0 5					0.24	0 0 4	0.35		0 0 7	0 0 6	0.40	25
26		0 0 3				0.15	0 0 3	0.70			0.21	0.27	26
27		0.10					0.28	1 0 3		0.68	0.18	0.45	27
28		0 0 2				0.48	0.43			0.75		0.27	28
29		0 0 3				0.07	0.70	0.45	0.10	0.35	0.38	0.18	29
30			0.05			0 0 9	0 0 7	0 0 5	0.55	0 0 9		0.12	30
31			0 0 4				0.15			0.22			31
Total	3.41	1.27	3.67	0.28	2.18	3.25	2.85	8.29	0.91	2.81	1.33	3.26	33.51
Rain Days.	18.	16.	22.	2.	10.	18.	18.	25.	4.	11.	11.	16.	176.

x 00.6

REGISTER OF RAINFALL IN 1913

Kept at **O.W.S. FRUIT FARM,**
BURMARSH,
in the County of **MARDEN,**
by *M. Piper.* **HEREFORD.**

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Moleton on Luffs*
Diameter of Rain Gauge *8* in.
Height of top of Gauge above Ground _____ ft. *9* in.
" " " " Sea Level _____ ft.

18 FEB 1914
BRITISH RAINFALL
FORM A.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0 0.2			0.20					00.6		00.5	0.15	1
2		0 0.8	00.7		0.10				0.82		00.4		2
3	0 0.2	0.23	00.9	0 0.8					00.5	0.45	0.20		3
4	0 0.2		00.4		0.27							0.11	4
5	0.70	0 0.3			0.56				0.69	0.25	00.7	0.14	5
6	0.23	0.13			0.13	00.6	00.8		00.3	0.45		00.3	6
7		0.09	0.13		0.13		0.12			0.30	0.14	0.35	7
8		0.20			0.15	0.20				0.48		00.5	8
9	0 0.3	00.7		00.3	0.12		00.3			0.11	0.11		9
10		0.27			0.10	0.16	0.13	0.20	0.23		00.5		10
11				00.4	00.9			0.10		00.8			11
12	0.90			0.25	0.12					00.4	0.62		12
13			0.22		0.19						0.35		13
14	^{snow} 0.08		0.37		00.3				0.14		0.36		14
15	0.15			0.15					0.31	00.8	00.3		15
16		00.3	1.0.3	0.65				0.10	0.14		00.5		16
17	0.10		^{snow} 0.25					00.6	00.6				17
18			0.26	0.14			0.15		00.3				18
19	0 0.3		0.15	00.7			00.7						19
20	0.15		0.25			00.4	00.4		00.7				20
21	0.12		0.30	0.13						00.3	0.46		21
22			0.25	0.18	00.4		0.15	00.2			0.17		22
23	0.80		0.67					0.37	0.43				23
24	0 0.3					0.10			00.4		00.7		24
25	00.7			00.3				0.17			00.3		25
26				0.30					00.8				26
27				0.32				0.26					27
28			0.15	0.38						0.19			28
29	0.21		0.22	0.28	0.10					00.9		^{snow} 00.5	29
30			0.38	0.47				00.3		0.10		00.3	30
31	0.17									0.94			31
Total	~~3.83~~ 3.81	~~4.13~~ 4.13	~~4.83~~ 5.03	~~3.70~~ 3.50	2.73	0.56	0.77	~~1.38~~ 1.37	~~3.18~~ 3.12	~~3.59~~ 3.64	~~2.80~~ 2.90	~~0.91~~ 0.76	YEAR'S TOTAL 28.79
Rain Days.	18	9	17	16	14	5	8	9	15	14	16	8	149

REGISTER OF RAINFALL IN 1914

G.W.S.

FRUIT FARM,

BURMARSH,

MARDEN,

HEREFORD.

Kept at

in the County of

by Mr. Piper. The office

Lat.

Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge

Height of top of Gauge above Ground

Sea Level

FORM A.
BRITISH RAINFALL.

9 FEB 1915

Jan. 1, following.

(.05)

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.12						0.10			6	38	1
2			0.0.5	0.0.3	0.0.3	0.0.3	0.44	8			8		2
3					.6		46	10			40		3
4				.5	12		9	4			7	17	4
5	0.15			7	11		29				51	83	5
6	10	0.0.5	0.0.3	13	26		19				7	11	6
7			0.0.4	4	4		13					6	7
8		0.15	0.27	23	37	3	33					27	8
9			.14	7	4	53	3	4				19	9
10			.11	13	7	1-15		3	5			6	10
11		0.15		22	4	7						4	11
12		0.10		3	9	23	8				34	65	12
13		0.24	.20				24		15		6	17	13
14		0.0.6	.43	2			8		20	32	18	21	14
15		0.14	.28							11	5	4	15
16		0.20	.6				3	3	4		7		16
17							3						17
18		0.12	.20				5		6				18
19							6			4		26	19
20		0.0.2	.6			12	93		4			22	20
21		0.18	.5									4	21
22		0.22				13	10	32		18			22
23		0.12	.15		44	4		8		20			23
24		0.0.3			14					27			24
25			.12					16		12			25
26			.4				4	22		15	10	9	26
27	0.0.4							32		10			27
28											17		28
29			.4		3		5			17	21	15	29
30	0.0.5	X	10		33					15	36	6	30
31		X	4	X		X			X	13	X	45	31
Total	0.34	1.90	2.41	1.0.2	2.17	2.33	3.65	1.52	0.54	1.94	2.73	4.45	28.80
Rain Days.	46	1.78	2.41	11	15	9	19	12	6	12	15	20	158

PLEASE fill in name of place and month.

RAINFALL at Marden in the Month of March 1914.

DATE	Inches
1	
2	.05
3	-
4	-
5	-
6	.03
7	.04
8	.27
9	.14
10	.11
11	-
12	-
13	.20
14	.43
15	.28
16	.06
17	-
18	.20
19	-
20	.06
21	.05
22	-
23	.15
24	-
25	.12
26	.04
27	-
28	-
29	.04
30	.10
31	.04

REMARKS ON THE DAYS.

O.W.S. FRUIT FARM,
BURMARSH,
MARDEN,
HEREFORD

*Rainfall readings
we chronicle a year's
for your own day's
Int.?*

Adds to 2.41 Int.?

FORM C.
BRITISH RAINFALL.
W. 10,000 x 14.

NOTE.—Observations returned on this form should be made at 9 a.m. daily, and entered to the day preceding that on which the amount is measured. If this is not done the reading on 1st of following month should be entered in the triangular space below.

1st of following month.

TOTAL

No. of Days with Rain

POST CARD.

ADDITIONAL REMARKS.

Dis.
I beg to state
March should read
Total 2.41
M.P. P.T.O.

OPTIONAL OBSERVATIONS.

Max. Temp. in shade ° on the
Min. „ „ „ ° on the
Temp. in shade, at or below 32° on days.
„ on grass, „ „ 32° on days.

SIGNED _____



No writing on this side of the line.

Dr. H. R. MILL,

British Rainfall Organization,

62, Camden Square,

LONDON, N.W.

RE

MUCH MARCLE
THE MOUNT
HEREFORD

1911-1920

Kept at The Mount,
in the County of Hereford
by Alberta M.

IMPORTANT NOTE
previous day. If an Observer
requested to add the reading
for it at the end of this
the selection and placing
Organization are given in
Dr. H. R. MILL, 62, Camden Square, London, N.W.

5 in.
Ground — ft. 8 in.
Sea Level 240 ft.
a.m.
Name Bymocle
Distance 14 miles Direction South
the result entered to the
ersal rule, he is earnestly
ar in the space provided
ent of rain,
tish Rainfall
pplication to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. .02	in. .03	in. .03	in. .13	in. .01	in. —	in. —	in. .12	in. —	in. —	in. —	in. .01	1
2	—	—	—	.07	.05	—	—	.05	.01	.06	—	.05	2
3	—	—	—	.01	.30	—	—	—	.03	.02	—	—	3
4	—	.44	.14	.03	—	—	—	—	.07	.02	.17	.44	4
5	.09	.06	.06	.04	—	—	—	.07	—	—	.06	.04	5
6	.17	.10	.10	—	—	—	—	.02	—	—	.20	.67	6
7	.05	.04	.01	—	—	—	—	—	—	—	.19	—	7
8	.09	.17	.17	—	—	—	—	—	—	—	.05	.26	8
9	.10	.05	.05	—	—	—	—	—	—	—	.36	.24	9
10	.01	.08	.25	—	—	—	—	—	—	—	.03	.44	10
11	.15	—	—	—	—	—	—	—	—	—	.58	.02	11
12	—	—	.45	—	—	—	—	—	.07	—	.10	.06	12
13	—	—	—	—	.13	—	—	—	.33	.06	.01	.37	13
14	—	—	—	—	—	—	—	—	—	—	—	.89	14
15	—	—	—	—	—	—	—	—	—	—	.27	.03	15
16	—	—	—	—	—	.05	—	—	—	—	.16	.11	16
17	—	—	.02	.02	.35	.12	—	—	—	—	.21	.29	17
18	—	.18	.03	.09	—	.02	—	—	—	.04	.02	.36	18
19	—	.01	—	.06	—	.03	—	—	.23	.44	.01	.15	19
20	—	.05	.07	.02	—	—	—	—	.07	.02	—	.55	20
21	—	.06	.61	—	—	—	—	.55	.09	.20	—	.07	21
22	—	.02	.05	.04	—	.03	—	.01	—	.21	.02	.39	22
23	.01	.10	.21	—	—	.06	—	—	.18	.07	—	.10	23
24	—	.05	—	.01	—	.46	—	.15	.01	.11	—	.11	24
25	—	.08	.02	.04	—	.08	—	.04	.02	.03	—	.11	25
26	—	.14	—	.22	1.06	.04	—	.07	.01	.17	.12	.15	26
27	—	.14	.11	.07	—	—	—	.31	.22	—	.06	.08	27
28	—	.13	—	.11	—	—	—	.03	—	—	.39	—	28
29	—	—	—	—	—	.14	.07	—	.14	.21	.02	—	29
30	—	—	.02	.11	—	.03	.08	.12	—	.23	.02	.02	30
31	—	—	—	—	.02	—	.02	—	—	.05	—	—	31
Total	.69	1.04	2.40	1.07	1.92	1.06	.17	1.54	1.48	1.96	3.05	6.01	TOTAL for year 22.39
No. of Rain Days	9	12	18	16	7	11	3	12	14	16	21	26	165

REGISTER

FORM A2.
BRITISH RAINFALL.
11 JAN 1914

Kept at *The Mount, Much Marele*
in the County of *Hereford*
by *Alberta M Charles*

Pattern
RAIN GAUGE Diameter of top *5* in.
Height of top above Ground *—* ft. *8* in.
" " " Sea Level *240* ft.
Time of Observation *9 a.m.*
Nearest Railway Station { Name *Symonds*
Distance *14* miles Direction *South*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	<i>.02</i>	<i>.03</i>	<i>.03</i>	<i>.13</i>	<i>.01</i>	<i>—</i>	<i>—</i>	<i>.12</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.01</i>	1
2	<i>—</i>	<i>—</i>	<i>—</i>	<i>.07</i>	<i>.05</i>	<i>—</i>	<i>—</i>	<i>.05</i>	<i>.01</i>	<i>.06</i>	<i>—</i>	<i>.05</i>	2
3	<i>—</i>	<i>—</i>	<i>—</i>	<i>.01</i>	<i>.30</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.03</i>	<i>.02</i>	<i>—</i>	<i>—</i>	3
4	<i>—</i>	<i>.14</i>	<i>.14</i>	<i>.03</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.07</i>	<i>.02</i>	<i>.17</i>	<i>.44</i>	4
5	<i>.09</i>	<i>.06</i>	<i>.06</i>	<i>.04</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.07</i>	<i>—</i>	<i>—</i>	<i>.06</i>	<i>.04</i>	5
6	<i>.17</i>	<i>.10</i>	<i>.10</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>.20</i>	<i>.67</i>	6
7	<i>.05</i>	<i>.01</i>	<i>.01</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.19</i>	<i>—</i>	7
8	<i>.09</i>	<i>.17</i>	<i>.17</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.05</i>	<i>.26</i>	8
9	<i>.10</i>	<i>.05</i>	<i>.05</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.36</i>	<i>.24</i>	9
10	<i>.01</i>	<i>.08</i>	<i>.25</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.03</i>	<i>.44</i>	10
11	<i>.15</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.58</i>	<i>.02</i>	11
12	<i>—</i>	<i>—</i>	<i>.45</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.07</i>	<i>—</i>	<i>.10</i>	<i>.06</i>	12
13	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.13</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.33</i>	<i>.06</i>	<i>.01</i>	<i>.37</i>	13
14	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.89</i>	14
15	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.27</i>	<i>.03</i>	15
16	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.05</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.16</i>	<i>.11</i>	16
17	<i>—</i>	<i>—</i>	<i>.02</i>	<i>.02</i>	<i>.35</i>	<i>.12</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.21</i>	<i>.29</i>	17
18	<i>—</i>	<i>.18</i>	<i>.03</i>	<i>.09</i>	<i>—</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.04</i>	<i>.02</i>	<i>.36</i>	18
19	<i>—</i>	<i>.01</i>	<i>—</i>	<i>.06</i>	<i>—</i>	<i>.03</i>	<i>—</i>	<i>—</i>	<i>.23</i>	<i>.44</i>	<i>.01</i>	<i>.15</i>	19
20	<i>—</i>	<i>.05</i>	<i>.07</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.07</i>	<i>.02</i>	<i>—</i>	<i>.55</i>	20
21	<i>—</i>	<i>.06</i>	<i>.61</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.55</i>	<i>.09</i>	<i>.20</i>	<i>—</i>	<i>.07</i>	21
22	<i>—</i>	<i>.02</i>	<i>.05</i>	<i>.04</i>	<i>—</i>	<i>.03</i>	<i>—</i>	<i>.01</i>	<i>—</i>	<i>.21</i>	<i>.02</i>	<i>.39</i>	22
23	<i>.01</i>	<i>.10</i>	<i>.21</i>	<i>—</i>	<i>—</i>	<i>.06</i>	<i>—</i>	<i>—</i>	<i>.18</i>	<i>.09</i>	<i>—</i>	<i>.10</i>	23
24	<i>—</i>	<i>.05</i>	<i>—</i>	<i>.01</i>	<i>—</i>	<i>.46</i>	<i>—</i>	<i>.15</i>	<i>.01</i>	<i>.11</i>	<i>—</i>	<i>.11</i>	24
25	<i>—</i>	<i>.08</i>	<i>.02</i>	<i>.04</i>	<i>—</i>	<i>.08</i>	<i>—</i>	<i>.04</i>	<i>.02</i>	<i>.03</i>	<i>—</i>	<i>.11</i>	25
26	<i>—</i>	<i>.14</i>	<i>—</i>	<i>.22</i>	<i>1.06</i>	<i>.04</i>	<i>—</i>	<i>.07</i>	<i>.01</i>	<i>.17</i>	<i>.12</i>	<i>.15</i>	26
27	<i>—</i>	<i>.14</i>	<i>.11</i>	<i>.07</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.31</i>	<i>.22</i>	<i>—</i>	<i>.06</i>	<i>.08</i>	27
28	<i>—</i>	<i>.13</i>	<i>—</i>	<i>.11</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.03</i>	<i>—</i>	<i>—</i>	<i>.39</i>	<i>—</i>	28
29	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.14</i>	<i>.07</i>	<i>—</i>	<i>.14</i>	<i>.21</i>	<i>.02</i>	<i>—</i>	29
30	<i>—</i>	<i>—</i>	<i>.02</i>	<i>.11</i>	<i>—</i>	<i>.03</i>	<i>.08</i>	<i>.12</i>	<i>—</i>	<i>.23</i>	<i>.02</i>	<i>.02</i>	30
31	<i>—</i>	<i>—</i>	<i>—</i>	<i>—</i>	<i>.02</i>	<i>—</i>	<i>.02</i>	<i>—</i>	<i>—</i>	<i>.05</i>	<i>—</i>	<i>—</i>	31
Total	<i>.69</i>	<i>1.04</i>	<i>2.40</i>	<i>1.07</i>	<i>1.92</i>	<i>1.06</i>	<i>.17</i>	<i>1.54</i>	<i>1.48</i>	<i>1.96</i>	<i>3.05</i>	<i>6.01</i>	TOTAL for year <i>22.39</i>
No. of Rain Days	<i>9</i>	<i>12</i>	<i>18</i>	<i>16</i>	<i>7</i>	<i>11</i>	<i>3</i>	<i>12</i>	<i>14</i>	<i>16</i>	<i>21</i>	<i>26</i>	<i>165</i>

conty own 1845 6.11.13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
29 JAN 1913

Kept at The Mount. Much Marcle
in the County of Hereford 2
by Alberta M. Charles

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Cymreik
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 8 in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	. 10	—	—	. 60	. 10	. 03	. 01	. 40	—	. 06	1
2	—	. 06	. 22	. 05	—	. 53	. 24	. 11	—	—	—	—	2
3	. 03	—	. 09	—	—	. 10	. 07	. 65	. 06	—	. 06	—	3
4	. 12	—	. 53	—	. 17	. 44	—	. 10	—	—	. 20	—	4
5	. 25	. 07	. 12	. 01	. 36	. 21	—	. 43	. 05	—	—	. 03	5
6	. 20	. 09	. 03	—	. 07	. 56	. 02	. 76	—	—	—	—	6
7	—	. 18	. 06	—	. 04	. 40	—	. 11	—	—	—	. 02	7
8	. 25	. 15	. 11	. 01	—	. 09	. 04	. 25	. 02	—	—	. 01	8
9	—	. 02	. 39	. 08	—	. 16	. 03	. 18	—	—	—	. 17	9
10	. 08	. 07	. 01	—	—	. 02	—	. 05	—	—	. 09	—	10
11	. 08	. 03	—	—	—	. 02	. 02	. 12	—	—	. 08	. 36	11
12	—	. 21	. 08	. 04	. 10	. 03	—	. 01	—	—	—	. 03	12
13	. 02	—	—	—	—	—	—	. 03	. 02	—	—	. 02	13
14	. 03	—	. 51	—	. 05	—	—	. 09	—	—	—	—	14
15	. 32	. 09	. 02	. 03	. 39	—	—	. 02	—	—	—	. 07	15
16	. 70	. 01	. 09	—	—	—	—	. 10	—	. 06	. 01	. 01	16
17	. 58 ^s	. 02	. 17	—	—	. 23	—	. 36	—	—	. 02	. 37	17
18	. 10 ^s	—	. 05	—	—	—	—	. 26	—	—	—	. 05	18
19	. 15	. 01	—	—	—	—	. 15	. 61	—	—	. 01	. 03	19
20	. 06	—	. 23	—	—	. 01	. 14	. 06	—	. 32	. 04	—	20
21	. 03	. 03	. 47	—	. 67	—	. 02	. 40	—	. 37	—	—	21
22	. 21	. 06	. 07	—	. 63	. 01	. 24	. 26	—	. 01	—	. 05	22
23	. 19	. 28	. 30	—	—	. 03	. 57	. 29	—	. 01	. 03	. 26	23
24	. 12	. 02	. 01	—	—	. 22	. 07	. 03	—	. 12	—	. 11	24
25	—	—	—	—	—	. 37	—	. 73	—	. 02	. 27	. 33	25
26	—	. 06	—	—	—	. 41	. 40	. 73	—	. 06	. 27	. 21	26
27	—	. 01	—	—	—	. 47	. 78	—	—	. 65	—	. 25	27
28	—	. 08	—	—	—	. 05	. 74	. 47	. 30	. 23	. 33	. 35	28
29	—	. 20	. 05	—	—	. 15	. 37	. 30	. 65	. 24	—	. 03	29
30	—	—	. 09	—	—	. 12	. 07	—	—	. 30	—	—	30
31	—	—	. 24	—	. 15	—	. 55	. 05	—	. 02	—	. 03	31
Total	3.51	1.75	4.04	. 22	2.63	4.87	4.62	7.73	1.11	3.31	1.41	2.84	38.04
Rain Days.	19	21	24	4	10	22	19	29	7	14	12	22	205

REGISTER OF RAINFALL IN 1913

Kept at The Mount Much Marele
in the County of Hereford
by Alberta Brand Charles

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Symoch S.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 8 in.
" " " " Sea Level 240 ft.

FORM A.
BRITISH RAINFALL
17 FEB 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Total
1	.01	.03	.12	.03	.05	—	—	—	.79	—	.03	—	1
2	.01	.25	—	.11	—	—	—	—	.14	.59	.10	—	2
3	.03	—	.08	—	.46	—	—	—	—	.04	—	.05	3
4	.97	—	—	—	.26	—	—	—	.98	.48	—	.10	4
5	—	—	—	—	.06	.15	.20	—	.02	.38	.08	.03	5
6	.10	.08	.10	—	.27	.09	.08	—	—	.40	—	.43	6
7	—	.20	—	—	.23	.06	.02	—	—	.32	.19	.02	7
8	.01	.10	—	.01	.15	—	—	—	—	.54	—	—	8
9	—	.22	—	—	.07	.07	.10	.51	.20	.01	.10	—	9
10	.15	—	—	.04	.11	—	.02	.15	—	—	.11	—	10
11	.68	—	—	.29	.03	—	—	—	—	.07	.63	—	11
12	.01	—	—	—	.32	—	—	—	—	.01	.49	—	12
13	.02	—	.05	—	.01	—	—	—	.17	—	.21	—	13
14	.21	—	.15	.06	—	—	—	—	—	.10	—	.02	14
15	.11	.40	.73	.48	—	—	—	.02	.16	—	—	—	15
16	.16	—	.75	.10	—	—	—	—	—	—	.01	—	16
17	.03	—	.20	.09	—	—	.23	—	.05	—	—	—	17
18	.06	—	.37	.08	—	—	.07	—	—	—	—	—	18
19	.17	—	.22	—	—	.23	.07	—	.08	—	—	—	19
20	.30	—	.25	.10	—	—	—	—	—	.13	.15	—	20
21	—	—	.30	.09	.05	—	.19	.02	—	—	.22	—	21
22	.68	—	.55	.01	.01	.15	.02	.21	.36	—	—	—	22
23	.02	—	.05	—	—	—	—	.03	.09	—	.04	—	23
24	—	—	—	.03	—	—	—	—	—	—	.01	—	24
25	—	—	—	.18	—	—	—	—	.04	.01	—	—	25
26	—	.05	—	.41	—	—	—	.30	—	—	—	.20	26
27	.03	—	.06	.14	.23	—	—	—	—	.10	—	—	27
28	.34	—	.20	.26	.05	—	—	—	—	.14	—	—	28
29	—	—	.39	.62	—	—	—	.23	—	.47	—	—	29
30	.13	—	—	.01	—	—	—	—	—	.53	.08	—	30
31	.01	—	.13	—	—	—	—	.04	—	.02	—	—	31
Total	4.24	1.03	4.64	3.74	2.36	.75	1.00	1.51	3.08	4.34	2.45	.85	29.39
	4.24	8	4.64	20	16	6	10	9	12	18	15	7	162

and for mks 18-VIII

REGISTER OF RAINFALL IN 1914

14 APR 1915
FORM A
BRITISH RAINFALL

Kept at The Mount, Much Marcle.
in the County of Hereford
by Miss A. M. Charles

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Egmore
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 8 in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	.03	.04	-	-	.76	.23	-	-	.05	.20	1
2	-	-	-	-	-	-	.46	.08	-	-	.57	.35	2
3	-	-	-	.12	.25	-	.61	-	-	-	.62	.05	3
4	.20	-	-	.13	.04	-	.18	-	-	-	.42	.53	4
5	.07	-	.06	.03	.12	-	.14	-	-	-	.02	-	5
6	-	.13	-	.12	.10	.04	-	-	-	-	.08	.13	6
7	-	.14	.12	.07	.15	-	.15	.10	-	-	-	.11	7
8	-	-	.10	.04	.04	.76	.07	.04	.02	-	-	.03	8
9	.03	-	.24	.30	.07	<u>1.32</u>	-	.02	.08	-	-	-	9
10	-	.21	-	.45	.03	.09	-	-	.30	-	-	-	10
11	-	.05	.17	.05	.16	.30	-	-	-	-	.08	.37	11
12	-	.20	.18	-	-	-	.18	-	.25	-	.05	.15	12
13	-	.13	.36	-	-	-	-	-	.16	.20	.05	.35	13
14	-	.13	.19	-	-	-	.05	-	-	.21	.15	.01	14
15	-	.02	.14	-	-	-	-	.25	.04	-	.05	-	15
16	-	-	.02	-	-	-	.07	-	.23	-	-	-	16
17	-	.16	.21	-	-	-	-	-	.03	-	-	.10	17
18	-	-	.04	-	-	.12	.13	-	-	-	-	.40	18
19	-	-	.16	-	-	-	.54	-	-	-	.04	.13	19
20	-	.35	.03	-	-	-	-	-	-	-	-	.16	20
21	-	.30	.03	-	-	.03	-	-	-	.16	-	-	21
22	-	.07	.02	-	.20	.03	.05	.08	-	.10	-	-	22
23	-	-	.15	-	.02	-	.04	-	-	.23	-	-	23
24	-	-	.04	-	-	-	-	.04	-	.18	.05	-	24
25	.11	-	.10	-	-	-	-	.19	-	.20	-	.08	25
26	-	-	.03	-	-	-	.08	.06	-	.04	.25	.30	26
27	.05	-	-	-	-	-	-	-	-	-	.26	.09	27
28	-	.11	.12	-	.06	-	-	-	-	-	.07	.75	28
29	.03	-	.05	-	.14	-	-	-	-	.18	.15	-	29
30	-	X	.06	-	.02	.10	-	-	-	-	.46	.55	30
31	.12	X	-	X	-	X	.23	-	X	.12	X	.03	31
Total	.61	.200	2.68	1.35	1.40	2.89	3.14	1.09	1.11	1.61	2.82	4.99	25.57
Rain Days.	7	13	24	10	14	9	16	10	8	10	10	21	166

REGISTER OF RAINFALL IN 1915

Kept at *The Mount. Much March.*
in the County of *Hereford*
by *Alberta Maud Charles*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Gymnash*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *7* ft. *9* in.
" " " " Sea Level *240* ft.

FORM A.
BRITISH RAINFALL

26 FEB 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.21	.07	—	—	.25	—	.42	.01	.03	.22	—	—	1
2	.25	.13	.19	.22	—	—	—	.89	—	—	—	.16	2
3	.65 ^{5h}	.15	—	.04	.22	.15	.67	.13	—	—	—	.21	3
4	.01	.02	—	—	.06	—	.58	—	—	—	—	.54	4
5	—	.45	—	.01	—	—	.25	.08	—	—	—	.48	5
6	.14	.03	—	.18	—	—	.46	.05	—	—	—	.23	6
7	.08	.30	—	.01	.01	—	.17	.11	—	—	—	.30	7
8	.28	.35	—	—	—	—	.16	.04	—	—	.07	—	8
9	.10	.06	—	.07	—	—	—	—	—	—	—	.39	9
10	.23	—	.10	.04	—	—	—	—	—	—	—	—	10
11	.01	—	.02	.02	—	—	—	—	—	—	.95	—	11
12	.13	.03	—	.17	.32	—	—	—	—	.44	—	—	12
13	.02	.37	—	—	.70	—	—	.18	—	—	—	—	13
14	—	—	—	—	—	—	—	.37	.11	.03	—	.22	14
15	.33	—	—	—	.10	—	.02	.02	—	.01	—	.10	15
16	.03	.25	—	—	.22	—	1.18	.07	—	—	—	—	16
17	—	.22	.02	—	.93	—	—	.03	—	—	—	—	17
18	—	.51	—	—	—	—	—	—	—	—	—	—	18
19	—	.02	—	.10	.10	—	.09	—	—	—	—	—	19
20	.10	—	—	—	—	—	—	—	—	—	—	.06	20
21	.07 ³	.03	—	—	.06	—	.10	—	—	.18	—	.02	21
22	.08	.05	.29	.08	—	—	.33	—	—	—	—	.34	22
23	.03	.02	.09	—	—	—	.21	—	—	.96	—	.33	23
24	—	—	.04	—	—	—	.33	—	.34	.73	—	.20	24
25	—	—	—	—	—	.55	.42	—	—	.03	—	.05	25
26	—	.07	—	—	—	—	.49	—	—	—	—	.55	26
27	—	.07	—	—	—	—	.09	—	—	.28	—	.02	27
28	—	.10	—	—	—	.04	—	.05	.21	—	—	.03	28
29	—	—	—	—	—	.08	.13	.03	—	—	.11	.05	29
30	.07	X	—	—	—	.23	.25	.02	—	.30	.08	.09	30
31	—	X	—	X	—	X	.09	.03	X	1.05	X	.30	31
Total	2.84	3.30	.76	.94	2.96	1.05	6.38	2.11	6.9	3.93	1.21	4.66	50.82
Rain Days.	19	21	7	11	11	5	20	16	4	11	4	21	150

YEAR'S TOTAL

2306
FORM A.
BRITISH RAINFALL.
15 FEB 1917

2306
W.C.S.E.
REGISTER OF RAINFALL IN 1916

Kept at *The Mount Much Marcle*
in the County of *Hereford*
by *Alberta Maud Charles*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Oymoch*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground _____ ft. *9* in.
" " " " Sea Level *240* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	.08	—	.04	—	—	.09	.12	—	—	.17	.17	—	1
2	.20	.02	.18 ^s	—	.36	—	—	—	.05	.69	.11	—	2
3	—	.68	.03	—	.07	.01	.01	—	.03	.24	.09	—	3
4	.18	.15	—	—	.40	.16	—	—	.11	.08	.64	—	4
5	—	.01	.01 ^s	—	.38	.20	.15	—	—	—	.10	—	5
6	.06	.13	.06 ^s	—	.15	—	.80	—	—	.21	.42	—	6
7	—	—	.06 ^s	—	.11	.02	.12	—	—	.32	.20	.14	7
8	.02	—	.06 ^s	—	.20	.01	—	—	—	—	.01	.16	8
9	—	—	—	—	.10	.34	—	—	.01	.06	.04	—	9
10	—	—	.08 ^s	.04	.01	.09	.01	—	—	.04	—	.02	10
11	.05	—	1.05	.12	.01	.12	—	—	—	—	—	.03	11
12	—	—	.07	—	.34	—	.18	—	—	.05	.01	—	12
13	—	.32	.09	.01	—	—	.06	.43	—	—	.01	.01	13
14	—	.52 ^{hs}	.16	.01	.02	—	—	.03	—	.09	—	—	14
15	—	.13	.34	.09	.25	—	—	.17	—	.01	—	—	15
16	—	.05	.01	.22	.01	—	.15	.50	—	.01	—	—	16
17	.05	.10	—	.06	—	—	—	.04	.35	.40	—	—	17
18	.01	.03	.05	.03	—	—	—	—	.12	.06	.34 ^s	.06	18
19	.10	—	.44	.39	—	—	—	—	—	—	.22	—	19
20	.04	—	.57	.03	—	—	—	—	—	—	—	.20	20
21	—	—	.36	—	.10	—	.21	—	—	—	—	.16	21
22	—	—	—	.05	—	.02	—	—	—	.15	.03	.38	22
23	.02	.18 ^{hs}	.02	.02	—	—	—	.17	—	.09	.04	.20	23
24	.01	—	.15	—	.59	.01	—	.05	—	.17	—	.13	24
25	—	.28 ^s	.15 ^{hs}	—	—	.01	—	.31	—	.04	.06	—	25
26	—	.10 ^s	.08 ^{hs}	—	—	.11	—	.01	—	.21	—	—	26
27	.05	.08 ^s	.60 ^{hs}	—	—	.09	—	.31	.21	.29	.01	—	27
28	—	.32 ^s	.29 ^s	—	—	—	—	—	—	.15	—	.05	28
29	—	.17	.81	—	—	.25	—	1.04	.02	.40	—	.15	29
30	—	X	—	—	—	.06	—	.04	—	.31	—	—	30
31	—	X	—	X	—	X	—	.01	X	.58	X	.01	31
Total	.87	3.27	3.90	1.07	3.10	1.59	1.80	3.11	.90	4.68	2.49	1.70	28.38
Rain Days.	13	17	25	12	16	16	10	13	8	24	17	14	185

2193
REGISTER OF RAINFALL IN 1917

Kept at *The Mount, Much Marcle*
in the County of *Hereford*
by *Miss A.M. Charles*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Dymock*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground _____ ft. *9* in.
" " " " Sea Level *240* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	.02 ^s	.08	.19 ^s	—	.24	—	.98	.08	—	.19	—	1
2	—	—	—	.54 ^s	—	.08	—	.102	.01	—	.04	—	2
3	—	.02 ^s	—	.11 ²⁵	—	—	—	.01	—	.44	—	—	3
4	.02	.18 ^s	.34 ^s	—	—	—	—	.68	—	.24	—	—	4
5	.15	—	.12	.15	—	—	—	.12	.12	.20	.04	—	5
6	.02	—	—	—	—	.50	—	—	—	.08	.26	.01	6
7	.20	—	.01	—	—	—	.06	.15	—	.23	.04	—	7
8	.40 ²⁵	—	.12 ^s	.14 ²⁵	—	—	.53	.50	—	.26	.09	.06	8
9	—	—	.12 ^s	.06 ^s	.18	—	—	.87	.05	.09	—	—	9
10	.33	—	.40	.12 ^s	.22	—	—	.31	—	.02	—	—	10
11	.04	—	.13	.07	.08	—	—	.13	—	.11	.02	—	11
12	—	—	—	.01	.39	—	—	.02	—	.13	.01	—	12
13	.01 ^s	—	.09	.04	—	—	—	.07	.12	—	—	—	13
14	.01 ^s	—	.24	.06	—	—	—	—	—	.01	.01	—	14
15	—	—	—	—	.02	—	—	.17	—	.04	—	.09	15
16	.02	.06	—	.16	—	—	—	—	—	—	—	.06	16
17	.02	—	—	.19	.48	—	.35	.14	.10	.14	—	—	17
18	—	—	—	—	—	—	.20	.13	1.23	—	—	—	18
19	—	.45	.13	—	—	.43	—	.04	.01	—	—	—	19
20	—	.18	.03	—	.70	.20	.10	.03	.08	—	.01	—	20
21	—	—	.26 ^s	—	.86	.10	—	.10	—	—	—	—	21
22	.03 ^s	—	.05 ^s	—	—	.05	—	.28	—	—	—	—	22
23	—	.30	—	—	.09	.01	.03	.12	—	.18	—	.02	23
24	—	—	—	—	—	—	—	.01	—	.15	.07	—	24
25	—	.07	.02 ^s	—	—	.02	—	.36	—	—	.10	—	25
26	—	—	—	—	.08	.05	.02	.58	.13	—	.01	—	26
27	—	—	—	—	1.23	.12	.03	.13	—	—	—	—	27
28	—	—	.28	—	.01	.21	—	.01	—	—	—	.01	28
29	—	—	.18	—	.13	.30	—	.46	—	.45	—	.22	29
30	—	X	.02	—	—	—	—	.06	—	.10	—	—	30
31	—	X	.07 ^s	X	.02	X	—	.03	X	—	X	—	31
Total	1.25	1.28	2.69	1.87	3.69	2.31	1.32	5.91	1.93	2.89	.89	.46	26.49
Rain Days.	12	8	19	13	14	13	8	28	10	14	13	7	162

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1918

Kept at *The Mount, Much Marcle*
in the County of *Hereford*
by *A. M. Charles*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Dymock*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *9* ft.
Sea Level *240* ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	-	<i>.06</i>	-	<i>.02</i>	<i>.10</i>	-	-	<i>.10</i>	-	<i>.01</i>	<i>.59</i>	-	1
2	-	<i>.06</i>	-	-	-	-	-	<i>.87</i>	-	<i>.03</i>	<i>.02</i>	<i>.02</i>	2
3	-	<i>.05</i>	<i>.07</i>	<i>.12</i>	<i>.20</i>	-	-	-	<i>.50</i>	-	<i>.11</i>	-	3
4	-	-	<i>.09</i>	-	-	-	-	<i>.04</i>	<i>.14</i>	<i>.05</i>	<i>.47</i>	<i>.34</i>	4
5	-	-	-	-	<i>.31</i>	-	-	-	<i>.04</i>	<i>.05</i>	-	<i>.01</i>	5
6	-	<i>.18</i>	-	<i>.10</i>	-	<i>.09</i>	-	-	<i>.29</i>	<i>.18</i>	-	-	6
7	<i>.03</i>	<i>.13</i>	-	-	<i>.30</i>	-	-	-	<i>.19</i>	<i>.05</i>	<i>.13</i>	<i>.04</i>	7
8	<i>.02</i>	<i>.13</i>	-	-	-	-	-	-	<i>.04</i>	<i>.19</i>	-	-	8
9	<i>.01</i>	<i>.08</i>	-	<i>.15</i>	-	<i>.16</i>	<i>.02</i>	-	<i>.10</i>	<i>.06</i>	-	-	9
10	-	-	-	<i>.03</i>	-	-	<i>.36</i>	-	<i>.05</i>	<i>.05</i>	-	<i>.18</i>	10
11	-	-	<i>.06</i>	-	-	-	<i>.07</i>	-	<i>.08</i>	-	-	<i>.08</i>	11
12	-	-	<i>.19</i>	-	<i>.11</i>	-	-	-	<i>.02</i>	-	-	<i>.01</i>	12
13	-	-	-	-	-	-	<i>.21</i>	-	<i>.10</i>	<i>.05</i>	-	<i>.11</i>	13
14	-	-	<i>.09</i>	-	-	-	<i>.05</i>	-	<i>.59</i>	<i>.09</i>	-	<i>.02</i>	14
15	<i>(1.28)</i>	-	-	<i>.10</i>	-	-	-	-	<i>.01</i>	<i>.03</i>	-	<i>.20</i>	15
16	<i>.20</i>	-	-	<i>.75</i>	-	<i>.03</i>	<i>.39</i>	-	<i>.31</i>	-	-	-	16
17	<i>.12</i>	-	<i>.10</i>	-	-	-	<i>.07</i>	-	<i>.07</i>	<i>.09</i>	-	<i>.05</i>	17
18	<i>.28</i>	-	-	-	-	<i>.27</i>	<i>.24</i>	-	<i>.87</i>	-	-	<i>.62</i>	18
19	<i>.07</i>	-	<i>.26</i>	-	-	-	-	-	<i>.01</i>	<i>.07</i>	-	-	19
20	<i>.12</i>	-	-	<i>.25</i>	-	<i>.06</i>	<i>.12</i>	-	<i>.16</i>	<i>.01</i>	-	-	20
21	-	<i>.02</i>	-	<i>.23</i>	-	-	-	-	<i>.39</i>	<i>.01</i>	-	<i>.03</i>	21
22	<i>.09</i>	-	-	-	<i>.16</i>	-	<i>.03</i>	-	<i>.06</i>	<i>.02</i>	-	<i>.16</i>	22
23	-	-	-	-	-	-	<i>.21</i>	-	-	-	<i>.07</i>	-	23
24	<i>.03</i>	<i>.03</i>	-	-	-	-	-	<i>.03</i>	<i>.04</i>	-	<i>.08</i>	-	24
25	-	-	-	-	-	-	<i>.20</i>	<i>.62</i>	-	<i>.03</i>	-	-	25
26	-	-	-	-	-	-	<i>.60</i>	-	-	<i>.02</i>	<i>.07</i>	<i>.10</i>	26
27	-	-	<i>.81</i>	-	-	-	-	<i>.11</i>	<i>.04</i>	-	<i>.05</i>	<i>.04</i>	27
28	-	-	<i>.23</i>	-	-	-	-	-	-	-	<i>.12</i>	<i>.05</i>	28
29	-	-	<i>.05</i>	-	-	-	-	-	<i>1</i>	-	-	-	29
30	-	X	<i>.27</i>	-	-	-	-	-	-	-	<i>.11</i>	<i>.11</i>	30
31	<i>.01</i>	X	<i>.10</i>	X	-	X	-	-	X	-	X	-	31
Total	<i>(2.26)</i>	<i>.68</i>	<i>1.52</i>	<i>1.75</i>	<i>1.18</i>	<i>.61</i>	<i>2.67</i>	<i>1.17</i>	<i>5.10</i>	<i>1.00</i>	<i>1.80</i>	<i>2.17</i>	<i>21.00</i>
Rain Days	<i>12</i>	<i>9</i>	<i>12</i>	<i>9</i>	<i>4</i>	<i>5</i>	<i>13</i>	<i>6</i>	<i>23</i>	<i>19</i>	<i>11</i>	<i>18</i>	<i>142</i>

REGISTER OF RAINFALL IN 1919.

Kept at *The Mount, Much Mareh*
in the County of *Hereford*
by *A. M. Charles*

Lat. _____ Long. _____
Time of Observation *9.4.20.*
Nearest Railway Station *Gymnich*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground _____ ft. *9* in.
" " " " Sea Level *240* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	17	—	—	01	08	01	37	—	04	—	—	48	1
2	12	—	—	—	—	—	43	—	21	12	09	18	2
3	15	—	06	—	—	10	03	—	02	—	11	17	3
4	19 ^s	—	45	—	—	—	17	06	16	—	—	18	4
5	07	04 ^s	18	—	13	—	01	—	37	—	—	23	5
6	08	15 ^{s/2}	10	—	04	—	—	—	—	—	—	12	6
7	16	04	16	01	—	—	—	—	—	—	—	—	7
8	11	—	03	04	—	02	—	—	—	—	—	—	8
9	13	—	01	07	—	—	—	—	—	—	—	—	9
10	—3	—	50	01	—	—	—	—	—	04	—	25	10
11	—	—	60	01	10	—	53	—	—	—	—	05	11
12	—	—	02	08	—	—	—	—	—	05	09 ^s	02	12
13	—05	—	—	16	—	35	—	—	06	06	—	—	13
14	14	01	—	25	—	—	10	—	02	—	—	04	14
15	17	03	—	01	07	—	—	—	—	10	—	20	15
16	24	1.	—	—	—	—	—	—	—	—	05	—	16
17	—	68 ^s	—	—	—	02	—	03	—	—	06	—	17
18	03	—	57 ^{s/2}	—	—	—	02	02	02	—	02	06	18
19	17	—	68 ^{s/2}	—	—	10	05	53	10	—	—	02	19
20	26	25	42	—	—	02	02	13	04	—	05	07	20
21	04	02	02	—	—	08	10	—	02	—	02	10	21
22	—	25	—	—	—	—	11	—	25	—	01	10	22
23	—	05	—	—	—	—	—	05	—	1.01	03	02	23
24	—	—	—	—	—	02	02	—	—	81	12	03	24
25	09	—	—	—	07	—	—	18	—	—	02	24	25
26	09	—	07	—	—	—	02	—	—	—	—	19	26
27	03	—	01	62 ^{s/2}	—	—	—	41	10	—	01	—	27
28	11	—	13 ^s	—	—	—	—	38	—	—	21 ^s	32	28
29	05	X	—	12	—	22	—	—	—	16	02	22	29
30	—	X	—	09	—	23	—	24	—	04	12	25	30
31	02	X	—	X	—	X	—	—	X	01	X	—	31
TOTAL	2.67	2.62	3.93	1.48	49	1.17	1.98	2.03	1.41	2.40	1.03	3.54	YEAR'S TOTAL 24.75
Days with 01 in. or more	24	11	17	13	6	11	14	10	13	10	16	23	168

REGISTER OF RAINFALL IN 1920...

Kept at The Mount, Much Marcle
in the County of Shropshire
by A. M. Charles

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Aymech
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 9 ft. 9 in.
" " " " Sea Level 240 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	. 20	. 22	-	. 26	. 01	-	. 25	-	. 36	1
2	. 04	. 03	-	. 05	-	-	. 18	. 01	. 10	. 21	-	. 09	2
3	. 03	-	-	. 11	. 08	-	. 84	. 03	. 06	. 46	-	-	3
4	-	-	-	. 04	-	-	. 01	. 19	-	. 36	-	-	4
5	-	-	. 17	. 23	. 10	-	. 19	. 15	-	. 29	-	-	5
6	-	-	. 20	-	. 08	-	. 35	-	-	. 17	-	-	6
7	-	-	-	. 12	-	-	. 16	-	-	-	-	-	7
8	. 32	. 05	-	. 46	. 05	-	. 34	-	-	-	-	-	8
9	. 18	. 01	-	. 38	-	-	. 10	-	-	-	-	-	9
10	. 31	. 05	-	. 05	-	. 46	. 15	-	-	-	. 65	-	10
11	. 16	-	. 13	. 50	. 30	. 15	. 09	-	-	-	-	-	11
12	. 17	-	-	. 18	-	. 71	. 03	-	-	-	-	-	12
13	. 04	. 62	. 30	. 14	-	. 04	-	. 12	-	-	. 02	. 01 ^s	13
14	. 01	. 04	. 55 ²⁵	. 30	-	. 42	-	. 01	. 29	. 16	-	-	14
15	-	-	. 05	. 69	-	. 10	. 02	-	-	. 03	. 18	-	15
16	-	. 06	. 01	. 09	. 04	. 09	. 18	-	. 17	. 35	. 01	-	16
17	. 01	-	-	. 01	. 12	. 44	-	-	. 66	. 18	-	. 04	17
18	. 10	-	-	. 03	. 08	. 04	-	. 24	. 47	-	-	-	18
19	-	. 18	-	. 29	. 02	. 18	-	-	-	-	-	. 07	19
20	-	. 05	-	. 15	-	. 15	. 02	-	-	-	-	. 12	20
21	-	-	-	. 01	-	-	. 02	-	-	. 02	-	-	21
22	. 06	-	-	. 10	-	. 02	. 01	. 12	-	-	-	. 27	22
23	-	-	. 17	-	-	-	. 41	-	-	-	-	. 31	23
24	-	-	. 10	. 02	-	-	-	-	-	-	. 03	. 19	24
25	. 01	. 07	. 24	-	-	. 08	. 65	-	-	-	. 02	. 03	25
26	. 14	-	. 10	. 03	-	. 02	-	-	-	-	. 07	. 04	26
27	. 37	-	. 11	. 08	. 05	. 26	. 03	-	-	-	-	. 33	27
28	. 92	-	. 15	. 02	. 28	. 04	. 02	-	-	-	-	. 01	28
29	. 20	-	. 36	-	. 08	. 06	. 11	-	-	-	. 08	. 40	29
30	. 02	~~X~~	. 10	. 12	-	. 08	. 07	-	. 25	-	. 17	. 13	30
31	. 05	~~X~~	-	~~X~~	. 01	~~X~~	. 03	-	~~X~~	. 20	~~X~~	. 04	31
TOTAL	3.14	. 55	2.73	4.39	1.51	3.34	4.26	. 88	2.00	2.68	. 64	2.44	YEAR'S TOTAL
Days with 01 in. or more	19	10	15	26	14	18	24	9	7	12	9	16	179
Days with 04 in. or more	14	7	14	20	12	16	15	5	7	10	5	13	138

Excluded

REC

Kept at

in the County of

by

Ocle
Here
George

Ocle Dychard
Ocle Court
Hereford

1911 - 1920

FORM A2.
BRITISH RAINFALL

in.
round
a Level
me
stance Direction
he result entered to the
rsal rule, he is earnestly
in the space provided
t of rain,
sh Rainfall
plication to
Jan. 1, following.
(-)
etc.

IMPORTANT NOTE.
previous day. If an Obs
requested to add the readi
for it at the end of this
the selection and placing
Organization are given in "
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.02		.02	.08	.01	.04	.06	.02		.02	.09	.02	2
3	.02			.08	.05		.01	.17		.05	.09	.09	3
4				.01	.45				.08	.01	.05	.03	4
5			.20	.05				.05		.05	.10	.42	5
6	.06		.04	.01				.07		.05	.07	.01	6
7	.18		.07								.13	.58	7
8	.01		.01	.01							.28		8
9	.14		.16								.14	.47	9
10	.12		.03								.17	.09	10
11		.10	.21								.04	.62	11
12	.11										.46	.06	12
13		.03	.47						.10		.09	.02	13
14					.25				.22	.14	.02	.56	14
15												.96	15
16		.04	.08			.01				.01	.11	.12	16
17			.01			.08				.01	.11	.05	17
18					.01	.15				.01	.16	.54	18
19		.24	.14	.25		.14				.02		.46	19
20		.04		.13		.20			.58	.47	.02	.18	20
21	.03	.04		.03				.13	.14	.10		.61	21
22	.01	.10	.33			.01		.74	.02	.27		.09	22
23		.01		.02		.06				.14		.40	23
24		.15	.15			.28	.01		.17	.11		.09	24
25		.09				.46		.16		.08		.11	25
26		.14		.06		.02			.02	.01		.11	26
27		.15		.20	1.59			.02		.18	.16	.16	27
28		.10		.10				.44	.18		.10	.09	28
29				.14				.02			.17		29
30				.05		.13	.05	.08	.12	.23			30
31			.04		.05		.07			.23			31
Total	.70	.25 1.23	.221	.11 1.22	.04 2.52	.06 1.58	.02 2.20	2.05	1.63	.09 2.19	.02 2.63	6.95	TOTAL for year 25.11
No. of Rain Days	10	13	16	16	8	12	5	17	10	20	21	26	169
9,000, IX. '10.	.70	1.48	1.96	1.33	2.45	1.60	.16	2.03	1.65	2.26	2.56	6.93	25.11

REC

FORM A2.
BRITISH RAINFALL.
2 - JAN 1905

Kept at

in the County of

by

RAIN
GAUGE

Diameter of top in.

Height of top above Ground

Sea Level

Time of Observation

Nearest Railway Station

Name

Distance

Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

(-)
ent.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	1
2	.02		.02	.08	.01	.04	.06	.02		.02	.09	.02	2
3	.02			.08	.05		.01	.17		.05	.09	.09	3
4				.01	.45				.08	.01	.05	.03	4
5			.20	.05				.05		.05	.10	.42	5
6	.06		.04	.01				.07		.05	.07	.01	6
7	.18		.07								.13	.58	7
8	.01		.01	.01							.28		8
9	.14		.16								.14	.47	9
10	.12		.03								.17	.09	10
11		.10	.21								.04	.62	11
12	.11										.46	.06	12
13		.03	.47						.10		.09	.02	13
14					.25				.22	.14	.02	.56	14
15												.96	15
16		.04	.08			.01				.01	.11	.12	16
17			.01			.08				.01	.11	.05	17
18					.01	.15				.01	.16	.54	18
19		.24	.14	.25		.14				.02		.46	19
20		.04		.13		.20			.58	.47	.02	.18	20
21	.03	.04		.03				.13	.14	.10		.61	21
22	.01	.10	.33			.01		.74	.02	.27		.09	22
23		.01		.02		.06				.14		.40	23
24		.15	.15			.28	.01		.17	.11		.09	24
25		.09				.46		.16		.08		.11	25
26		.14		.06		.02			.02	.01		.11	26
27		.15		.20	1.59			.02		.18	.16	.16	27
28		.10		.10				.44	.18		.10	.09	28
29				.14				.02			.17		29
30				.05		.13	.05	.08	.12	.23			30
31			.04		.05		.07			.23			31
Total	.70	.25	2.21	1.22	2.52	1.58	.20	2.05	1.63	2.19	2.63	6.95	TOTAL for year 25.11
No. of Rain Days	10	13	16	16	8	12	5	17	10	20	21	26	169
9,000, IX.	.70	1.48	1.96	1.33	2.45	1.60	.16	2.03	1.65	2.26	2.56	6.93	25.11

Cor. for wrong day. 24.11.13.
REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
JAN 1913

Kept at

in the County of

by

Pattern of top in.
RAIN GAUGE Height of top above ground ft. in.
Sea Level ft.
Time of Observation
Nearest Railway Station Name Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

.03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01		.17	.23		.12	.13	.39	.06	.16	.02	.10	1
2			.17			.64	.07	.03	.02				2
3		.02	.36	.05	.03	.42	.20	.08					3
4			.02		.03	.15	.03	.58	.03		.05		4
5	.20		.68		.12	.27		.12			.18		5
6	.11	.11	.14		.22	.04		.45	.03				6
7	.20	.16	.04		.01	.04	.01	.55	.03		.01	.06	7
8	.02	.26	.05		.07	.47	.01	.15			.01	.04	8
9	.37	.17	.25			.21	.16	.50	.01		.05	.02	9
10	.10	.15	.41	.07		.14	.01	.25			.12	.23	10
11	.03	.04		.01		.01		.08				.01	11
12	.16	.07										.54	12
13	.01	.20	.13	.03	.14	.08	.02			.02		.04	13
14	.01	.01						.20	.03	.01		.06	14
15	.07		.45		.05			.03	.01	.02		.02	15
16	.12	.12	.08		.44	.13		.04				.10	16
17	.69		.05					.14		.07	.05	.01	17
18	1.05	.01	.12		.01	.03		.40			.06	.27	18
19	.20		.03			.03		.14			.02	.01	19
20	.11	.04	.02		.02		.11	.39		.01		.05	20
21	.05		.33		.01		.03	.07		.28	.10	.01	21
22	.03	.03	.33		.77		.01	.59		.25			22
23	.23	.06	.07		.28	.01	.30	.35		.03		.25	23
24	.13	.18	.32			.05	.52	.41		.03	.09	.14	24
25	.07					.25	.03	.03		.01		.25	25
26						.32		.80			.21	.40	26
27		.10	.02			.03	.30	1.05		.58	.21	.40	27
28						.39	.60	.48		.85		.26	28
29		.06	.01			.06	.38	.06	.18	.22	.38	.34	29
30			.03			.26	.35		.73	.12		.02	30
31		.17	.02		.12	.13	.37	.06	.16	.20	.10	.03	31
Total	3.94	1.79	4.30	.39	2.20	4.15	3.34	8.36	1.13	2.86	1.56	3.63	TOTAL for year
No. of Rain Days.	21	19	25	4	15	23	20	27	10	16	15	24	37.68

37.68

37.40

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.
10 JAN 1914

Kept at *Ash Court Oak, Weymouth*
in the County of *Dorset*
by *George Fusswell*

RAIN GAUGE
Pattern
Diameter of top in
Height of top above Ground ft. in.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

(-)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.03		.18					.03		.06	.13	1
2	.02	.04	.17	.07	.02				.81		.05		2
3	.01	.20	.03	.07			.02		.08	.88	.15	.03	3
4	.06	.01	.07		.69		.01					.08	4
5	.01	.02			.30				.81	.45	.03	.22	5
6	.05	.05	.03		.02	.10	.20		.03	.25	.15	.02	6
7	.01	.08	.18		.28	.10	.08		.25	.25	.04	.42	7
8	.01	.26			.26	.02	.01		.42	.42	.13	.02	8
9		.11		.01	.26	.08	.01		.42	.14			9
10		.38		.01	.06	.15	.05	.15	.26		.09	.02	10
11	.13			.08	.06			.08		.09	.04		11
12	.81			.35	.04			.09		.04	.69		12
13	.01				.38						.37		13
14	.07	.06	.14		.01			.01	.26		.28		14
15	.11	.01	.39	.11			.01		.04	.10	.02		15
16		.06	.51	.64				.04	.30		.02		16
17	.11	.01	.70	.11					.06				17
18	.05	.03	.23	.11			.23		.06				18
19	.03		.23	.08	.01		.06				.03		19
20	.14		.08		.01	.06	.02		.06				20
21	.18		.32	.08						.09	.23		21
22			.33	.09	.05		.15	.01			.28		22
23	.58		.64	.01		.20		.38	.42				23
24	.02		.06			.01		.01	.07		.08	.03	24
25	.11			.05				.01			.03		25
26		.01		.16					.08	.03	.01		26
27				.65				.28	.81			.09	27
28			.07	.43						.12			28
29	.22		.25	.29	.11			.26		.34		.03	29
30	.01		.45	.60	.02			.06		.12		.01	30
31	.12									.74			31
Total	3.90	1.36	4.18	4.18	2.58	.72	.85	1.12	3.38	4.06	2.68	1.00	TOTAL for year
No. of Rain Days.	24	15	20	20	17	8	12	12	15	16	20	12	30.78

can for W.D. 6. IV. 15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
8 JAN 1915

Kept at Ocle Court in the parish of Ocle Pychard
in the County of Hertford
by George Cresswell

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
.04

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.18	.06	.04	.01		.04	.16		.00	.11	.40	1
2		.03	.04	.04		.02	.82	.06			.06	.06	2
3							.65	.22		.03	.48	.33	3
4				.12	.16		.04	.16			.01	.14	4
5	.20			.07	.09		.19	.20			.49	.51	5
6	.09		.03	.16	.24		.05	.10			.09		6
7		.10		.02	.03		.01	.05				.08	7
8	.03	.19	.30	.34	.35		.20	.04			.01	.26	8
9	.01		.04	.03	.02	.50	.03		.07			.19	9
10	.04	.03	.18	.59	.09	1.17			.08			.01	10
11	.02	.20		.25	.03	.11			.33			.01	11
12		.13	.15	.06	.09	.25			.04		.21	.61	12
13		.30	.17				.21		.25		.06	.17	13
14		.13	.26				.08		.13	.21	.11	.31	14
15		.18	.23	.01				.01		.19	.12	.01	15
16	.03		.13					.04	.02	.02	.06		16
17		.01	.01				.04		.12				17
18		.15	.19				.02		.08			.17	18
19			.04				.04					.38	19
20		.01	.01				.55		.02		.06	.09	20
21		.30	.06									.17	21
22		.42				.20	.20	.30		.18		.02	22
23		.06	.16	.01	.21	.08	.07	.07		.19			23
24		.03	.05		.14		.01			.18			24
25			.12				.01	.11		.09	.03		25
26	.06		.10				.02	.19		.17	.02	.08	26
27			.03				.03	.15		.06	.13	.36	27
28	.05						.03			.01	.20	.21	28
29			.09		.01					.30	.04	.78	29
30	.03	X	.05		.13					.18	.12		30
31	.18	X	.07	X	.01	X	.01	.01	X	.01	X	.62	31
Total	5.6	2.45	2.55	1.74	1.61	2.39	3.34	1.87	1.14	1.88	2.41	5.97	YEAR'S TOTAL 27.93
Rain Days.	10	17	24	13	14	8	22	15	10	15	19	24	192

note for
17-11-16
WD
17-11-16

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at

in the County of

by

Obfourt
Hepford
George Presswell

Lat.

Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge

in

Height of top of Gauge above Ground

ft.

in.

Sea Level

ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

(35)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	.01	.13				.05	.06			1.17	.08	1
2	.38	.07			.25		.14	.08	.10	.23	.01	.11	2
3	.08	.13	.16	.12		.23		.80	.05	.22		.09	3
4	.77	.10	.02	.17			1.00	.24		.02		.18	4
5	.01	.10			.28		.77	.03				.63	5
6	.02	.55		.01				.05		.02		.55	6
7	.15	.03		.23			.50	.01		.02	.01	.16	7
8	.05	.28		.04	.02		.06				.01	.25	8
9	.35	.27		.01			.01	.03			.02		9
10	.17	.17		.06							.20	.38	10
11	.25	.03	.07	.04						.08	.02	.03	11
12	.05		.02	.01	.03		.01				.97	.01	12
13	.15	.05		.13	.23			.22		.05	.60		13
14	.02	.58						.05	.03				14
15		.04						.07	.10			.26	15
16	.25	.01			.09			.08		.02	.07	.11	16
17	.06	.26			.20		1.61	.01				.01	17
18	.03	.30			.84			.06				.02	18
19	.01	.45	.02								.02		19
20		.03			.42		.08						20
21	.06			.08			.01					.11	21
22	.05	.01			.02		.14		.01	.20		.04	22
23	.03	.03	.22	.15			.27			.01		.20	23
24	.15	.10	.06			.03	.05			.82		.38	24
25			.02	.02			.55		.33	1.02		.26	25
26	.00		.01			.38	.06		.01	.02		.20	26
27		.02					.26		.02			.44	27
28	.00	.02	.05			.01	.14			.40		.08	28
29						.14	.01		.19	.03		.02	29
30	.00					.03	.08	.06	.02		.06	.03	30
31	.10	.13				.05	.01	.01		.21	.08	.08	31
Total	3.23	3.64	.78	1.07	2.38	.82	5.81	1.86	.86	3.37	3.16	4.91	YEAR'S TOTAL
Rain Days.	23	24	10	13	10	4	21	15	10	17	12	26	188

End in W.D

End in W.D

2755

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
5 JUN 1917

Spade

Kept at Ocle Court
in the County of Hereford
by George Russell

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
01

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.42		.16				.09		.03		.25	.01	1
2	.05		.02		.04	.08	.12			.12	.18		2
3	.53	.07	.27		.17		.13		.10	.80	.06		3
4	.01	1.00	.01		.01				.03	.17	.18		4
5	.15	.19		.02	.50	.27			.11	.02	.35		5
6	.02	.01	.03		.33	.02	.15			.05	.24		6
7		.19	.07		.08	.02	.37			.13	.38		7
8	.03		.12		.09		.39			.04	.41	.24	8
9	.03	.02	.05		.14	.02					.05	.17	9
10		.02	.01		.20	.02			.01		.05	.03	10
11	.01	.40	.08	.01	.02	.07				.02	.01		11
12	.05	.05	.12	.06	.03	.07					.01	.02	12
13	.03	.02	.05		.40		.30	.01		.03			13
14		.26	.16	.01			.02	.46			.01		14
15		.43	.05	.01	.04			.03		.04	.01		15
16		.22	.48	.11	.13		.02	.35		.04			16
17		.03	.01	.18	.15		.07	.52		.01			17
18	.04	.10		.05				.01	.37	.42			18
19	.01	.05	.07					.01	.16	.02	.20	.26	19
20	.01		.45	.18							.33		20
21	.13		.70	.05				.01			.03	.33	21
22	.01		.45	.02	.08		.28					.18	22
23				.02	.03	.03				.14		.28	23
24		.40		.01				.19		.08	.02	.27	24
25		.26	.18	.01	.50	.08		.08		.24	.01	.06	25
26		.05	.09		.16			.15	.01	.07	.15	.01	26
27		.10	.02		.14	.17		.01	.02	.36			27
28	.06	.05	.90			.07		.10	.15	.50			28
29	.01	.37	.02						.01	.08	.01	.17	29
30		~~X~~				.23		.65	.03	.14		.06	30
31		~~X~~	.01	~~X~~		~~X~~		.10	~~X~~	.23	~~X~~	.02	31
Total	1.60	4.29	4.58	.74	3.24	1.5	1.94	2.68	1.03	3.55	2.94	2.11	30.05
Rain Days.	17	23	25	14	20	14	10	16	12	24	21	15	210

REGISTER OF RAINFALL IN 1917

Kept at Ock Langt
in the County of Hertford
by George Rogers

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. in.
" " " " Sea Level _____ ft.

Jan. 1, following.

No Rain

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01			.16		.03			.13		.02		1
2	.01		.09	.30		.26		.47	.16		.08		2
3			.02			.02		.05		.02	.12		3
4		.04		.16		.01		.02	.01	.25			4
5		.05	.27	.02				.04		.29			5
6	.17		.16	.15		.02		.02	.03	.17	.13		6
7	.05		.28			.36				.06	.16	.01	7
8	.21						.03	.01		.20	.04		8
9	.51			.15		.01	.44	.82	.02	.31	.17	.04	9
10			.25	.06	.22			.36	.10	.08	.03	.01	10
11	.31		.23	.14	.17			.17	.05	.01	.01	.01	11
12	.03		.16	.28	.05			.13	.05	.12	.02		12
13	.10				.49			.03	.01	.16			13
14			.04					.03	.11				14
15			.27	.08				.46		.01			15
16					.17		.27	.27		.03		.08	16
17		.04		.12			.11	.01				.37	17
18	.04			.05	.38	.01	.33	.33	.15	.09	.01		18
19				.01	.05		.23	.05	1.13	.01			19
20	.02	.42	.14			.51			.06		.02		20
21		.24	.10		.56	.11	.01	.01	.05		.01		21
22		.03	.18		.07	.20		.01	~~.05~~	.02	.02		22
23		.01				.02		.25	.01	.04			23
24		.20				.02		.16	.01	.05	.01		24
25					.08	.07	.05	.07		.25	.02		25
26		.10	.03					.01		.04	.10		26
27					.02	.04		.65	.15	.01	.01		27
28					1.17	.23	.48	.73			.01		28
29			.15		.12	.14		.12		.01		.02	29
30		~~X~~	.03		.20	.10	.02	.02		.46		.40	30
31	-	~~X~~	.16	~~X~~	.03	~~X~~	.02	.27	~~X~~	.16	~~X~~		31
Total	1.46	1.13	2.40	1.68	3.75	2.16	1.99	5.57	2.23	2.85	.99	.94	27.15
Rain Days.	1.45	1.13	2.56	1.52	3.78	2.13	1.99	5.70	2.10	2.87	.97	.94	27.14
	10	9	17	13	15	17	11	27	16	25	18	8	187

REGISTER OF RAINFALL IN 1918

Kept at

in the County of

by

Lat.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.08	.18	.03				.07	.02		.05	1
2			.02	.03				.08		.03	.78	.01	2
3		.02		.03				.42	.01	.04		.08	3
4	.04	.09		.06	.18			.01	.62		.16		4
5		.01		.03				.02	.54	.14	.35	.43	5
6		.01		.01	.32			.03	.35	.23		.01	6
7		.56	.02	.07		.03			.15	.02		.02	7
8		.06		.01	.28				.15	.17	.17	.01	8
9		.16							.21	.20		.01	9
10	.01	.10		.20		.13	.01		.17	.05		.02	10
11	.02			.07			.30		.06	.09		.12	11
12	.02		.04	.05	.01		.12		.09	.01	.04	.04	12
13		.05	.18	.01	.15		.14		.02				13
14		.01			.11	.02	.02		.13	.02		.03	14
15	.23		.13				.09		.28	.06		.03	15
16	.97						.24		.03	.03		.25	16
17	.20			.96		.12		.01	.26	.01		.08	17
18	.08		.03	.03			.23	.01	.81	.08		.07	18
19	.35		.01			.27	.05		1.14	.02		.45	19
20	.10	.02	.25				.03			.06			20
21	.23	.04		.27		.03	.02		.19	.01			21
22	.05	.01		.40		.01	.10		.25	.04		.06	22
23	.03				.12		.21		.04	.02	.03	.13	23
24	.03				.26		.31			.01	.01	.01	24
25	.01	.02					.02	.02	.19		.06		25
26					.11		.10	.92		.02	.01		26
27				.01			.33	.01	.04	.03	.07	.15	27
28	.01		.02					.17	.09		.02	.01	28
29			.28								.11	.05	29
30		X	.06						.93				30
31		X	.32	X		X					X	.14	31
Total	2.38	1.16	1.44	2.42	1.57	.61	2.32	1.77	6.82	1.36	1.86	2.21	25.87
Rain Days.	16	15	13	17	9	7	17	12	25	23	13	23	190

REGISTER OF RAINFALL IN 1919

Kept at *Ockfourt*
in the County of *Newford*
by *Grageleswell*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

FORM A.
BRITISH RAINFALL
JAN 20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
—

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				.02	.08	.59	.22	.02			.02	.06	1
2	.27	.02	.03	.02	.02		.13		.03	.15	.02	.35	2
3	.03		.01		.02		.07		.10		.12	.04	3
4	.01		.13		.02		.02		.02		.13	.12	4
5	.06	.08	.26			.05	.42	.09	.15			.12	5
6	.03	.35	.05		.14		.05		.18			.23	6
7	.10	.03	.08		.06				.01		.03	.12	7
8	.20		.18	.06	.05						.03	.01	8
9	.16		.08	.07	.01	.04							9
10	.22		.04	.04									10
11	.01		.57	.02						.03		.25	11
12	.01		.71		.02		.55					.03	12
13	.02		.14	.02		.22			.01	.10	.07	.02	13
14	.03	.01		.16					.31	.07		.02	14
15	.16	.04		.20			.03		.27	.03		.03	15
16	.31	.08		.01	.05					.06		.28	16
17	.18	.83						.23			.05	.02	17
18	.01	.69		.01		.05						.01	18
19			.54				.05	.15			.03	.03	19
20	.17	.25	.49			.12	1.04	.25	.14		.07	.03	20
21	.21	.02	.61			.06	.05	.23	.03		.04	.12	21
22	.01	.31	.03			.02	.11		.03		.03	.09	22
23		.08				.02	.06		.31			.06	23
24						.01		.02		1.00	.01	.03	24
25						.01	.03			.56	.13	.09	25
26	.07			.14	.13	.03		.39		.01	.03	.03	26
27			.05	.02		.06		.15	.03			.25	27
28	.16	.01		.65				.20	.13		.07	.03	28
29	.08		.17	.01				.56			.02	.31	29
30	.03	X		.06		.02		.01		.25	.20	.28	30
31		X	.02	X		X		.12	X	.05	X	.26	31
Total	2.54	2.80	4.19	1.51	.60	1.30	2.83	2.42	1.75	2.31	1.10	3.32	26.67
Rain Days.	24	14	20	16	10	15	14	12	15	12	18	21	19

1950

REGISTER OF RAINFALL IN 1910.

Kept at *Ode Court*

in the County of *Hertford*

by *George Russell*

Lat. _____ Long _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
04

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		07		10 08	19	04	07	04		31	37	21	1
2			01	08	20		26		01	17	01	38	2
3	02			08	02		72	07	13	26		10	3
4	06	02		10	06	01	52	01	10	31		03	4
5	02		03	03			01	25		37			5
6			18	16	09		26	03		11			6
7			13	01	15		35			32		05	7
8			03	04	01		13			01		02	8
9	27	05		66	12		33	07				01	9
10	19	03		37			07	01					10
11	38	06	05	03		46	20				03	01	11
12	13	02	10	38	30	22	07						12
13	20	02		26		82	01	02		04	09		13
14	03	02	34	20		08					01	02	14
15	04	02	65	19		30	01		29	48	22	01	15
16	02	15	08	82		21	02		10		03		16
17		01		16	22	12	16		10	48	08		17
18	04		01		10	11			76	19		02	18
19	08			01	12		01	20	55			02	19
20	04	15		18	07	11							20
21	02	20		18		15	01		11			03	21
22							16		03	14		10	22
23	04			12			01	15	02	02		25	23
24	01		01				46	07				35	24
25	01		12	01							04	15	25
26	03	03	22	02		02	55		02		01	03	26
27	17	03	32			61	04				07	05	27
28	34	02	24	02	45	31	06				01	48	28
29	102	01	22		22	02	01			01		15	29
30	20		14		08	01	20				08	43	30
31	01		29		01		18					07	31
TOTAL	337 344	91 84	317 270	424 433	241 226	300 383	588 585	92 104	222 253	322 328	105 89	297 280	YEAR'S TOTAL 3386 3340
Days with 01 in. or more	25	16	20	24	17	14	12	10	13	15	13	23	22
	16	5	15	17	14	12	10	6	9	12	9	13	14

REGIS

OLD COLWALL

Kept at Old Colwall. nr
in the County of Hereford
by Thomas Wakefield

HEREFORD

1914 - 1917

FORM A.
BRITISH RAINFALL.

-30. A.M.
Colwall. 91. W. 1895
5 in.
above Ground — ft. 6 in.
Sea Level about 457 — ft.

IMPORTANT NOTE.

and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.02	.01	.04		.01	.41	.29			.05	.10	1
2			NM		.02	.01	.38	.07			.61	.40	2
3			.02	.14	.24		.06	.07			.01	.04	3
4	.29			.12	.06		.14	.10			.69	.48	4
5	.05		.03	.12	.34		.39	NM			.19	NM	5
6	.05	.10	.03	.01	.05		.01				.08	.10	6
7		.17	.17	.17	.23	.16	.13	.15	.08			.16	7
8	NM		.09	.05	.04	.90	.13	.04				.08	8
9	.06	.02	.22	.30	.09	1.29		.08	.16				9
10	.01	.19		.45	.03	.31			.27		NM		10
11		.07	.20	.04	.14	.25			.01		.13	.56	11
12	NM	.28	.16		.01		.13		.21		.09	.32	12
13		.13	.29	NM			.02		.15	.22	.05	.38	13
14	.01	.13	.22				NM			.36	.17	.01	14
15	.03	.01	.11				.01	.11	.01	.01	.04		15
16							.02		.20				16
17		.18	.16				.01		.04			.19	17
18			.02			.07	.18			.05		.33	18
19			.09				.77	.35	NM		.03	.13	19
20		.27	.03			.02						.20	20
21		.27				.18		.11		.13	.01	.04	21
22		.05	.07		.10	.01	.05	.08		.10			22
23			.18		.06		.02			.13			23
24			.16				.01	.06		.10	.04		24
25	.07		.15				.03	.20		.25	.02	.06	25
26			.02				.01	.06		.05	.27	.30	26
27	.05										.13	.12	27
28		.09	.13		.03		.19			.02	.08	.93.28	* 28
29	.01		.06		.18					.26	.13	— .65	29
30			.06		NM	.06				.09	.42	.44	30
31	.15						.24			.05		.05	31
Total	.79	1.98	2.68	1.44	1.62	3.27	3.34	1.77	1.13	1.82	3.24	5.42	YEAR'S TOTAL 28.50
Rain Days.	12	15	24	10	15	12	22	14	9	14	20	22	189

* The .65 was the resultant of melting the snow in the funnel of the gauge.
The .28 was water in the gauge

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at *Old Colwall. nr Malvern*

in the County of *Hereford*

by *Thomas Wakefield Binyon*

Lat. _____ Long. _____

Time of Observation *9-30 A.M.*

Nearest Railway Station *Colwall. Gt. W. R.R.*

Diameter of Rain Gauge *5* in.

Height of top of Gauge above Ground _____ ft. *6* in.

" " " " Sea Level *about 450* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	<i>.01</i>	<i>.02</i>	<i>.01</i>	<i>.04</i>		<i>.01</i>	<i>.41</i>	<i>.29</i>			<i>.05</i>	<i>.10</i>	1
2			NM		<i>.02</i>	<i>.01</i>	<i>.38</i>	<i>.07</i>			<i>.61</i>	<i>.40</i>	2
3			<i>.02</i>	<i>.14</i>	<i>.24</i>		<i>.06</i>	<i>.07</i>			<i>.01</i>	<i>.04</i>	3
4	<i>.29</i>			<i>.12</i>	<i>.06</i>		<i>.14</i>	<i>.10</i>			<i>.69</i>	<i>.48</i>	4
5	<i>.05</i>		<i>.03</i>	<i>.12</i>	<i>.34</i>		<i>.39</i>	NM			<i>.19</i>	NM	5
6	<i>.05</i>	<i>.10</i>	<i>.03</i>	<i>.01</i>	<i>.05</i>		<i>.01</i>				<i>.08</i>	<i>.10</i>	6
7		<i>.17</i>	<i>.17</i>	<i>.17</i>	<i>.23</i>	<i>.16</i>	<i>.13</i>	<i>.15</i>	<i>.08</i>			<i>.16</i>	7
8	NM		<i>.09</i>	<i>.05</i>	<i>.04</i>	<i>.90</i>	<i>.13</i>	<i>.04</i>				<i>.08</i>	8
9	<i>.06</i>	<i>.02</i>	<i>.22</i>	<i>.30</i>	<i>.09</i>	<i>1.29</i>		<i>.08</i>	<i>.16</i>				9
10	<i>.01</i>	<i>.19</i>		<i>.45</i>	<i>.03</i>	<i>.21</i>			<i>.27</i>		NM		10
11		<i>.07</i>	<i>.20</i>	<i>.04</i>	<i>.14</i>	<i>.25</i>			<i>.01</i>		<i>.13</i>	<i>.56</i>	11
12	NM	<i>.28</i>	<i>.16</i>		<i>.01</i>		<i>.13</i>		<i>.21</i>		<i>.09</i>	<i>.32</i>	12
13		<i>.13</i>	<i>.29</i>	NM			<i>.02</i>		<i>.15</i>	<i>.22</i>	<i>.05</i>	<i>.38</i>	13
14	<i>.01</i>	<i>.13</i>	<i>.22</i>				NM			<i>.36</i>	<i>.17</i>	<i>.01</i>	14
15	<i>.03</i>	<i>.01</i>	<i>.11</i>				<i>.01</i>	<i>.11</i>	<i>.01</i>	<i>.01</i>	<i>.04</i>		15
16							<i>.02</i>		<i>.20</i>				16
17		<i>.18</i>	<i>.16</i>				<i>.01</i>		<i>.04</i>			<i>.19</i>	17
18			<i>.02</i>			<i>.07</i>	<i>.18</i>			<i>.05</i>		<i>.33</i>	18
19			<i>.09</i>				<i>.77</i>	<i>.35</i>	NM		<i>.03</i>	<i>.13</i>	19
20		<i>.27</i>	<i>.03</i>			<i>.02</i>						<i>.20</i>	20
21		<i>.27</i>				<i>.18</i>		<i>.11</i>		<i>.13</i>	<i>.01</i>	<i>.04</i>	21
22		<i>.05</i>	<i>.07</i>		<i>.10</i>	<i>.01</i>	<i>.05</i>	<i>.08</i>		<i>.10</i>			22
23			<i>.18</i>		<i>.06</i>		<i>.02</i>			<i>.13</i>			23
24			<i>.16</i>				<i>.01</i>	<i>.06</i>		<i>.10</i>	<i>.04</i>		24
25	<i>.07</i>		<i>.15</i>				<i>.03</i>	<i>.20</i>		<i>.25</i>	<i>.02</i>	<i>.06</i>	25
26			<i>.02</i>				<i>.01</i>	<i>.06</i>		<i>.05</i>	<i>.27</i>	<i>.30</i>	26
27	<i>.05</i>										<i>.13</i>	<i>.12</i>	27
28		<i>.09</i>	<i>.13</i>		<i>.03</i>		<i>.19</i>			<i>.02</i>	<i>.08</i>	<i>.93.28</i> * <i>28.2</i>	28
29	<i>.01</i>		<i>.06</i>		<i>.18</i>					<i>.26</i>	<i>.13</i>	<i>— .65</i>	29
30			<i>.06</i>		NM	<i>.06</i>				<i>.09</i>	<i>.42</i>	<i>.44</i>	30
31	<i>.15</i>						<i>.24</i>			<i>.05</i>		<i>.05</i>	31
Total	<i>.79</i>	<i>1.98</i>	<i>2.68</i>	<i>1.44</i>	<i>1.62</i>	<i>3.27</i>	<i>3.34</i>	<i>1.77</i>	<i>1.13</i>	<i>1.82</i>	<i>3.24</i>	<i>5.42</i>	YEAR'S TOTAL <i>28.50</i>
Rain Days.	<i>12</i>	<i>15</i>	<i>24</i>	<i>10</i>	<i>15</i>	<i>12</i>	<i>22</i> <i>21</i>	<i>14</i>	<i>9</i>	<i>14</i>	<i>20</i>	<i>22</i>	<i>188</i>

* The .65 was the resultant of melting the snow in the funnel of the gauge
The .28 was water in the gauge

REGISTER OF RAINFALL IN 1915

Kept at Old Colwall, nr. Malvern
in the County of Hereford
by Thomas Wakefield Binyon

Lat. _____ Long. _____
Time of Observation 9.30 a.m.
Nearest Railway Station Colwall. G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 6 in.
" " " " Sea Level about 450 ft.

FORM A.
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.16	.07	.01	—	.28	—	.34	.03	.08	.26	.05	.02	1
2	.14	.13	.14	.24	—	.21	—	1.13	—	.15	—	.11	2
3	.72	.09	.02	.09	.19	—	1.26	.34	—	—	—	.21	3
4	—	.02	—	—	.01	—	.43	—	—	NM	—	.50	4
5	—	.57	—	—	—	—	.01	.07	—	.06	—	.45	5
6	.18	.03	—	.21	—	—	.46	.02	—	—	—	.17	6
7	.07	.30	—	.01	—	NM	.02	.11	—	—	NM	.39	7
8	.26	.39	—	.01	—	—	.01	.03	—	—	.06	—	8
9	.27	.04	—	.12	—	—	—	—	—	—	.17	.38	9
10	.17	NM	.11	.07	—	—	—	—	—	.07	.01	—	10
11	.02	—	.07	.02	.05	—	.01	—	—	NM	.96	.03	11
12	.11	.07	NM	.14	.60	—	—	.06	.01	.09	.38	—	12
13	—	.40	—	—	1.15	—	—	.26	.01	NM	—	.04	13
14	—	.01	—	NM	—	—	—	.10	.08	.02	—	.30	14
15	.23	—	—	—	.11	—	.03	.04	—	—	.03	.11	15
16	.04	.35	—	.01	.26	—	.96	.05	—	—	—	.01	16
17	—	.26	.01	—	1.09	—	—	.10	—	—	—	.01	17
18	.01	.49	.04	—	—	—	—	—	—	NM	.01	—	18
19	—	—	—	.03	.11	—	.11	—	—	—	—	—	19
20	.14	—	—	.09	—	—	NM	—	—	.02	—	.12	20
21	.15	.01	—	—	—	—	.14	—	.02	.11	—	.05	21
22	.10	.06	.29	.04	—	—	.34	—	.01	—	—	.27	22
23	.03	.09	.09	—	—	.08	.02	—	—	1.09	—	.21	23
24	—	—	.06	.03	—	.01	.59	—	.44	1.17	—	.26	24
25	—	—	NM	—	—	.62	.34	—	—	.05	—	.16	25
26	—	.02	—	—	—	—	.47	—	.01	—	—	.45	26
27	—	.02	—	—	—	—	.14	—	—	.35	—	.05	27
28	—	.12	—	—	—	.18	—	.10	.17	.03	—	.01	28
29	—	—	—	—	—	.06	.52	.01	—	—	.05	.06	29
30	.06	X	—	.01	—	.05	.13	.01	—	.24	.07	.20	30
31	.01	X	—	X	—	X	.11	.01	X	.92	X	.28	31
Total	2.87	3.54	.84	1.12	3.85	1.21	6.44	2.47	.83	4.63	1.79	4.85	34.44
Rain Days.	19	21	10	15	10	7	21	17	9	15	10	26	180
		NM.1.	NM.2	NM.1		NM.1	NM.1			NM.4	NM.1		NM.11.

YEAR'S TOTAL

1915

Jan'y 10 and 21. snow- self melted in gauge
before registering

Dec 12th

snow melted by myself in funnel
of gauge

REGISTER OF RAINFALL IN 1916

Kept at Old Colwall
in the County of Hereford
by J. W. Bunyon

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Colwall, GWR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. 6 in.
" " " " Sea Level about 400 ft.

2312
FORM A.
BRITISH RAINFALL
19 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.05	.01	.04	.	.04	.08	.75	.	.	.27	.13		1
2	.26	.03	.23	.	.25	.01	.03	.	.03	.55	.04		2
3	—	.48	.29	.	.08	.02	.	.	.03	.28	.14		3
4	.23	.17	.01	.01	.45	.31	.	.	.09	.02	.59		4
5	.02	.	.02	.	.37	.03	.05	.	.	.08	.73		5
6	.03	.19	.07	.02	.20	.20	.59	.	.	.18	.32	N.M.	6
7	—	.01	.11	.	.09	N.M.	.39	.	.	.12	.18	.19	7
8	.02	.01	.03	.	.25	.03	.	.	.	.03	.05	.28	8
9	.	.	.02	.	.11	.13	.	.	.02	.	.03	.01	9
10	.	.46	.09	.05	.04	.09	.01	.04	.	.05	.01	.01	10
11	.02	.03	.07	.12	.04	.16	.	.	.03	.	.	.10	11
12	.04	.01	.05	N.M.	.45	.	.25	.02	.	.07	.	.	12
13	.	.27	.20	N.M.	.	.	.02	.33	.	.01	N.M.	.	13
14	.	.29	.13	.02	.04	.	.	.04	.	.07	.	.	14
15	.	.18	.33	.10	.33	.	.03	.19	.	.03	.	.	15
16	.	.01	.	.23	.	.	.21	.89	.	.03	.	.	16
17	.11	.12	.	.10	.	.	.01	.05	.42	.39	.	.	17
18	N.M.	.02	.04	.04	.	.	.	.02	.26	.04	.53	.10	18
19	.04	.	.42	.14	.	.	.	.	.04	.	.10	.	19
20	.04	.	.55	.02	.	.	.	.	.	.	.02	.19	20
21	.01	.	.49	.37	.73	.	.33	.	.	.	.	.17	21
22	.	.	.	.03	.	.06	.	N.M.	.	.19	.	.52	22
23	.02	.06	.02	.03	.	.	.	.15	.	.07	.02	.19	23
24	.	.18	.13	.01	.48	.02	.	.06	.	.21	N.M.	.14	24
25	.	.13	.22	.	.	.03	.	.36	.	.04	.24	.	25
26	.03	.16	.10	.	.	.06	.	.	.03	.11	.03	.	26
27	.04	.13	.57	.	.	.05	.	.11	.27	.29	N.M.	N.M.	27
28	.	.05	.10	.	.	.	.	.	.05	.19	.	.17	28
29	.	.37	.	.	.	.29	.	1.06	.	.34	.	.15	29
30	.	X	.	.02	.	.03	.	.	.	.24	.	.	30
31	.	X	.	X	.	X	.	.02	X	.33	X	.05	31
Total	1.96	3.37	4.13	1.31	3.35	1.60	20.7	3.34	1.27	4.23	2.56	2.27	30.46
Rain Days.	15	23	25	15	16	17	12	14	11	26	16	14	205

REGISTER OF RAINFALL IN 1917

Kept at Old Colwall
in the County of Hereford
by Mr J.W. Binyon.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Colwall - G.W.R.
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground _____ ft. 6 in.
" " " " Sea Level 400 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	'07	'08	—	'20	—	'99	'05	—	'12	—	1
2	—	—	—	'08	—	'08	—	'04	—	'03	'03	—	2
3	'03	'05	—	'05	—	—	—	'06	—	'43	—	—	3
4	—	'06	'15	—	—	—	—	'03	—	'12	—	'02	4
5	'14	—	'13	'17	—	'01	—	—	'01	'15	'10	—	5
6	—	—	'07	—	—	'26	—	—	—	'06	'22	—	6
7	'26	—	—	—	—	—	'13	'15	—	'21	'06	—	7
8	'37	—	'07	'08	—	—	'39	'46	NM	'37	'15	'09	8
9	—	—	'13	'06	'17	—	—	'68	'14	'04	'03	—	9
10	'28	—	'32	'10	'38	—	—	'23	—	'06	'01	—	10
11	'11	—	'07	'11	'02	—	—	'20	—	'09	'03	—	11
12	'02	NM.	—	'02	'27	—	—	—	—	'15	—	—	12
13	NM.	—	'07	'04	—	—	—	'06	'07	—	—	—	13
14	'02	—	'17	'05	—	—	—	'13	—	'04	—	—	14
15	—	—	—	—	'04	—	NM	'07	—	'05	—	'19	15
16	'04	'04	—	'25	'01	—	'06	—	—	NM	—	'20	16
17	—	'01	—	'12	'66	—	'38	'17	'09	'09	—	'02	17
18	'01	'02	—	'01	'04	'01	'30	—	1'26	'02	—	—	18
19	'02	'45	'36	—	—	'30	—	—	—	—	—	—	19
20	'04	'16	'02	—	'61	'38	'22	—	'04	—	'01	—	20
21	'02	'04	'14	—	'02	'07	—	'04	—	—	'05	—	21
22	'01	'02	'04	—	—	'10	—	'08	'01	'05	—	—	22
23	—	'19	—	—	'07	—	—	'24	—	'04	'01	—	23
24	—	NM.	NM.	—	—	'07	NM	'06	—	'18	'02	—	24
25	—	'11	'05	—	—	—	—	'02	—	'02	'04	—	25
26	—	—	—	—	'14	'20	—	'59	'13	—	'06	—	26
27	—	—	—	—	1'17	'09	'10	'56	—	'01	'01	—	27
28	—	—	'14	—	'02	'31	—	'11	—	—	—	'04	28
29	—	—	'02	—	—	'38	'07	—	—	'39	—	'40	29
30	—	~~X~~	—	—	—	—	'04	'40	—	'11	'01	—	30
31	'01	~~X~~	'12	~~X~~	'05	~~X~~	—	'10	~~X~~	'02	~~X~~	—	31
Total	139	1'15	2'14	1'22	3'67	2'46	1'69	5'47	1'80	2'73	'96	'96	YEAR'S TOTAL 25'64
Rain Days.	14	11	18	14	15	14	9	23	9	23	17	7	174

RE

PEMBRIDGE

BYLETT'S

HEREFORD

1911 - 1920

Kept at *Bylett's*in the County of *Sh*by *Wood*

1911

top 5 in.

p above Ground 1 ft. 5 in.

,, Sea Level 350 ft.

Name *Pembroke*

tion

Distance *3 1/2* Direction *N.E.*

and the result entered to the

IMPORTANT NOTE: If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. 0.1	in. 0	in. 0.7	in. 0	in. 0	in. 0	in. 0	in. 3.3	in. 0	in. 0	in. 0.3	in. 0	1
2	0	0	0	0.1	2.1	0	0	0.2	0	0	0.7	0	2
3	0	0	0	0	5.5	0	0	0.5	0.5	0	0.8	1.4	3
4	0	0	0.7	0.1	0	0	0	1.1	0.6	0	1.3	3.2	4
5	1.0	0	0.2	0	0	0	0	0.7	0	2.0	1.0	0.2	5
6	1.6	0	0	0	0	0	0	0.3	0	0	0.7	3.6	6
7	2.4	0	0	0	0	0	0	0	0	0	3.2	0.1	7
8	0	0	1.4	0	0	0	0	0	0	0	1.0	3.4	8
9	0.5	0	0.1	0	0	0	0	0	0	0	0.1	1.2	9
10	0	0.4	1.7	0	0	0	0	0	0.1	0	1.5	4.6	10
11	1.4	0	0	0	0.5	0	0	0	6.6	0	0.1	1.1	11
12	0	0	2.8	0	0	0	0	0	0	0.1	1.4	5.0	12
13	0	0	0	0	0	0	0	0	0	0	0.4	3.1	13
14	0	0	0.1	0	0	0	0	0	0	0	0	6.8	14
15	0	0.2	0.1	0	0	0	0	0	0	0.1	2.0	2.4	15
16	0	0	0.1	0	0	0	0	0	0	0	1.4	0.9	16
17	0	0.7	0.5	0.1	0	1.65	0	0	0	0	2.4	6.8	17
18	0	3.3	0.7	3.3	0	1.0	0	0	0	0.1	0.1	2.1	18
19	0	0.1	0	1.4	0	2.3	1.8	0.3	4.2	1.7	0.2	3.3	19
20	0.1	0	0.1	0.7	0	0	0	0	0.5	0.8	0	3.6	20
21	0	1.5	3.4	0	0	0	0	0.6	0	4.6	0	1.3	21
22	0.2	0.3	0.1	0.1	0	0.2	0	0	0	1.5	0	4.3	22
23	0	3.3	0.8	0	0	1.9	0	0.7	1.9	2.0	0	3.0	23
24	0	0.7	0	0	0	2.3	0	0	0	0.5	0	0.9	24
25	0	1.2	0	0.1	0	0	0	0	0.4	0.1	0	2.1	25
26	0	2.5	1.4	2.8	3.4	0	0	1.2	1.3	1.7	1.2	1.1	26
27	0	1.1	1.5	1.3	0	0	0	1.8	0	0	0.8	1.1	27
28	0	1.3	0	1.8	0	0.1	0	0	0	0	0.2	0	28
29	0	X	0	1.3	0	0.9	7.8	0	1.0	3.3	1.7	0.1	29
30	0	X	0.5	0	0.5	0	1.7	0.8	0	2.4	0.5	0	30
31	0	X	0.2	—	0	—	0.2	0	X	0.7	0	0	31
Total	7.3	1.60	1.71	1.31	1.70	2.52	1.15	1.15	1.71	2.16	2.89	6.67	TOTAL for year 25.30
No. of Rain Days	8	13	20	12	5	8	4	12	10	15	23	26	156

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
2-JAN 1912

Kept at Bryans, Penrith
in the County of Westmorland
by W. Wood

Pattern Standard
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft. 5 in.
" " " Sea Level 350 ft.
Time of Observation 9 am. to 4.15
Nearest Railway Station Penrith Name Penrith
Distance 3 1/4 Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	<u>.01</u>	<u>0</u>	<u>.07</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>.33</u>	<u>0</u>	<u>0</u>	<u>.03</u>	<u>0</u>	1
2	<u>0</u>	<u>0</u>	<u>0</u>	<u>.01</u>	<u>.21</u>	<u>0</u>	<u>0</u>	<u>.02</u>	<u>0</u>	<u>0</u>	<u>.07</u>	<u>0</u>	2
3	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>.55</u>	<u>0</u>	<u>0</u>	<u>.05</u>	<u>.05</u>	<u>0</u>	<u>.08</u>	<u>.14</u>	3
4	<u>0</u>	<u>0</u>	<u>.07</u>	<u>.01</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>.11</u>	<u>.06</u>	<u>0</u>	<u>.13</u>	<u>.32</u>	4
5	<u>.10</u>	<u>0</u>	<u>.02</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>.07</u>	<u>0</u>	<u>.20</u>	<u>.10</u>	<u>.02</u>	5
6	<u>.16</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>.03</u>	<u>0</u>	<u>0</u>	<u>.07</u>	<u>.36</u>	6
7	<u>.24</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>.32</u>	<u>.01</u>	7
8	<u>0</u>	<u>0</u>	<u>.14</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>.40</u>	<u>.34</u>	8
9	<u>.05</u>	<u>0</u>	<u>.01</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>.01</u>	<u>.12</u>	9
10	<u>0</u>	<u>.04</u>	<u>.17</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>.01</u>	<u>0</u>	<u>.45</u>	<u>.46</u>	10
11	<u>.14</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>.05</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>.66</u>	<u>0</u>	<u>.07</u>	<u>.11</u>	11
12	<u>0</u>	<u>0</u>	<u>.28</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>.01</u>	<u>.43</u>	<u>.50</u>	12
13	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>.04</u>	<u>.31</u>	13
14	<u>0</u>	<u>0</u>	<u>.01</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>.68</u>	14
15	<u>0</u>	<u>.02</u>	<u>.01</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>.01</u>	<u>.20</u>	<u>.24</u>	15
16	<u>0</u>	<u>0</u>	<u>.01</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>.14</u>	<u>.09</u>	16
17	<u>0</u>	<u>.07</u>	<u>.05</u>	<u>.01</u>	<u>0</u>	<u>1.65</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>.24</u>	<u>.68</u>	17
18	<u>0</u>	<u>.33</u>	<u>.07</u>	<u>.33</u>	<u>0</u>	<u>.10</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>.01</u>	<u>.01</u>	<u>.21</u>	18
19	<u>0</u>	<u>.01</u>	<u>0</u>	<u>.14</u>	<u>0</u>	<u>.23</u>	<u>.18</u>	<u>.03</u>	<u>.42</u>	<u>.17</u>	<u>.02</u>	<u>.33</u>	19
20	<u>.01</u>	<u>0</u>	<u>.01</u>	<u>.07</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>.05</u>	<u>.08</u>	<u>0</u>	<u>.36</u>	20
21	<u>0</u>	<u>.15</u>	<u>.34</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>.06</u>	<u>0</u>	<u>.46</u>	<u>0</u>	<u>.13</u>	21
22	<u>.02</u>	<u>.03</u>	<u>.01</u>	<u>.01</u>	<u>0</u>	<u>.02</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>.15</u>	<u>0</u>	<u>.43</u>	22
23	<u>0</u>	<u>.33</u>	<u>.08</u>	<u>0</u>	<u>0</u>	<u>.19</u>	<u>0</u>	<u>.07</u>	<u>.19</u>	<u>.20</u>	<u>0</u>	<u>.30</u>	23
24	<u>0</u>	<u>.07</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>.23</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>.05</u>	<u>0</u>	<u>.09</u>	24
25	<u>0</u>	<u>.12</u>	<u>0</u>	<u>.01</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>.04</u>	<u>.01</u>	<u>0</u>	<u>.21</u>	25
26	<u>0</u>	<u>.25</u>	<u>.14</u>	<u>.28</u>	<u>.34</u>	<u>0</u>	<u>0</u>	<u>.12</u>	<u>.13</u>	<u>.17</u>	<u>.12</u>	<u>.11</u>	26
27	<u>0</u>	<u>.11</u>	<u>.15</u>	<u>.13</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>.18</u>	<u>0</u>	<u>0</u>	<u>.08</u>	<u>.11</u>	27
28	<u>0</u>	<u>.13</u>	<u>0</u>	<u>.18</u>	<u>0</u>	<u>.01</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>.02</u>	<u>0</u>	28
29	<u>0</u>	<u>0</u>	<u>0</u>	<u>.13</u>	<u>0</u>	<u>.09</u>	<u>.78</u>	<u>0</u>	<u>.10</u>	<u>.33</u>	<u>.17</u>	<u>.01</u>	29
30	<u>0</u>	<u>0</u>	<u>.05</u>	<u>0</u>	<u>.05</u>	<u>0</u>	<u>.17</u>	<u>.08</u>	<u>0</u>	<u>.24</u>	<u>.05</u>	<u>0</u>	30
31	<u>0</u>	<u>0</u>	<u>.02</u>	<u>—</u>	<u>0</u>	<u>—</u>	<u>.02</u>	<u>0</u>	<u>X</u>	<u>.07</u>	<u>0</u>	<u>0</u>	31
Total	<u>.73</u>	<u>1.60</u>	<u>1.71</u>	<u>1.31</u>	<u>1.70</u>	<u>2.52</u>	<u>1.15</u>	<u>1.15</u>	<u>1.71</u>	<u>2.16</u>	<u>2.89</u>	<u>6.67</u>	TOTAL for year <u>25.30</u>
No. of Rain Days	<u>8</u>	<u>13</u>	<u>20</u>	<u>12</u>	<u>5</u>	<u>8</u>	<u>4</u>	<u>12</u>	<u>10</u>	<u>15</u>	<u>23</u>	<u>26</u>	<u>156</u>

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

Kept at *Bylles Penbridge*

in the County of *Hampshire*

by *W. J. Pen. Sir Robert Wood*

Pattern *Snowdon 4*
RAIN GAUGE Diameter of top *5* in.
Height of top above Ground *1* ft. *5* in.
" " " Sea Level *350* ft.
Time of Observation *9 am*
Nearest Railway Station { Name *Penbridge*
Distance *3 1/4* Direction *N.E.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0	.16	0	0	.35	.01	0	0	.01	0	0	1
2	0	.07	.09	.01	.02	.59	.09	.08	0	0	0	0	2
3	0	0	.08	0	.05	.15	.02	.90	.02	0	.03	.02	3
4	.29	0	.54	0	.12	.13	0	.78	0	0	.11	.01	4
5	.34	.10	.74	0	.10	0	0	.27	.01	0	.01	0	5
6	.22	.11	.03	0	.04	.79	0	.25	0	0	0	.05	6
7	0	.19	.07	0	0	.90	.08	.28	0	0	0	.03	7
8	.50	.15	.16	.02	0	.03	.01	.102	.01	0	0	0	8
9	.05	.01	.72	.12	0	.20	0	.32	0	.01	.03	.40	9
10	.25	.03	0	0	0	0	0	.20	0	.01	.02	0	10
11	.02	.05	0	0	0	0	.01	0	0	0	.13	.55	11
12	.01	.20	.08	.05	.06	0	0	.01	0	.01	.01	.02	12
13	.03	.02	0	0	0	0	0	.02	.05	0	0	.07	13
14	.08	.03	.50	0	0	.09	0	0	0	.05	0	.01	14
15	.10	.09	0	0	.43	.13	0	.02	0	0	0	.13	15
16	.83	0	.15	0	0	.01	0	.03	0	.09	0	.02	16
17	.59	0	.07	0	0	.07	0	.30	.01	.05	.05	.45	17
18	.10	.02	.04	0	0	.02	0	.07	0	.14	0	.04	18
19	.08	0	.31	0	0	.01	.09	.88	0	0	0	.01	19
20	.03	0	0	0	0	0	.07	.04	0	0	.05	.01	20
21	.01	.03	.19	0	.73	0	.01	.45	0	.24	0	0	21
22	.37	.13	.06	0	.04	.02	.47	.29	0	.03	.03	.15	22
23	.27	.01	.44	0	0	.06	.03	.18	0	0	.05	.04	23
24	.15	0	.01	0	0	.20	.10	.05	0	.01	0	.24	24
25	0	.19	0	0	0	.09	0	.18	0	0	.36	.41	25
26	0	0	.07	0	0	0	.21	.87	0	.88	.35	.33	26
27	0	.01	.01	0	0	.40	.71	0	0	.81	0	.28	27
28	0	.09	0	0	.03	.08	.35	.55	.27	.16	.57	.20	28
29	0	.01	.07	0	0	.02	.08	.12	.48	.14	0	.04	29
30	0		.03	0	.01	.20	.08	.01	0	.44	.15	.05	30
31	.01		.10		.12	—	.28	.02	—	0		.03	31
Total	4.33	1.48	4.12	.20	1.75	4.54	2.70	7.57	.86	9.09	1.95	3.59	TOTAL for year
No. of Rain Days.	21	20	24	4	12	22	18	27	7	17	15	25	26.18

REGISTER OF RAINFALL IN 1913

Kept at **Byletts, Pembroke**

in the County of **Hereford**

by **Maj. Gen. Sir Elliott Wood**

Lat. _____ Long. _____

Time of Observation **9 am.**

Nearest Railway Station **Pembroke 3 1/2 miles**

Diameter of Rain Gauge **5** in.

Height of top of Gauge above Ground **1** ft. **5** in.

Sea Level **350** ft.

BRITISH RAINFALL FORM A.

6-JAN-1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.06	.18	.04	0	0	0	0	.20	0	.12	.25	1
2	.03	.24	.04	.10	.14	0	0	0	0	.22	.18	.01	2
3	.06	.03	.05	0	.47	0	0	0	0	.04	.01	.10	3
4	.80	.03	.01	0	.10	0	0	0	1.0	.29	.09	.26	4
5	.05	.07	.02	0	.13	.09	.10	0	0	.51	.10	0	5
6	.04	.09	.22	0	.02	.03	.05	0	0	.26	.02	0	6
7	.01	.36	0	0	.21	.08	0	0	0	.52	.19	0	7
8	0	.15	0	.01	.31	.09	0	.17	0	.32	.22	0	8
9	.18	.38	0	.01	.28	.35	.07	.03	.17	.16	.07	0	9
10	.10	0	0	.04	.03	0	0	0	0	.23	0	0	10
11	.44	.01	.01	.38	.06	.02	0	0	0	.03	.10	0	11
12	0	0	.01	.04	.18	0	0	0	0	0	.47	0	12
13	.03	0	.23	0	.04	0	0	.03	.59	0	.26	0	13
14	.19	0	.42	.03	0	0	0	0	.04	.10	.08	0	14
15	.01	0	.61	.72	0	0	0	.22	.04	0	.09	0	15
16	.05	.01	.54	.01	0	0	0	.02	0	.01	.05	0	16
17	.01	.02	.25	.08	0	0	0	0	.01	0	.02	0	17
18	.02	.01	.30	.17	.02	0	.10	0	0	0	0	0	18
19	.33	0	.11	0	0	.02	0	0	.03	.07	.40	0	19
20	.14	0	.53	.14	0	0	.06	0	0	.06	.16	0	20
21	.01	0	.11	.19	.04	0	0	0	.40	.0	0	0	21
22	.69	0	.85	0	0	.09	.10	0	0	.0	0	0	22
23	.01	0	0	0	0	0	0	.40	.15	0	.05	0	23
24	.08	0	0	.04	0	0	0	0	0	0	.01	0	24
25	0	.03	0	.16	0	0	0	.02	.11	.05	0	.29	25
26	0	0	0	.44	.11	.01	0	.06	0	0	0	0	26
27	.04	0	.12	.07	0	0	0	0	0	.56	0	0	27
28	.21	0	.12	.52	.10	0	0	0	0	.33	0	0	28
29	0	1	.40	.41	.01	0	0	.01	0	.35	0	.07	29
30	.19	1	.01	0	.0	0	0	0	0	.45	0	0	30
31	.04	1	.30		.13	0	0	0	—	0	—	0	31
Total	3.77	1.49	5.44	3.63	2.38	.78	.48	.96	2.74	4.56	2.69	0.98	29.90
Rain Days.	26	14	23	20	18	9	6	9	11	19	20	9	181

Oct 2. x. at Sarnesfield 5 miles South
1.39 inches at Ledbury 2.38

REGISTER OF RAINFALL IN 1914

BRITISH FORM A. RAINFALL. 4 JAN 1915

Kept at Bayliss, Leambridge
in the County of Worcester
by Maj. Genl Sir Robert Wood

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Leambridge
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
0.39

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0	.03	.01	0	.03	.39	.86	0	0	.08	.07	1
2	0	0	.03	0	0	0	1.25	.23	0	0	.37	.24	2
3	0	0	.03	.10	.23	0	.06	.06	0	0	0	.26	3
4	.15	0	.02	.07	0	0	.31	.03	0	0	.60	.62	4
5	0	0	.02	.20	.22	0	.05	.01	0	0	.28	.00	5
6	0	0	0	.18	.02	0	0	.01	0	0	0	.16	6
7	0	.05	.30	.09	.08	.05	.30	.13	0	0	.01	.45	7
8	0	.07	.02	.01	.05	.31	0	.11	.10	0	0	.13	8
9	.05	.10	.07	.23	.03	.87	0	0	.17	0	0	0	9
10	0	.17	.02	.28	.01	.03	.05	.01	.47	0	0	0	10
11	0	.30	.28	0	.06	.04	.15	0	.06	0	.43	0	11
12	0	.52	.11	0	0	0	.30	0	.20	0	.10	.66	12
13	0	.29	.20	.01	0	0	.13	0	.12	.34	.14	.19	13
14	0	.49	.17	0	0	0	0	.01	0	.05	.06	0	14
15	0	0	.16	0	0	0	.01	0	.06	.04	.05	0	15
16	0	0	0	0	0	0	.02	0	.10	0	0	0	16
17	0	.43	.16	0	0	.12	.04	.01	.06	0	.02	.43	17
18	0	.01	.32	0	0	0	0	.01	0	0	0	.21	18
19	0	.01	.03	0	0	0	1.24	.01	.05	0	.07	.13	19
20	0	.35	.03	0	0	.05	0	0	0	0	0	.15	20
21	0	.36	0	0	0	.07	.26	.49	0	.15	0	0	21
22	0	.28	.06	.01	.2	.06	0	.08	0	.49	0	0	22
23	0	0	0	0	.03	0	.04	0	0	.25	0	0	23
24	0	0	.05	.01	0	0	.01	0	0	.06	.03	0	24
25	.08	0	0	0	0	0	.02	0	0	.34	.02	.30	25
26	0	0	.05	0	0	0	0	.46	0	.08	.16	.31	26
27	.03	0	.06	0	.07	0	0	.03	0	.02	.59	.84	27
28	.07	.06	.04	0	.06	0	.07	0	0	.02	.01	.42	28
29	0	0	.10	0	0	0	0	0	0	.14	.28	0	29
30	.03	0	.14	0	0	0	0	0	0	.06	.46	.35	30
31	.28	0	0	—	0	0	.15	0	0	.15	—	.13	31
Total	.69	3.19	2.51	1.20	1.06	1.63	4.85	2.54	1.39	2.19	3.76	6.55	31.56
Rain Days.	7	15	25	10	12	10	20	16	10	14	19	19	17.5

The **F 15** Tall gauge generally scores 2 p.c. (?) higher

REGISTER OF RAINFALL IN 1915

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Pembroke 3 1/2 miles
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 6 ft. 5 in.
" " " " Sea Level 350 ft.

in the County of Hereford
by Maj. Gen. Sir Stuart Wood

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.39	.08	.02	0	.20	0	.10	0.15	.19	.29	0	.08	1
2	.14	.11	.18	0	0	.13	0	1.60	.05	.18	0	.22	2
3	.30	.01	0	.15	.09	0	.57	.02	0	.01	0	.36	3
4	.01	.12	0	.06	.13	0	.15	.07	0	0	0	.91	4
5	.02	.48	0	.01	0	0	0	.04	0	0	0	.65	5
6	.10	.07	0	.08	0	0	.68	.07	0	0	0	.07	6
7	.11	.34	0	.08	.49	0	.04	.03	0	0	0	.33	7
8	.16	.40	0	.04	0	0	.04	.02	0	0	.07	.33	8
9	.11	.49	.05	.04	0	0	0	0	0	0	.13	.64	9
10	.21	.03	.02	.11	0	0	0	0	0	.07	.10	.04	10
11	.04	0	0	.01	.04	0	0	.02	0	0	1.52	0	11
12	.05	.10	0	.07	.40	0	0	0	0	.04	.47	.02	12
13	0	.85	0	0	.62	0	0	.01	.06	0	.01	.09	13
14	0	.02	0	0	0	0	0	.27	.07	0	0	.37	14
15	.41	0	0	0	.01	0	.06	.13	0	0	.04	.14	15
16	.07	.39	0	0	.61	0	1.04	.29	0	0	0	.02	16
17	.02	.51	0	0	.75	0	0	0	0	0	0	0	17
18	0	.01	0	0	0	0	0	0	0	0	0	0	18
19	0	0	0	0	.08	0	.28	0	0	0	0	0	19
20	.06	0	0	.02	0	0	0	0	0	.06	0	.05	20
21	.102	0	0	.01	.03	0	.19	.01	.01	.14	0	0	21
22	.03	.05	.12	.07	0	0	.28	0	.01	0	0	.15	22
23	.02	.01	.06	0	0	.03	0	0	0	1.05	0	.34	23
24	0	.01	.14	.06	0	0	0.10	0	.19	.93	0	.44	24
25	0	0	0	0	0	.18	0.17	0	.01	0	.01	.20	25
26	0	.04	0	0	0	0	0.17	0	0	0	0	.51	26
27	0	.16	0	0	0	0	.28	0	0	.39	0	.14	27
28	0	.19	.02	0	0	.02	0	.02	.09	0	0	.02	28
29	0	~~1.19~~	0	0	0	.07	0	.02	0	.08	.18	.09	29
30	.04	X	0	0	0	.21	.03	0	0	.40	.12	.19	30
31	0	X	0	X	0	X	.02	0	X	.78	X	.45	31
Total	2.30	4.47	.61	.81	3.45	.64	4.22	2.77	.67	4.42	2.65	6.52	33.51
Rain Days.	20	22	8	14	12	6	17	16	8	13	10	27	173

REGISTER OF RAINFALL IN 1916

Kept at Byletts, Pembroke
in the County of Hereford
by Maj. Gen. Sir Elliot Wood

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Pembroke
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.28	.01	.03	.09	.19	.07	.21	0	0	.37	.22	0	1
2	.45	.09	.22	0	10	0	.29	0	.11	.76	.15	0	2
3	0	.64	0	0	.05	.02	.01	0	.04	.24	.34	0	3
4	.09	.28	0	.02	.15	.22	.13	0	.04	.04	.51	0	4
5	.03	0	.01	0	.37	0	0	0	0	.16	.15	0	5
6	.01	.29	.04	.10	.13	0	.52	0	(.00)	.16	.22	.01	6
7	0	.01	.11	0	.24	0	.05	0	0	.11	.21	.01	7
8	.02	.07	.07	0	.26	.07	0	0	0	.06	.05	.27	8
9	0	.01	0	0	.24	.25	0	0	0	0	.07	0	9
10	0	.36	.01	.03	.03	.03	0	0	0	.01	0	0	10
11	.07	.29	.04	.06	0	0	0	0	0	0	0	.02	11
12	.04	.04	.04	0	.49	0	.15	.02	0	.05	0	.01	12
13	0	.02	.20	.02	0	0	0	.28	0	0	0	0	13
14	0	.25	.08	.01	.02	0	.01	.25	0	.01	0	.02	14
15	0	.66	.33	.16	.17	0	.02	.36	0	.02	0	0	15
16	0	.14	0	.10	0	0	.02	0	0	.09	0	0	16
17	.04	.13	0	.04	0	0	0	.09	.13	.36	0	.03	17
18	0	0	.09	.03	0	0	0	0	.09	0	.26	.18	18
19	.03	0	.87	.13	0	0	0	0	0	0	.15	.02	19
20	.10	0	.41	.06	0	0	0	0	0	0	.03	.24	20
21	0	0	.40	.10	.10	0	.02	0	0	.01	0	.01	21
22	0	0	0	.01	0	.11	0	.06	0	.15	.02	.25	22
23	0	.12	.01	.01	0	0	0	.14	0	.03	.03	.12	23
24	0	.25	.04	0	1.22	0	0	.10	0	.36	0	.11	24
25	0	.02	.12	0	.07	.22	0	.15	.02	.09	.23	0	25
26	.02	.05	.04	0	.01	0	0	.05	0	.42	.06	0	26
27	.06	0	.32	0	0	0	0	.14	.30	.42	0	0	27
28	0	.30	.03	0	.05	0	0	.36	0	.16	.01	.15	28
29	0	.15	.08	0	0	.22	0	0	.01	.19	0	.18	29
30	0	X	0	0	0	.04	0	0	0	.14	0	0	30
31	0	X	0	X	0	X	0	.03	X	.37	X	.03	31
Total	1.24	4.18	3.59	.87	3.79	1.25	1.43	2.03	.74	4.78	2.71	1.66	YEAR'S TOTAL 28.27
Rain Days.	13	22	23	15	17	10	11	13	8	25	17	17	191

REGISTER OF RAINFALL IN 1917

2190
FORM A.
BRITISH RAINFALL.

Kept at Bylets, Pembroke
in the County of Hereford
by Maj. Gen. Sir E. Wood

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Pembroke
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	.01	.14	.36	0	.55	0	.16	.11	0	.01	.02	1
2	.03	0	0	.05	0	.05	0	.01	0	0	.22	0	2
3	0	.05	.01	.25	0	0	0	0	0	.21	.02	0	3
4	0	0	.25	0	0	0	0	.01	0	.13	0	.03	4
5	.05	0	.34	.13	0	0	0	.05	.33	.17	.04	0	5
6	.02	0	.64	0	0	.14	0	0	0	.08	.18	0	6
7	.35	0	0	0	0	0	.07	.15	0	.13	.04	.01	7
8	.35	0	.08	.08	0	0	.34	.59	0	.26	.19	.10	8
9	0	0	.18	.10	.19	0	0	.71	.14	.06	.10	.01	9
10	.23	0	.36	.14	.09	0	0	.17	.01	.07	0	0	10
11	.03	0	.02	.12	.01	0	0	.13	0	.34	.04	0	11
12	0	0	.08	0	.67	0	0	.03	0	.20	0	0	12
13	0	0	0	0	0	0	0	.43	.05	0	0	0	13
14	0	0	0	.13	0	0	.01	.18	.02	.01	.01	.02	14
15	.01	0	0	0	.05	0	.05	.11	.01	.02	0	.13	15
16	↑	.04	0	.11	0	.34	.07	.01	.05	.01	0	.15	16
17		.01	.04	0	.34	.08	.37	.81	.38	.05	0	0	17
18		.03	0	0	0	0	.48	.06	.71	0	0	0	18
19		.41	0	0	.01	.39	0	.02	0	0	.01	0	19
20		.10	.15	0	.64	.10	.03	0	.02	0	0	0	20
21		.05	.23	0	.05	0	0	.02	.08	.01	0	0	21
22		.01	0	0	0	.01	0	.65	0	.02	0	0	22
23		.19	0	0	.08	0	0	.31	0	.08	0	0	23
24		0	.03	0	1.15	.09	0	.03	0	.28	.11	0	24
25		0	.05	0	0	.01	0	.01	0	.18	.13	0	25
26		0	0	0	0	.65	0	1.19	.07	.05	0	0	26
27		0	.03	0	0	.33	.73	1.01	0	0	0	0	27
28		0	.16	0	.01	.02	0	.11	0	.01	0	.01	28
29		X	.03	0	.11	0	.05	.01	0	.32	0	.30	29
30		X	0	0	0	0	.17	.38	0	.14	.01	0	30
31		X	.18	X	.65	X	0	.13	X	.04	X	0	31
Total	1.08	.90	2.96	1.47	3.85	2.16	2.37	7.58	1.98	2.85	1.11	.78	28.74
Rain Days.	8	10	18	10	14	13	11	28	13	23	14	10	172

REGISTER OF RAINFALL IN 1918

Kept at Byletts, Rembridge
in the County of Hereford
by Maj. Gen. Sir Elliott Wood

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Rembridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 350 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	.06	0	.01	0	0	0	.12	.02	.05	1.00	0	1
2	0	.12	0	0	0	0	0	.17	.01	.04	.03	.16	2
3	0	.11	0	.09	.28	0	0	.01	.78	.07	.01	.01	3
4	0	.06	0	.02	.53	0	0	.03	.65	(.26)	.38	.51	4
5	0	.03	0	.11	0	0	0	.05	.43	.12	.01	.02	5
6	.02	.26	0	.13	0	.13	0	0	.18	.04	0	.02	6
7	0	.07	.01	.02	.37	0	0	0	.42	.15	.23	.03	7
8	.04	.19	0	.01	0	0	0	0	.13	.16	0	.20	8
9	.01	.36	0	.30	0	.15	.01	0	.48	.06	.02	.04	9
10	.02	.02	0	.05	0	0	.87	0	.18	.06	0	.11	10
11	0	0	.08	0	.03	0	.80	0	.10	.04	.00	.03	11
12	0	.07	.07	.01	.09	0	.07	0	.02	.03	.04	.07	12
13	.0	.01	0	.01	.03	0	.02	0	.20	0	0	.05	13
14	.53	0	.16	0	0	.03	.15	0	.25	.02	0	.19	14
15	~~1.25~~	0	0	.04	0	.03	.69	0	.10	.01	0	.42	15
16	.35	0	0	.63	0	0	.10	.04	.37	0	0	.10	16
17	.54	0	.01	0	0	0	.12	0	.21	.11	0	.14	17
18	.40	0	.07	0	0	.33	.18	0	.65	.02	0	.44	18
19	.09	.01	.16	0	0	.04	.11	0	.07	.07	0	.04	19
20	.08	.09	0	.22	0	0	.22	0	.36	.05	0	0	20
21	.12	.05	0	.35	0	0	.05	0	.24	.03	0	.12	21
22	.02	0	0	0	.80	0	.16	0	.03	.07	0		22
23	.01	0	0	0	.25	0	0	0	0	0	.04		23
24	0	.05	0	0	0	0	.10	.10	.04	0	.09	.29	24
25	0	0	0	0	.16	0	.21	.74	0	.01	.04		25
26	0	0	0	0	0	0	.12	.04	0	0	.03	.17	26
27	0	.08	.18	0	0	0	0	.24	.32	0	.01	.05	27
28	.01	0	.55	0	0	0	0	.02	0	.01	.01		28
29	0	0	.10	0	0	0	0	0	.86	0	.01	.26	29
30	.01	X	.28	0	0	0	0	.01	.04	0	.03		30
31	0	X	.34	X	0	X	0	.10	X	0	X	.02	31
Total	3.50	1.64	2.01	2.00	2.54	.71	3.98	1.67	7.15	1.38	1.98	3.23	YEAR'S TOTAL 31.79
Rain Days.	16	17	12	15	9	6	17	13	26	22	16	26	195

REGISTER OF RAINFALL IN 1919

Kept at Byletts, Penbridge
in the County of Stefford
by May. Gen. Sir Eliot Wood

Lat. 52.13 Long. 2.54
Time of Observation 9 am
Nearest Railway Station Penbridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 350 ft.

FORM A.
BRITISH RAINFALL
5 JAN 20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.15	0	.07	.02	.05	0	.17	0	.10	.14	.01	.07	1
2	.30	0	.10	.01	.02	0	.04	0	.07	0	.02	.08	2
3	0	0	.05	0	.01	.12	.02	0	0	0	.05	.17	3
4	0	0	.31	0	.03	0	.17	.05	.22	0	0	.22	4
5	.02	.29	0	0	0	0	.02	0	0	0	0	.37	5
6	.21	.26	.19	0	0	0	0	0	0	0	0	.13	6
7	.14	0	.02	.07	.04	0	0	0	0	0	0	.03	7
8	.22	0	.09	.04	0	.04	0	0	0	0	0	0	8
9	.21	0	.01	.04	0	0	0	0	0	0	0	0	9
10	0	0	.69	0	0	0	0	0	0	0	0	.12	10
11	.01	0	.15	.01	.16	0	.29	0	0	.05	0	0	11
12	.15	0	.41	.04	0	.30	0	0	.03	0	.05 snow	.01	12
13	.10	0	0	.17	0	0	0	0	.83	.08	0	.08	13
14	.33	0	.01	.30	0	0	.02	0	.53	.01	0	.04	14
15	.53	.14	0	0	.03	0	0	0	0	.04	0	.33	15
16	.17	.87	0	0	0	0	.01	.21	0	0	.03	.01	16
17	0	.52	0	0	0	0	0	.01	0	0	.18	0	17
18	0	.08	.60	0	0	0	0	.19	0	0	.02	.03	18
19	.19	.18	.89	0	0	.18	.89	.32	.14	0	.18	0	19
20	.23	.01	.28	0	0	0	0	.13	.04	0	.10	.07	20
21	0	.50	.01	0	0	.02	.24	.02	0	0	0	.13	21
22	0	0	0	0	0	0	.04	0	.16	0	.01	.13	22
23	0	0	0	0	0	0	0	.01	0	.64	.02	.01	23
24	.02	0	0	.01	0	.03	0	1.01	0	.32	.16	.16	24
25	.03	0	0	.23	.15	0	0	.01	0	.01	.68	.53	25
26	0	0	.09	.08	0	.05	0	.10	.03	0	0	.03	26
27	.15	.15	0	.48	0	0	0	.53	0	0	.02	0	27
28	.04	0	.09	0	0	0	0	.01	0	0	0	.34	28
29	.01	0	.01	.05	0	0	0	.49	0	.20	.03	.12	29
30	0	X	0	.03	0	.07	0	.12	0	0	.22	.35	30
31	0	X	.01	X	0	X	.02	0	X	X	X	0	31
Total	3.27	2.99	4.44	1.58	.49	.81	1.93	3.21	2.15	1.49	1.22	3.66	YEAR'S TOTAL 27.73
Rain Days.	20	10	18	15	8	8	12	15	10	9	16	24	167

REGISTER OF RAINFALL IN 1917.

Kept at Beylotts, Pembridge
in the County of Hereford
by Maj. Gen. Sir R. W. Wood

Lat. _____ Long. _____
Time of Observation 9 am
Nearest Railway Station Pembridge
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

0.53

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	0	0.04	0.15	0.31	0	0.48	0	0.08	0.18	0	0.38	1
2	0.04	0	0	0.08	0.01	0	0.75	0	0.05	0.11	0	0.27	2
3	0.06	0.04	0.02	0.22	0.02	0	0.75	0	0.03	0.57	0	0.05	3
4	0.01	0	0.02	0	0	0	0	0.58	0	0.22	0	0	4
5	0	0	0.12	0.22	0.03	0	0.43	0	0	0.20	0	0	5
6	0	0	0.31	0	0.08	0	0.28	0	0	0.21	0	0	6
7	0	0	0	0.08	0.02	0	0.09	0	0	0	0	0.01	7
8	0.44	0.07	0	0.72	0.06	0	0.40	0.13	0	0	0	0.01	8
9	0.39	0.08	0	0.44	0	0	0.04	0.01	0	0	0	0	9
10	0.45	0.17	0.05	0.02	0	0.32	0.05	0	0	0.01	0	0.02	10
11	0.18	0.01	0.10	0.55	0.20	0.03	0.10	0	0	0.01	0	0	11
12	0.14	0.03	0.01	0.18	0	0.02	0.02	0.08	0	0.01	0.06	0.01	12
13	0.05	0	0.21	0.21	0	0.73	0	0	0	0	0	0.03	13
14	0.01	0.01	0.55	0.32	0	0.11	0.05	0	0	0.35	0.35	0.01	14
15	0	0.15	0.16	0.85	0.03	0.05	0	0	0.36	0	0.07	0	15
16	0	0	0	0.29	0.13	0.27	0.29	0	0.16	0.78	0.04	0	16
17	0.03	0	0.05	0	0.10	0.33	0.02	0.04	0.76	0.32	0	0	17
18	0.07	0	0	0.03	0.15	0.02	0	0.08	0.50	0	0	0	18
19	0.04	0.58	0	0.08	0.01	0.08	0	0	0	0	0	0	19
20	0	0.01	0	0.22	0	0.06	0.01	0	0	0	0	0.09	20
21	0	0	0	0.05	0	0	0.35	0	0	0	0	0.09	21
22	0.05	0	0	0.10	0	0	0.06	0.15	0	0	0	0.21	22
23	0	0	0.02	0	0	0	0.25	0.02	0	0	0	0.40	23
24	0.04	0.01	0.24	0	0	0	0	0	0	0	0.01	0.14	24
25	0	0	0.22	0	0	0	0.70	0	0	0	0	0	25
26	0.13	0	0.32	0.03	0.07	0	0	0	0	0	0.15	0.11	26
27	0.25	0	0.22	0.02	0.04	0.26	0.15	0	0	0	0.02	0.42	27
28	0.72	0.01	0.18	0.02	0.30	0.05	0.01	0	0	0	0	0.06	28
29	0.14	0	0.20	0.02	0.18	0.02	0.12	0	0	0	0.11	0.47	29
30	0.02	X	0.20	0.26	0	0.08	0	0	0.31	0	0.40	0.26	30
31	0.10	X	0.04	X	0.01	X	0.01	0	X	0.60	X	0.03	31
TOTAL	3.36	1.17	3.33	5.14	1.75	2.43	5.39	1.09	2.25	3.57	1.21	3.07	33.76
Days with 0.1 in. or more	21	12	21	23	18	15	22	8	8	13	9	20	190

REC

PEMBRIDGE
MARSTON
HEREFORD

Kept at Marston
in the County of Hereford
by Henry Long

1911-1919

5 in.
above Ground 1 ft. 6 in.
Sea Level 347 ft.
Name Pembroke Y.M.C.A.
Distance 3 Direction S.E.

IMPORTANT NOTE.

previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	in.	.09	.03	in.	in.	in.	.24	in.	in.	.04	in.	1
2	.01				.24		.02	.06		.07	.05	.14	2
3				.02	.25			.04	.05		.07	.15	3
4			.05	.02			.01	.12	.06		.17	.32	4
5	.06		.02	.02				.07		.11	.08	.02	5
6	.23		.10	.01				.03			.10	.36	6
7	.01										.18		7
8	.01		.15								.35	.35	8
9	.06		.05								.59	.12	9
10		.04	.21						.03			.49	10
11	.16	.01			.05				.02		.46	.14	11
12		.01	.26						.47		.41	.06	12
13			.07		.01				.06		.06	.31	13
14		.01										.71	14
15	.01	.03									.20	.26	15
16						.09				.02	.18	.07	16
17		.01	.13			1.64					.25	.62	17
18		.33	.19	.30		.09				.02	.03	.23	18
19		.01		.12		.51	.17	.03	.33	.10	.02	.20	19
20		.03		.06					.20	.09		.45	20
21		.16	.42					.06		.49		.21	21
22	.04	.01	.04	.03						.19		.50	22
23		.31	.09	.01		.15	.07		.18	.19		.27	23
24	.01	.08				.26		.07	.07	.07		.12	24
25		.10		.05		.07			.06			.18	25
26		.14		.30	.74			.13		.17	.09	.13	26
27		.21	.16	.11				.17	.11		.11	.12	27
28		.16		.20		.02					.16		28
29				.15		.08	1.09		.11	.31	.01		29
30			.06	.02	.05	.02	.09	.21		.24	.06		30
31			.01		.05		.07			.05			31
Total	.62	1.65	2.04	1.45	1.39	2.84	1.40	1.23	1.69	2.06	3.67	6.53	TOTAL for year 17.1
No. of Rain Days	11	17	17	16	7	10	7	12	13	14	22	25	171

REGISTER OF RAINFALL IN 1911.

FORM A2.
BRITISH RAINFALL.
6-JAN-1911

Kept at Marston, Cambridge
in the County of Hertford.
by Henry Langton.

PATTERN
RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 1 ft. 6 in.
" " " Sea Level 347 ft.
Time of Observation 8.42 a.m.
Nearest Railway Station { Name Cambridge G.N.R.
Distance 3 Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02		.09	.03				.24			.04		1
2	.01				.24		.02	.06		.07	.05	.14	2
3				.02	.15			.04	.05		.07	.15	3
4			.05	.02			.01	.12	.06		.17	.32	4
5	.06		.02	.02				.07		.11	.08	.02	5
6	.23		.10	.01				.03			.10	.36	6
7	.01										.13		7
8	.01		.15								.35	.35	8
9	.06		.05								.59	.12	9
10		.04	.21						.03			.49	10
11	.16	.01			.05				.02		.46	.14	11
12		.01	.26						.47		.41	.06	12
13			.07		.01				.06		.06	.31	13
14		.01										.71	14
15	.01	.03									.20	.26	15
16						.09				.02	.18	.07	16
17		.01	.13			1.64					.25	.62	17
18		.33	.19	.30		.09				.02	.03	.23	18
19		.01		.12		.51	.17	.03	.33	.10	.02	.20	19
20		.03		.06					.20	.09		.45	20
21		.16	.42					.06		.49		.21	21
22	.04	.01	.04	.03						.19		.50	22
23		.31	.09	.01		.15	.07		.18	.14		.27	23
24	.01	.08				.26		.07	.07	.07		.12	24
25		.10		.05		.07			.06			.18	25
26		.14		.30	.74			.13		.17	.09	.13	26
27		.21	.16	.11				.17	.11		.11	.12	27
28		.16		.20		.02					.16		28
29				.15		.08	1.09		.11	.31	.01		29
30			.06	.02	.05	.02	.09	.21		.24	.06		30
31			.01		.05		.07			.05			31
Total	.62	1.65	2.04	1.45	1.39	2.84	1.40	1.23	1.69	2.06	3.67	6.53	26.57
No. of Rain Days	11	17	17	16	7	10	7	12	13	14	22	25	171

REGISTER OF RAINFALL IN 1912

Kept at Monks' Pembroke
in the County of Devon
by Henry Hampton

Lat. 52° 13' N Long. 2° 54' W
Time of Observation 8 a.m.
Nearest Railway Station Pembroke
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 347 ft.

FORM A.
BRITISH RAINFALL
4 - JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			.11			.42	.03	.02	.03	.02		.15	1
2		.02	.21	.01		.53	.05	.02				.01	2
3			.01		.06	.15	.01	1.07	.02		.04		3
4	.27		.54		.16	.25		.18			.11	.03	4
5	.17	.09	.14		.09	.01		.31	.01			.01	5
6	.38	.16	.03		.02	.85		.32				.03	6
7	.02	.15	.02		.10	.68	.06	.06				.03	7
8	.49	.19	.25	.06		.02	.01	.01	.03				8
9	.05	.02	.60	.13		.26		.36			.03	.38	9
10	.20	.05				.03	.01	.16			.18		10
11	.15	.04					.02				.19	.51	11
12	.01	.23	.09	.06	.07		.01	.02				.03	12
13	.04	.01						.02	.03	.05		.08	13
14	.10		.43			.06		.02		.01			14
15	.10	.12			.41	.13		.01				.15	15
16	.59		.17					.03	.01	.06	.01	.03	16
17	1. -	.01	.09			.11		.32			.05	.42	17
18	.20		.05					.05		.01	.01	.04	18
19	.05		.01		.01	.03	.09	.67		.07		.02	19
20	.04		.30			.01	.07	.06		.14	.02	.01	20
21	.02	.05	.21		.66		.02	.47		.25			21
22	.33	.12	.02		.04		.47	.12		.01	.05	.16	22
23	.34	.02	.49			.05	.02	.32		.05	.05	.02	23
24	.19		.02			.20	.06	.11				.27	24
25			.01			.12		.96			.49	.36	25
26		.17	.05				.24	1.15		.88	.33	.45	26
27		.01	.01			.35	.90			.80		.39	27
28		.09			.02	.07	.28	.62	.27	.23	.53	.15	28
29		.02	.06			.06	.19	.10	.43	.15		.02	29
30			.04			.15	.06	.02		.45		.01	30
31			.07		.02	~~.55~~	.32	.03				.05	31
Total	4.74	1.57	4.03	.26	1.66	4.54	2.92	7.61	.83	3.18	2.09	3.81	37.24
Rain Days.	21	19	26	4	12	22	20	29	8	15	14	26	216

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1913

Kept at *Marston, Pembroke*
in the County of *Denbigh*
by *H Langston*

Lat. *52° 13' N* Long. *2° 54' W*
Time of Observation *8 a.m.*
Nearest Railway Station *Pembroke*
Diameter of Rain Gauge *five* in.
Height of top of Gauge above Ground *1* ft. *6* in.
Sea Level *347* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02		.20	.05					.18		.15	.01	1
2	.02	.31	.05	.08	.20				.09	.26	.20	.01	2
3	.05	.03	.05		.44				.01	.02		.07	3
4	.77	.03	.01		.08				.87	.22	.07	.32	4
5	.09	.07	.02		.08	.06	.11		.07	.48	.13	.03	5
6	.08	.08	.20		.25	.02	.03			.29	.03	.38	6
7	.01	.36	.01		.23	.07	.02			.42	.20	.03	7
8	.01	.14			.36	.08	.01	.08		.13			8
9		.40	.01		.28	.32	.03	.11	.13		.20	.01	9
10	.14			.03	.05		.01	.05	.01	.23	.05		10
11	.56			.41	.03					.02	.45		11
12					.24				.01		.15		12
13	.01		.17	.02	.08				.57		.23		13
14	.21		.43	.04			.01	.03	.05	.10	.08		14
15	.05	.01	.58	.55				.09	.01		.07		15
16	.03	.01	.55	.02				.06					16
17	.02	.03	.23	.09			.08		.01		.04		17
18	.10		.18	.20			.03				.05		18
19	.20		.13	.01		.01	.02		.05	.07	.01		19
20	.15		.58	.17						.15	.28		20
21			.11	.22	.04		.09				.25		21
22	.82		.85	.02		.08		.35	.41				22
23	.01		.01			.02		.05	.16		.05	.01	23
24	.10			.04							.06		24
25		.03		.15					.12	.06	.01	.01	25
26		.03		.41	.14	.01			.04			.26	26
27	.03			.10						1.02		.02	27
28	.22		.20	.49	.02					.28		.05	28
29			.50	.42	.08			.02		.36			29
30	.15				.01					.40	.19		30
31	.05		.29		.05		.01	.04					31
Total	3.88	1.53	5.36	3.62	2.66	.67	.45	.88	2.73	4.45	2.95	1.21	29.89
Rain Days.	25	13	22	20	18	9	12	10	17	17	22	13	198

30.39

REGISTER OF RAINFALL IN 1914

Kept at Marston Pomeroy
in the County of Devon
by H. Langdon

Lat. 52° 13' N Long. 2° 54' W
Time of Observation 8 am.
Nearest Railway Station Pomeroy
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 347 ft.

FORM A.
BRITISH RAINFALL.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.01	.03	.01		.04	.48	.44			.07	.08	1
2			.03				<u>1.17</u>	.77			.34	.21	2
3			.04	.12	.22		.08	.05				.26	3
4	.14		.03	.07	.04		.34	.02			.66	.64	4
5	.11		.05	.21	.22		.07				.24	.02	5
6	.07	.06		.18	.03			.01			.02	.16	6
7		.05	.27	.12	.06	.01	.28	.11				.44	7
8	.07		.03	.04	.04	.25	.01	.16				.20	8
9	.06	.10	.05	.23	.06	.89		.06	.12				9
10		.15	.01	.25	.01	.08			.27				10
11		.29	.33	.04	.01	.05	.19		.08		.43	.57	11
12		.51	.14				.26		.23		.07	.17	12
13		.30	.20	.01			.17		.15	.33	.17	.27	13
14		.49	.20					.02	.01	.05	.19	.02	14
15		.01	.15					.01	.07	.05	.07		15
16			.01				.02		.09				16
17	.02	.12	.19				.04		.06			.74	17
18			.31				.01		.01			.23	18
19		.03	.05				1.12				.07	.19	19
20		.35	.02			.04		.01				.15	20
21		.34				.15	.48	.50		.15			21
22		.15		.07	.43	.10	.05	.09		.53			22
23		.20	.05		.04			.02		.22			23
24		.06	.10				.03	.39		.09	.02		24
25	.06		.10		.02		.02	.34		.42	.01	.29	25
26							.01	.09		.07	.10	.31	26
27	.01										.37	.85	27
28	.05	.06	.03		.04		.03			.03	.29	.48	28
29	.03		.09		.09					.10	.25	.07	29
30	.01	X	.14							.05	.40	.34	30
31	.26	X		X		X	.15	.01	X	.20	X	.00	31
Total	.77	3.28	2.65	1.29	1.31	1.61	5.01	3.10	1.09	2.29	3.77	6.63	YEAR'S TOTAL 32.80
Rain Days.	12	18	25	12	14	9	21	18	10	13	18	23	193.

REGISTER OF RAINFALL IN 1915

Kept at Marston Pembroke
in the County of Devon
by Henry Langston

Lat. 52° 13' N Long. 2° 54' W
Time of Observation 8.42 a.m.
Nearest Railway Station Pembroke 4 1/2 m.
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft. six in.
" " " " Sea Level 347 ft.

FORM A.
BRITISH RAINFALL.
JAN 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.54	.11	.03		.17		.01	.07	.19	.36		.13	1
2	.12	.12	.10	.11		.12		1.82		.17		.14	2
3	.40	.01	.01	.15			.55	.05				.30	3
4	.01	.14			.25		.16	.03				1.00	4
5	.02	.39		.01				.03		.01		.75	5
6	.09	.10		.10			.68					.10	6
7	.08	.39		.09	.84		.06	.11		.01		.40	7
8	.21	.38		.03				.02			.06		8
9	.09	.51		.03							.16	.65	9
10	.26	.05		.12						.11	.07	.04	10
11	.03			.01				.04			1.44	.06	11
12	.05	.10		.08	.40			.04		.05	.72	.02	12
13	.02	.99			.73			.04	.05		.04	.03	13
14		.04						.31	.09			.34	14
15	.40				.11		.03	.10		.05	.05	.19	15
16	.07	.38			.42		1.30	.20				.01	16
17		.27	.07		1.01			.05				.01	17
18		.52	.05										18
19		.01			.08		.30						19
20	.06						.01					.03	20
21	.09				.04		.20			.15			21
22	.01	.02	.14	.13			.28			.01		.20	22
23	.07	.01	.07			.06	.04		.03	.86		.36	23
24			.14	.06			.03		.19	1.09		.45	24
25						.19	.16		.01	.01		.18	25
26		.04					.19		.01			.50	26
27		.11				.09	.32			.45		.15	27
28		.14	.03			.11		.02	.08	.01		.03	28
29						.01		.03		.07	.23	.08	29
30	.04	X				.16	.04			.44	.11	.15	30
31		X		X		X	.09	.06	X	.76	X	.51	31
Total	2.66	4.81	.74	.90	4.05	.74	4.45	3.00	.65	4.61	2.88	6.81	36.39
Rain Days.	20	22	9	12	10	7	18	17	8	17	9	27	176
YEAR'S TOTAL													36.39

2301
REGISTER OF RAINFALL IN 1916

Kept at Muston Cambridge
in the County of Cambrid.
by H. Langton

Lat. 52° 13' N Long. 2° 54' W
Time of Observation 8 am
Nearest Railway Station Cambridge
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft. six in.
" " " " Sea Level 347 ft.

FORM A.
BRITISH RAINFALL
4 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.27		.02		.15	.06	.20			.15	.27		1
2	.39	.11	.25		.04		.23		.10	1.02	.15		2
3		.54	.02				.20		.05	.31	.41		3
4	.02	.39			.54	.26	.02		.02	.04	.57		4
5	.03		.02		.31	.02	.01			.18	.18		5
6	.02	.25			.14		.44		.02	.22	.23		6
7	.04	.02	.12		.14		.16			.12	.25	.20	7
8		.02	.04		.21	.08					.05	.10	8
9		.09			.23	.23				.07	.06	.02	9
10		.35	.01			.03							10
11	.09	.05	.05	.10	.02	.01	.13		.01				11
12	.04	.05	.05	.01	.59		.02	.02		.07			12
13		.18	.25	.03				.30		.01			13
14		.38	.03	.03	.02			.23		.03			14
15		.45	.41	.16	.12			.35		.02			15
16		.15		.10	.05		.04	.02		.02			16
17	.05	.12		.08					.11	.44			17
18		.08	.08	.02				.03		.01	.24	.08	18
19	.02		.75	.10						.02	.14		19
20	.12		.42	.02							.05	.20	20
21			.45	.28	.11	.01					.01	.19	21
22				.01		.12				.12		.36	22
23		.08		.02				.15		.04	.03	.24	23
24		.25	.02		1.61			.12		.38		.11	24
25		.05	.10		.04	.01		.15	.02	.09	.23		25
26		.07	.04		.04	.22		.05	.12	.50	.03		26
27	.06	.04	.69			.02	.01	.15	.36	.40			27
28		.34	.04		.07	.01			.01	.15	.02	.16	28
29		.15	.01			.24		.39	.01	.20		.20	29
30		X				.03				.16		.02	30
31		X		X		X		.05	X	.33	X	.04	31
Total	1.15	4.21	3.87	.96	4.43	1.35	1.46	2.01	.83	5.10	2.92	1.92	30.21
Rain Days.	12	23	22	13	18	15	11	13	11	26	17	13	194

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1917

Kept at Marston Pembroke
in the County of Denford
by Hy Langston

Lat. 53°13'N Long. 2°54'W
Time of Observation 8 am
Nearest Railway Station Pembroke
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground one ft. 5 in.
" " " " Sea Level 347 ft.

2189
FORM A.
BRITISH RAINFALL
18 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.01	.12	.46		.51		.09	.18		.04	.02	1
2			.05	.03		.04					.23		2
3		.02		.24		.01		.02		.11	.03		3
4	.03		.28					.02		.15		.06	4
5	.06		.43	.14				.02	.48	.14	.05		5
6	.01		.75			.12				.09	.21	.01	6
7	.28						.07	.14		.22	.06		7
8	.56		.05	.08			.35	.47		.28	.16	.11	8
9			.24	.08	.19			.70	.15	.05	.11	.01	9
10	.22		.38	.11	.09			.16	.02	.01			10
11	.01		.03	.17				.15		.36	.03		11
12	.04				.88			.07		.21			12
13	.01		.16	.01				.50	.06				13
14				.14				.12					14
15	.02			.01	.03		.09	.05		.03		.14	15
16	.02	.05		.12		.37	.08					.20	16
17		.01			.42	.05	.39	.89	.40	.06			17
18					.02		.48	.08	.76				18
19		.42	.10			.38			.03		.02		19
20	.02	.27	.03		.59	.13	.03		.08				20
21		.06	.24		.08	.02		.02		.03			21
22						.02		.40		.07			22
23		.18			.09			.35		.10			23
24		.06				.05		.05		.28	.10		24
25		.03	.05					.10		.15	.11		25
26						.04		1.22	.07	.07	.01		26
27					1.13	.38	.62	1.45					27
28			.15		.07	.03		.11				.02	28
29			.03		.02		.02	.03		.34		.29	29
30		X						.31		.15	.01		30
31		X	.18	X	.08	X		.09	X	.04	X		31
Total	1.28	1.14	3.27	1.59	3.69	2.15	2.13	7.61	2.23	2.98	1.17	.86	30.07
Rain Days.	12	10	17	12	13	14	9	26	10	21	14	9	167

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1918

Kept at Marston Pymbridge
in the County of Gloucester
by H Langston

Lat. 52° 13' N Long. 2° 34' W
Time of Observation 8 am
Nearest Railway Station Pemberton 4 m.
Diameter of Funnel of Rain Gauge 4 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 347 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.05		.01				.10	.05	.03	.90		1
2		.13						.19	.04	.02	.04	.16	2
3		.12		.12	.32			.02	.69	.08	.04	.49	3
4		.08		.03				.03	.72	.19	.44		4
5		.03		.05	.45			.06	.48	.21		.08	5
6	.04	.27	.02	.19		.08			.04	.13		.03	6
7		.06		.03	.40				.45	.11	.20		7
8	.02	.16							.19	.13			8
9	.02	.37		.31		.15			.45	.05	.02	.05	9
10	.01	.02		.10			.84		.10	.02		.15	10
11			.07	.10	.04		.63		.11	.05	.05	.04	11
12	.02	.09	.10		.06		.11		.02			.04	12
13		.01		.01	.03		.02		.13	.02		.05	13
14	.55		.18			.04	.16		.29	.04		.18	14
15	.94						.67		.09			.41	15
16	.14			.63		.04	.11	.03	.52			.17	16
17	.53		.01				.09		.17	.10		.14	17
18	.47		.01			.29	.19		.89	.04		.40	18
19	.11	.02	.22				.06		.05	.07		.04	19
20	.13	.12				.02	.37		.31			.11	20
21	.09	.05		.35	.06		.05		.27				21
22	.07			.33	.30		.11		.04	.08		.30	22
23	.03				.23		.07				.02		23
24		.04					.02	.10	.04		.11	.02	24
25					.28		.12	.74			.05	.03	25
26							.28	.01	.02	.04	.06		26
27			.13					.28	.27			.14	27
28		.06	.64						.01			.16	28
29			.10						.83	.01	.03	.06	29
30		X	.30						.04	.01			30
31		X	.34	X		X		.10	X		X	.09	31
Total	3.18	1.68	2.12	2.26	2.09	.62	3.90	1.66	7.15	1.53	1.96	3.34	31.49
Rain Days.	16	17	12	13	10	6	17	11	28	20	12	23	185

REGISTER OF RAINFALL IN 1919.

Kept at Marston, Pembroke
in the County of Hereford
by J. B. Morgan

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.29		.08		.02		.06			.20	.05	.20	1
2			.63		.04		.15		.12			.18	2
3			.12			.15	.04				.06	.22	3
4		.9	.29				.03	.05	.20		.08	.17	4
5		.36					.05		.04		~~.15~~	.19	5
6	.21	.28	.19		.65						.28	.07	6
7	.25		.06	.09							~~.13~~		7
8	.21		.09		.03	.05					.28		8
9	.26		.01								~~.04~~	.21	9
10	.15		.61								~~.14~~	.06	10
11	.02		1.21	.04							~~.14~~	.16	11
12	.02		.69	.06	.18	.23	.28		.03		~~.15~~	.15	12
13	.08			.16					.98			.12	13
14	.37	.05		.39					.60			.10	14
15	.57	.08		.09				.12					15
16	.17	.81			.04			.17					16
17	.01	.62				.04					.08		17
18			.62					.21			.11		18
19	.17	.59	.83			.17	1.05	.35	.15		.28	.05	19
20	.30	.03	.49					.10	.05		.03	.14	20
21	.01	.58	.02			.04	.24					.06	21
22		.08							.17				22
23										.68		.04	23
24				.05						.31	.26	.14	24
25	.06			.25	.03			1.11			.04	.20	25
26			.10	.07	.11	.06		.10	.04			.25	26
27	.10			.56				.65			.14		27
28	.7							.32			.06		28
29	.3		.17	.05						.15		.34	29
30		~~X~~	.02					.11			.10	.30	30
31	.01	~~X~~		~~X~~		~~X~~			~~X~~		~~X~~		31
TOTAL	3.13	3.57	5.63	4.81	.50	.74	1.90	3.29	2.38	1.34	1.21	3.29	YEAR'S TOTAL
Days with .01 in. or more	21	11	19	16	8	7	8	11	10	4	11	21	28.79
													28.92
													14.7

Amade

REGISTER

PENCOMBE

Kept at Pencombe Rectory

in the County of Hereford

by Rev. J. Seymour

RECTORY

HEREFORD

1917 - 1920

2179
FORM A.
BRITISH RAINFALL

Jan. 1918
Gauge 5 in.
Ground 1 ft. 6 in.
Sea Level 520 ft.

IMPORTANT NOTE.—R

the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
1918

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.02	0.09	0.33		0.28		0.65	0.14		0.07		1
2				0.01		0.04		0.07			0.12		2
3	0.05	0.05		0.17				0.04		0.31			3
4		0.06	0.14					0.22		0.14			4
5	0.06		0.16	0.09					0.05	0.22	0.11		5
6	0.04		0.15			0.42				0.13	0.13		6
7	0.32						0.14	0.12		0.14	0.02	0.02	7
8	0.34		0.03	0.16			0.30	0.73		0.29	0.21	0.13	8
9			0.13	0.09	0.26			0.60	0.09	0.07	0.04		9
10	0.33		0.35	0.15	0.15			0.21	0.06				10
11	0.11		0.21	0.10	0.03			0.09		0.22	0.03		11
12	0.03				0.66			0.01	0.03	0.23		0.01	12
13			0.05					0.04	0.10				13
14	0.01		0.25	0.12				0.29					14
15	0.02				0.13		0.21	0.07	0.01	0.04		0.10	15
16	0.04	0.05		0.12		0.10						0.30	16
17				0.10	0.49	0.01	0.41	0.33	0.14	0.07			17
18	0.02	0.03		0.01	0.03		0.36	0.01	1.11	0.01			18
19	0.03	0.47	0.19		0.03	0.36			0.02				19
20		0.18	0.08		0.64	0.16	0.18	0.02	0.06		0.04		20
21		0.04	0.20		0.05	0.23		0.02		0.02	0.06		21
22						0.02		0.20	0.02	0.06			22
23		0.23			0.09			0.19		0.09		0.01	23
24						0.33	0.04	0.08		0.27	0.02		24
25		0.12	0.07					0.02		0.11	0.12		25
26			~~0.19~~		0.03	0.11		0.58	0.12		0.02		26
27			~~0.02~~		1.33	0.23	0.77	0.68					27
28			0.19		0.02	0.17		0.14				0.02	28
29			0.02			0.09	0.03	0.01		0.45		0.38	29
30		X					0.01	0.27		0.05			30
31		X	0.25	X	0.05	X		0.14	X	0.04	X		31
Total	1.40	1.25	2.56	1.45	3.99	2.85	2.45	5.80	1.95	2.96	0.99	0.98	YEAR'S TOTAL 2.833
Rain Days.	13	10	17	12	15	14	10	27	13	20	13	8	172

REGISTER OF RAINFALL IN 1917

2179
FORM A.
BRITISH RAINFALL.

Kept at Pennock Rectory
in the County of Hampshire
by Rev. J. Seymour St John

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Bromley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 520 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

1917.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.02	0.09	0.33		0.28		0.65	0.14		0.07		1
2				0.01		0.04		0.07			0.12		2
3	0.05	0.05		0.17				0.04		0.31			3
4		0.06	0.14					0.22		0.14			4
5	0.06		0.16	0.09					0.05	0.22	0.11		5
6	0.04		0.15			0.42				0.13	0.13		6
7	0.32						0.14	0.12		0.14	0.02	0.02	7
8	0.34		0.03	0.16			0.30	0.73		0.29	0.21	0.13	8
9			0.13	0.09	0.26			0.60	0.09	0.07	0.04		9
10	0.33		0.35	0.15	0.15			0.21	0.06				10
11	0.11		0.21	0.10	0.03			0.09		0.22	0.03		11
12	0.03				0.66			0.01	0.03	0.23		0.01	12
13			0.05					0.04	0.10				13
14	0.01		0.25	0.12				0.29					14
15	0.02				0.13		0.21	0.07	0.01	0.04		0.10	15
16	0.04	0.05		0.12		0.10						0.30	16
17				0.10	0.49	0.01	0.41	0.33	0.14	0.07			17
18	0.02	0.03		0.01	0.03		0.36	0.01	1.11	0.01			18
19	0.03	0.47	0.19		0.03	0.36			0.02				19
20		0.18	0.08		0.64	0.16	0.18	0.02	0.06		0.04		20
21		0.04	0.20		0.05	0.23		0.02		0.02	0.06		21
22						0.02		0.20	0.02	0.05			22
23		0.23			0.09			0.19		0.09		0.01	23
24						0.33	0.04	0.08		0.27	0.02		24
25		0.12	0.07					0.02		0.11	0.12		25
26			~~0.19~~		0.03	0.11		0.58	0.12		0.02		26
27			~~0.02~~		1.33	0.23	0.77	0.68					27
28			0.19		0.02	0.17		0.14				0.02	28
29			0.02			0.09	0.02	0.01		0.45		0.38	29
30		X					0.01	0.27		0.05			30
31		X	0.25	X	0.05	X		0.14	X	0.04	X		31
Total	1.40	1.25	2.56	1.45	3.99	2.55	2.45	5.80	1.95	2.96	0.99	0.98	28.33
Rain Days.	13	10	17	12	15	14	10	27	13	20	13	8	172

REGISTER OF RAINFALL IN 1918

Kept at Pencombe Rectory
in the County of Hereford
by Rev. J. Seymour S.F. Olin

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Bromyard, G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 520 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
		0.03											
1		0.04			0.03			0.08	0.01	0.03	0.89		1
2		0.04		0.03				0.24		0.04	0.08	0.09	2
3		0.02		0.03	0.23			0.02	0.65		0.29		3
4	0.03	0.05						0.02	0.58	0.29	0.42	0.50	4
5		0.58			0.32			0.05	0.39	0.20			5
6	0.03	0.05		0.19		0.05			0.19	0.26		0.05	6
7		0.45			0.27				0.16	0.06	0.21		7
8	0.03	0.14							0.29	0.18			8
9	0.03			0.22		0.26	0.10		0.24	0.11		0.02	9
10	0.05			0.13			0.32		0.07	0.09		0.15	10
11			0.07	0.07	0.06		0.19		0.09		0.04	0.08	11
12	0.02	0.02	0.16		0.10		0.09		0.02				12
13		0.02			0.05		0.03		0.14	0.03		0.03	13
14	0.28		0.15				0.02		0.32	0.07		0.13	14
15	1.13		0.09				0.29		0.05	0.02		0.31	15
16	0.23			0.81		0.05		0.02	0.52			0.08	16
17	0.22		0.02	0.02			0.50		0.60	0.10		0.05	17
18	0.38					0.26	0.10		1.38			0.39	18
19	0.13	0.02	0.27				0.04		0.01	0.06			19
20	0.20	0.06		0.42		0.06	0.05		0.27				20
21	0.06			0.46		0.01	0.08		0.28			0.08	21
22	0.03				0.18		0.28		0.03	0.04		0.15	22
23	0.03				0.29		0.07		0.02		0.02		23
24		0.03					0.16	0.02	0.12	0.03	0.10		24
25					0.04		0.07	1.17			0.03		25
26							0.76		0.06	0.02	0.07	0.22	26
27		0.02	0.03					0.24	0.13		0.02	0.02	27
28		0.10	0.26								0.12	0.07	28
29			0.11					0.02	0.95			0.02	29
30		X	0.29					0.06	0.03		0.07	0.12	30
31		X	0.26	X		X			X		X		31
Total	2.88	1.37	1.62	2.46	1.57	0.69	3.13	1.94	7.48	1.63	2.36	2.56	29.69
Rain Days	16	16	10	11	10	6	17	11	27	17	13	19	178

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1919

Kept at Renewable Rectory
in the County of Hertford
by Rev. J. Seymour St John

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Bennyland
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 520 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.30	0.02			0.07	0.05	0.19		0.03	0.10	0.02	0.36	1
2	0.06				0.03		0.02		0.110		0.10	0.06	2
3	0.02		0.13		0.02	0.04	0.04		0.03		0.10	0.15	3
4	0.09	0.05	0.26				0.41	0.14	0.22			0.08	4
5	0.02	0.34			0.16				0.12		0.01	0.17	5
6	0.08	0.03	0.12		0.07						0.05	0.16	6
7	0.16		0.20	0.10	0.02						0.02	0.03	7
8	0.17		0.10	0.04		0.07							8
9	0.20		0.02	0.16									9
10			0.63	0.02					~~0.05~~	0.05	0.03	0.26	10
11			0.74	0.01	0.05		0.57		~~0.06~~	0.06		0.05	11
12			0.11	0.02		0.23			0.06	0.05	0.02		12
13	0.14			0.19					0.30	0.04		0.03	13
14	0.20	0.04		0.26			0.16		0.31		0.01	0.08	14
15	0.29	0.11		0.05	0.15					0.03		0.25	15
16	0.19	0.95						0.11			0.05		16
17		0.84		0.01		0.05					0.05	0.01	17
18			0.74		0.01		0.04	0.27			0.02	0.05	18
19	0.16	0.29	0.89			0.17	1.39	0.28	0.23		0.21	0.03	19
20	0.30	0.04	0.58			0.02	0.07	0.20	0.03		0.05	0.06	20
21	0.04	0.37	0.03			0.06	0.20		0.04		0.03	0.07	21
22		0.08				0.02	0.05		0.32			0.14	22
23					0.12	0.02	0.01	0.03		1.08	0.02	0.03	23
24				0.01		0.04				0.38	0.24	0.17	24
25	0.05			0.19		0.02		0.67				0.03	25
26	0.26		0.06	0.88		0.06		0.08			0.03	0.27	26
27	0.07		0.06	0.65				0.40	0.04		0.03	0.08	27
28	0.06		0.13	0.01				0.42			0.12	0.31	28
29				0.10		0.03				0.26	0.09	0.22	29
30		X	0.06	0.09		0.20		0.10		0.04	0.09	(.21)	30
31		X		X		X			X		X		31
Total	2.86	3.16	4.86	1.99	0.70	1.08	3.09	2.70	1.83	2.09	1.39	3.36	29.11
Rain Days.	20	12	17	17	10	15	12	11	13	10	22	26	185

REGISTER OF RAINFALL IN 1920

Kept at Pencombe Rectoryin the County of Herefordby Rev J. Seymour-St John

Lat. _____ Long. _____

Time of Observation 9 a.m.Nearest Railway Station BromyardDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. 6 in." " " " Sea Level 520 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0.02	0.16	0.25		0.20		0.02	0.19		0.31	1
2	0.03		0.03	0.09			0.23	0.05	0.14	0.25		0.12	2
3	0.06	0.02	~~0.02~~	0.20	0.05		1.48		0.09	0.41		0.02	3
4			0.02	0.03			0.01	0.35	0.01	0.33			4
5			0.15	0.12	0.09		0.33	0.09		0.24			5
6			0.11		0.11		0.32			0.23		0.02	6
7			0.05	0.10	0.04		0.13					0.01	7
8	0.34	0.07	~~0.07~~	0.71	0.15		0.44	0.06					8
9	0.25	0.02	~~0.02~~	0.36			0.50	0.02				0.01	9
10	0.34	0.05	0.09	0.02		0.31	0.19				0.01		10
11	0.15	0.03	0.09	0.53	0.30	0.14	0.09						11
12	0.19			0.25		0.91	0.02	0.12		0.06	0.13		12
13	0.03		0.27	0.18								0.03	13
14	0.03	0.03	0.60	0.23		0.17	0.02		0.35	0.17	0.32		14
15		0.13	0.03	0.68		0.36	0.03		0.04	0.01	0.03		15
16				0.30	0.28	0.18	0.16		0.06	0.39	0.08		16
17	0.04				0.10	0.24		0.03	0.60	0.19		0.03	17
18	0.10				0.13			0.23	0.54				18
19	0.01	0.40	~~0.40~~	0.10	0.06	0.12			0.06				19
20	0.02	0.03	~~0.03~~	0.25		0.26			0.02			0.05	20
21				0.03			0.26			0.11		0.10	21
22				0.09				0.17				0.25	22
23	0.01		0.02				0.33	0.07				0.37	23
24	0.02		0.15	0.02								0.20	24
25	0.02		0.20	0.02			0.56						25
26	0.18		0.24				0.02				0.10	0.03	26
27	0.27	0.02	~~0.02~~	0.04	0.11	0.34	0.03				0.02	0.50	27
28	0.92		0.18	0.01	0.24	0.03	0.02		0.02			0.03	28
29	0.15		0.11	0.02	0.09	0.01	0.17		0.31		0.10	0.38	29
30	0.02	~~X~~	0.73	0.20		0.12	0.19			0.28	0.14	0.12	30
31	0.08	~~X~~	0.08	~~X~~	0.05	~~X~~	0.02		~~X~~		~~X~~	0.03	31
TOTAL	3.26	0.80	3.22	4.74	2.05	3.19	5.75	1.21	2.26	2.86	0.93	2.62	YEAR'S TOTAL
Days with 0.1 in. or more	22	10	20	25	15	13	24	10	13	13	9	19	193
Days with 0.4 in. or more	13	4	15	18	15	11	16	8	9	12	6	10	137

REG

ROSS

12

BRITISH RAINFALL
FORM A.
16 JAN 1913

Kept at Broad St

in the County of Hereford

by A. Mearns

HEREFORD

1912-1913

ong.

9 AM.

on Ross

ge 5 in.

e above Ground ft. in.

Sea Level ft.

and the result entered to the
universal rule, he is earnestly
the following year in the space providedIMPORTANT NOT
previous day. If an Ob

requested to add the read

for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

.07

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			23	32		06	10	33	02	01	02		1
2			23			49	07		02	40		07	2
3			50	02		39	22	04					3
4	03		08		03	16	03	59			04	01	4
5	12		88		12	46		04			16		5
6	15	10	10		15	06		34				03	6
7	29	12			05	12		39				03	7
8		29	20		02	41		07				02	8
9	45	18	17	02		39	08	15	06			02	9
10	04	08	27	05		10		10			02	20	10
11	07	11				03		05		02	09		11
12	09	08	02					01			05	40	12
13		24	12	05	12	05	04			01		11	13
14		01		01				08	03			06	14
15	04		42		05			08	01			01	15
16	49	05		02	33	29		03				09	16
17	68		11			01		08		04	01	01	17
18	72		14			05		42			03	52	18
19	13	03	07					24			01	05	19
20	09	01					14	60		01		02	20
21	03		35				16	07		21	02		21
22	02	01	41		68		38	14		23		39	22
23	25	12			1.66		36	18		01		08	23
24	27	49	33			09	10	18		08	02	38	24
25	17					20	03	04				21	25
26		01				43	01	94		02	24	37	26
27		09	02				23	70		52	41	23	27
28		01				40	87			80		30	28
29		08				03	76	61	19	30	33	36	29
30			02			16	32	09	37	36		01	30
31			03				05			40		40	31
Total	474	211	470	49	3.21	438	3.95	6.59	70	342	145	438	39.52
Rain Days.	414	234	479	17	3.27	442	4.18	6.28	69	343	143	445	39.59
	19	79	21	7	40	21	18	27	7	16	17	26	205
		20		6	11						13	27	206

REG

12

BRITISH RAINFALL FORM A. 16 JAN 1913

Kept at Broad St. Road
in the County of Hereford
by A. Meane

Lat. Long.
Time of Observation 9 AM.
Nearest Railway Station Ross
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. in.
Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
07

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			23	32		06	10	33	02	01	02		1
2			23			49	07		02	40		07	2
3			50	02		39	22	04					3
4	03		08		03	16	03	59			04	01	4
5	12		88		12	46		04			16		5
6	15	10	10		15	06		34				03	6
7	29	12			05	12		39				03	7
8		29	20		02	41		07				02	8
9	45	18	17	02		39	08	15	06			02	9
10	04	08	27	05		10		10			02	20	10
11	07	11				03		05		02	09		11
12	09	08	02					01			05	40	12
13		24	12	05	12	05	04			01		11	13
14		01		01				08	03			06	14
15	04		42		05			08	01			01	15
16	49	05		02	33	29		03				09	16
17	69		11			01		08		04	01	01	17
18	72		14			05		42			03	52	18
19	13	03	07					24			01	05	19
20	09	01					14	60		01		02	20
21	03		35				16	07		21	02		21
22	02	01	41		68		38	14		23		39	22
23	25	12			1.66		36	18		01		08	23
24	27	49	33			09	10	18		08	02	38	24
25	17					20	03	04				21	25
26		01				43	01	94		02	24	37	26
27		09	02				23	70		52	41	23	27
28		01				40	87			80		30	28
29		08				03	76	61	19	30	33	36	29
30			02			16	32	09	37	36		01	30
31			03				05			40		40	31
Total	444	211	470	49	321	438	395	659	70	342	145	438	3952
Rain Days.	414	234	479	17	327	442	418	628	69	343	143	445	3989
	79	79	21	7	40	21	18	27	7	16	17	26	205
		20		6	11						13	27	206

REGISTER OF RAINFALL IN 1913

BRITISH FORM A.
RAINFALL

25 FEB 1914

Kept at 14 Broad St. Ross
in the County of Hereford
by A. Neame

Lat. _____ Long. _____
Time of Observation 9 AM
Nearest Railway Station Ross
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level 123 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	07	03		10		03			09		04	06	1
2		07	15	01	11				56		07		2
3	02	23	06	14			02		11	62	13		3
4	07	01	05		44					04		07	4
5	98		02		29				53	54	02	13	5
6	13	01			04	28	09		01	15	05		6
7	03	09	23		16	08	04			32	21	42	7
8		45			38	06	04			39	14	01	8
9	02	15		01	24	01	01	01		07			9
10		20			06	06	09	09	17		09		10
11	17				07			14		05	13		11
12	58	02		20	06					05	71		12
13		01			24						54		13
14	02	02	08						35		29		14
15	25		45	03				02	05	06	01		15
16	22	06	76	74				09	08		01		16
17	13		73	04					07				17
18	06		07	13			15		12			01	18
19	04		34	05			06		33		03		19
20	20		29		02	08	05		07				20
21	25		34	06						11	23		21
22			33	12	07		07			01	42		22
23	53		66	03		09		24	33				23
24			01			05		01	01		04	06	24
25	01			02				02			03	01	25
26				29					04	01			26
27		02		79				21				15	27
28			08	24						16			28
29	32		20	39	02					13		01	29
30	01		55	60				06		29			30
31	16									56			31
Total	4.27	1.37	5.40	3.99	2.20	7.74	6.2	8.9	2.92	3.56	3.19	9.3	30.08
Rain Days.	22	14	19	19	14	8	9	10	10	17	19	10	17
	4.23	1.34	5.50	3.89	2.23	7.1	6.2	9.8	2.83	3.60	3.21	8.7	30.01

84

REG

2216
20 JAN 1922
FORM A2.
BRITISH RAINFALL

Kept at Ross
in the County of Hereford
by H. Southall

ROSS
BIRCHLEA / THE CRAIG
HEREFORD

in.
und ft. in.
Level 213 ft.
e
nce Direction
result entered to the
al rule, he is earnestly
n the space provided
of rain,
Rainfall
cation to
Jan. 1, following.

IMPORTANT NOTE.—
previous day. If an Observer
requested to add the reading
for it at the end of this page
the selection and placing of
Organization are given in "R"
Dr. H. R. MILL, 62, Camden Square, London, N.W.

1911-1920

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			01	07			03	15			02	03	1
2	01			02	08			09	01	06	10	10	2
3					38				01		03	04	3
4			14						03	03	13	57	4
5	06		03	03				04		02	09		5
6	18		06	02							15	79	6
7											28		7
8	11		11								05	49	8
9	08		02								22	43	9
10	05	09	11		62						03	49	10
11	15										50	01	11
12			43						07		15	17	12
13					11			42	02	01	40		13
14	01											109	14
15		02	02							01	27	08	15
16						06					15	15	16
17				03		12						34	17
18		15	07	14		01				03		48	18
19				13		12				25		27	19
20	02	03	09	02					15	02		59	20
21		12	05					65	19	34		07	21
22		01	07	01		06		01		18	01	45	22
23		20	11							09		06	23
24		05				52		14	07	08		15	24
25		03		02		04		01		02		06	25
26		13		17	92	03		11		17	17	12	26
27		15	19	03				30	15		07	12	27
28		15		14				04			29		28
29						12	21	01	04	23			29
30			02	01		01	01	04		22	03	02	30
31													31
Total	67	1.13	1.53	.84	2.11	1.09	25	1.59	1.14	1.77	2.75	7.57	TOTAL for Year
No. of Rain Days	9	12	16	14	5	10	3	12	10	16	20	26	22.44
												25	153

REG

2216
20 JAN 1927
FORM A2.
BRITISH RAINFALL

Kept at Pross, The Straig
in the County of Herefordshire
by H. Southall

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground ft. in.
" " " Sea Level 213 ft.
Time of Observation
Nearest Railway Station { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.01	.07			.03	.15			.02	.03	1
2	.01			.02	.08			.09	.01	.06	.10	.10	2
3					.38				.01		.03	.04	3
4			.14						.03	.03	.13	.57	4
5	.06		.03	.03				.04		.02	.09		5
6	.18		.06	.02							.15	.79	6
7											.28		7
8	.11		.11								.05	.49	8
9	.08		.02								.22	.43	9
10	.05	.09	.11		.62						.03	.49	10
11	.15										.50	.01	11
12			.43						.07		.15	.17	12
13					.11				.42	.02	.01	.40	13
14	.01											1.09	14
15		.02	.02							.01	.27	.08	15
16						.06					.15	.15	16
17				.03		.12						.34	17
18		.15	.07	.14		.01				.03		.48	18
19				.13		.12				.25		.27	19
20	.02	.03	.09	.02					.15	.02		.59	20
21		.12	.05					.65	.19	.34		.07	21
22		.01	.07	.01		.06		.01		.18	.01	.45	22
23		.20	.11							.09		.06	23
24		.05				.52		.14	.07	.08		.15	24
25		.03		.02		.04		.01		.02		.06	25
26		.13		.17	.92	.03		.11		.17	.17	.12	26
27		.15	.19	.03				.30	.15		.07	.12	27
28		.15		.14				.04			.29		28
29						.12	.21	.01	.04	.23			29
30			.02	.01		.01	.01	.04		.22	.03	.02	30
31													31
Total	.67	1.13	1.53	.84	2.11	1.09	.25	1.59	1.14	1.77	2.75	7.57	TOTAL for Year
No. of Rain Days	9	12	16	14	5	10	3	12	10	16	20	26	22.44
												20	153

REGISTER OF RAINFALL IN 1912

Kept at Poss, The Graig
in the County of Herefordshire
by H. Southall

Pattern _____
RAIN GAUGE Diameter of top _____ in.
Height of top above Ground _____ ft. in.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			15	02	02	50	09		02	43			1
2		01	45	02		39	21	04					2
3	03		09		04	14	04	62			04		3
4	08		70		14	38		04			15		4
5	19	05	11		14	05		36	01			02	5
6	24	12			06	11		36				04	6
7		28	17		01	47		10				02	7
8	17	17	14	01		34	09	21	04				8
9		08	25	04		12	01	10	02		02	20	9
10	11	09	01			01		05			09		10
11	05	08		05							04	39	11
12		27	11		11	09	04					09	12
13								08	02	03		06	13
14	02		43	03	11			06	01				14
15	50	04			27	26		02				09	15
16	82		09					06		03	01		16
17	80		13			04	01	41			04	48	17
18	27	03	08			01		25		01		04	18
19	07					04	15	57		19		02	19
20	02		36				18	09					20
21	02		38				10	11		26			21
22	25	11	03		70		45	18				07	22
23	25	50	27		1.52	08	08	16		09	02	40	23
24	14	02				19	03	01				15	24
25						16	03	1.05			22	36	25
26		05				01	23	63		50	33	20	26
27		02			02	38	84	01		76		29	27
28		09	02			04	64	56		26	33	35	28
29		25	04			12	30	07	20	35		02	29
30			02			12	05		35	09			30
31			31		06		31	02		02		04	31
Total	4.03	2.26	4.34	17	3.20	4.05	3.88	6.22	67	3.32	1.29	3.33	TOTAL for year 36.76
No. of Rain Days	18	18	22	6	13	23	20	27	8	13	11	20	199

REGISTER OF RAINFALL IN 1913

2236 FORM A.
BRITISH RAINFALL
28 JAN 1914

Kept at Ross, The Graig End
in the County of Herefordshire
by H. Southall

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 213 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	01	08	14	01	08	04			52		05		1
2		21	05	12			02		12	70	13		2
3	07		04	01	43					04		06	3
4	95	01			28				59	58	01	11	4
5	11	02	23		07	30	09		01	13	06	03	5
6	02	05			12	07	05			34	24	42	6
7		37			38	12	05			45	13	02	7
8	02	13		01	23		02	03		07	01		8
9		19		01	07	07	10	10	17	01	10		9
10	22				09			12		07	17		10
11	63	01		19	07	03		01		05	75		11
12					26					01	60		12
13	01		07					01	40		31		13
14	25		42	03				03	06	06	01		14
15	20	06	73	75				10	11		01	01	15
16	15		72	04					06				16
17	07		05	12			16		10				17
18	06		36	06			08		46		02		18
19	20		20	02	02	11	03		07				19
20	24		31	07						12	21		20
21			36	10	06		13	02			44		21
22	64		65	04				24	32				22
23			03			03		01	01	02	04	06	23
24				03				02			02		24
25				33					04	01		01	25
26		02		74				20	01	01		14	26
27			14	28						18			27
28	31		18	43	03					11		02	28
29	01		58	63				08		30			29
30	14									59	05		30
31	01		12					08		04			31
Total	4.32	1.15	5.38	4.02	2.19	77	73	1.05	3.05	3.89	3.36	88	30.79
Rain Days.	21	12	19	21	14	8	10	14	16	21	20	10	186

YEAR'S TOTAL

185

REGISTER OF RAINFALL IN 1914

Kept at Ross, The Craig
in the County of Herefordshire
by H. Southall

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level 213 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		05	03	07			1.17	19			07	10	1
2					02		65	06			47	49	2
3				14	29			08			01	07	3
4	22			14	09		14	03			40	70	4
5	03		05	10	23		13				07		5
6		13	03	07	03			01			04	25	6
7	01	29	13		25	04	18	10				10	7
8			11	02	03	78	01	07	02			09	8
9		03	25	49	06	1.42		10	09				9
10		31		46		07			27				10
11		10	21	04	19	29	73				13	68	11
12		20	10				04		17		05	38	12
13		26	55				02		15	22	04	45	13
14	02	23	31				08			31	15		14
15	01		11					38	07	02	13		15
16	02						10		27				16
17	01	22	07				06		04			35	17
18			05			42	06			01		25	18
19		02	06				90				25	19	19
20		32	15									10	20
21		47					05	01		14			21
22		09			30			09		09			22
23			15		03		06			14			23
24	02		10				06	09		10	04		24
25	05		19					14		16		10	25
26			02				04	07		08	11	60	26
27	04										32	15	27
28		09	17		01						07	62	28
29	04		11		10					21	19		29
30			10			15				16	54	77	30
31	20				01		25			17		04	31
Total	67	2.81	3.05	1.53	1.64	3.17	4.73	1.42	1.08	1.81	2.88	6.48	31.27
Rain Days.	12	15	22	9	14	7	19	14	8	13	18	20	174

sl.

2333
479

REGISTER OF RAINFALL IN 1915

Lat. _____ Long. _____

Time of Observation _____

Nearest Railway Station _____

Diameter of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level _____ ft.

Kept at The Craig, Ross-on-Wye

in the County of Herefordshire

by H. Southall

BRITISH RAINFALL FORM A.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	30	07			22	09		03	08	22		03	1
2	30	19	06	12				1.21	03	09		09	2
3	58	15		02	12		39	07				20	3
4	03	03			16		20	40				49	4
5		73		03				10		02		52	5
6	19	03		10			43	05				28	6
7	08	36		02			01	05				32	7
8	24	28					02	03			10		8
9	07	04		04				01			17	58	9
10	23		05	04						07			10
11	10		05	02							76	02	11
12	10	09		13	46			04		05	40	02	12
13	03	64			1.12			06	03			03	13
14		01						17	10			29	14
15	39				08		04	11		04	02	09	15
16	01	54		03	41		92						16
17		23	03		72								17
18		45	02										18
19		02			07		21						19
20	14			11						02		10	20
21	04	02					05			16		04	21
22	08	04	32	05			21					27	22
23	02	04	15			12	23			1.02		39	23
24			03	03			1.12		28	62		14	24
25						25	13					15	25
26		12					36		05			51	26
27		03					08			31		04	27
28		04				04		04	29	05		05	28
29						12	02	04			08	06	29
30	12	X					04			40	10	20	30
31		X		X		X	04	04	X	1.55	X	38	31
Total	3.05	4.15	71	74	3.36	62	4.50	2.45	86	4.62	1.63	5.29	31.98
Rain Days.	19	22	8	13	9	5	18	16	7	14	8	25	163

REGISTER OF RAINFALL IN 1916

Kept at *The Craig Rose & Birchlea*
in the County of *Hertfordshire*
by *M. L. Southall*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02		04		07	09	17			15	18		1
2	26	03	18		20	03			06	77	06		2
3		1.22			14	01			05	31	25		3
4	21	13		01	39	25			07	11	64		4
5		02	05		11	06	16			12	23		5
6	04	22	05		12	01	52			34	61		6
7	03		05		10					13	33	22	7
8		04	02		30	19					03	17	8
9					03	26			01	04	02	01	9
10	01	47	03	04		06			01	07			10
11	10		13	07	03	05			03			02	11
12	03	03	06		36		23			05	01		12
13		38	09	02	01			39		01			13
14		41	06		02			09		06	01	01	14
15		15	25	13	11			25		03			15
16		02	01	15			28	28		07			16
17	05	09		08				07	33	23			17
18		02	08	25				08	07	08	42	09	18
19	07		56								14		19
20	04	02	61	01								37	20
21	02		44		13		04					12	21
22				07		06				20			22
23		23	01	03		01		14		12	03	63	23
24		14	02	01	95	07		05		22		22	24
25		17	11			01		45	01	01	19	01	25
26		13	03			09		07	01	28	01		26
27	02	09	1.10			05		33	18	40		02	27
28		60	25						18	25		10	28
29		23				31		1.28		26		11	29
30		X				02				28			30
31		X		X		X		02	X	35	X	01	31
Total	90	4.84	4.23	.87	3.07	1.63	1.40	3.50	1.01	4.94	3.16	2.11	31.66
Rain Days.	13	22	23	12	16	18	6	13	12	26	16	16	193

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Pirchlea Ross
in the County of Herefordshire
by M. L. Southall

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in “Rules for Rainfall Observers,” sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		01	13	28		27		86	06		12	01	1
2			03	03		07		05			03		2
3	05	06		04			01	02		60			3
4		14	51	01			01	12		12			4
5	10		14	17		08		18	60	25	05		5
6	02		69			33				11	25		6
7	12						47	25		40	02		7
8	53		10	14			70	34		34	10	05	8
9			16	06	19			28	11	04	03		9
10	27		30	11	30			20		02			10
11	04		16	11	08			29		17	01		11
12					68			02	03	13	01		12
13			07	03		02		09	10	01			13
14			18	11				03			01		14
15					02		04	02	01	05		14	15
16	05			16	01		13			01		08	16
17		06		12	60		32	18	05	03			17
18	02	04			05		20		1.42				18
19	01	42	06			45			02				19
20		05	07		84	31	09		20				20
21		03	23		03	04		01		01			21
22			02			03		21		04			22
23	02	25			07			34	01	02			23
24		01				06	02	08		20	02		24
25		05	04					02		01	06		25
26					11	05		63	11		01		26
27					87	08	04	47					27
28			05		02	33		04				02	28
29			02		02	31	06			68		33	29
30		X						40	01	10	02		30
31		X	14	X	07	X		10	X	02	X	01	31
Total	1.23	1.12	3.10	1.37	3.96	2.43	2.09	5.23	2.73	3.36	74	64	28.00
Rain Days.	11	11	19	13	16	14	12	25	12	22	14	7	177

REGISTER OF RAINFALL IN 1918

Kept at Birchlea, Ross
in the County of Herefordshire
by M. L. Southall

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		01		02	09			13		03	81		1
2		07		01				69	03	01	04	05	2
3		07	01	07	30			03	44	01	15		3
4		03	01	01				04	12	19	55	42	4
5		01		03	46			02	33	16	01	01	5
6	02	33		05		03			03	19		05	6
7	02	10		04	44				24	08	27	07	7
8	02	10							06	08		04	8
9		11		19		22	13		25	05		06	9
10	02			13			30		19	10		14	10
11			07	03	02		06		05	01	04	11	11
12		01	18		06		10						12
13						03	02		12	01		09	13
14	26		07			04	02		48	01		03	14
15	1.20			18			26		01			19	15
16	22			66		08			36			01	16
17	19		02	08			17		04	08	01	07	17
18	44					31	03		1.05			60	18
19	08	02	19	01			09		01	07		02	19
20	13	03		21		05	05		32		01		20
21	09	01		10		01	01		45			04	21
22	02				23		10		15	02		31	22
23	01				26	01	27		01		02		23
24		10					17	09	03		06	01	24
25				01	09		27	61		02	04		25
26							68	01	01	01	03	06	26
27			08				01	18	11		02	01	27
28		09	23						01		06	02	28
29			02						1.22	01		07	29
30		X	34							01	04	21	30
31	01	X	17	X		X		07	X		X	01	31
Total	2.73	1.09	1.39	1.83	1.95	.78	2.74	1.87	6.12	1.15	2.16	2.70	26.51
Rain Days.	15	15	12	17	9	9	18	10	26	20	16	25	192

REGISTER OF RAINFALL IN 1919

2022

FORM A.
BRITISH RAINFALL

Kept at *Birchlea, Ross*
in the County of *Herefordshire*
by *M. L. Southall*

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	36		03	02	04	01	09		06	15		46	1
2	11	02	03				16		37	01	08	09	2
3	14		16		02	13	18		03		09	16	3
4	15	06	56			02	31	03	19			12	4
5	03	25	18		11				28		01	13	5
6	19	03	17		01						01	09	6
7	17		39	17					01		01	02	7
8	29		03	04		01					01		8
9	34		02	06					01	02	06		9
10	02		60	01						05	01	23	10
11			76		04		47			01	02	11	11
12			02	04		43	01		02	09		01	12
13	04			18					05			04	13
14	21	03		23			05		02	02		09	14
15	29	02		02	03					02		22	15
16	17	1.09						01			03	01	16
17		68			01	01					05		17
18			53				01	15	05		04	02	18
19	15	29	72			16	1.20	44	05		03	02	19
20	24	02	39				01	07			04	03	20
21	05	40	04			01	11	01	03		02	13	21
22		03					02	01	22			09	22
23						02		03		1.00	09	01	23
24				05		04	05			85	22	03	24
25	11			03	07			26			02	13	25
26	02		07	09		02		08	03	01		20	26
27	03		02	50				49				01	27
28	05		25					20			33	22	28
29	03			06				01		13	02	21	29
30		X	01	10		22		24		03	17	36	30
31	01	X	02	X		X	02		X		X	02	31
Total	3.20	2.92	5.00	1.60	.33	1.08	2.69	2.03	1.42	2.39	1.36	3.28	27.30
Rain Days.	23	12	21	15	8	12	14	14	15	13	21	28	196

REGISTER OF RAINFALL IN 1920.

Kept at Ross, Birchlea
in the County of Hampshire
by M. L. Southall

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			04	19	22		24		04	12		57	1
2	12		01	12			08		02	42		14	2
3	02	04		15	05	01	93	01	05	70		01	3
4				03			03	29		28			4
5			20	03	04		25	05		39			5
6			22		05		15			08		01	6
7			01	07			17			01		01	7
8	06	04		47	02		31	01				01	8
9	17	02		41			11						9
10	80	05	03	10		38	12				05	02	10
11	27	01	24	34	34	01	06	01			01		11
12	16	05	01	20	01	62	02			01	02		12
13	03	02	39	17		05		07				02	13
14		03	52	65		10			30	21	23	02	14
15		05	05	91		03			09	15	02		15
16		01		04	07	09	22		16	40	02		16
17					25	21			45	20		01	17
18	15			01	10		01	26	28			01	18
19	03	23		38	03	14						01	19
20		04		11		08						09	20
21				02			03			09		10	21
22	01			06			08	14		01		22	22
23							36	03	01	01		27	23
24	02	01	27	01					01		05	16	24
25	02	04	19	01		02	60					03	25
26	16	01	40		01	05	21			01	06	04	26
27	72	02	16	04	06	26			01			43	27
28	102		13		37	02	02						28
29	39		19	01	07	02	10			01	04	53	29
30	06		15	03		07	01		33		23	20	30
31	04		20		01					40		07	31
TOTAL	4.25	.67	3.41	4.56	1.70	2.16	4.11	.87	1.75	3.50	.73	2.98	YEAR'S TOTAL
Days with 01 in. or more	19	16	19	25	16	17	22	9	12	18	10	23	38.69

REGISTER

Kept at Chasedale Observ 2216
in the County of Herefordshire Ross on WYE OBSERVATORY
by Meteorological Office,

1915 - 20

4' W.

2216
FORM A.
BRITISH RAINFALL

in. 1 ft. — in.
level 202 ft.
result entered to the
ule, he is earnestly
year in the space provided

IMPORTANT NOTE.—

previous day. If an Observer requested to add the reading a for it at the end of this para the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.30	.07	-	-	.22	-	-	.02	.08	.20	-	.02	1
2	.31	.18	-	.10	-	.06	-	1.18	trace	.06	-	.09	2
3	.57	.15	-	.02	.12	-	.32	.07	-	-	-	.20	3
4	.03	.03	-	-	.15	-	.22	.32	-	-	-	.45	4
5	-	.71	-	.03	-	-	-	.09	-	Trace	-	.52	5
6	.19	trace	-	.10	-	-	.40	.04	-	-	-	.35	6
7	.08	.35	-	.02	-	-	.01	.07	-	-	-	.35	7
8	.24	.25	-	trace	-	-	.01	.02	-	-	.08	-	8
9	.06	.24	-	.03	-	-	-	Trace	-	-	.17	.58	9
10	.23	-	.05	.04	-	-	-	-	-	.06	-	.01	10
11	.10	-	.05	.02	-	-	-	-	-	-	.83	.01	11
12	.10	.09	-	.12	.43	-	-	.02	-	.05	.48	.01	12
13	-	.57	-	-	1.03	-	-	.05	.02	-	-	.02	13
14	-	.01	-	-	-	-	-	.14	.09	-	-	.29	14
15	.40	-	-	-	.07	-	.05	.12	-	.04	.02	.10	15
16	.01	.54	-	.02	.39	-	.89	-	-	-	-	-	16
17	-	.22	.02	-	.69	-	-	-	-	-	-	-	17
18	-	.42	trace	-	-	-	-	-	-	-	-	-	18
19	-	.04	-	-	.06	-	.18	-	-	-	-	-	19
20	.15	-	-	.09	-	-	-	-	-	.05	-	.10	20
21	.04	.02	-	-	-	-	.03	-	-	.18	-	.03	21
22	.07	.04	.29	.05	-	-	.18	-	-	-	-	.28	22
23	.02	.05	.14	-	-	.10	.19	-	-	-	-	.38	23
24	-	-	.03	.02	-	-	.93	-	.27	(4.80)	-	.13	24
25	-	-	-	-	-	.24	.13	-	-	-	-	.14	25
26	-	.10	-	-	-	-	.34	-	.04	-	-	.48	26
27	-	.04	-	-	-	-	.08	-	-	.30	-	.04	27
28	-	.04	-	-	-	.04	-	.05	.25	-	-	.05	28
29	-	X	-	-	-	.23	.01	.02	-	-	.06	.03	29
30	.11	X	-	-	-	-	.04	-	-	.37	.09	.15	30
31	-	X	-	X	-	X	.03	.04	X	1.53	X	.32	31
Total	3.01	4.16	0.58	.66	3.16	.67	4.04	2.25	.75	2.84	1.73	5.13	YEAR'S TOTAL
Rain Days.	18	21	6	13	9	5	18	15	6	4.64	7	26	30

REGIST

2216
FORM A.
BRITISH RAINFALL.

Kept at Chasedale Observatory, Ross-on-Wye
in the County of Herefordshire.
by Meteorological Office, per J. J. Parsons
Mus. B., FR. Met. Soc., " " " " " "

Lat. 51° 54' Long. 2° 34' W.
Time of Observation 9 a.m.
Nearest Railway Station Ross
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. — in.
Sea Level 202 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.30	.07	-	-	.22	-	-	.02	.08	.20	-	.02	1
2	.31	.18	-	.10	-	.06	-	1.18	trace	.06	-	.09	2
3	.57	.15	-	.02	.12	-	.32	.07	-	-	-	.20	3
4	.03	.03	-	-	.15	-	.22	.32	-	-	-	.45	4
5	-	.71	-	.03	-	-	-	.09	-	Trace	-	.52	5
6	.19	trace	-	.10	-	-	.40	.04	-	-	-	.35	6
7	.08	.35	-	.02	-	-	.01	.07	-	-	-	.35	7
8	.24	.25	-	trace	-	-	.01	.02	-	-	.08	-	8
9	.06	.24	-	.03	-	-	-	trace	-	-	.17	.58	9
10	.23	-	.05	.04	-	-	-	-	-	.06	-	.01	10
11	.10	-	.05	.02	-	-	-	-	-	-	.83	.01	11
12	.10	.09	-	.12	.43	-	-	.02	-	.05	.48	.01	12
13	-	.57	-	-	1.03	-	-	.05	.02	-	-	.02	13
14	-	.01	-	-	-	-	-	.14	.09	-	-	.29	14
15	.40	-	-	-	.07	-	.05	.12	-	.04	.02	.10	15
16	.01	.54	-	.02	.39	-	.89	-	-	-	-	-	16
17	-	.22	.02	-	.69	-	-	-	-	-	-	-	17
18	-	.42	trace	-	-	-	-	-	-	-	-	-	18
19	-	.04	-	-	.06	-	.18	-	-	-	-	-	19
20	.15	-	-	.09	-	-	-	-	-	.05	-	.10	20
21	.04	.02	-	-	-	-	.03	-	-	.18	-	.03	21
22	.07	.04	.29	.05	-	-	.18	-	-	-	-	.28	22
23	.02	.05	.14	-	-	.10	.19	-	-	-	-	.38	23
24	-	-	.03	.02	-	-	.93	-	.27	1.80	-	.13	24
25	-	-	-	-	-	.24	.13	-	-	-	-	.14	25
26	-	.10	-	-	-	-	.34	-	.04	-	-	.48	26
27	-	.04	-	-	-	-	.08	-	-	.30	-	.04	27
28	-	.04	-	-	-	.04	-	.05	.25	-	-	.05	28
29	-	X	-	-	-	.23	.01	.02	-	-	.06	.03	29
30	.11	X	-	-	-	-	.04	-	-	.37	.09	.15	30
31	-	X	-	X	-	X	.03	.04	X	1.53	X	.32	31
Total	3.01	4.16	0.58	.66	3.16	.67	4.04	2.25	.75	2.84	1.73	.513	YEAR'S TOTAL
Rain Days.	18	21	6	13	9	5	18	15	6	4.64	7	26	30

REGISTER OF RAINFALL IN 1916

Kept at Chasedale Observatory, Ross-on-Wye
in the County of Herefordshire
by Meteorological Office per for 4.9.20

Lat. 51° 54' Long. 2° 34' W
Time of Observation 9.2m
Nearest Railway Station Ross
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground 1 ft. in.
Sea Level 202 ft.

2216
FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	—	.05	—	.05	.07	.16	—	—	.10	.20	—	1
2	.25	.03	.17	—	.17	Trace	—	—	.04	.73	.06	—	2
3	—	1.19	Trace	—	.12	Trace	—	—	.04	.30	.25	—	3
4	.22	.14	—	.01	.48	.21	—	—	.06	.10	.64	—	4
5	—	.09	.05	—	.13	.05	.15	—	—	.09	.22	—	5
6	.03	.22	.04	—	.11	.01	.47	—	—	.29	.58	—	6
7	.01	—	.12	—	.09	—	.01	—	—	.10	.34	.22	7
8	Trace	.03	.03	—	.20	.07	—	—	—	—	.02	.17	8
9	—	—	Trace	—	.09	.30	—	—	.01	.02	.02	—	9
10	—	.43	.05	.03	—	.08	—	—	—	.05	—	.01	10
11	.10	.02	.09	.06	.02	.04	—	—	.02	—	—	.01	11
12	.04	.01	.06	Trace	.30	Trace	.22	—	—	.04	—	—	12
13	—	.37	.09	—	.01	—	—	.41	—	—	—	—	13
14	—	.25	.05	Trace	.05	—	—	.06	—	.03	—	Trace	14
15	—	.26	.24	.10	.09	—	—	.15	—	.01	—	—	15
16	—	.02	—	.17	Trace	—	.30	.27	—	.05	—	—	16
17	.04	.10	—	.07	Trace	—	—	.06	.29	.21	—	—	17
18	Trace	.02	.09	—	—	—	—	.09	.05	.06	.37	.06	18
19	.09	—	.56	.25	—	—	—	—	Trace	—	.20	Trace	19
20	.04	Trace	.58	.01	—	—	—	—	—	—	Trace	.32	20
21	.01	—	.43	—	.12	—	.02	—	—	—	—	.15	21
22	—	—	—	.06	—	.04	—	—	—	.17	—	.49	22
23	—	.23	.01	.02	—	Trace	—	.12	—	.09	.01	.02	23
24	—	.14	.01	—	.97	.13	—	.04	—	.20	—	.24	24
25	—	.16	.10	—	.01	—	—	.44	—	—	.16	.01	25
26	Trace	.12	.03	—	—	.08	—	.08	Trace	.25	—	—	26
27	.01	.06	.98	—	—	.06	—	.47	.17	.35	—	.01	27
28	Trace	.59	.03	—	—	.03	—	—	.18	.22	—	.10	28
29	—	.22	—	—	—	.29	—	1.26	Trace	.24	—	.12	29
30	—	X	—	—	—	.02	—	Trace	—	.26	—	Trace	30
31	—	X	—	X	—	X	—	Trace	X	.30	X	.01	31
Total	0.87	4.70	3.86	.78	3.01	1.48	1.33	3.45	.86	4.26	3.07	1.94	29.61
Rain Days.	12	22	22	10	17	15	7	12	9	24	13	15	178

REGISTER OF RAINFALL IN 1917

Kept at Chasedale Ross on Wye

in the County of Herefordshire

by J. W. Purchas

Lat. 51. 55 North Long. 2. 34 West

Time of Observation 9. 18

Nearest Railway Station Ross on Wye

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	0.2	3.0	6.0	—	5.9	—	20.6	2.8	—	2.7	0.2	1
2	—	—	0.6	0.9	—	1.4	—	1.4	—	—	0.4	—	2
3	1.1	1.4	—	0.4	—	—	—	0.2	—	12.7	—	—	3
4	—	4.7	8.0	0.3	—	—	0.4	2.5	—	5.2	—	—	4
5	2.2	—	3.2	3.6	—	2.0	—	6.0	14.2	5.9	1.1	—	5
6	0.3	—	18.7	—	—	7.7	—	—	—	2.4	5.5	—	6
7	4.8	—	—	—	—	—	9.8	5.8	—	9.8	0.3	—	7
8	12.4	—	1.2	3.4	—	—	18.1	7.4	—	8.1	2.2	1.6	8
9	—	—	4.7	1.3	4.3	—	—	7.6	2.0	0.7	0.4	—	9
10	6.5	—	7.1	2.5	8.2	—	—	5.3	—	0.5	—	—	10
11	0.8	—	4.2	2.6	1.7	—	—	7.4	—	3.9	—	—	11
12	—	—	—	0.3	16.6	—	—	0.4	0.3	2.8	—	—	12
13	—	—	1.7	0.5	—	Trace	—	1.6	2.2	—	—	—	13
14	—	—	4.4	2.6	—	—	—	1.5	—	—	—	—	14
15	0.2	—	—	—	0.2	—	—	—	0.2	0.9	—	3.4	15
16	1.2	0.8	—	3.3	0.2	—	1.6	—	—	—	—	1.3	16
17	—	—	—	2.8	14.7	—	6.8	3.6	1.1	0.8	—	—	17
18	0.4	0.7	—	0.2	1.3	—	4.6	—	35.8	—	—	—	18
19	0.4	8.5	1.7	—	—	10.6	—	—	0.5	—	—	—	19
20	—	3.0	1.3	—	20.4	6.7	1.7	—	4.7	—	—	—	20
21	—	0.7	5.3	—	0.7	0.4	—	—	—	—	—	—	21
22	—	—	0.7	—	—	0.9	—	4.6	—	0.8	—	—	22
23	—	5.4	—	—	1.3	—	—	8.0	—	0.4	—	—	23
24	—	0.5	—	—	—	1.0	0.5	2.2	—	4.5	Trace	—	24
25	—	1.2	1.1	—	—	—	—	Trace	—	—	1.1	—	25
26	—	—	0.2	—	2.2	1.0	—	15.6	2.6	—	0.2	—	26
27	—	—	—	—	21.7	5.0	0.7	11.4	—	—	—	—	27
28	—	—	1.2	—	0.5	3.9	—	1.6	—	—	—	Trace	28
29	—	X	0.5	—	0.4	7.7	0.4	0.2	—	15.0	Trace	7.2	29
30	—	X	—	—	—	—	0.2	9.3	—	1.3	0.5	—	30
31	—	X	2.9	X	1.2	X	—	1.2	X	0.2	X	—	31
Total	30.3	27.1	71.7	31.0	95.6	54.2	44.8	125.4	66.4	95.9	14.4	13.7	650.3
Rain Days.	11	11	20	15	16	13	11	23	11	19	10	5	164

REGISTER OF RAINFALL IN 1918

Kept at Chasedale, Ross, on Wye
in the County of Herefordshire

by J. H. E. Purchas

Lat. 51° 55' North Long. 2° 34' West.

Time of Observation 9.4.18

Nearest Railway Station Ross

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

Sea Level 201 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	0.7	1.8	—	—	2.6	—	0.4	19.2	—	1
2	—	1.3	—	—	—	—	—	15.7	1.1	—	1.2	1.0	2
3	—	1.6	—	1.4	7.0	—	—	0.4	10.4	—	3.4	0.2	3
4	—	0.7	—	0.2	—	—	—	0.9	2.9	3.6	12.1	9.4	4
5	—	0.2	0.2	0.5	11.0	—	—	1.0	4.1	3.1	—	0.5	5
6	0.6	7.8	—	1.1	—	0.6	—	—	0.4	7.3	—	0.9	6
7	—	2.5	—	0.9	11.0	—	—	—	5.5	1.7	5.8	0.7	7
8	0.4	2.5	—	—	—	—	—	—	1.6	1.7	Trace	1.0	8
9	0.7	2.8	—	4.6	—	4.2	2.1	—	6.0	1.0	—	0.7	9
10	0.4	0.2	—	2.9	—	—	5.8	—	4.7	2.3	—	4.3	10
11	—	—	1.2	0.7	0.4	—	0.6	—	0.9	—	0.9	2.3	11
12	—	—	5.5	—	1.3	—	1.8	—	0.3	—	Trace	0.3	12
13	—	—	—	—	—	—	0.3	—	2.4	0.2	Trace	2.3	13
14	4.3	—	1.5	—	0.3	0.9	—	—	11.3	—	—	0.8	14
15	27.8	—	—	4.4	—	—	—	—	0.3	—	—	3.8	15
16	0.7	—	—	16.2	—	2.1	—	—	8.7	—	—	0.4	16
17	6.9	—	0.4	1.5	—	—	3.0	—	0.8	1.8	—	1.6	17
18	12.8	—	—	—	—	7.3	1.1	—	25.7	—	—	14.2	18
19	1.5	0.3	4.8	—	—	—	2.9	—	0.3	1.7	—	0.7	19
20	3.0	0.6	—	4.9	—	1.2	0.6	—	6.7	—	—	—	20
21	3.0	—	—	2.0	—	—	0.4	—	10.3	—	—	1.2	21
22	0.7	—	—	—	4.9	—	2.1	—	5.1	0.8	—	7.7	22
23	0.2	—	—	—	6.5	0.2	7.0	—	—	—	0.4	0.3	23
24	—	2.3	—	—	—	—	5.3	—	0.8	—	1.1	—	24
25	—	—	—	—	2.2	—	5.8	15.3	—	0.3	0.4	—	25
26	—	—	—	0.3	—	—	15.7	—	—	0.4	1.0	1.3	26
27	—	—	1.5	—	—	—	—	4.5	2.5	—	0.3	0.2	27
28	—	2.1	5.7	—	—	—	—	—	—	0.3	1.5	0.4	28
29	—	X	0.4	—	—	—	—	—	29.0	—	—	1.4	29
30	—	X	8.0	—	—	—	—	—	0.2	0.2	0.5	5.0	30
31	—	X	4.2	X	—	X	—	1.2	X	—	X	—	31
Total	63.0	24.9	33.4	42.3	46.4	16.5	54.5	41.6	142.0	26.8	47.8	62.6	YEARS TOTAL (601.8)
Rain Days.	14	13	11	15	10	7	15	8	25	16	13	26	172

REGISTER OF RAINFALL IN 1919.

Kept at Ross on Wye

in the County of Hereford

by F. J. Parsons, Mus Bac & Mrs H. E. Purchas.

Lat. 51° 55' N Long 2° 34' W

Time of Observation 9.15 A.M.T. (See note over.)

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 202 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	8.3	0.2	0.5	0.2	0.9	-	1.8	-	1.1	2.3	-	11.5	1
2	2.7	0.2	0.6	-	-	-	3.8	-	8.7	-	1.2	2.1	2
3	3.6	-	2.4	-	0.4	2.9	4.1	-	0.7	-	3.3	4.0	3
4	2.7	1.1	14.7	-	-	0.4	7.3	0.5	4.6	0.1	0.2	2.7	4
5	1.6	6.5	5.5	-	2.4	-	0.1	-	6.6	0.1	-	3.5	5
6	4.3	0.5	3.6	-	0.2	-	-	-	8.1	-	0.2	2.1	6
7	4.4	-	10.6	4.2	-	-	-	-	-	-	-	0.3	7
8	7.4	-	0.6	2.9	-	-	-	-	-	-	-	-	8
9	7.9	-	-	1.4	-	-	-	-	-	-	1.5	-	9
10	0.3	-	14.7	0.1	-	-	-	-	-	1.0	0.4	4.8	10
11	-	-	19.3	0.1	0.8	-	11.8	-	-	0.1	0.3	2.2	11
12	-	-	0.3	0.9	-	9.8	0.3	-	0.2	2.6	-	-	12
13	0.4	-	-	3.8	-	-	-	-	0.9	-	-	0.6	13
14	5.7	0.5	-	5.2	-	-	0.6	-	0.3	0.3	-	1.9	14
15	7.1	0.3	-	0.5	0.6	-	-	-	-	0.2	-	5.6	15
16	3.8	27.9	-	-	-	-	-	0.1	-	-	0.7	0.1	16
17	-	14.1	-	-	-	-	-	-	-	-	1.0	-	17
18	0.3	-	12.0	-	-	-	0.1	3.5	1.1	-	1.0	0.2	18
19	2.3	7.1	16.0	-	-	3.9	31.9	10.5	1.1	-	0.3	0.3	19
20	5.3	0.6	11.2	-	-	-	0.2	1.7	0.1	-	0.8	0.9	20
21	0.5	9.8	0.8	-	-	-	2.6	-	0.7	-	0.3	2.6	21
22	-	0.5	-	-	-	-	0.3	0.1	5.0	-	-	2.0	22
23	-	-	-	-	-	0.2	-	0.6	-	24.5	2.0	-	23
24	-	-	-	1.2	-	0.8	1.0	-	-	22.4	6.8	0.3	24
25	2.1	-	10	0.5	1.5	-	-	6.3	-	-	0.3	3.4	25
26	0.3	-	1.5	1.9	-	0.4	-	1.7	0.5	-	-	4.3	26
27	0.5	-	0.2	12.2	-	-	-	13.0	-	-	-	0.1	27
28	0.7	-	5.4	-	-	-	-	4.7	-	-	5.5	5.1	28
29	0.5	X	-	1.3	-	-	-	0.1	-	2.9	1.2	5.4	29
30	-	X	-	2.3	-	5.1	-	6.0	-	0.5	3.8	8.7	30
31	-	X	0.2	X	-	X	0.2	-	X	-	X	0.1	65 31
TOTAL	12.7	69.3	120.1	38.7	6.9	23.5	66.1	48.8	31.7	57.0	30.8	74.8	YEAR'S TOTAL 640.3
Days with 0.2 mm. or more	23	13	19	14	7	8	13	10	13	9	19	23	171

Ross-on-Wye

Time of observations, G.M.T.

Jan. 9 h., 21 h.

Feb. - Mar. 9, 18

Apr. - Sept. 9, 17

Oct - Dec. 9, 18

REGISTER OF RAINFALL IN 1920.

Kept at Ross-on-Wye (MO)
 in the County of Herefordshire
 by I. J. Parsons, Miss. Bae & Mrs. H. P. P. P.

Lat. 51° 54' N Long. 2° 34' W
 Time of Observation 9h 21h 51h T.
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 0 1/2 in.
 " " " " Sea Level 202 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	-	0.8	4.1	5.6	-	5.1	-	0.3	6.2	-	13.7	1
2	2.6	-	0.4	3.0	0.3	-	2.0	-	0.9	11.8	-	3.0	2
3	0.9	0.7	-	3.5	0.4	-	24.7	0.2	1.0	15.6	-	0.5	3
4	-	-	-	0.9	-	-	-	6.4	-	7.5	-	-	4
5	-	-	4.5	0.6	0.8	-	3.8	1.5	-	3.6	-	-	5
6	-	-	5.4	-	1.2	-	6.3	-	-	8.2	-	0.1	6
7	-	-	0.2	1.7	-	-	3.5	-	-	-	0.1	0.1	7
8	0.9	0.9	-	11.6	0.5	-	7.7	0.2	-	-	-	0.1	8
9	4.1	0.4	-	10.0	-	0.5	0.3	-	-	-	-	-	9
10	20.2	1.2	0.8	2.3	-	9.2	4.6	-	-	-	1.0	0.2	10
11	8.4	0.2	5.3	8.2	8.2	0.3	1.1	-	-	-	-	-	11
12	3.5	0.9	0.3	4.7	0.2	15.9	0.4	-	-	0.2	0.1	-	12
13	0.4	0.4	9.4	3.8	-	2.2	-	1.5	-	-	0.2	0.3	13
14	-	0.8	11.9	15.8	-	3.1	-	-	4.5	4.9	5.0	0.7	14
15	-	1.3	0.9	20.6	-	1.0	-	-	4.0	1.8	0.6	-	15
16	-	0.2	-	0.8	1.7	2.2	5.4	-	3.8	11.1	-	-	16
17	-	-	-	-	6.2	5.4	0.1	-	11.9	5.4	-	0.4	17
18	3.3	-	-	0.1	2.0	-	-	6.4	7.1	-	-	0.4	18
19	0.5	5.1	-	9.0	0.6	3.1	0.1	-	-	-	-	0.1	19
20	-	1.3	-	2.3	-	1.9	-	-	-	-	-	1.1	20
21	-	-	-	0.3	-	-	0.7	-	-	2.0	-	2.7	21
22	-	-	-	1.5	-	-	0.8	3.3	0.1	-	-	5.9	22
23	-	-	-	-	-	-	8.5	0.8	-	-	-	6.3	23
24	0.3	-	5.7	0.2	-	-	-	-	0.1	-	1.1	4.3	24
25	0.4	1.1	4.2	-	-	0.2	14.1	-	-	-	-	0.8	25
26	3.8	-	10.0	0.2	-	2.0	4.5	-	-	-	1.0	0.6	26
27	14.9	0.5	3.3	0.9	1.4	6.3	-	-	0.1	0.1	0.5	10.9	27
28	24.1	-	3.3	-	7.7	0.1	0.2	-	-	-	-	-	28
29	8.6	-	5.0	-	1.9	0.3	1.0	-	-	-	0.7	12.6	29
30	3.2	~~X~~	3.6	0.6	0.2	1.3	1.4	-	4.6	-	5.9	3.1	726.7
31	1.3	~~X~~	4.8	~~X~~	0.2	~~X~~	-	-	~~X~~	9.6	~~X~~	3.2	31
TOTAL	101.4	15.0	79.8	106.7	39.1	55.0	96.3	20.3	38.4	88.0	17.2	40.5	185
Days with 0.2 mm. or more	18	14	19	23	17	16	20	8	9	15	10	18	185

Postal Address
Morney Cross Hereford

REG

Kept at Morney

in the County of

by Alfred

IMPORTANT NOT
previous day. If an Ob
requested to add the read
for it at the end of this
the selection and placing
of rain gauges, and partic
ulars as to the British Rai
nfall Organization are giv
in "Rules for Rainfall Ob
servers," sent post-free on
application to Dr. H. R. MIL
L, 62, Camden Square, Lon
don, N.W. 1.

2224

MORNEY CROSS TOWNHOPE

1917 - 20

A.M.
John Sacy G.W.Ry.

auge in.
Ground ft. in.
Sea Level ft.
The result entered to the
sal rule, he is earnestly
in the space provided

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	'15	29	-	'28	-	'80	07	-	'14	-	1
2	-	-	'005	'02	-	'04	-	'05	-	'03	'08	-	2
3	'02	⁵ noted '04	-	'11	-	-	-	'02	-	'37	-	-	3
4	-	⁵ noted '05	'11	'04	-	-	-	-	-	'39	-	-	4
5	'10	-	28	'16	-	02	-	'02	24	20	07	-	5
6	'01	-	1'03	'005	-	'58	-	-	-	'07	29	-	6
7	'13	-	-	-	-	-	09	22	-	24	04	-	7
8	'45	-	'05	'10	-	-	'45	'43	-	20	'08	'04	8
9	-	-	20	'04	'19	-	-	'40	07	08	'005	-	9
10	29	-	'34	'16	20	-	-	'18	'02	'005	-	-	10
11	'10	-	09	'07	'02	-	-	'12	-	'18	-	-	11
12	-	-	-	-	34	-	-	'01	01	01	-	-	12
13	-	'02	'12	'03	-	-	-	'05	'10	01	-	-	13
14	-	-	21	'10	-	-	-	'08	-	'005	-	-	14
15	'005	-	-	'005	'04	-	-	'12	-	02	-	'10	15
16	-	'03	-	'10	-	-	-	-	-	01	-	'13	16
17	'01	'01	-	'05	'64	-	32	39	'12	'03	-	-	17
18	'005	'01	-	-	'005	-	36	-	1'43	-	-	-	18
19	'02	'43	08	-	-	'64	-	-	'01	-	-	-	19
20	'01	'13	'03	-	'55	'13	30	-	'005	-	-	-	20
21	-	'03	'19	-	'02	'16	-	'01	-	'005	-	-	21
22	-	-	-	-	-	'03	-	'21	-	-	-	-	22
23	'005	20	-	-	'06	-	-	'25	-	06	-	-	23
24	-	'02	-	-	-	'09	'03	'10	-	76	08	-	24
25	-	'04	'03	-	-	-	-	'02	-	04	'14	-	25
26	-	-	-	-	'03	'01	-	'72	'15	-	'01	-	26
27	-	-	-	-	'85	'18	20	'55	-	'005	-	-	27
28	-	-	'13	-	'08	'25	-	'11	-	~~1'00~~	-	'02	28
29	-	X	'03	-	1'35	20	30	'06	-	43	-	'34	29
30	-	X	'02	-	-	-	'01	'43	-	'02	-	'005	30
31	-	X	'05	X	'04	X	-	'08	X	'02	X	-	31
Total	11'55	1'01	3'45	1'28	4'45	2'61	2'06	5'43	2'225	2'67	'935	'635	27'57
Rain Days.	12	12	18	13	13	13	9	25	10	20	8	5	157
	12			14	15					22	10		165

Postal Address
Morney Cross, Herefordshire

REG

Kept at Morney Cross Townhope
in the County of Herefordshire
by Alfred R. Maudslay

Time of Observation 9 A.M.
Nearest Railway Station Holme Lacy G.W. Ry.
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.15	.29	—	.28	—	.80	.07	—	.14	—	1
2	—	—	.005	.02	—	.04	—	.05	—	.03	.08	—	2
3	.02	^{showd} .04	—	.11	—	—	—	.02	—	.37	—	—	3
4	—	^{showd} .05	.11	.04	—	—	—	—	—	.32	—	—	4
5	.10	—	.28	.16	—	.02	—	.02	.24	.20	.07	—	5
6	.01	—	1.03	.005	—	.58	—	—	—	.07	.29	—	6
7	.13	—	—	—	—	—	.09	.22	—	.24	.04	—	7
8	.45	—	.05	.10	—	—	.45	.43	—	.20	.08	.04	8
9	—	—	.20	.04	.19	—	—	.40	.07	.08	.005	—	9
10	.29	—	.34	.16	.20	—	—	.18	.02	.005	—	—	10
11	.10	—	.09	.07	.02	—	—	.12	—	.18	—	—	11
12	—	—	—	—	.34	—	—	.01	.01	.01	—	—	12
13	—	.02	.12	.03	—	—	—	.05	.10	.01	—	—	13
14	—	—	.21	.10	—	—	—	.08	—	.005	—	—	14
15	.005	—	—	.005	.04	—	—	.12	—	.02	—	.10	15
16	—	.03	—	.10	—	—	—	—	—	.01	—	.13	16
17	.01	.01	—	.05	.64	—	.32	.39	.12	.03	—	—	17
18	.005	.01	—	—	.005	—	.36	—	1.43	—	—	—	18
19	.02	.43	.08	—	—	.64	—	—	.01	—	—	—	19
20	.01	.13	.03	—	.55	.13	.30	—	.005	—	—	—	20
21	—	.03	.19	—	.02	.16	—	.01	—	.005	—	—	21
22	—	—	—	—	—	.03	—	.21	—	—	—	—	22
23	.005	.20	—	—	.06	—	—	.25	—	.06	—	—	23
24	—	.02	—	—	—	.09	.03	.10	—	.16	.08	—	24
25	—	.04	.03	—	—	—	—	.02	—	.04	.14	—	25
26	—	—	—	—	.03	.01	—	.72	.15	—	.01	—	26
27	—	—	—	—	.85	.18	.20	.55	—	.005	—	—	27
28	—	—	.13	—	.08	.25	—	.11	—	~~.50~~	—	.02	28
29	—	~~X~~	.03	—	1.35	.20	.30	.06	—	.43	—	.34	29
30	—	~~X~~	.02	—	—	—	.01	.43	—	~~.17~~	—	.005	30
31	—	~~X~~	.05	~~X~~	.04	~~X~~	—	.08	~~X~~	.02	~~X~~	—	31
Total	11.55	1.01	31.45	1.28	4.415	2.61	2.06	5.43	2.225	2.67	.935	.635	YEAR'S TOTAL 27.57
Rain Days.	10	12	18	13	13	13	9	25	10	20	9	5	157
	12			14	15				22	10			165

REGISTER OF RAINFALL IN 1918

Kept at *Mozney Cross - Townhope*
in the County of *Hereford*
by *Alfred F. Mandslay*

Lat. _____ Long. _____
Time of Observation *9.4 M.*
Nearest Railway Station *Holm Lacy G.W.R.*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *100* ft. *8* in.
" " " " Sea Level *190* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
14

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	'005	'02	'02	'04	—	—	'07	—	'04	'68	—	1
2	—	'06	—	'05	—	—	—	'46	—	'02	'02	'04	2
3	—	'09	—	'07	'2	—	—	—	'5	—	'06	—	3
4	—	'02	'005	—	—	—	—	'02	'16	'11	'59	'45	4
5	—	'03	—	'02	'34	—	—	'02	'25	'12	—	—	5
6	—	'14	—	'12	—	'04	—	—	'03	'18	—	'02	6
7	'005	'08	—	—	'45	—	—	—	'27	'03	'17	'03	7
8	'01	'1	—	—	—	—	—	—	'12	'2	—	'01	8
9	—	'08	—	'19	—	'10	'02	—	'18	—	—	—	9
10	'05	—	—	'04	—	—	'4	—	'06	'06	—	'02	10
11	—	—	'08	'02	'005	—	'1	—	'1	—	—	'2	11
12	—	'02	'13	—	'08	—	'29	—	—	—	—	—	12
13	—	'03	—	—	'03	—	'03	—	'12	'07	—	'05	13
14	'29	—	'11	—	—	'01	'03	—	'46	'02	—	'04	14
15	'91	—	—	'13	—	—	'26	—	'005	—	—	'24	15
16	'18	—	—	'79	—	'01	'01	—	'27	—	—	'02	16
17	'15	—	'01	'01	—	—	'59	—	'46	'1	—	'06	17
18	'3	—	—	—	—	'28	'04	—	'130	—	—	'5	18
19	'08	'005	'19	—	—	—	'07	—	'005	'08	—	'02	19
20	'2	'03	—	'16	—	'05	'06	—	'29	—	—	—	20
21	'09	'005	—	'36	—	—	'03	—	'45	'02	—	'05	21
22	'03	—	—	—	'55	—	'03	—	'07	—	—	'14	22
23	'02	—	—	—	'30	'005	'11	—	—	—	—	—	23
24	'005	'04	—	—	—	—	'005	'03	'04	—	'08	—	24
25	—	—	—	'01	'08	'01	'11	'60	—	'02	'06	—	25
26	—	—	—	—	—	—	'74	—	'02	—	'02	'12	26
27	—	—	'03	—	—	'01	—	'15	'07	—	—	—	27
28	—	'11	'34	—	—	—	—	—	—	—	'02	'06	28
29	—	—	'04	—	—	—	—	—	'11	'01	—	—	29
30	—	X	'3	—	—	—	—	—	—	—	'07	'08	30
31	—	X	'2	X	—	X	—	'005	X	—	X	—	24.810
Total	2.32	'845	1.455	1.99	2.075	'515	2.925	1.355	6.33	1.08	1.77	2.15	YEAR'S TOTAL 26.810
Rain Days.	13	15	11	14	10	8	18	7	25	15	10	19	156

STATION,
HOLME LACY, G.W.R.
TELEGRAMS,
FOWNHOPE.

MORNEY CROSS,
HEREFORD.

3rd May, 1919.

Dear Sir,

I have made
further enquiry & find
that the entry of rainfall
sent in my return for the
2nd December 1918 of 2.04
is an error & the entry should
be .04 - The 2 was for the
2nd of the month & was
misplaced - Very sorry
that the error should
have occurred

Yours
Alfred D. Mandelay.

REGISTER OF RAINFALL IN 1919.

Kept at Morney Cross (Parish of Townhope)
in the County of Hereford
by Alfred P. Maudslay

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Holme Lacy G. R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 10 inches.
" " " " Sea Level 195 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.14	—	.05	—	.05	.01	.08	—	.08	.10	—	.50	1
2	.08	—	—	—	.03	—	.08	—	.10	—	.10	.08	2
3	—	—	.10	—	.005	.06	.04	—	.02	—	.07	.09	3
4	.15	.13	.30	—	—	.04	.34	.06	.20	—	—	.15	4
5	—	.28	.12	—	.04	—	.005	—	.10	—	—	.19	5
6	.11	.01	.08	—	.03	—	—	—	—	—	.01	.14	6
7	.19	—	.15	.12	.10	—	—	—	—	—	—	.01	7
8	.11	—	.05	—	—	.005	—	—	—	—	—	—	8
9	.26	—	—	.04	—	—	—	—	—	—	.01	—	9
10	—	—	.62	—	—	—	—	—	—	.04	.01	.33	10
11	—	—	.87	—	.03	—	.46	—	—	—	—	.07	11
12	—	—	.03	.11	—	.15	.01	—	.02	.03	.01	—	12
13	.10	—	—	.19	—	—	—	—	.18	.02	—	.03	13
14	.16	.04	—	.20	—	—	.04	—	.04	—	—	.20	14
15	.30	.05	—	—	.05	—	—	—	—	—	—	.21	15
16	.11	.10	—	—	—	—	—	.07	—	—	.03	—	16
17	—	.70	—	—	—	.02	—	—	—	—	.03	—	17
18	.05	~~.68~~	.68	—	—	—	.02	.02	—	—	.03	—	18
19	.20	.30	1.00	—	—	.14	.95	.70	.15	.05	.03	.05	19
20	.24	.02	.18	—	—	.01	—	.10	.01	—	.05	.04	20
21	.01	.41	.02	—	—	.04	.10	—	.03	—	.01	.06	21
22	—	—	—	—	—	—	.07	—	.16	—	—	.04	22
23	—	—	—	—	—	.01	—	.03	—	1.00	.02	.01	23
24	—	—	—	.005	—	.02	.11	—	—	.65	.14	.25	24
25	.08	—	—	.02	.08	—	—	.27	—	—	.01	—	25
26	—	—	.05	—	—	.02	.01	.06	.06	.01	—	.19	26
27	.11	—	.01	.66	—	—	—	.53	—	—	.02	—	27
28	.03	—	.18	—	—	—	—	.12	—	—	.30	.10	28
29	.06	—	—	.04	—	—	—	.02	—	.14	—	.19	29
30	—	~~X~~	—	.08	—	.17	—	.22	—	.03	.14	.34	30
31	—	~~X~~	.01	~~X~~	—	~~X~~	—	—	~~X~~	.01	~~X~~	—	31
TOTAL	2.49	3.04	4.50	1.465	2.15	.695	2.315	2.20	1.15	2.08	1.02	3.47	YEAR'S TOTAL
Days with .01 in. or more	19	10	18	9	8	12	13	12	13	11	18	22	165

REGISTER OF RAINFALL IN 1920

Kept at Morney Cross
in the County of Hereford
by Alfred Mandelay

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Holmes Lacy
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 2 in.
" " " " Sea Level 180-5 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

54

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	02	22	23	—	40	02	005	14	—	43	1
2	04	—	01	05	005	—	12	02	06	24	—	14	2
3	03	03	—	09	07	01	143	03	03	41	—	01	3
4	—	—	005	02	—	—	01	22	—	37	—	—	4
5	—	—	19	05	06	—	31	05	—	24	—	—	5
6	—	—	15	—	09	—	27	—	005	23	—	05	6
7	—	—	03	14	—	—	07	—	—	—	—	005	7
8	24	04	—	50	04	—	26	01	—	005	—	—	8
9	16	—	—	40	—	—	08	02	—	—	—	—	9
10	38	03	01	12	—	31	15	—	—	—	01	005	10
11	10	005	17	54	26	08	04	—	—	—	—	—	11
12	13	03	02	16	—	59	005	01	—	02	03	—	12
13	03	02	37	18	—	03	—	005	—	—	—	01	13
14	—	02	48	50	—	19	—	—	30	17	25	—	14
15	—	07	02	50	—	04	005	—	07	01	04	—	15
16	—	—	005	05	20	25	17	—	10	31	01	—	16
17	—	—	—	—	11	92	—	005	50	17	—	04	17
18	09	—	—	005	17	01	01	17	52	—	—	02	18
19	—	22	—	27	02	26	—	—	01	—	—	—	19
20	—	04	—	16	—	12	—	005	01	005	005	09	20
21	—	—	—	04	—	—	07	—	005	13	—	11	21
22	01	—	—	15	—	—	02	17	—	005	—	22	22
23	—	—	005	—	—	—	40	03	—	—	—	36	23
24	005	—	17	01	—	—	—	—	—	—	02	25	24
25	02	01	24	02	—	11	50	—	—	—	—	01	25
26	12	005	40	005	—	—	02	—	—	—	05	06	26
27	56	02	29	02	07	20	04	—	—	—	—	42	27
28	110	—	10	005	23	02	01	—	—	—	—	01	28
29	34	005	23	—	03	—	12	—	—	—	07	40	29
30	03	—	32	17	—	06	05	—	31	—	23	15	30
31	03	—	10	—	005	—	005	—	—	34	—	04	31
TOTAL	3415	545	3335	4375	1590	3200	4565	765	1925	2795	715	2830	YEAR'S TOTAL
Days with 01 in. or more	17	12	19	23	13	16	22	18	10	13	9	19	30-055
Days with 04 in. or more	11	3	13	19	11	12	17	4	7	11	5	14	183-192
													127

REGIS

WALFORD ON WYE

VICARAGE

HEREFORD

1911-1915

Kept at Walford on Wye

in the County of Hereford

by Kentish Bach

5 in.

Ground 3 ft. in.

Sea Level 112 ft.

Name Kerne Bridge

Distance 1 1/2 miles Direction S.

FORM A2.
BRITISH RAINFALL
3 - JAN 1912

IMPORTANT NOTE.—Rainfall should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

.01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.19		.04		.01				.02	.05	1
2				.09			.02	.21			.07	.04	2
3	.02		.01	.04	.13			.11	.02	.04	.16	.2	3
4					.46				.01		.05	.06	4
5	.01		.15					.01	.03	.04	.2	.69	5
6	.1		.03	.01				.05			.04	.03	6
7	.22		.08					.02	.01		.14	.98	7
8											.36		8
9	.08		.11								.07	.59	9
10	.08		.03								.19	.38	10
11	.07	.08	.15								.05	.87	11
12	.22	.01			.9						.51	.02	12
13			.53					.09	.02	.19	.15		13
14			.01		.16			.41	.1	.02	.37		14
15												1.25	15
16		.05	.03		.01					.03	.27	.11	16
17						.09					.17	.2	17
18		.01		.03		.12					.18	.46	18
19		.19	.08	.22		.02				.05	.02	.65	19
20	.01			.12		.18			.21	.18		.29	20
21	.03	.04	.13	.03					.13	.04		.61	21
22		.2	.07					1.15	.01	.37		.12	22
23		.05	.07	.04		.07		.01		.2	.02	.53	23
24		.27	.18			.02			.07	.11		.1	24
25		.08				.45		.15		.08		.27	25
26		.07		.04		.05			.02			.04	26
27		.14		.18	1.93	.01		.11		.23	.18	.11	27
28		.19	.26	.06				.32	.16	.01	.06	.1	28
29				.18				.05			.25		29
30				.02		.21	.42		.06	.36	.01		30
31		.19	.02	.04	.03	.01	.02	.05		.25	.05	.01	31
Total	.84	1.38	2.13	1.06	3.03	1.22	.47	2.24	1.23	2.11	3.23	9.99	TOTAL for year 28.24
No. of Rain Days.	10	13	18	13	8	10	4	12	13	16	23	28	169

REGI

RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
3 - JAN 1912Kept at *Walford on Wye Vicarage*in the County of *Hereford*by *Kentish Bache*

Pattern _____
RAIN Diameter of top 5 in.
GAUGE Height of top above Ground 3 ft. in.
" " " Sea Level 112 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name *Kerne Bridge*
Distance $1\frac{1}{2}$ miles Direction *S.*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

.01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.19		.04		.01				.02	.05	1
2				.09			.02	.21			.07	.04	2
3	.02		.01	.04	.13			.11	.02	.04	.16	.2	3
4					.46				.01		.05	.06	4
5	.01		.15					.01	.03	.04	.2	.69	5
6	.1		.03	.01				.05			.04	.03	6
7	.22		.08					.02	.01		.14	.98	7
8											.36		8
9	.08		.11								.07	.59	9
10	.08		.03								.19	.38	10
11	.07	.08	.15								.05	.87	11
12	.22	.01			.9						.51	.02	12
13			.53						.09	.02	.19	.15	13
14			.01		.16				.41	.1	.02	.37	14
15												1.25	15
16		.05	.03		.01					.03	.27	.11	16
17						.09					.17	.2	17
18		.01		.03		.12					.18	.46	18
19		.19	.08	.22		.02				.05	.02	.65	19
20	.01			.12		.18			.21	.18		.29	20
21	.03	.04	.13	.03					.13	.04		.61	21
22		.2	.07					1.15	.01	.37		.12	22
23		.05	.07	.04		.07		.01		.2	.02	.53	23
24		.27	.18			.02			.07	.11		.1	24
25		.08				.45		.15		.08		.27	25
26		.07		.04		.05			.02			.04	26
27		.14		.18	1.03	.01		.11		.23	.18	.17	27
28		.19	.26	.06				.32	.16	.01	.06	.1	28
29				.18				.05			.25		29
30				.02		.21	.42		.06	.36	.01		30
31		.19	.02	.04	.03	.01	.02	.05		.25		.02	31
Total	.84	1.58	2.13	1.06	3.03	1.22	.47	2.24	1.23	2.11	3.23	9.29	TOTAL for year 28.23
No. of Rain Days.	10	13	18	13	8	10	4	12	13	16	23	28	169
		14	17	14	7	11	3			17			28.24

25-11-13
REGISTER OF RAINFALL IN 1912.

Kept at *Walford Vicarage*
in the County of *Hereford*
by *Kentish Bache*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Herne Bridge*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *3* ft. in.
" " " " Sea Level *112* ft.

BRITISH RAINFALL
FORM A.
JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day: If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

.04

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	01	02	21	32		05	14	28	03		03		1
2			21			55	2		01	38		09	2
3			42	02		62	25	03					3
4	04		12		15	16	02	72	01		05	01	4
5	1		93		23	39		03			14		5
6	12	1	14		08	03		44				04	6
7	37	11	03		05	1		61				04	7
8	02	34	16			41	03	04		01		03	8
9	32	22	28	02		69	11	33	04			03	9
10	04	08	21	05		12		05		02		22	10
11	14	1	01	05		01		07		02	08	02	11
12	02	07	02					03		02	03	37	12
13		3	14	06	.1	1	04					09	13
14	02	01		02		01		06	02	02		05	14
15	05		47		13			06	02			01	15
16	59	06		02	26	26		04				15	16
17	76		14		01			07		04	03	01	17
18	51		17			05		43			05	45	18
19	1	03	12					2				02	19
20	06	01			01		15	61		03		02	20
21	03		46				23	05		22	03		21
22	02	02	36		75		16	16		3			22
23	31	12			1.09		54	15		03		09	23
24	33	46	26			14	17	15		12	03	4	24
25	16	05				24	03	03		02		14	25
26	01					37		1.05		02	22	36	26
27		06	02			04	18	69		52	34	2	27
28		02				4	83			98		29	28
29	03	18			01	05	78	62	18	25	34	38	29
30			02			04	35	1	36	42		02	30
31			04				09			38			31
Total	<i>4.16</i>	<i>2.36</i>	<i>4.94</i>	<i>5.62</i>	<i>2.87</i>	<i>4.83</i>	<i>4.30</i>	<i>7.16</i>	<i>6.7</i>	<i>3.80</i>	<i>1.37</i>	<i>3.53</i>	YEAR'S TOTAL <i>40.49</i>
Rain Days.	<i>4.17</i>	<i>2.55</i>	<i>5.05</i>	<i>2.4</i>	<i>2.92</i>	<i>4.92</i>	<i>4.44</i>	<i>6.85</i>	<i>6.4</i>	<i>3.83</i>	<i>1.34</i>	<i>3.57</i>	<i>40.52</i>
	<i>24</i>	<i>20</i>	<i>23</i>	<i>8</i>	<i>12</i>	<i>22</i>	<i>18</i>	<i>27</i>	<i>8</i>	<i>19</i>	<i>12</i>	<i>25</i>	<i>218</i>
				<i>7</i>	<i>13</i>				<i>7</i>	<i>20</i>	<i>11</i>	<i>26</i>	

WALFORD VICARAGE,
ROSS.

On 1 January 1913 I booked
•04 inch of rain, at 9 a. m., as
having fallen during the pre:
ceding 24 hours.

Kentish Bache.

✓
Cord for W.D.
26-III-14

REGISTER OF RAINFALL IN 1913.

BRITISH RAINFALL FORM A.
29 JAN 1914

Kept at Walford Vicarage
in the County of Hereford
by Kentish Bache

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Kerne Bridge
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 112 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
00

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	04	02		.12		08			06		08	05	1
2	02	05	.15	01	09				.51		08		2
3	02	.25	06	.14	01		01		05	.77	.15		3
4	.1		04		.28				.69	.15	02	05	4
5	.92	01	02		.26		01			.65	03	.17	5
6	.1	03			05	.35	09			.11	.11	02	6
7	02	.12	.2		.17	08	05			.37	.28	.42	7
8		.42			.4	07				.43	.13	01	8
9	03	.12		02	.27		05	01		.11			9
10		.21			07	.1	.1	07	.19	02	.14		10
11	.32			02	07			.17		.11	.37		11
12	.97	02		.15	05			.2		03	.54		12
13		02		01	.34						.5		13
14	03		09						.34		.3		14
15	.26	03	.35	02				02	06	07	01		15
16	.26	08	.57	.85				04	.11		03		16
17	.17		.69	06					08				17
18	09		07				.12		.12			02	18
19	04		.31	07			.12		.18		03		19
20	.23		.28	01		.15	.16		09	02		02	20
21	.25		.23	05						.14	.18		21
22		01	.31	.14	.15		09	02		02	.32		22
23	.49		.71	08		.15		.23	.29				23
24			04			03		01	02		05	08	24
25		01		03						01	02	03	25
26				.32					04	02			26
27	01	03		.85				.2	02	02		.19	27
28			.14	.39			01			.2			28
29	.32		.17	.42	04				02	07		02	29
30	01		.61	.65				08		.3	02		30
31	.14		01							.63			31
Total	4.84	1.43	5.05	4.41	2.25	1.01	.81	1.05	2.87	4.25	3.39	1.08	32.44
Rain Days.	23	16	20	21	14	8	11	11	17	21	21	12	195
		15	21	20	15	7		12	16	22		11	194

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL
29 JAN 1915

Kept at Walford Vicarage
in the County of Hereford
by Kentish Bache

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Kerne Bridge
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 3 ft. _____ in.
" " " " Sea Level 112 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.
.04

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.16	09			01	08	.27			.22	.43	1
2	01	04	04	07			1.28	.18			.12	.15	2
3					01		.62	05	01		.52	.43	3
4				.15	.30		03	.10			02	06	4
5	.23			.16	.11		.15	03			.52	.71	5
6	04		03	.17	.32		.16				05		6
7		.14	05	04	03						04	.22	7
8		.38	.12	06	.26	07	.25	.12	03		03	.12	8
9	01		.12	06	05	.84		09				07	9
10		03	.27	.46	05	1.50		09	04			01	10
11		.40		.47					.28			02	11
12		.12	.16	04	.12	.26	.93				.13	.70	12
13		.23	.10			03	03		.18		04	.33	13
14		.27	.41				02		.16	.24	04	.44	14
15		.19	.31				05			.30	.32	01	15
16	03	03	.14					.31	07	04			16
17							.10		.29				17
18	03	.19	.20				07					.29	18
19			06			.20	08			01		.26	19
20		03	.11			01	.81		05		05	.18	20
21		.34	06									09	21
22		.44				02	07	06		.20			22
23		06			.34	03	06	08		09		01	23
24		02	.13		04			01	01	.17			24
25			.15				07	09	02	09	06		25
26	05	01	.21					.17		.18		.10	26
27	01		04				05	04	01	.10	.16	.64	27
28	04		01					01		03	.34	.15	28
29		X	.20		01					01	03	.62	29
30	03	X	.15		07					.26	.22	04	30
31	02	X	.11	X	01	X			X	.2	X	.97	31
Total	.50	3.08	3.24	1.68	1.72	2.97	4.91	1.70	1.15	1.92	2.01	7.05	32.91
Rain Days.	17	18	24	10	14	10	19	16	12	14	18	25	191
	12		23		15			15		15			142

20.iii.16. *CY 4m*
REGISTER OF RAINFALL IN 1915.

Kept at *Walford Vicarage*
in the County of *Hereford*
by *Hentish Bache*

Lat. _____ Long. _____
Time of Observation *9 a.m.*
Nearest Railway Station *Scerne Bridge*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *3* ft. in.
" " " " Sea Level *112* ft.

FORM A.
BRITISH RAINFALL.
3 JAN 1916
Jan. 1, following.
.37

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	<i>04</i>		<i>06</i>				<i>01</i>	<i>04</i>	<i>07</i>		<i>1.73</i>	<i>.11</i>	1
2	<i>.39</i>	<i>09</i>			<i>.19</i>		<i>03</i>	<i>04</i>	<i>.25</i>	<i>.23</i>	<i>02</i>	<i>03</i>	2
3	<i>.21</i>	<i>.17</i>	<i>.1</i>	<i>08</i>		<i>08</i>		<i>1.05</i>	<i>04</i>	<i>05</i>	<i>01</i>	<i>08</i>	3
4	<i>.58</i>	<i>.18</i>	<i>01</i>	<i>03</i>	<i>.14</i>		<i>.26</i>	<i>03</i>		<i>01</i>		<i>.17</i>	4
5	<i>04</i>	<i>04</i>			<i>.15</i>		<i>.23</i>	<i>05</i>	<i>01</i>	<i>01</i>		<i>.48</i>	5
6	<i>01</i>	<i>.9</i>		<i>04</i>			<i>06</i>	<i>.1</i>	<i>01</i>	<i>01</i>		<i>.61</i>	6
7	<i>.18</i>	<i>03</i>		<i>.11</i>			<i>.36</i>	<i>06</i>		<i>01</i>		<i>.36</i>	7
8	<i>09</i>	<i>.42</i>					<i>07</i>	<i>03</i>				<i>.31</i>	8
9	<i>.22</i>	<i>.31</i>		<i>04</i>				<i>05</i>	<i>01</i>	<i>01</i>	<i>05</i>	<i>02</i>	9
10	<i>09</i>	<i>03</i>		<i>03</i>				<i>02</i>			<i>.16</i>	<i>.59</i>	10
11	<i>.16</i>		<i>05</i>	<i>05</i>						<i>07</i>	<i>02</i>		11
12	<i>.11</i>		<i>06</i>	<i>02</i>				<i>01</i>		<i>03</i>	<i>.98</i>	<i>04</i>	12
13	<i>.1</i>	<i>.16</i>	<i>02</i>	<i>.12</i>	<i>.42</i>			<i>03</i>	<i>02</i>	<i>05</i>	<i>.43</i>	<i>03</i>	13
14	<i>.3</i>	<i>.57</i>			<i>1.13</i>			<i>03</i>	<i>02</i>				14
15		<i>03</i>						<i>.14</i>	<i>06</i>	<i>01</i>		<i>.42</i>	15
16	<i>.4</i>				<i>07</i>		<i>05</i>	<i>.17</i>		<i>04</i>	<i>03</i>	<i>.15</i>	16
17	<i>02</i>	<i>.83</i>		<i>03</i>	<i>.49</i>		<i>.8</i>			<i>02</i>	<i>02</i>		17
18		<i>.24</i>	<i>03</i>		<i>.72</i>				<i>02</i>	<i>02</i>			18
19		<i>.4</i>	<i>01</i>							<i>02</i>		<i>04</i>	19
20		<i>05</i>			<i>09</i>		<i>.21</i>				<i>02</i>	<i>01</i>	20
21	<i>.16</i>	<i>01</i>		<i>09</i>						<i>.11</i>		<i>.12</i>	21
22	<i>05</i>	<i>05</i>								<i>07</i>		<i>03</i>	22
23	<i>.12</i>	<i>06</i>	<i>.28</i>	<i>08</i>			<i>.22</i>					<i>.43</i>	23
24	<i>02</i>	<i>05</i>	<i>.14</i>			<i>.16</i>	<i>05</i>		<i>02</i>	<i>.94</i>		<i>.4</i>	24
25			<i>05</i>	<i>03</i>			<i>.71</i>		<i>.29</i>	<i>.63</i>		<i>.12</i>	25
26						<i>.23</i>	<i>.12</i>		<i>01</i>	<i>07</i>		<i>.17</i>	26
27		<i>.12</i>	<i>01</i>				<i>.49</i>		<i>04</i>			<i>.52</i>	27
28		<i>03</i>				<i>01</i>	<i>09</i>			<i>.22</i>		<i>03</i>	28
29		<i>X</i>				<i>06</i>		<i>07</i>	<i>.27</i>	<i>05</i>		<i>04</i>	29
30		<i>X</i>						<i>03</i>			<i>07</i>	<i>07</i>	30
31	<i>.11</i>	<i>X</i>		<i>X</i>		<i>X</i>	<i>05</i>		<i>X</i>	<i>.4</i>	<i>X</i>	<i>.36</i>	31
Total	<i>3.44</i>	<i>4.77</i>	<i>.82</i>	<i>.75</i>	<i>3.40</i>	<i>.54</i>	<i>3.81</i>	<i>1.95</i>	<i>1.14</i>	<i>3.08</i>	<i>3.54</i>	<i>5.74</i>	<i>32.94</i>
Rain Days.	<i>20</i>	<i>23</i>	<i>11</i>	<i>13</i>	<i>9</i>	<i>5</i>	<i>17</i>	<i>17</i>	<i>15</i>	<i>23</i>	<i>12</i>	<i>27</i>	<i>193</i>

RE

HILL COURT GARDEN

Kept at Hill Court

in the County of Hill

by G. R. Ingham

1919-20

38' 58"

AM

Name

Gauge in.

Ground ft. in.

Sea Level ft.

erred to the previous day.

IMPORTANT NOTE.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	37		03		04		09		05	09		32	1
2	10	02	04		01		13		36		10	11	2
3			12			02	4		04			18	3
4	05	06	57		02	10	43	01	20		10	12	4
5	09	27	20		05				71		01	13	5
6		02	12		01							03	6
7	20		10									01	7
8	22		05										8
9	35		01	06							12		9
10	02		6									24	10
11			76		04		4			06		30	11
12			02	05		34	01		02			02	12
13	01			18					09	11		01	13
14	23	03		23					02			11	14
15	30	01										23	15
16	15	110											16
17		65						20			6		17
18			47					11	02		7	02	18
19	10	49	34			17	122	41	07		6	03	19
20	33	03	48					08			3	02	20
21		44	03			02	10		2		3	07	21
22		02					01		19		2		22
23								02					23
24				02		04	04			100		04	24
25	09			03	08			22		100	30	12	25
26	03		07					02	33			17	26
27			01	49				61				23	27
28	01		25					21			39	20	28
29	05			06						13	0	33	29
30		X	01	12		25		29			21	02	30
31		X		X		X			X		X		31
TOTAL	289	315	488	124	25	94	262	198	132	239	151	337	YEAR'S TOTAL
Days with .01 in. or more	29	12	20	9	7	7	10	10	13	6	14	24	2654
													151

REGISTER OF RAINFALL IN 1917.

Kept at Hill Court
 in the County of Hereford
 by E. R. Ingham

Lat. 51° 33' 30" Long. 2° 38' 58"
 Time of Observation 9 A.M.
 Nearest Railway Station Hereford
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 1 in.
 " " " " Sea Level 161 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	37		03		04		09		09				1
2	10	02	04		01		13		36				2
3			12			02	14		04				3
4	05	06	57		02	10	45	01	20			12	4
5	09	27	23		05				21		01	13	5
6		02	12		01							09	6
7			10									01	7
8			01										8
9	35		01	06							12		9
10	02		60									24	10
11			76		04		4			06		30	11
12			02	05		34	01		02			02	12
13	01			18					04	11		02	13
14	23	02		23					02			11	14
15	30	01										22	15
16	15	10											16
17		65									6		17
18			47					11	02		7	02	18
19	10	49	64			17	22	41	07		6	02	19
20	33	03	48					08			3	02	20
21		44	03			02	10				3	07	21
22		02					01		14		2		22
23								02					23
24				02		04	04			100		04	24
25	09			03	08			22		100	30	12	25
26	06		07					02	03			17	26
27			01	49				61				23	27
28	01		25					21			37	20	28
29	05		03	06						13	0	35	29
30			01	12		25		24			21	02	30
31													31
TOTAL	289	15	488	124	25	94	262	198	132	239	151	337	YEAR'S TOTAL
Days with 0.1 in. or more	19	12	20	9	7	7	10	10	13	6	14	24	151

REGISTER OF RAINFALL IN 1920.

Kept at Hill Court, N. 2. Ross

in the County of Hereford

by G. R. Trafford

Lat. 51° 53' 30" Long. 2° 38' 58"

Time of Observation 9 AM

Nearest Railway Station Here Bridge

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

Sea Level 161 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	3	8	20	—	25	—	5	5	—	50	1
2	12	—	2	15	—	—	9	—	2	33	—	21	2
3	6	1	0	16	—	—	115	2	2	73	—	3	3
4	—	—	0	4	—	—	3	22	—	29	—	—	4
5	—	—	17	3	1	—	35	5	—	—	—	—	5
6	—	—	23	—	4	—	14	—	—	—	—	1	6
7	—	—	—	7	—	—	7	—	—	8	—	—	7
8	2	3	—	44	3	—	46	—	—	—	—	—	8
9	15	3	—	41	8	1	12	—	—	—	—	—	9
10	69	3	3	9	0	32	11	—	—	—	—	—	10
11	34	—	20	40	34	—	5	—	—	—	—	—	11
12	18	4	1	15	—	67	14	—	—	—	7	—	12
13	—	2	35	17	—	2	3	—	—	—	—	4	13
14	2	3	47	65	—	2	—	—	25	12	24	—	14
15	—	5	4	92	—	4	—	—	6	36	2	—	15
16	—	8	—	2	10	26	—	—	20	38	4	—	16
17	—	—	—	—	22	39	23	—	51	23	—	—	17
18	14	—	—	—	9	13	—	24	27	—	—	7	18
19	3	—	—	34	3	9	—	—	—	—	—	—	19
20	—	28	—	11	—	—	—	—	—	—	—	7	20
21	—	—	—	1	—	—	—	—	—	—	—	8	21
22	—	—	—	10	—	—	3	14	—	—	—	27	22
23	—	—	—	—	—	—	5	17	—	—	—	26	23
24	3	—	24	—	—	—	37	—	—	—	—	18	24
25	2	5	21	—	—	—	—	—	—	—	4	3	25
26	15	—	38	—	—	5	56	—	—	—	8	4	26
27	63	2	13	2	6	28	5	—	—	—	—	38	27
28	92	—	11	—	29	1	2	—	—	—	—	1	28
29	37	—	21	—	9	1	1	—	—	—	4	53	29
30	5	—	10	2	—	7	8	—	39	—	28	19	30
31	7	—	21	—	—	—	2	—	—	45	—	7	31
TOTAL	399	67	314	438	150	237	435	84	177	309	81	295	2986
Days with "01 in. or more	18	12	18	21	12	15	23	6	9	11	8	18	171
Days with "04 in. or more	18	5	14	16	8	18	17	5	7	11	7	13	128

REGIST

2238.

Kept at Woolley
in the County of Hes
by Alfred J. G.

URSA HOUSE | WOOLLEY SCH.

1914-20.

FORM A.
BRITISH RAINFALL
10 FEB 1915

in.
d 1 ft. in.
level ft.
result entered to the
rule, he is earnestly
the space provided

Jan. 1, following.

IMPORTANT NOTE.

previous day. If an Observ
requested to add the reading

for it at the end of this paragraph. Full instructions for the measurement of rain,
the selection and placing of rain gauges, and particulars as to the British Rainfall
Organization are given in "Rules for Rainfall Observers," sent post-free on application to
Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.00	0.22	0.11	0.00	0.00	0.04	0.45	0.66	0.00	0.00	0.12	0.05	1
2	0.00	0.00	0.08	0.02	0.00	0.00	0.40	0.11	0.00	0.00	0.38	0.22	2
3	0.00	0.00	0.00	0.00	0.14	0.00	0.06	0.05	0.00	0.00	0.02	0.12	3
4	0.00	0.00	0.05	0.10	0.08	0.00	0.25	0.04	0.00	0.00	0.63	0.82	4
5	0.10	0.00	0.04	0.02	0.24	0.00	0.06	0.00	0.00	0.00	0.12	0.02	5
6	0.12	0.00	0.08	0.30	0.01	0.00	0.00	0.02	0.00	0.00	0.00	0.15	6
7	0.00	0.05	0.00	0.08	0.22	0.00	0.28	0.15	0.00	0.00	0.02	0.18	7
8	0.00	0.15	0.33	0.16	0.00	0.39	0.09	0.04	0.00	0.00	0.00	0.17	8
9	0.00	0.00	0.03	0.03	0.00	1.32	0.00	0.12	0.12	0.00	0.00	0.00	9
10	0.00	0.02	0.22	0.14	0.11	0.06	0.00	0.00	0.32	0.00	0.00	0.00	10
11	0.03	0.15	0.00	0.24	0.08	0.12	0.05	0.00	0.03	0.00	0.34	0.58	11
12	0.00	0.30	0.21	0.00	0.00	0.00	0.33	0.00	0.20	0.00	0.08	0.21	12
13	0.00	0.48	0.14	0.02	0.00	0.00	0.04	0.00	0.11	0.55	0.14	0.17	13
14	0.00	0.20	0.24	0.02	0.00	0.00	0.00	0.00	0.02	0.05	0.15	0.00	14
15	0.00	0.31	0.18	0.00	0.00	0.00	0.00	0.06	0.10	0.00	0.05	0.00	15
16	0.00	0.02	0.14	0.00	0.00	0.00	0.00	0.00	0.05	0.00	0.00	0.00	16
17	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.00	0.00	0.41	17
18	0.00	0.04	0.19	0.00	0.00	0.00	0.09	0.00	0.00	0.00	0.00	0.40	18
19	0.00	0.00	0.34	0.00	0.00	0.00	1.35	0.00	0.08	0.00	0.07	0.11	19
20	0.00	0.02	0.06	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.12	20
21	0.00	0.33	0.00	0.00	0.00	0.03	0.23	0.13	0.00	0.15	0.00	0.00	21
22	0.00	0.33	0.00	0.00	0.25	0.05	0.05	0.04	0.00	0.60	0.00	0.00	22
23	0.00	0.04	0.03	0.00	0.11	0.00	0.03	0.02	0.00	0.20	0.00	0.00	23
24	0.00	0.05	0.04	0.00	0.00	0.00	0.00	0.21	0.00	0.14	0.02	0.00	24
25	0.00	0.00	0.08	0.00	0.00	0.00	0.05	0.66	0.00	0.25	0.02	0.13	25
26	0.06	0.00	0.10	0.00	0.00	0.00	0.02	0.02	0.00	0.14	0.17	0.33	26
27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.28	0.48	27
28	0.02	0.00	0.00	0.00	0.05	0.00	0.01	0.00	0.00	0.02	0.00	0.56	28
29	0.04		0.05	0.00	0.08	0.00	0.00	0.00	0.00	0.12	0.20	0.02	29
30	0.02		0.10	0.00	0.04	0.00	0.00	0.02	0.00	0.08	0.38	0.53	30
31	0.10		0.05		0.00		0.01	0.00		0.21		0.23	31
Total	0.52	2.44	2.89	1.13	1.41	2.05	4.18	2.38	1.16	2.59	3.19	6.01	30.28
Rain Days.	9	16	23	11	12	8	19	16	10	13	18	22	144

YEAR'S TOTAL

REGIST

Kept at Weobley School,
in the County of Hereford
by Alfred J. Dean

Lat. 52.9 N Long. 2.54 W
Time of Observation 9 a.m.
Nearest Railway Station Moorhampton
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level — ft.

FORM A.
BRITISH RAINFALL
10 FEB 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.00	0.22	0.11	0.00	0.00	0.04	0.45	0.66	0.00	0.00	0.12	0.05	1
2	0.00	0.00	0.08	0.02	0.00	0.00	0.40	0.11	0.00	0.00	0.38	0.22	2
3	0.00	0.00	0.00	0.00	0.14	0.00	0.06	0.05	0.00	0.00	0.02	0.12	3
4	0.00	0.00	0.05	0.10	0.08	0.00	0.25	0.04	0.00	0.00	0.63	0.82	4
5	0.10	0.00	0.04	0.02	0.24	0.00	0.06	0.00	0.00	0.00	0.12	0.02	5
6	0.12	0.00	0.08	0.30	0.01	0.00	0.00	0.02	0.00	0.00	0.00	0.15	6
7	0.00	0.05	0.00	0.08	0.22	0.00	0.28	0.15	0.00	0.00	0.02	0.18	7
8	0.00	0.15	0.33	0.16	0.00	0.39	0.09	0.04	0.00	0.00	0.00	0.17	8
9	0.00	0.00	0.03	0.03	0.00	1.32	0.00	0.12	0.12	0.00	0.00	0.00	9
10	0.00	0.02	0.22	0.14	0.11	0.06	0.00	0.00	0.32	0.00	0.00	0.00	10
11	0.03	0.15	0.00	0.24	0.08	0.12	0.05	0.00	0.03	0.00	0.34	0.58	11
12	0.00	0.30	0.21	0.00	0.00	0.00	0.33	0.00	0.20	0.00	0.08	0.21	12
13	0.00	0.48	0.14	0.02	0.00	0.00	0.04	0.00	0.11	0.55	0.14	0.17	13
14	0.00	0.20	0.24	0.02	0.00	0.00	0.00	0.00	0.02	0.05	0.15	0.00	14
15	0.00	0.31	0.18	0.00	0.00	0.00	0.00	0.06	0.10	0.00	0.05	0.00	15
16	0.00	0.02	0.14	0.00	0.00	0.00	0.00	0.00	0.05	0.00	0.00	0.00	16
17	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.00	0.00	0.41	17
18	0.00	0.04	0.19	0.00	0.00	0.00	0.09	0.00	0.00	0.00	0.00	0.40	18
19	0.00	0.00	0.34	0.00	0.00	0.00	1.35	0.00	0.08	0.00	0.07	0.11	19
20	0.00	0.02	0.06	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.12	20
21	0.00	0.33	0.00	0.00	0.00	0.03	0.23	0.13	0.00	0.15	0.00	0.00	21
22	0.00	0.33	0.00	0.00	0.25	0.05	0.05	0.04	0.00	0.60	0.00	0.00	22
23	0.00	0.04	0.03	0.00	0.11	0.00	0.03	0.02	0.00	0.20	0.00	0.00	23
24	0.00	0.05	0.04	0.00	0.00	0.00	0.00	0.21	0.00	0.14	0.02	0.00	24
25	0.00	0.00	0.08	0.00	0.00	0.00	0.05	0.66	0.00	0.25	0.02	0.13	25
26	0.06	0.00	0.10	0.00	0.00	0.00	0.02	0.02	0.00	0.14	0.17	0.33	26
27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.28	0.48	27
28	0.02	0.00	0.00	0.00	0.05	0.00	0.01	0.00	0.00	0.02	0.00	0.56	28
29	0.04		0.05	0.00	0.08	0.00	0.00	0.00	0.00	0.12	0.20	0.02	29
30	0.02		0.10	0.00	0.04	0.00	0.00	0.02	0.00	0.08	0.38	0.53	30
31	0.10		0.05		0.00		0.01	0.00		0.21		0.23	31
Total	0.52	2.44	2.89	1.13	1.41	2.05	4.18	2.38	1.16	2.59	3.19	6.01	30.28
Rain Days.	9	16	23	11	12	8	19	16	10	13	18	22	144

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1915

Kept at Woolley School.
 in the County of Herefordshire
 by Alfred J. Dean

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Moorhampton
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. _____ in.
 " " " " Sea Level 320 ft.

2360
 FORM A.
 BRITISH RAINFALL
 9-FEB-1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.43	0.08	0.04	0.00	0.25	0.00	0.02	0.14	0.08	0.27	0.02	0.01	1
2	0.11	0.16	0.14	0.13	0.00	0.14	0.00	1.81	0.00	0.11	0.00	0.15	2
3	0.35	0.04	0.02	0.03	0.05	0.00	0.55	0.01	0.00	0.00	0.00	0.04	3
4	0.02	0.11	0.00	0.00	0.18	0.00	0.13	0.31	0.00	0.00	0.00	1.05	4
5	0.00	0.25	0.00	0.00	0.02	0.00	0.03	0.04	0.00	0.00	0.00	0.56	5
6	0.11	0.31	0.00	0.15	0.00	0.00	0.69	0.09		0.00	0.00	0.11	6
7	0.12	0.24	0.00	0.06	0.38	0.00	0.05	0.02		0.00	0.00	0.39	7
8	0.28	0.38	0.00	0.03	0.00	0.00	0.01	0.03		0.00	0.05	0.00	8
9	0.04	0.58	0.00	0.03	0.00	0.00	0.00	0.00		0.00	0.18	0.54	9
10	0.25	0.03	0.04	0.09	0.00	0.00	0.00	0.01		0.10	0.04	0.05	10
11	0.03	0.00	0.00	0.01	0.08	0.00	0.00	0.05		0.00	1.24	0.02	11
12	0.04	0.28	0.00	0.05	0.48	0.00	0.00	0.13		0.08	0.39	0.00	12
13	0.01	0.45	0.00	0.00	0.83	0.00	0.00	0.21		0.00	0.03	0.05	13
14	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.12		0.00	0.00	0.20	14
15	0.39	0.00	0.00	0.00	0.11	0.00	0.08	0.04		0.04	0.06	0.04	15
16	0.03	0.34	0.00	0.00	0.68	0.00	1.35	0.21		0.14	0.00	0.01	16
17	0.00	0.45	0.03	0.00	0.86	0.00	0.00	0.03		0.00	0.00	0.01	17
18	0.00	0.61	0.02	0.00	0.00	0.00	0.00	0.00		0.00	0.01	0.00	18
19	0.00	0.02	0.00	0.00	0.11	0.00	0.24	0.00		0.00	0.00	0.00	19
20	0.08	0.00	0.00	0.06	0.00	0.00	0.00	0.00		0.03	0.00	0.05	20
21	0.08	0.00	0.00	0.00	0.03	0.00	0.18	0.02		0.00	0.18	0.00	21
22	0.06	0.04	0.18	0.20	0.00	0.00	0.39	0.00		0.00	0.04	0.18	22
23	0.00	0.01	0.06	0.00	0.00	0.11	0.36	0.00		0.01	0.91	0.30	23
24	0.00	0.00	0.13	0.04	0.00	0.00	0.03	0.00		0.19	0.88	0.42	24
25	0.00	0.00	0.00	0.00	0.00	0.20	0.15	0.00		0.00	0.01	0.22	25
26	0.00	0.05	0.00	0.00	0.00	0.00	0.18	0.00		0.03	0.00	0.50	26
27	0.00	0.04	0.00	0.00	0.00	0.04	0.39	0.00		0.00	0.34	0.11	27
28	0.00	0.21	0.00	0.00	0.00	0.08	0.00	0.01		0.12	0.00	0.03	28
29	0.00		0.00	0.00	0.00	0.02	0.00	0.01		0.00	0.08	0.14	29
30	0.06	X	0.00	0.00	0.00	0.21	0.04	0.00		0.00	0.48	0.11	30
31	0.02	X	0.00	X	0.00	X	0.04	0.08		X	0.82	X	31
Total	2.54	5.06	0.42	0.91	4.06	0.83	4.99	3.43	0.54	4.34	2.30	6.08	35.86
Rain Days.	19	22	9	12	13	7	19	20	7	15	11	24	181

* Total for eleven days.
 Rain fell on two days only.

REGISTER OF RAINFALL IN 1916.

Kept *at* *Woolley*
in the County of *Hereford*
by *Alfred J Dean*

Lat. _____ Long. _____
Time of Observation *9.0 a.m.*
Nearest Railway Station *Moorhampton*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft. — in.
" " " " Sea Level *320* ft.

FORM A.
BRITISH RAINFALL
13 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.07	0.00	0.03	0.00	0.04	0.13	0.20	0.00	0.00	0.28	0.12	0.00	1
2	0.51	0.08	0.29	0.00	0.12	0.00	0.11	0.00	0.08	0.79	0.09	0.00	2
3	0.00	0.75	0.00	0.00	0.30	0.00	0.03	0.00	0.03	0.24	0.28	0.00	3
4	0.17	0.48	0.00	0.00	0.50	0.31	0.06	0.00	0.03	0.09	0.52	0.00	4
5	0.03	0.00	0.02	0.01	0.27	0.02	0.01	0.00	0.00	0.09	0.22	0.00	5
6	0.04	0.31	0.08	0.00	0.11	0.00	0.56	0.00	0.00	0.20	0.38	0.00	6
7	0.03	0.00	0.10	0.00	0.14	0.00	0.06	0.00	0.00	0.09	0.21	0.20	7
8	0.00	0.02	0.04	0.00	0.25	0.00	0.00	0.00	0.00	0.01	0.03	0.10	8
9	0.00	0.04	0.01	0.00	0.18	0.03	0.00	0.00	0.00	0.02	0.08	0.01	9
10	0.00	0.40	0.08	0.02	0.02	0.02	0.01	0.00	0.00	0.01	0.01	0.00	10
11	0.00	0.03	0.07	0.06	0.01	0.10	0.00	0.00	0.00	0.00	0.00	0.00	11
12	0.06	0.05	0.00	0.03	0.04	0.00	0.30	0.00	0.00	0.03	0.00	0.00	12
13	0.00	0.24	0.23	0.02	0.00	0.00	0.00	0.30	0.00	0.00	0.00	0.00	13
14	0.00	0.17	0.06	0.04	0.02	0.00	0.04	0.16	0.00	0.02	0.00	0.00	14
15	0.00	0.87	0.44	0.19	0.20	0.00	0.00	0.16	0.00	0.01	0.00	0.00	15
16	0.00	0.11	0.00	0.09	0.04	0.00	0.10	0.13	0.00	0.06	0.00	0.00	16
17	0.00	0.14	0.00	0.09	0.00	0.00	0.00	0.01	0.14	0.41	0.00	0.00	17
18	0.04	0.05	0.14	0.03	0.00	0.00	0.00	0.00	0.04	0.03	0.20	0.02	18
19	0.10	0.00	0.80	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.34	0.00	19
20	0.07	0.00	0.49	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.03	0.40	20
21	0.03	0.00	0.52	0.00	0.09	0.00	0.15	0.00	0.00	0.00	0.01	0.00	21
22	0.00	0.00	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.72	22
23	0.02	0.14	0.00	0.03	0.00	0.06	0.00	0.19	0.00	0.07	0.02	0.00	23
24	0.00	0.11	0.02	0.00	1.45	0.01	0.00	0.15	0.00	0.24	0.00	0.22	24
25	0.00	0.15	0.15	0.00	0.04	0.00	0.00	0.17	0.01	0.09	0.25	0.03	25
26	0.02	0.14	0.22	0.00	0.15	0.22	0.00	0.12	0.02	0.24	0.03	0.00	26
27	0.06	0.13	0.33	0.00	0.03	0.01	0.02	0.14	0.29	0.49	0.00	0.00	27
28	0.00	0.14	0.04	0.00	0.08	0.00	0.00	0.00	0.01	0.18	0.00	0.14	28
29	0.00	0.67	0.00	0.00	0.08	0.26	0.00	0.50	0.02	0.13	0.00	0.13	29
30	0.00	X	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.00	0.00	30
31	0.00	X	0.00	X	0.00	X	0.00	0.05	X	0.24	X	0.00	31
Total	1.25	5.22	4.17	0.70	4.17	1.17	1.65	2.08	0.74	4.46	2.22	1.94	30.70
Rain Days.	14	22	22	13	23	11	13	12	11	26	24	10	194

YEARS TOTAL

REGISTER OF RAINFALL IN 1914.

Kept at Weobley School
in the County of Hereford
by Alfred J. Dean

Lat. 52° 9' N Long. 2° 53' W
Time of Observation 9 a.m.
Nearest Railway Station Moorthampton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 320 ft.

2178
BRITISH RAINFALL
FORM A.
1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.00	0.00	0.12	0.33	0.00	0.41	0.00	0.14	0.05	0.00	0.04	0.04	1
2	0.03	0.00	0.00	0.35	0.00	0.08	0.00	0.02	0.00	0.02	0.10	0.00	2
3	0.00	0.00	0.00	0.33	0.00	—	0.00	0.00	0.00	0.23	0.05	0.00	3
4	0.00	0.04	0.15	0.00	0.00	—	0.00	0.02	0.00	0.00	0.01	0.03	4
5	0.07	0.00	0.59	0.15	0.00	—	0.00	0.00	0.45	0.30	0.03	0.00	5
6	0.00	0.00	0.32	0.00	0.00	—	0.00	0.00	0.00	0.13	0.10	0.00	6
7	0.00	0.00	0.00	0.00	0.00	—	0.06	0.15	0.00	0.00	0.05	0.01	7
8	0.51	0.00	0.00	0.00	0.00	—	0.38	0.58	0.00	0.38	0.10	0.11	8
9	0.22	0.00	0.47	0.19	0.20	—	0.01	0.32	0.07	0.05	0.05	0.01	9
10	0.25	0.00	0.69	0.22	0.24	—	0.00	0.20	0.01	0.01	0.00	0.00	10
11	0.03	0.00	0.03	0.08	0.00	0.18	0.00	0.05	0.00	0.29	0.03	0.00	11
12	0.00	0.00	0.00	0.00	0.65	0.00	0.00	0.01	0.00	0.16	0.01	0.00	12
13	0.00	0.00	0.10	0.00	0.04	0.00	0.00	0.90	0.09	0.01	0.00	0.00	13
14	0.00	0.00	0.08	0.18	0.00	0.00	0.00	0.26	0.00	0.01	0.00	0.00	14
15	0.03	0.00	0.00	0.30	0.02	0.00	0.24	0.10	0.01	0.00	0.00	0.12	15
16	0.02	0.00	0.00	0.09	0.00	0.68	0.14	0.01	—	0.08	0.00	0.19	16
17	0.00	0.00	0.00	0.00	0.50	0.81	0.35	0.45	—	0.00	0.03	0.00	17
18	0.00	0.03	0.00	0.00	0.00	0.00	0.53	0.15	—	0.01	0.00	0.00	18
19	0.00	0.40	0.15	0.00	0.00	0.44	0.03	0.00	—	0.00	0.01	0.00	19
20	0.00	0.00	0.01	0.00	0.65	0.08	0.00	0.00	—	0.01	0.00	0.00	20
21	0.00	0.30	0.28	0.00	0.24	0.08	0.00	0.03	—	0.01	0.00	0.00	21
22	0.02	0.00	0.00	0.00	0.01	0.11	0.00	0.48	1.10	0.04	0.00	0.00	22
23	0.00	0.14	0.00	0.00	0.06	0.01	0.00	0.28	0.01	0.11	0.00	0.00	23
24	0.00	0.05	0.00	0.00	0.00	0.11	0.00	0.04	0.00	0.25	0.13	0.00	24
25	0.00	0.02	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.11	0.13	0.00	25
26	0.00	0.00	0.00	0.00	0.00	0.05	0.00	0.60	0.06	0.00	0.01	0.00	26
27	0.00	0.00	0.00	0.00	1.03	0.38	0.80	1.09	0.00	0.03	0.00	0.00	27
28	0.00	0.00	0.25	0.00	0.02	0.03	0.00	0.08	0.00	0.00	0.00	0.33	28
29	0.00	—	0.05	0.00	0.00	0.03	0.04	0.08	0.00	0.42	0.00	0.01	29
30	0.00	X	0.00	0.00	0.00	0.00	0.00	0.20	0.00	0.10	0.00	0.00	30
31	0.09	X	0.26	X	0.04	X	0.09	0.15	X	0.04	X	0.00	31
Total	1.18	1.01	3.53	1.92	3.53	3.51	2.61	6.99	1.85	2.83	0.88	0.85	30.69
Rain Days.	9	7	15	9	13	15	10	26	9	23	16	9	161

REGISTER OF RAINFALL IN 1918

Kept at

Weobley

in the County of

Hereford

by

Alfred J Dean

Lat. 52.9N. Long. 2.53W

Time of Observation 9 a.m.

Nearest Railway Station Moorhampton

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

Sea Level 320 ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.00	0.02	0.00	0.06	0.00	0.00	0.00	0.10	0.03	0.06	1.03	0.00	1
2	0.00	0.08	0.00	0.00	0.00	0.00	0.00	0.45	0.03	0.03	0.03	0.10	2
3	0.00	0.03	0.03	0.15	0.29	0.00	0.00	0.01	0.60	0.06	0.18	0.01	3
4	0.00	0.01	0.00	0.02	0.00	0.00	0.00	0.04	0.93	0.25	0.37	0.33	4
5	0.04	0.01	0.00	0.00	0.50	0.00	0.00	0.03	0.36	0.14	0.04	0.00	5
6	0.00	0.20	0.00	0.28	0.00	0.05	0.00	0.00	0.05	0.22	0.00	0.04	6
7	0.03	0.04	0.01	0.03	0.41	0.00	0.00	0.00	0.04	0.11	0.14	0.00	7
8	0.00	0.11	0.00	0.23	0.00	0.00	0.00	0.00	0.12	0.14	0.00	0.01	8
9	0.02	0.41	0.00	0.00	0.00	0.16	0.01	0.00	0.32	0.05	0.05	0.03	9
10	0.02	0.02	0.00	0.08	0.00	0.00	0.68	0.00	0.10	0.01	0.00	0.16	10
11	0.00	0.01	0.00	0.10	0.03	0.00	0.73	0.00	0.12	0.02	0.01	0.03	11
12	0.00	0.03	0.17	0.00	0.09	0.00	0.10	0.00	0.02	0.00	0.00	0.00	12
13	0.00	0.02	0.00	0.01	0.00	0.00	0.03	0.00	0.12	0.00	0.00	0.00	13
14	0.32	0.00	0.10	0.00	0.01	0.01	0.05	0.00	0.30	0.02	0.00	0.26	14
15	0.65	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.01	0.00	0.33	15
16	0.47	0.00	0.00	0.71	0.00	0.01	0.47	0.01	0.59	0.00	0.00	0.06	16
17	0.36	0.00	0.02	0.01	0.00	0.00	0.04	0.00	0.13	0.17	0.00	0.00	17
18	—	0.00	0.02	0.00	0.00	0.22	0.28	0.00	0.75	0.05	0.00	0.43	18
19	0.41	0.00	0.33	0.00	0.00	0.00	0.05	0.00	0.03	0.03	0.00	0.04	19
20	0.17	0.08	0.00	0.37	0.00	0.03	0.00	0.00	0.32	0.01	0.00	0.00	20
21	0.15	0.00	0.00	0.30	0.00	0.00	0.03	0.00	0.27	0.00	0.00	0.12	21
22	0.01	0.00	0.00	0.00	0.63	0.00	0.24	0.00	0.04	0.18	0.00	0.25	22
23	0.01	0.00	0.00	0.00	0.30	0.00	0.07	0.00	0.01	0.01	0.05	0.01	23
24	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.10	0.06	0.01	0.00	0.03	24
25	0.00	0.00	0.00	0.00	0.22	0.00	0.09	0.79	0.00	0.06	0.06	0.02	25
26	0.00	0.00	0.00	0.00	0.01	0.00	0.39	0.01	0.02	0.00	0.03	0.14	26
27	0.00	0.07	0.19	0.00	0.00	0.00	0.00	0.28	0.25	0.00	0.02	0.07	27
28	0.00	0.00	0.16	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.01	0.18	28
29	0.00		0.00	0.00	0.00	0.00	0.00	0.00	0.92	0.00	0.00	0.02	29
30	0.00	X	0.43	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.02	0.11	30
31	0.00	X	0.22	X	0.00	X	0.00	0.12	X	0.00	X	0.01	31
Total	2.66	1.14	1.68	2.35	2.49	0.48	3.36	1.94	6.62	1.59	2.04	2.79	29.14
Rain Days	13	15	11	13	10	6	16	11	29	21	14	24	183

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1919.

Kept at Woolley School
in the County of Hereford
by Alfred Dean

Lat. 52.9 N Long. 2.53 W
Time of Observation 9.0 a.m.
Nearest Railway Station Moorhampton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 320 ft.

28 FEB 20

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.35	0.00	0.03	0.00	0.06	0.00	0.11	0.00	0.01	0.09	0.01	0.32	1
2	0.11	0.00	0.00	0.01	0.00	0.00	0.07	0.00	0.10	0.00	0.02	0.06	2
3	0.00	0.00	0.05	0.00	0.01	0.00	0.01	0.00	0.02	0.00	0.07	0.14	3
4	0.03	0.00	0.48	0.00	0.00	0.18	0.10	0.00	0.11	0.01	0.00	0.07	4
5	0.05	0.10	0.01	0.00	0.03	0.00	0.00	0.07	0.01	0.00	0.00	0.34	5
6	0.23	0.19	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.08	6
7	0.30	0.27	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.03	7
8	0.25	0.00	0.16	0.09	0.00	0.04	0.00	0.00	0.00	0.00	0.00	0.00	8
9	0.19	0.00	0.01	0.04	0.00	0.00	0.00	0.00	0.00	0.01	0.00	0.00	9
10	0.11	0.00	0.04	0.01	0.00	0.00	0.00	0.00	0.00	0.02	0.00	0.24	10
11	0.02	0.00	1.10	0.03	0.01	0.00	0.22	0.00	0.00	0.03	0.00	0.02	11
12	0.01	0.00	0.51	0.03	0.00	0.20	0.03	0.00	0.08	0.01	0.09	0.00	12
13	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.50	0.11	0.00	0.04	13
14	—	0.00	0.00	0.34	0.00	0.00	0.01	0.00	0.42	0.00	0.00	0.24	14
15	—	0.03	0.00	0.05	0.02	0.00	0.00	0.00	0.00	0.02	0.00	0.25	15
16	—	0.05	0.00	0.01	0.00	0.00	0.00	0.02	0.00	0.00	0.06	0.00	16
17	—	0.90	0.00	0.03	0.00	0.02	0.00	0.00	0.00	0.00	0.18	0.00	17
18	5448 1.04	0.44	0.77	0.00	0.00	0.00	0.00	0.22	0.00	0.00	0.02	0.03	18
19	0.25	0.13	0.60	0.00	0.00	0.25	1.10	0.32	0.14	0.00	0.00	0.02	19
20	0.14	0.20	0.58	0.00	0.00	0.02	0.01	0.19	0.04	0.00	0.33	0.07	20
21	0.02	0.02	0.00	0.00	0.00	0.01	0.00	0.00	0.01	0.00	0.01	0.11	21
22	0.00	0.33	0.00	0.00	0.00	0.00	0.05	0.00	0.19	0.00	0.00	0.10	22
23	0.00	0.02	0.03	0.00	0.00	0.01	0.00	0.00	0.00	0.64	0.01	0.01	23
24	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.01	0.32	0.20	0.20	24
25	0.14	0.00	0.00	0.05	0.09	0.00	0.00	0.78	0.00	0.01	0.10	0.01	25
26	0.00	0.00	0.10	0.05	0.00	0.04	0.00	0.00	0.03	0.00	0.01	0.21	26
27	0.12	0.00	0.04	0.54	0.00	0.00	0.00	0.60	0.01	0.00	0.00	0.04	27
28	0.04	0.00	0.17	0.01	0.00	0.00	0.00	0.42	0.00	0.00	0.00	0.31	28
29	0.04		0.01	0.04	0.00	0.00	0.00	0.01	0.00	0.14	0.12	0.17	29
30	0.01	X	0.00	0.04	0.00	0.08	0.00	0.00	0.00	0.01	0.11	0.20	30
31	0.06	X	0.04	X	0.00	X	0.00	0.00	X	0.00	X	0.01	31
TOTAL	3.51	2.68	4.84	4.41	0.22	0.88	1.71	2.63	1.68	1.42	1.34	3.32	YEAR'S TOTAL 25.64
Days with 0.1 in. or more	25	12	19	17	6	11	10	9	15	13	15	26	178

REGISTER OF RAINFALL IN 1920.

Kept at Woolley School
in the County of Hereford
by the 1st Class Scholars

Lat. 52.9°N Long 2.53°W
Time of Observation 9.0 a.m.
Nearest Railway Station Morehampton
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.00	0.00	0.03	0.15	0.24	0.00	0.40	0.00	0.09	0.18	0.01	0.42	1
2	0.11	0.00	0.02	0.08	0.01	0.00	0.75	0.01	0.04	0.03	0.00	0.17	2
3	0.06	0.04	0.00	0.11	0.05	0.01	0.55	0.01	0.03	0.67	0.00	0.05	3
4	0.00	0.00	0.02	0.01	0.00	0.00	0.01	0.31	0.00	0.19	0.00	0.01	4
5	0.00	0.00	0.07	0.46	0.03	0.00	0.38	0.08	0.00	0.22	0.00	0.00	5
6	0.00	0.00	0.19	0.00	0.08	0.00	0.20	0.00	0.00	0.26	0.01	0.02	6
7	0.00	0.01	0.02	0.08	0.00	0.00	0.11	0.00	0.00	0.00	0.00	0.01	7
8	0.27	0.08	0.00	0.74	0.14	0.00	0.37	0.16	0.00	0.02	0.00	0.00	8
9	0.34	0.07	0.00	0.47	0.00	0.00	0.03	0.01	0.00	0.00	0.00	0.00	9
10	0.39	0.12	0.05	0.00	0.00	0.39	0.07	0.00	0.00	0.00	0.02	0.00	10
11	0.11	0.02	0.16	0.66	0.18	0.03	0.09	0.00		0.01	0.07	0.00	11
12	0.12	0.01	0.02	0.25	0.01	0.66	0.02	0.05		0.02	0.01	0.00	12
13	0.06	0.01	0.33	0.13	0.00	0.10	0.00	0.01		0.00	0.29	0.00	13
14	0.02	0.03	0.46	0.30	0.00	0.10	0.07	0.00	✓+	0.16	0.06	0.02	14
15	0.01	0.11	0.46	0.74	0.04	0.03	0.02	0.00	+	0.14	0.08	0.00	15
16	0.00	0.02	0.01	0.30	0.21	0.64	0.10	0.00	✓+	0.64	0.01	0.00	16
17	0.03	0.00	0.05	0.01	0.12	0.75	0.00	0.01	✓+	0.31	0.00	0.00	17
18	0.10	0.00	0.00	0.04	0.10	0.01	0.02	0.03	✓+	0.00	0.00	0.07	18
19	0.03	0.41	0.00	0.10	0.02	0.09	0.00	0.00		0.01	0.00	0.00	19
20	0.01	0.16	0.00	0.34	0.00	0.07	0.01	0.00		0.00	0.00	0.06	20
21	0.00	0.00	0.00	0.01	0.00	0.01	0.29	0.00		0.05	0.00	0.16	21
22	0.02	0.00	0.00	0.08	0.00	0.00	0.03	0.17		0.01	0.00	0.22	22
23	0.00	0.00	0.02	0.00	0.00	0.00	0.22	0.03		0.00	0.00	0.42	23
24	0.03	0.01	0.14	0.01	0.00	0.00	0.00	0.01	✓	0.00	0.02	0.16	24
25	0.05	0.02	0.15	0.00	0.00	0.00	0.95	0.00	1.84	0.00	0.01	0.01	25
26	0.12	0.02	0.23	0.02	0.00	0.00	0.03	0.00	0.00	0.01	0.05	0.04	26
27	0.33	0.00	0.19	0.01	0.35	0.24	0.05	0.00	0.00	0.01	0.17	0.35	27
28	0.51	0.00	0.20	0.00	0.28	0.02	0.01	0.00	0.00	0.00	0.00	0.07	28
29	0.58	0.00	0.22	0.10	0.14	0.02	0.12	0.00	0.00	0.00	0.08	0.42	29
30	0.04	×	0.67	0.17	0.02	0.05	0.09	0.00	0.42	0.01	0.49	0.18	30
31	0.08	×	0.07	×	0.00	×	0.01	0.00	×	0.76	×	0.04	31
TOTAL	3.42	1.14	3.78	5.08	2.02	3.22	5.00	0.89	2.42	3.71	1.38	2.90	YEAR'S TOTAL 34.96
Days with ≥1 in. or more	23	16	23	26	17	17	27	13	(9)	20	15	20	276
Days with ≥0.4 in. or more	16	14	16	19	12	10	17	5	(7)	11	8	15	143

REGD WESTON UNDER PENYARD

HEREFORD

1911 - 1919

FORM A2.
BRITISH RAINFALL
9 - JAN 1912

Kept at Weston under Penyard
in the County of Hereford
by S. M. Prevost

5 in.
ve Ground ft. 11 in.
Sea Level 250 ft. (about)
Name Ross
Distance 2 miles Direction NW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	0.05 ^{in.}	in.	0.01 ^{in.}	0.087 ^{in.}	in.	in.	0.085 ^{in.}	0.200 ^{in.}	in.	in.	0.020 ^{in.}	0.015 ^{in.}	1
2	—				0.117				0.085	0.05	0.110 ¹¹⁰	0.150	2
3	—			0.025	0.400					0.05	0.025 ⁰²⁵	0.052	3
4	0.013		0.142	0.020							0.155 ¹⁵⁵	0.745	4
5	0.06										0.073	0.020	5
6	0.13			0.005							0.130	1.050	6
7	0.06										0.300		7
8	0.10		0.04								0.072	0.480	8
9	—		0.15								0.320	0.520	9
10	0.135		0.40								0.020	0.480	10
11	—				0.520						0.500	0.010	11
12	0.168										0.150	0.073	12
13	—	0.053			0.205				0.120		0.015	0.300	13
14	—								0.400			1.220	14
15	—		0.023							Trace	0.205	0.051	15
16	—	0.015		0.165		0.070					0.150	0.250	16
17	—		0.060			0.110					0.200	0.350	17
18	—	0.200									0.010	0.530	18
19	0.02			0.053		0.120			0.220	0.720		0.205	19
20	0.02	0.020		0.020					0.060	0.020		0.700	20
21	—	0.140	0.210					0.460		0.460		0.110	21
22	—	0.265	0.070	0.020		0.040		0.010		0.075		0.660	22
23	—		0.150						0.250	0.050		0.110 ¹¹⁰	23
24	—	0.045				0.600		0.060 ⁰⁶⁰		0.073		0.180	24
25	—	0.060	0.010	0.008		0.040			0.018	0.010	0.210	0.030	25
26	—	0.121	0.170	0.170	0.760	0.025		0.110	0.180	0.170		0.130	26
27	—	0.132	0.010	0.035				0.350		0.		0.102	27
28	—	0.125	0.010	0.140				0.045		0.250 ²⁵⁰	0.120	0.015	28
29	—					0.165	0.08		0.050		0.015		29
30	—			0.120		0.07				0.230	0.020		30
31	—					0.02							31
Total	0.760	1.244	1.535	0.928	2.002	1.170	0.265	1.235	1.233	2.108	2.860	8.638	TOTAL for year 24.068
No. of Rain Days	10	11	14	13	5	8	4	7	9	13	21	27	24.068

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
3 - JAN 1912

Kept at *Wester under Penyard*

in the County of *Hereford*

by *S. M. Prevost. R. D.*

RAIN GAUGE Pattern *Ordinary*
Diameter of top *5* in.
Height of top above Ground *11* ft. *11* in.
" " " Sea Level *250* ft. (*about*)
Time of Observation *5 am*
Nearest Railway Station { Name *Ross*
Distance *2 miles* Direction *NW*

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	<i>0.05</i>	<i>in.</i>	<i>0.01</i>	<i>0.087</i>	<i>in.</i>	<i>in.</i>	<i>0.085</i>	<i>0.200</i>	<i>in.</i>	<i>in.</i>	<i>0.020</i>	<i>0.015</i>	1
2	<i>—</i>				<i>0.117</i>				<i>0.085</i>	<i>0.05</i>	<i>0.110</i>	<i>0.150</i>	2
3	<i>—</i>			<i>0.025</i>	<i>0.400</i>					<i>0.05</i>	<i>0.440</i>	<i>0.052</i>	3
4	<i>0.013</i>		<i>0.142</i>	<i>0.020</i>							<i>0.155</i>	<i>0.745</i>	4
5	<i>0.06</i>										<i>0.073</i>	<i>0.020</i>	5
6	<i>0.13</i>			<i>0.0057</i>							<i>0.130</i>	<i>1.050</i>	6
7	<i>0.06</i>										<i>0.300</i>		7
8	<i>0.10</i>		<i>0.04</i>								<i>0.072</i>	<i>0.480</i>	8
9	<i>—</i>		<i>0.15</i>								<i>0.320</i>	<i>0.520</i>	9
10	<i>0.135</i>		<i>0.40</i>								<i>0.020</i>	<i>0.480</i>	10
11	<i>—</i>				<i>0.520</i>						<i>0.500</i>	<i>0.010</i>	11
12	<i>0.168</i>										<i>0.150</i>	<i>0.073</i>	12
13	<i>—</i>	<i>0.053</i>			<i>0.205</i>				<i>0.120</i>		<i>0.015</i>	<i>0.300</i>	13
14	<i>—</i>							<i>0.400</i>				<i>1.220</i>	14
15	<i>—</i>		<i>0.023</i>							<i>Trace</i>	<i>0.205</i>	<i>0.051</i>	15
16	<i>—</i>	<i>0.015</i>		<i>0.165</i>		<i>0.070</i>					<i>0.150</i>	<i>0.250</i>	16
17	<i>—</i>		<i>0.060</i>			<i>0.110</i>					<i>0.200</i>	<i>0.350</i>	17
18	<i>—</i>	<i>0.200</i>									<i>0.010</i>	<i>0.580</i>	18
19	<i>0.02</i>			<i>0.053</i>		<i>0.120</i>			<i>0.220</i>	<i>0.720</i>		<i>0.205</i>	19
20	<i>0.02</i>	<i>0.020</i>		<i>0.020</i>					<i>0.060</i>	<i>0.020</i>		<i>0.700</i>	20
21	<i>—</i>	<i>0.140</i>	<i>0.210</i>					<i>0.460</i>		<i>0.460</i>		<i>0.110</i>	21
22	<i>—</i>	<i>0.265</i>	<i>0.070</i>	<i>0.020</i>		<i>0.040</i>		<i>0.010</i>		<i>0.075</i>		<i>0.660</i>	22
23	<i>—</i>		<i>0.150</i>						<i>0.200</i>	<i>0.050</i>		<i>0.110</i>	23
24	<i>—</i>	<i>0.045</i>				<i>0.600</i>		<i>0.060</i>		<i>0.073</i>		<i>0.180</i>	24
25	<i>—</i>	<i>0.060</i>	<i>0.010</i>	<i>0.068</i>		<i>0.040</i>			<i>0.018</i>	<i>0.010</i>	<i>0.210</i>	<i>0.030</i>	25
26	<i>—</i>	<i>0.121</i>	<i>0.170</i>	<i>0.170</i>	<i>0.760</i>	<i>0.025</i>		<i>0.110</i>	<i>0.180</i>	<i>0.170</i>		<i>0.130</i>	26
27	<i>—</i>	<i>0.150</i>	<i>0.010</i>	<i>0.035</i>				<i>0.350</i>		<i>0</i>		<i>0.102</i>	27
28	<i>—</i>	<i>0.125</i>	<i>0.010</i>	<i>0.140</i>				<i>0.045</i>		<i>0.250</i>	<i>0.120</i>	<i>0.015</i>	28
29	<i>—</i>					<i>0.165</i>	<i>0.08</i>		<i>0.050</i>		<i>0.015</i>		29
30	<i>—</i>			<i>0.120</i>		<i>0.07</i>				<i>0.230</i>	<i>0.020</i>		30
31	<i>—</i>						<i>0.02</i>						31

Total *0.760* *1.444* *1.535* *0.928* *2.002* *1.170* *0.265* *1.235* *1.333* *2.108* *2.860* *8.638* *24.008*
No. of Rain Days *10* *11* *14* *13* *5* *8* *4* *7* *9* *13* *21* *27* *24*
9,000, IX. '10. *Thunder* *in 1 1/2 hr* *3.757*

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL

Kept at Worton under Penyard
in the County of Hampshire
by E. W. Prevost

PATTERN 6 in.
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 2 ft. 10 in.
" " " Sea Level 250 ft.
Time of Observation 5 am
Nearest Railway Station { Name Mitcheldean R.
Distance 2 1/2 Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.125			0.500	0.110		0.020	0.430		0.048	1
2	0.030	0.280	0.365	0.040		0.450	0.320	0.050				0.130	2
3			0.140			0.150		0.655	0.001		0.038		3
4	0.110		0.800		0.130	0.550	0.040	0.062			0.180		4
5	0.230		0.155		0.135	0.050		0.420			0.008	0.030	5
6	0.255		0.015			0.075		0.462				0.022	6
7	0.010	0.355	0.272		0.010	0.435		0.080				0.030	7
8	0.350	0.200	0.220			0.613	0.050	0.210	0.050				8
9	0.030	0.030	0.280	0.050		0.062					0.060	0.180	9
10	0.070	0.100	0.010			0.020						0.350	10
11	0.052	0.080	0.010							0.020	0.050		11
12	0.005	0.340			0.070	0.030	0.013					0.051	12
13					0.100			0.043	0.010	0.008		0.040	13
14	0.035	0.015	0.540	0.050		0.250							14
15	0.525	0.050	0.110		0.220			0.060			0.010	0.116	15
16	0.765					0.015		0.050		0.030		0.010	16
17	0.610		0.220			0.032		0.380			0.038	0.440	17
18	0.130		0.080					0.200			0.010		18
19	0.055	0.020			0.010		0.160	0.720				0.050	19
20	0.030		0.500				0.340	0.350		0.210	0.025		20
21	0.020	0.010	0.310		0.540		0.060	0.220		0.270		0.005	21
22	0.335	0.110	0.050		0.780		0.410	0.260				0.060	22
23	0.315		0.250			0.120	0.160	0.135		0.050	0.020	0.380	23
24	0.150	0.480					0.030	0.010				0.120	24
25		0.150				0.335		0.985			0.250	0.340	25
26		0.065					0.250	0.860		0.500	0.350	0.150	26
27		0.010				0.300	0.565			0.520		0.240	27
28						0.033	0.775		0.250	0.250	0.375	0.380	28
29		0.270				0.170	0.053	0.665	0.520	0.300		0.020	29
30			0.030			0.117			0.030	0.250		0.	30
31			0.320		0.035		0.110	0.020		0.020		0.030	31

Total	4.232	2.605	4.802	0.140	2.030	4.307	3.688	6.477	0.521	3.338	1.454	3.172	37486
No. of Rain Days.	21	17	24	3	14	20	16	22	26	13	13	22	184

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL
3-JAN 1914

Kerf. at Weston under Penyard
in the County of Hereford
by E. W. Prescott

Pattern Ordinary
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 10 1/2 ft.
" " " Sea Level 250 ft.
Time of Observation 5 a.m.
Nearest Railway Station { Name Ross
Distance 2 mi. Direction W by N

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.060	0.220		0.035				0.010				1
2	0.020	0.155	0.050	0.050					0.041	0.575	0.160		2
3	0.100		0.045		0.430		<i>unmeasured</i>			0.050		0.040	3
4	0.860	0.010	0.030		0.330		<i>unmeasured</i>		0.630	0.608		0.115	4
5	1.070	0.050				0.560			0.010	0.150	0.070	0.020	5
6	0.015		0.150		0.240	0.060	0.160			0.340	0.280	0.420	6
7		0.380			0.350	0.042	0.180		0.238	0.250	0.060	0.010	7
8	0.008	0.110		(.01)	0.230		0.13	0.010	0.003	0.210		0.005	8
9		0.150		<i>not measured</i>	0.083	0.050		0.065			0.120		9
10	0.445				0.100			0.150			0.155		10
11	0.835				0.052			0.050		0.080	0.860		11
12				0.200							0.620		12
13	0.025		0.100	0.015							0.273		13
14	0.280		0.383	0.015				0.050	0.310	0.062	0.010		14
15	0.210		0.506	0.630				0.130	0.070				15
16	0.155		0.200						0.080				16
17	0.048		0.100	1.12			0.150		0.061				17
18	0.042		0.240	0.06	0.008		0.080		0.110				18
19	0.170		0.310			0.207	0.030		0.055	0.010			19
20	0.250		0.230	0.45					(.04)	0.060	0.200		20
21	0.525		0.350	0.050	0.150		0.070	0.010			0.330		21
22			0.655	0.125		0.128		0.150	0.250				22
23	0.010		0.035						0.010			0.080	23
24													24
25				0.385								0.008	25
26				0.945				0.260	0.050			0.240	26
27			0.165	0.255							0.015		27
28	0.270		0.170	0.350	0.015					0.110			28
29	0.015		0.585	0.650				0.120		0.480			29
30	0.012							0.040		0.135	0.080		30
31	0.008		0.112		0.025			0.060					31
Total	4.532	1.035	5.221	5.010	2.038	0.557	0.800	1.135	2.848	3.160	3.273	0.548	TOTAL 30.557
No. of Rain Days.	22	7	21	19	14	6	7	11	15	14	14	10	154

REGISTER OF RAINFALL IN 1914

Kept at Weston under Penyard
in the County of Hereford
by E. W. Prevost

Lat. 51° 54' Long. 2° 34' N
Time of Observation 9 am.
Nearest Railway Station Ross
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 10 1/2 ft.
Sea Level 290 ft.

FORM A.
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.015				0.860	0.250				0.015	1
2				0.060	not measured		0.590	0.050			0.618	0.160	2
3			not measured	0.101	0.235		0.165	0.080			0.013	0.475	3
4	0.235			0.160	0.080			0.015				0.033	4
5	0.020		0.070	0.100	0.210		0.338					0.727	5
6			0.040	0.050	0.020							0.215	6
7			0.120	0.	0.230	0.020	0.250	0.100				0.100	7
8	0.010		0.120	0.015	0.035	0.840		0.052	0.040			0.062	8
9			0.253	0.358	0.060	1.330		0.068	0.130			0.508	9
10			slight snow	0.470	0.023	0.050			0.250			0.508	10
11			0.172	0.030	0.150	0.280	(0.430)					0.508	11
12			0.150			0.020	0.120					0.350	12
13			0.380				0.020		0.180			0.442	13
14			0.360							0.345			14
15	0.025		0.085				0.050	0.400				0.010	15
16	0.020						0.100		0.315				16
17			0.258				0.050					0.215	17
18			0.021			0.110	0.170					0.255	18
19							0.550					0.130	19
20			0.120									0.180	20
21						0.015	0.015	0.080				0.035	21
22			0.021		0.170								22
23			0.650				0.025	not measured					23
24	0.050		0.145										24
25			0.238					0.185				0.085	25
26			0.086				0.035					0.435	26
27	0.050		0.217									0.150	27
28			0.217		0.065					0.012		0.650	28
29	0.030		0.100		0.060								29
30			0.100			0.080						1.040	30
31	0.252						0.210					0.025	31
Total	0.492	2.673	3.171	1.344	1.378	2.745	4.418	1.280	0.553	1.882	2.802	6.342	YEAR'S TOTAL 29.682
Rain Days.	9	17	24	9	13	9	17	10	5	13	18	22	163

REGISTER OF RAINFALL IN 1915

Kept at Weston under Penyard
 in the County of Hereford
 by S. W. Prevost

Lat. 51° 54' Long. 2° 31' N
 Time of Observation 5 a.m.
 Nearest Railway Station Ross
 Diameter of Rain Gauge 5 in.
 Height of top of Gauge above Ground 10 1/2 ft.
 " " " " Sea Level 250 ft.

FORM A.
BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.315	0.040			0.215			0.010	0.160	0.210	0.022		1
2	0.220	0.164	0.080	0.110		0.070		1.230		0.040		0.016	2
3	0.780	0.140	0.001		0.140		0.815	0.103				0.240	3
4	0.040	0.022		0.020	0.105		0.240	0.263		0.020		0.410	4
5		0.820		0.020				0.050				0.503	5
6	0.175	0.050		0.110			0.440	0.040				0.310	6
7	0.075	0.407		0.080			0.002	0.040				0.260	7
8	0.270	0.430					0.050			0.00	0.055	0.450	8
9	0.060	0.045						0.020		0.080	0.080		9
10	0.200		0.038	0.030									10
11	0.052		0.060	0.020						0.015			11
12	0.175	0.080		0.170	0.475					0.060	0.510	0.030	* 12
13	0.020	0.665			1.050			0.030	0.035		0.650	0.028	13
14								0.130	0.070			0.260	14
15	0.385	0.020			0.065		0.035	0.045		0.070		0.110	15
16	0.075	0.840		0.030	0.343		0.600						16
17		0.150	0.026		0.830					0.020			17
18		0.435	0.013		0.005								18
19		0.010			0.080		0.275						19
20		0.005		0.135						0.070		0.142	20
21	0.072	0.040					0.022			0.050		0.040	21
22	0.051	0.085	0.255				0.180			0.015		0.285	22
23	0.025	0.065	0.170			0.055	0.250			0.860		0.358	23
24			0.020	0.025			0.480			0.550		0.055	24
25						0.282	0.055			0.028		0.130	25
26	0.010	0.101					0.672		0.350	0.260		0.515	26
27		0.030				0.020	0.255			0.040		0.028	27
28		0.040							0.260			0.025	28
29						0.120		0.112	0.025		0.075	0.070	29
30	0.125	X				0.020	0.080			0.330	0.105	0.250	30
31	0.001	X		X		X	0.055	0.052	X	1.525	X	0.335	31
Total	3.196	4.724	0.663	0.260	3.258	0.527	4.586	2.165	0.850	4.243	1.577	4.570	31.929
Rain Days.	29	23	8	11	9	6	10	13	6	18	7	23	159

W. 8,000 5.20 4.72 .66 .76 3.26 .57 4.59 2.16 .85 * 4.24 1.98 4.97 31.96

REGISTER OF RAINFALL IN 1916

Kept at *Weston Under Penyard*
in the County of *Hereford*
by *E. W. Prevosty, M.I.*

Lat. *51° 54'* Long. *2° 31'*
Time of Observation *5 a.m.*
Nearest Railway Station *Ross*
Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *10 1/2* ft.
" " " " Sea Level *290* ft.

FORM A.
BRITISH RAINFALL
2 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.025			~~0.076~~ 0.038	0.076	0.063	0.150			0.160	0.100		1
2	0.240	0.060	^{Snow} 0.250	~~0.240~~	0.240	0.060			0.018	0.735	0.050		2
3	0.021	1.337		~~0.170~~	0.170	0.010			0.040	0.242	0.180		3
4	0.270	0.183		~~0.380~~	0.380	0.240			0.080	0.110	0.663		4
5		0.025	0.050	~~0.185~~	0.185	~~0.026~~	0.150			0.085	0.180		5
6	0.050	0.020	0.047	~~2.142~~	0.162	0.010	0.470			0.200	0.767		6
7			0.145	~~0.150~~	0.100					0.082	0.358		7
8	0.045	0.028		~~0.290~~	0.290	0.050					0.027	0.563	8
9				~~0.070~~	0.070	0.190			0.020	0.020	0.025		9
10	0.070	0.462	0.070	0.042		0.110			0.010	0.045	0.015		10
11	0.070		0.128	0.056	0.025	0.020			0.020	0.042			11
12	0.028	0.022			0.242		0.212						12
13		0.370	0.250	0.020			0.025	0.280					13
14		0.320	0.180	^(Snow) 0.115				0.025		0.030			14
15		0.130	0.242	^{Snow} 0.115	0.130			0.100		0.070			15
16	0		^{Snow} 0.011	0.130	0.010		0.153	0.285					16
17	0.035	0.050		0.080					0.350	0.180			17
18	0.010	0.025	0.065					0.050	0.062	0.065	0.100		18
19	0.115		0.050	0.026							0.570		19
20	0.025	0.020	0.650									0.530	20
21	0.015		0.445		0.111		0.050						21
22				0.125						0.170	0.008	0.835	22
23		0.183	0.020	0.025		0.025		0.125		0.085	0.030	0.130	23
24		0.155			0.620	0.123		0.037				0.210	24
25		0.220	0.110					0.450	0.010	0.210	0.155		25
26	0.015	0.055	0.035			0.180		0.080		0.190	0.020		26
27	0.020	0.058	0.885			~~0.320~~		0.460	0.177	0.358			27
28		0.780						0.011	0.210	~~0.280~~		0.050	28
29		0.250				0.235		1.740		0.280		0.080	29
30		~~X~~				0.015		0.032		0.210			30
31		~~X~~		~~X~~		~~X~~			~~X~~	0.350	~~X~~	0.010	31
Total	0.974	4.816	3.623	0.667	2.811	1.467	1.220	3.675	0.997	3.964	3.248	2.448	YEAR'S TOTAL 29.916
Rain Days.	15	21	18	10	15	16	7	13	11	22	16	8	167

1.426 above av. of 22 years X Snow + hail post

REGISTER OF RAINFALL IN 1917

Kept at Weston Under Penyard
in the County of Hereford
by E. W. Prevost

Lat. 51° 52' Long. 2° 31'
Time of Observation 9 am
Nearest Railway Station Ross
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 10 1/2 ft.
" " " " Sea Level 250 ft.

FORM A.
BRITISH RAINFALL
JAN 1918
Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.030	0.145	0.158		0.165		0.91	0.055		0.100		1
2			0.010	0.030		0.050		0.040			0.025		2
3	0.035			0.010				0.023		0.11			3
4		0.150	* 0.365					0.012		0.100	0.040		4
5	0.015			0.175				0.400	0.600	0.250	~~0.150~~		5
6	0.020		* 0.555			0.380		0.330		0.085	0.190		6
7						~~0.24~~				0.270			7
8	0.630		0.040	0.130			1.15	0.240		0.326	0.070		8
9			0.140	0.025	0.180		0.001	0.200	0.050	0.040			9
10	0.276		0.310	0.135	0.725			0.250					10
11	0.025		0.340	0.110	0.080			0.360		0.200	0.020		11
12					0.620			0.020		0.105		0.082	12
13			0.080	0.018				0.160	0.050	0.020		0.008	13
14				0.075				0.040		0.050		0.153	14
15							0.022	0.033					15
16	0.040			0.150			0.040			0.010			16
17				0.100	0.650		0.270	0.080	0.040			0.070	17
18			0.050		0.030	0.020	0.205		1.250				18
19	* ~~0.400~~	* 0.400				0.280			0.017				19
20			0.060		0.780	0.180			0.115				20
21	0.125	0.125	* 0.220		0.040						0.040		21
22	~~0.240~~	0.240	* 0.060			0.035		0.120		0.075			22
23	~~0.010~~	0.010			0.070			0.525		0.030			23
24						0.045		0.030		0.150			24
25	~~0.010~~	0.042							0.010		0.080		25
26	~~0.010~~	0.010			0.042	0.040	0.040	0.640	0.110		0.020		26
27					0.820	0.030		0.560					27
28	~~0.001~~	0.001	0.080		0.011			0.070				0.020	28
29			* 0.030		0.235	0.450	0.110	0.405		0.560		0.330	29
30		X						~~0.040~~		0.040	0.020		30
31		X	0.130	X	0.080	X		0.060	X	0.016	X		31
Total	1.039	1.048	2.615	1.115	4.363	1.675	1.838	5.636	2.407	3.027	0.605	0.666	YEAR'S TOTAL 26.085
Rain Days.	7	9	16	12	14	13	8	24	10	18	10	6	146

REGISTER OF RAINFALL IN 1918

Kept *Wester under Penyard*
in the County of *Hampshire*
by *S. W. Prevost*

Lat. *51. 54* Long. *2° 31*

Time of Observation *9 am*

Nearest Railway Station *Ross*

Diameter of Funnel of Rain Gauge *2 in.*

Height of top of Gauge above Ground *10 1/2* ft.

" " " " Sea Level *290* ft.

FORM A.
BRITISH RAINFALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		0.023		0.034	0.055			0.360			0.065		1
2		0.056								0.010	0.020	0.060	2
3		0.067		0.120	0.150			0.012	0.390		0.207		3
4		0.025	0.015	0.010				0.072	0.130	0.117	0.504	0.336	4
5		0.005		0.023	0.380			0.012	0.130	0.070	0.018	0.015	5
6		0.027				0.045			0.008	0.130		0.050	6
7		0.105		0.055	0.400				0.290	0.132		0.040	7
8	0.035	0.046								0.070	0.185	0.055	8
9		0.138		0.200		0.170	0.080			0.030	0.015	0.020	9
10				0.115			0.265		0.150	0.111		0.150	10
11			0.080	0.023			0.050		0.030			0.110	11
12			0.150		0.080		0.065					~~0.080~~	12
13			0.005	0.008		0.030			0.104	0.030	0.042	0.080	13
14	0.255		0.110			0.032	0.020		0.445			0.020	14
15	1.037			0.400			0.175		0.004			0.210	15
16	0.180			0.450					0.370				16
17	0.160			0.065			0.060		0.020	0.078	~~0.010~~	0.030	17
18						0.460	0.120		0.725			0.500	18
19	0.585	0.030	0.280	0.035			0.130			0.080			19
20	0.170			0.270		0.035	0.095		0.320				20
21	0.085			0.050			0.232		0.280				21
22	0.013				0.150		0.213		0.150	0.060		0.280	22
23	0.001				0.245		0.170			0.005	0.027		23
24		0.135					0.305	0.025	0.021		0.050		24
25				0.130	0.080		0.305	.515			0.032	~~0.080~~	25
26							0.155				0.030	0.058	26
27			0.040					0.160	0.050	0.020	0.015	0.020	27
28			0.208								0.060	0.015	28
29		0.056	0.025						1.355			0.030	29
30		~~X~~	0.665						0.020		0.005	0.126	30
31		~~X~~		~~X~~		~~X~~		0.035	~~X~~	0.010	~~X~~		31
Total	2.520	1.023	1.618	2.028	1.660	0.772	2.159	1.151	5.102	0.553	1.085	2.219	20.921
Rain Days.	9	12	10	10	8	6	15	8	19	15	15	21	15

*X Snow @ 9 in. Snow
0 2 1/2 in. Snow*

Western. Russ. Harpfall
1818

Jan? 2.521
Feb? 1.023
Mar. 1.618
Apr. 2.028
May 1.660
June 0.772

9.622

July 2.199
Aug 1.191
Sept. 5.102
Oct 0.953
Nov 1.875 x
Dec. 2.219
13.539

23.161

✓ S. W. Pierst

POST



CARD



Mr C. Satter

32 Camden Sp^r

London NW 1

REGISTER OF RAINFALL IN 1919

Kept at Weston under Penyard
in the County of Hereford
by J. W. Perrott

Lat. 51° 52' Long. 2° 31'
Time of Observation 8 am
Nearest Railway Station Ross
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 10 1/2 ft.
" " " " Sea Level 250 ft.

Jan. 1, following.

IMPORTANT. NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.308	0.010	0.020	0.035	0.030		0.150		0.026	(0.08)		0.66	1
2	0.050		0.027				0.275		0.304		0.050	0.07	2
3	0.400		0.120				0.130		0.038		0.250	0.17	3
4	0.155	0.090	0.570		0.025		0.150	0.020	0.155			0.105	4
5	0.020	0.275	0.185		0.070	0.045			0.380			(0.048)	5
6	0.255				0.020							0.037	6
7	0.210		0.370	0.165								0.025	7
8	0.260		0.025	0.03									8
9	0.340		0.040	0.035						0.040	0.100		9
10	0.010		0.610									0.205	10
11			0.660		0.030		0.455			0.100		0.060	11
12	0.001		0.018	0.080		0.352			0.052	0.100		0.012	12
13	0.035			0.155					0.035			0.030	13
14	0.235			0.152			0.045		Trace			0.105	14
15	0.150	0.040			0.040							0.260	15
16	0.150	1.125					1.033				X	0.066	16
17		0.260										0.035	17
18			0.433					0.145	(0.073)	0.140		0.030	18
19	0.150	0.302	0.790			0.150		0.445	0.050		0.012		19
20	0.230	0.008	0.418			0.013		0.060	0.010		0.020	0.040	20
21	0.065	0.420	0.030				0.155		0.023		0.020	0.048	21
22									0.150		Trace	0.085	22
23						0.030		0.025		0.500			23
24							0.020			0.753	0.165		24
25	0.050				0.053		0.018	(0.257)			0.023	0.160	25
26	0.025			0.175		0.018		0.060	0.045		0.250	0.145	26
27				0.340				0.450				0.020	27
28	0.082		0.23					0.310				0.150	28
29	0.035			0.050				0.010		0.150		0.255	29
30	0.010	X		0.150		0.205		0.252		0.025		0.380	30
31	8	X		X		X	2.521		X	0.020	X	0.010	31
Total	3.386	3.030	4.526	1.407	0.268	0.853		2.074	1.351	2.008	0.541	3.150	25.575
Rain Days.	22	9	16	11	7	7	11	11	13	8	12	24	157

X Snow. & mist
W. 8,000, IX. 17.

WHITBOURNE
COURT
HEREFORD
1911 - 12

1911

FORM A2.
BRITISH RAINFALL.
12 APR 1912

Kept at *Whitbourne*
in the County of *Hereford*
by *Lucy Mason*

of top _____ in.
top above Ground _____ ft.
" " Sea Level _____ ft.
n _____
tation { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	in. 4	in.	in. 4	in.	in.	in.	in.	in. 15	in.	in.	in.	in.	1
2				3	5			11		18	10		2
3				7	40					12	2		3
4			17					3	12				4
5	7			3				6		4	12		5
6	27		12					2			10		6
7											38		7
8	12												8
9	3												9
10	19		65										10
11											80		11
12		11	39										12
13									27		14		13
14													14
15			4								4		15
16						3					24		16
17						21					25	52	17
18		25		7		10						29	18
19				10		176	55		55	39		12	19
20				5				4	7	15		62	20
21								95	13	5	4	13	21
22		21	16							10		13	22
23			14			43			12			42	23
24		20				35						11	24
25												13	25
26		6		30	47		10			38	19	11	26
27		40	20					55	16		15	9	27
28		20		35							25		28
29					5	11	6		19	40			29
30			4	13	5	3	2	18					30
31					20					10			31
Total	72	143	195	166	122	242	0 23	209	151	191	280	267	TOTAL for year 2001
No. of Rain Days	6	7	10	8	12	6	6	4	9	8	10	11	2991

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
12 APR 1912

Kept at Whitmore Court
in the County of Kent
by Edw. Harrington

Pattern _____
RAIN Gauge Diameter of top _____ in.
Height of top above Ground _____ ft.
" " " Sea Level _____ ft.
Time of Observation _____
Nearest Railway Station { Name _____
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	in. 4	in.	in. 4	in.	in.	in.	in.	in. 15	in.	in.	in.	in.	1
2				3	5			11		18	10		2
3				"	40					12	2		3
4			17					3	12				4
5	7			3				6		4	12		5
6	27		12					2			10		6
7											38		7
8	12												8
9	3												9
10	19		65										10
11											80		11
12		11	34										12
13									27		14		13
14													14
15			4								4		15
16						3					24		16
17						21					25	52	17
18		25		7		10						29	18
19				10		176	55		55	39		12	19
20				5				4	7	15		62	20
21								95	3	5	4	13	21
22		21	16							10		13	22
23			14			43			12			42	23
24		20				35						11	24
25												13	25
26		6		30	47		10			38	17	11	26
27		40	20					55	16		15	9	27
28		20		35							25		28
29					5	11	6		19	40			29
30			4	13	5	3	2	18					30
31					20					10			31
Total	72	143	195	166	122	242	0 23	2 09	1 51	1 91	2 80	2 67	TOTAL for year 20 01
No. of Rain Days	6	7	10	8	12	6	4	9	8	10	14	11	29 91

and for auth 6.11.13

REGISTER OF RAINFALL IN 1913

FORM A2. 2.9
BRITISH RAINFALL
-4 MAR 1913

Kept at *Whitmore Court*

in the County of *Hereford* **2**

by *Dr. L. L. Harrington*

Pattern
RAIN GAUGE
Diameter of top..... in.
Height of top above Ground..... ft.
" " " Sea Level..... ft.
Time of Observation.....
Nearest Railway Station { Name.....
Distance..... Direction.....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							13		2				1
2						53	13				3		2
3					3	52	2	90				15	3
4			93		20	12		5			13		4
5			10			85		36					5
6			14		35	3	10	193					6
7			17			32	1	19					7
8			10		8	51	12	20	8				8
9		70	50			12		17				33	9
10						29		11			21		10
11						3		7				50	11
12			17		13	6		9					12
13						3				10		8	13
14			52			5		9					14
15		10	10		61	16		4					15
16			3		9	1		16				15	16
17			21	10		5		42			9	30	17
18								12					18
19	67		4				14	30		8			19
20		20	30			3	3	9					20
21	3		23		100			50					21
22	32				94	5		30		30		25	22
23	37		25			3	29	65			9		23
24						24	63	3				25	24
25						30	6	90			28		25
26						1	29	87		74		83	26
27						47	62			80			27
28		10				4	50	65	22	27		50	28
29		15	6			14	14	5	60	13			29
30			4			13		2		13	65		30
31			10		8		50	4					31
Total	139	125	349	70	336	512	371	930	92	255	148	334	3671
No. of Rain Days	4	5	18	1	11	26	16	930	4	8	7	10	137

REGI

WHITNEY - ON - WYE

HEREFORD

1911 - 1920

Kept at Whitney-on

in the County of Hereford

by W. Burgess

FORM A2.
BRITISH RAINFALL.

23 JAN 1912

window

8 in.

Ground 1 ft. in.

Sea Level 428 ft.

A.M.

Name Whitney

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	...	...	.12	.01	...	...	.01	.30	...	...	.05	...	1
2	.02	...	.01	.02	.08	...	...	.10	...	.03	.07	.09	2
3	...	...	...	.03	.70	...	...	.04	.10	...	.10	.16	3
4	...	...	.11	.01	.01	...	...	.12	.04	...	.24	.33	4
5	.03	...	.05	.02	...	...	...	.08	...	.16	.15	.04	5
6	.13	...	.06	.01	...	...	...	.06	...	...	.17	.27	6
7	...	...	...	...	...	...	...	...	...	...	.34	...	7
8	.08	...	.16	...	...	...	...	...	...	...	.41	.43	8
9	.06	...	.02	...	...	...	...	...	...	...	.39	.19	9
10	.02	.04	.11	...	...	...	...	...	.01	...	.02	.75	10
11	.12	...	...	...	.03	...	...	...	.04	...	.47	.29	11
12	...	.01	.32	...	.54	...	...	...	.33	.01	.66	.22	12
13	...	...	.01	...	.01	...	...	...	.10	.12	.06	.50	13
14	...	.04	.01	...	...	...	...	...	...	.06	.01	.82	14
15	...	.05	...	...	...	.01	...	...	...	.01	.27	.17	15
16	...	...	.01	...	...	.11	...	...	...	.02	.15	.07	16
17	...	.02	...	...	...	1.10	...	...	...	...	.22	.70	17
18	...	.46	.12	.25	...	.25	...	...	...	.05	...	.26	18
19	.01	.05	...	.24	...	.20	...	.06	.55	.19	.01	.29	19
20	...	.07	.01	.07	...	.03	...	...	.07	.03	...	.36	20
21	...	.19	.31	...	...	.02	...	.26	.15	.35	...	.09	21
22	.01	.05	.03	.03	...	.05	...	...	.01	.47	.01	.49	22
23	.01	.27	.11	.01	...	.09	.02	...	.19	.20	...	.19	23
24	...	.05	...	.01	...	.24	...	.13	.02	.08	...	.22	24
25	.01	.28	...	.11	...	.04	...	...	.03	.10	...	.19	25
26	...	.16	...	.32	.50	.01	...	.19	.02	.30	.10	.17	26
27	...	.13	.24	.16	...	...	...	.26	.23	...	.04	.14	27
28	...	.24	...	.24	...	.02	...	.02	.01	...	.10	...	28
29	...	...	...	.10	.22	.16	.10	...	.14	.41	.02	...	29
30	...	...	.04	.01	.05	.04	.02	.08	...	.33	.02	.01	30
31	...	...	.01	...	.02	...	.02	...	...	.12	...	...	31
Total	.50	2.11	1.86	1.65	1.94	2.37	.17	1.70	2.04	3.04	4.08	7.44	TOTAL for year
No. of Rain Days.	11	16	20	18	9	15	5	13	17	19	24	26	28.90 193

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

Kept at Whitney-on-Wye
in the County of Herefordshire
by W. Burgess

Pattern Snowdon
RAIN GAUGE Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 428 ft.
Time of Observation 9 A.M.
Nearest Railway Station { Name Whitney
Distance _____ Direction _____

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	...	...	.12	.01	...	...	.01	.30	...	...	.05	...	1
2	.02	...	.01	.02	.08	...	...	.10	...	.03	.07	.09	2
3	...	...	...	.03	.70	...	...	.04	.10	...	.10	.16	3
4	...	...	.11	.01	.01	...	...	.12	.04	...	.24	.33	4
5	.03	...	.05	.02	...	...	...	.08	...	.16	.15	.04	5
6	.13	...	.06	.01	...	...	...	.06	...	...	.17	.27	6
7	...	...	...	...	...	...	...	...	...	...	.34	...	7
8	.08	...	.16	...	...	...	...	...	...	...	.41	.43	8
9	.06	...	.02	...	...	...	...	...	...	...	.39	.19	9
10	.02	.04	.11	...	...	...	...	...	.01	...	.02	.75	10
11	.12	...	...	...	.03	...	...	...	.04	...	.47	.29	11
12	...	.01	.32	...	.54	...	...	...	.33	.01	.66	.22	12
13	...	...	.01	...	.01	...	...	...	.10	.12	.06	.50	13
14	...	.04	.01	...	...	...	...	...	...	.06	.01	.82	14
15	...	.05	...	...	...	.01	...	...	...	.01	.27	.17	15
16	...	...	.01	...	...	.11	...	...	...	.02	.15	.07	16
17	...	.02	...	...	...	.10	...	...	...	...	.22	.70	17
18	...	.46	.12	.25	...	.25	...	...	...	.05	...	.26	18
19	.01	.05	...	.24	...	.20	...	.06	.55	.19	.01	.29	19
20	...	.07	.01	.07	...	.03	...	...	.07	.03	...	.36	20
21	...	.19	.31	...	...	.02	...	.26	.15	.35	...	.09	21
22	.01	.05	.03	.03	...	.05	...	...	.01	.47	.01	.49	22
23	.01	.27	.11	.01	...	.09	.02	...	.19	.20	...	.19	23
24	...	.05	...	.01	...	.24	...	.13	.02	.08	...	.22	24
25	.01	.28	...	.11	...	.04	...	...	.03	.10	...	.19	25
26	...	.16	...	.32	.50	.01	...	.19	.02	.30	.10	.17	26
27	...	.13	.24	.16	...	...	...	.26	.23	...	.04	.14	27
28	...	.24	...	.24	...	.02	...	.02	.01	...	.10	...	28
29	...	...	...	.10	.2	.16	.10	...	.14	.41	.02	...	29
30	...	...	.04	.01	.05	.04	.02	.08	...	.33	.02	.01	30
31	...	...	.01	...	.02	...	.02	...	...	.12	...	...	31
Total	.50	2.11	1.86	1.65	1.94	2.37	.17	1.70	2.04	3.04	4.08	7.44	TOTAL for year
No. of Rain Days.	11	16	20	18	9	15	5	13	17	19	24	26	28.90 193

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
14 MAR 1913

Kept at Whitney-on-Wye
in the County of Herefordshire
by W. Burgess

Lat. _____ Long. _____
Time of Observation 9 A.M.
Nearest Railway Station Whitney
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 428 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	...	...	23	...	...	82	02	01	03	08	...	18	1
2	...	...	25	02	04	79	22	02	...	...	...	02	2
3	05	...	04	...	04	12	03	11	03	...	02	03	3
4	36	...	66	...	15	03	...	11	...	...	02	04	4
5	23	09	26	02	07	...	...	58	03	...	01	02	5
6	29	12	02	...	08	...	...	52	...	...	01	06	6
7	03	26	08	...	10	51	26	06	...	01	...	01	7
8	59	23	11	07	...	05	...	02	02	...	...	01	8
9	10	03	49	17	...	19	02	43	...	02	02	45	9
10	26	08	...	01	...	10	02	21	...	01	31	01	10
11	01	08	02	...	...	...	01	...	...	01	17	84	11
12	01	27	11	10	10	01	06	...	...	...	...	03	12
13	02	01	01	01	...	...	01	01	07	13	02	13	13
14	02	03	54	...	...	...	...	11	...	01	...	04	14
15	13	14	01	03	50	16	...	01	01	...	...	33	15
16	48	01	12	...	10	02	...	08	...	10	05	07	16
17	63	01	09	...	...	09	...	28	...	...	06	41	17
18	15	05	04	...	...	...	...	14	...	04	02	10	18
19	06	05	05	...	...	04	11	33	...	03	01	02	19
20	03	...	44	...	...	05	05	05	...	21	03	02	20
21	03	02	28	...	53	...	02	48	...	43	...	01	21
22	35	14	06	...	40	01	34	44	...	03	02	14	22
23	38	07	40	...	...	12	10	31	...	12	09	04	23
24	13	01	02	...	...	20	08	03	...	02	01	36	24
25	01	...	02	...	...	12	03	134	...	02	45	61	25
26	...	17	13	...	...	...	11	118	...	77	46	46	26
27	...	01	04	...	...	19	147	...	...	86	...	40	27
28	...	13	02	01	...	17	51	50	38	22	28	15	28
29	...	08	25	...	...	05	08	21	63	15	...	03	29
30	...	...	07	...	...	07	08	...	...	45	...	01	30
31	...	...	15	...	24	...	48	03	...	03	...	04	31
Total	435	209	501	44	235	391	411	860	120	375	206	507	4294
Rain Days.	23	23	30	9	12	22	22	27	8	22	19	31	248
YEAR'S TOTAL													248

REGISTER OF RAINFALL IN 1913

Kept at Whitney Court, Whitney on Wye
in the County of Herefordshire
by W. Burgess

Lat. 52° 7' 28" Long. 3° 4' 25" W
Time of Observation 9 a.m.
Nearest Railway Station Whitney 4 miles
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 428 ft.

BRITISH RAINFALL FORM A.
26 FEB 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	'04	'05	'09	'03					'15		'02		1
2	'02	'35	'08	'07	'04				'06	<u>1 08</u>	'01	'02	2
3	'05	'03	'12		'22					'04	'28	'16	3
4	'71	'10	'04		'05		10		'56	<u>1 02</u>		'60	4
5	'08	'11	'03		'09	'26	'01		'07	'33	'66	'05	5
6	'03	'14	'16		'10	'06	'01			'61	'20	'34	6
7	'01	'38	'04		'24	'13				'31	'08	'02	7
8	'01	'19	'02		'40	'05		'04		'19			8
9		'34	'02		'17	'53	13	'24	'05		'23	'03	9
10	'32		'02	'13	'07			'19	'01	'33	'05		10
11	'46			'36	'10					'03	'34	'01	11
12	'02				'33			'01			'28		12
13	'02		'35	'05			'02		'37		'28		13
14	'18		'38	'14					'03	'13	'06		14
15	'06		'79	'86				'33			'15	'03	15
16	'14		'55	'07				'01		'01	'01		16
17	'03	'03	'15	'17			'09				'06		17
18	'18		'21	'22			'03			'01	'10		18
19	'22		'23				'06		'03	'14			19
20	'18		'52	'16		'04				'07	'02		20
21			'22	'10	'08		10	'04		'04	'65		21
22	'60		'98					'47	'47		'28		22
23	'02		'04			'14		'03	'17		'07		23
24	'10					'03					'12	'02	24
25	'01	'02		'26					'09	'06	'05	'04	25
26				'49	'37			'07	'02			'40	26
27	'02		'20	'18						'98		'02	27
28	'19		'23	'32	'08					'20		'14	28
29			'51	'47	'03			'03		<u>3 30</u>			29
30	'17									<u>3 30</u>	'15		30
31	'08		'25		'07			'02					31
Total	395	174	623	408	244	124	55	148	208	618	415	188	YEAR'S TOTAL 2600
Rain Days.	27	11	25	17	16	8	9	12	13	20	23	14	195

REGISTER OF RAINFALL IN 1914

Kept at Whitney-on-Wye
in the County of Herefordshire
by W. Burgess

Lat. 52° 4' 28" Long. 3° 4' 25" W
Time of Observation 9 A.M.
Nearest Railway Station Whitney-on-Wye
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 428 ft.

FORM A.
BRITISH RAINFALL
28 JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1914													
1		.04	.10	.03		.07	.22	.58			.11	.07	1
2			.03				<u>1.25</u>	.44			.50	.31	2
3			.23	.10	.27		.03	.06			.01	.32	3
4	.28		.11	.05	.18		.24	.05			.74	.80	4
5	.21		.14	.43	.25		.08				.34		5
6	.06	.04	.01	.06	.08	.01	.01	.01			.03	.18	6
7		.07	.34	.22	.31		.29	.10	.06			.58	7
8	.03		.09		.23	.50	.12	.20				.22	8
9	.08	.01	.13	.20	.08	.97		.17	.13		.02	.01	9
10	.01	.15	.03	.31	.05	.07		.01	.25				10
11		.24	.25		.15	.14	.06		.03		.59	.70	11
12		.63	.13				.02		.23		.15	.31	12
13		.40	.21				.11		.17	.30	.27	.18	13
14		.46	.22						.01	.02	.12		14
15		.01	.37				.02		.14	.03	.09		15
16			.04				.05		.10			.02	16
17	.04	.18	.16				.06	.04	.15			.90	17
18			.45			.13	.01		.05			.27	18
19		.03	.12				.80		.05		.08	.15	19
20		.38	.13			.10						.24	20
21		.45				.02	.60	.12		.24			21
22		.23	.04	.03		.04	.10	.10		.51			22
23		.19	.06		.08		.03			.31			23
24			.07	.01			.12	.29		.04	.03		24
25	.17		.10				.07	.46		.20	.02	.17	25
26			.06				.08			.17	.16	.31	26
27	.02									.04	.46	.66	27
28	.54	.09	.03		.09		.04			.09	.08	.45	28
29	.06		.13		.10					.10	.29		29
30	.04	X	.20							.09	.61	.34	30
31	.35	X		X		X	.14		X	.50	X	.24	31
Total	1.89	3.60	3.98	1.44	1.87	2.05	4.55	2.63	1.37	2.64	4.70	7.43	38.15
Rain Days.	13	17	28	10	12	10	24	14	12	14	20	22	196

REGISTER OF RAINFALL IN 1915

Kept at Whitney-on-Loyle
in the County of Hereford
by W. Burgess

Lat. 52° 7' 28" Long. 3° 4' 25"
Time of Observation 9 a.m.
Nearest Railway Station Whitney-on-Loyle
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 428 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.44	.10	.08	...	.19	...	...	.05	.13	.35	...	.11	1
2	.19	.21	.22	.14	...	.04	...	.88	.01	.11	...	.16	2
3	.14	.03	.05	.10	.04	...	.68	.01	...	...	...	.24	3
4	.08	.29	.01	...	.14	...	.22	...	...	...	...	.99	4
5	.01	.44	.01	.01	...	...	.03	.08	...	...	.02	.48	5
6	.15	.04	.02	.20	...	...	.65	.10	...	...	...	.25	6
7	.20	.44	...	.09	1.12	...	.11	.06	...	.01	...	.54	7
8	.34	.38	...	.05	...	...	...	.02	...	...	.18	...	8
9	.08	.65	...	.10	...	...	...	...	...	...	.51	.74	9
10	.35	.09	.04	.08	...	...	...	.05	...	.10	.15	...	10
11	.15	...	.03	...	...	...	...	.02	...	.01	1.42	.04	11
12	.06	.25	...	.05	.41	...	...	.06	.01	.04	.54	.04	12
13	.02	1.09	...	...	.81	...	...	.05	.04	...	.05	.05	13
14	.01	.02	...	...	...	...	...	.14	.06	.01	...	.26	14
15	.68	.01	...	...	.09	...	.08	.15	...	.03	.06	.04	15
16	.04	.36	...	...	.60	...	1.24	.13	...	...	...	.01	16
17	.01	.21	.02	...	1.14	...	...	...	...	...	...	.02	17
18	...	.64	.01	...	...	...	...	.02	...	...	...	...	18
19	...	.01	...	.04	.04	...	.34	...	...	...	...	...	19
20	.19	...	...	.03	...	...	.02	...	...	.04	...	.05	20
21	.13	.01	...	.03	...	...	.26	...	...	.08	...	.01	21
22	.03	.01	.28	.09	...	...	.41	...	...	.01	...	.30	22
23	.05	.03	.12	...	...	.03	.02	...	...	.72	...	.34	23
24	...	...	.13	.08	...	...	...	...	.24	1.26	...	.72	24
25	...	...	.02	...	...	.41	.33	...	...	...	...	.33	25
26	...	.04	...	...	...	...	.42	...	.02	...	...	.54	26
27	...	.21	...	...	...	.14	.29	...	.01	.30	...	.15	27
28	...	.33	.02	...	...	.04	...	...	.15	.04	...	.04	28
29	...	...	...	...	...	.12	...	.02	...	.04	.31	.08	29
30	.10	X	...	.02	...	.41	.21	...	...	.71	.16	.21	30
31	.02	X	...	X	...	X	.14	.20	X	1.04	X	.50	31
Total	3.56	5.96	1.06	1.14	4.94	1.25	5.51	2.04	.64	4.96	3.43	4.30	41.84
Rain Days.	23	24	15	15	10	4	14	14	9	18	10	27	192

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at Whitney Court, Whitney-on-Wye
 in the County of Herefordshire
 by W. Burgess

Lat. 53° 7' 28" Long. 3° 4' 25" W.
 Time of Observation 9 A.M.
 Nearest Railway Station Whitney-on-Wye
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. in.
 " " " " Sea Level 428 ft.

BRITISH RAINFALL FORM A.
 Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.35	.01	.02	...	...	.18	.16	...	...	.25	.21	...	1
2	.61	.12	.32	...	.03	...	.26	...	.10	.95	.29	...	2
3	...	.60	...	...	.05	.03	.06	...	.13	.25	.32	...	3
4	.21	.35	...	...	.50	.39	...	...	.04	.11	.76	...	4
5	.04	...	.02	...	.26	.11	.02	...	...	.20	.18	...	5
6	.04	.36	.02	...	.04	...	.45	...	.02	.21	.22	...	6
7	.14	.04	.06	...	.21	...	.05	...	.01	.26	.31	.15	7
8	...	.14	.06	...	.32	.02	...	...	...	.02	.15	.11	8
9	...	...	.02	...	.10	.02	...	...	...	.01	.08	.02	9
10	.02	.31	.04	.05	.02	.01	.03	...	...	.01	...	.01	10
11	.05	...	.10	.13	.01	.05	...	...	.01	...	...	...	11
12	.07	.06	.04	.11	.48	...	.31	.05	...	.06	...	...	12
13	.01	.20	.33	.13	...	...	...	.44	...	.03	.02	...	13
14	...	.52	.34	.08	.03	...	...	.43	...	.05	.04	.02	14
15	...	.60	.35	.18	.13	...	...	.12	...	.07	...	...	15
16	...	.19	...	.15	.02	...	.02	.04	...	.07	...	...	16
17	.06	.20	...	.33	...	...	.01	.01	.24	.48	.04	...	17
18	.02	.18	.19	.20	...	...	...	...	.18	.02	.21	.09	18
19	.15	...	.93	.14	...	...	...	...	...	...	.22	...	19
20	.16	.02	.36	.03	...	...	...	...	...	...	.05	.22	20
21	.05	...	.48	.39	.06	.02	.22	...	...	...	.01	.13	21
22	.04	...	...	.04	...	.01	...	...	...	.12	...	.25	22
23	.04	.14	...	.02	...	...	...	.20	...	.08	.02	.36	23
24	...	.23	.14	...	1.66	.01	...	.13	...	.41	...	.13	24
25	...	.06	.21	...	...	.04	...	.13	.01	.16	.36	.04	25
26	.04	.10	.03	...	.06	.21	...	.11	.18	.69	.03	...	26
27	.07	.05	.85	...	.04	.04	...	.20	.29	.39	.01	...	27
28	...	.36	.07	...	.02	.01	...	...	.02	.28	...	.30	28
29	...	.14	...	...	...	.23	...	.36	.03	.31	...	.31	29
30	...	X	.01	...	...	.05	...	...	...	.26	...	...	30
31	...	X	...	X	...	X	...	.08	X	.54	X	.15	31
Total	2.18	5.04	4.99	1.98	4.04	1.43	1.59	2.30	1.29	6.32	3.53	2.29	36.98
Rain Days.	14	23	23	14	19	14	11	13	13	24	20	15	212

REGISTER OF RAINFALL IN, 1917

Kept at Whitney Court Gardens
Whitney-on-Wye
 in the County of Hertfordshire
 by W. Burgess

Lat. 53° 4' 18" Long. 3° 4' 25" W
 Time of Observation 9 A.M.
 Nearest Railway Station Whitney-on-Wye
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. in.
 " " " " Sea Level 400 ft.

2175
 FORM A.
 BRITISH RAINFALL

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1918	~~04~~												1917
1	~~04~~	02	12	61	...	51	...	13	07	...	03	13	1
2	~~04~~	...	02	...	...	12	...	...	...	...	24	02	2
3	~~04~~	05	...	35	...	02	...	...	...	34	05	03	3
4	~~03~~	02	50	...	...	...	...	03	...	36	...	...	4
5	~~33~~	...	36	11	...	07	...	06	90	28	07	...	5
6	~~03~~	...	1.00	...	...	10	...	...	...	14	30	02	6
7	~~33~~	...	...	...	...	...	10	25	...	36	25	04	7
8	~~73~~	...	10	10	...	...	64	63	02	45	16	09	8
9	~~06~~	...	18	30	10	...	...	40	25	10	53	...	9
10	~~15~~	...	20	14	14	...	...	11	03	...	...	...	10
11	~~06~~	...	02	11	02	...	...	28	...	38	08	...	11
12	~~04~~	...	...	...	1.16	...	...	08	...	25	01	01	12
13	~~01~~	...	03	05	...	...	...	59	07	01	...	...	13
14	...	...	02	14	...	...	01	45	...	02	01	08	14
15	~~01~~	...	...	...	08	...	36	04	01	03	...	11	15
16	...	03	...	23	...	25	16	01	...	...	...	20	16
17	...	01	...	04	53	...	49	94	23	16	03	12	17
18	...	01	...	...	05	...	44	02	45	01	...	...	18
19	...	34	21	...	...	48	...	...	02	...	01	...	19
20	01	11	01	...	66	05	03	05	11	...	01	...	20
21	...	04	22	...	03	01	...	01	...	03	...	01	21
22	...	...	...	...	01	02	...	25	01	04	...	...	22
23	...	12	...	...	18	...	...	34	...	14	01	...	23
24	...	09	...	...	...	10	...	09	...	38	15	...	24
25	...	03	08	...	...	...	...	12	...	14	07	...	25
26	...	...	...	...	03	05	...	45	11	04	02	...	26
27	...	...	01	...	94	45	40	82	...	02	01	...	27
28	...	...	30	...	03	03	...	33	...	...	...	01	28
29	...	...	10	...	01	...	...	29	...	46	...	35	29
30	...	X	...	...	...	...	...	33	...	15	07	...	30
31	...	X	40	X	15	X	...	31	X	03	X	...	31
Total	1.42	084	3.88	2.21	4.15	3.26	2.63	8.04	2.58	4.32	2.13	1.22	35.41
Rain Days.	11	12	19	11	16	14	9	24	13	24	20	14	190

REGISTER OF RAINFALL IN 1918

Kept at Whitney Court, Whitney-on-Wye
 the County of Herefordshire
 by W. Burgess

Lat. 52° 7' 28" Long. 3° 4' 25" W
 Time of Observation 9 AM
 Nearest Railway Station Whitney
 Diameter of Funnel of Rain Gauge 8 in.
 Height of top of Gauge above Ground 1 ft. in.
 " " " " Sea Level 428 ft.

FORM A.
 BRITISH RAINFALL
 21 2-19
 Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		03		05				09	29	03	1.10		1
2		08		03				86	02	01	03	21	2
3		08		32	43			10	65	13	10		3
4		05		02				06	42	22	30	49	4
5		10		18	28			22	25	23	02	02	5
6	03	30		21		03			06	33	01	06	6
7		07		02	43				59	12	24		7
8	02	24							19	18	01	03	8
9	09	49		30		30	01		33	08	05	05	9
10	06	03		05			60		14	04	01	22	10
11		01	04	07	03		57		07	07	05	10	11
12	02	09	06		14		02		12			01	12
13		02			02	01	02		19	01	01	09	13
14	38		15			05	29		28	04		26	14
15	1.54			03		01	60		11			50	15
16	21			85		01	07	02	52			14	16
17	43		01			01	51	02	28	05		14	17
18			05			14	08		52	02		48	18
19	11	05	16				06		04	06		14	19
20	18	12		28		05	08		46		01		20
21	09	10		33			11		35			13	21
22	01	01			18		09		14			45	22
23	08				92		04		06		02		23
24		02					09	08	07	02	07	07	24
25					41		33	82	01	06	05	02	25
26							25		04	03	06	18	26
27		10	20					27	30		04	16	27
28		06	59						02		05	16	28
29	02		12						99	02	01	10	29
30	01	X	18							02	03	14	30
31	01	X	43	X		X		09	X		X	02	31
Total	3.29	2.05	1.99	2.74	2.84	0.61	3.82	2.63	7.51	1.77	2.27	4.37	35.89
Rain Days.	17	20	11	14	9	9	18	11	29	21	21	26	206

REGISTER OF RAINFALL IN 1919.

Kept at Whitney-on-Wye
in the County of Herefordshire
by W. Burgess

Lat. 52° 4' 28" Long. 3° 4' 25" W
Time of Observation 9 A.M.
Nearest Railway Station Whitney
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 428 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.29		.05	.01	.10		.15		.03	.23	.03	.39	1
2	.10		.06				.03		.13	.03	.03	.14	2
3	.01		.06		.02	.23	.12		.03	.01	.05	.22	3
4	.02	.12	.27				.13	.02	.08	.02	.02	.17	4
5	.01	.37	.01				.02			.01	.01	.52	5
6	.51	.20	.27		.02					.01	.01	.30	6
7	.22		.14	.05	.03				.02		.02	.02	7
8	.32		.06	.10		.12							8
9	.29		.02	.14					.01				9
10	.17		.65	.01	.02				.01	.02	.05	.09	10
11	.03		1.48	.04	.06	.02	.17			.02		.02	11
12			.32	.08		.78	.01		.11	.03	.07	.01	12
13	.11			.18			.01		1.14	.11		.06	13
14	.42	.04		.44			.01		.42	.06		.08	14
15	.61	.01	.01	.09	.02			.04		.18		.30	15
16	.28	1.34						.05			.09		16
17	.01	.94				.04		.03			.32	.02	17
18	.03		.68				.01	.24	.03		.04	.05	18
19	.15	.24	.74			.17	.53	.35	.20		.20	.02	19
20	.11	.06	.61			.05		.06	.01		.10	.08	20
21		.57	.01				.12		.03			.14	21
22		.12	.01				.01		.33		.03	.34	22
23						.01				.51	.08	.08	23
24	.05			.04	.01	.03	.03		.01	.39	.25	.21	24
25	.08			.10	.06	.01		1.02	.04		.17	.02	25
26		.03	.22	.10		.04		.22	.04			.31	26
27	.26		.13	.45				.63			.14	.02	27
28	.03		.24	.03				.31		.01	.05	.35	28
29	.04		.04				.01			.16	.03	.21	29
30		~~X~~	.04	.04		.12		.19			.10	.25	30
31	.01	~~X~~	.01	~~X~~		~~X~~	.02		~~X~~		~~X~~	.01	31
TOTAL	4.16	4.04	6.43	1.90	.34	1.62	1.38	3.16	2.67	1.80	1.89	4.43	33.82
Days with 0.1 in. or more	25	12	24	16	9	12	16	12	18	16	22	28	210

REGISTER OF RAINFALL IN 1920.

Kept at Whitney-on-Wye
in the County of Herefordshire
by W. Burgess

Lat. 52° 7' 28" Long. 3° 4' 25"
Time of Observation 9 A.M.
Nearest Railway Station Whitney
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 428 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	...	...	03	15	20	...	43	...	07	16	...	43	1
2	08	...	01	11	01	...	24	04	02	09	...	23	2
3	03	03	...	29	10	01	58	...	02	12	...	24	3
4	...	...	02	02	...	...	03	42	...	26	...	...	4
5	...	...	14	11	10	...	35	05	02	25	...	...	5
6	...	...	36	01	12	...	14	...	...	20	...	02	6
7	...	...	03	11	...	...	17	...	...	01	01	02	7
8	49	11	...	81	13	...	30	21	...	03	...	...	8
9	34	10	...	53	...	...	02	...	...	...	...	01	9
10	46	20	07	04	...	1.36	07	...	...	03	05	03	10
11	24	06	12	78	20	01	06	...	...	...	...	...	11
12	17	06	01	15	...	62	03	11	...	02	11	...	12
13	15	01	29	36	...	05	...	...	...	...	...	04	13
14	02	02	62	40	...	06	05	...	54	41	41	05	14
15	...	13	14	82	10	05	...	...	...	01	08	...	15
16	...	...	07	42	13	75	41	...	15	1.05	23	...	16
17	05	...	03	27	22	22	...	09	1.11	38	...	01	17
18	15	...	...	06	07	02	15	02	78	01	...	02	18
19	11	55	...	11	03	09	...	...	...	...	02	...	19
20	02	05	...	40	...	04	02	...	...	...	...	05	20
21	...	01	...	...	...	...	32	...	...	03	...	25	21
22	10	01	...	10	...	...	07	07	...	...	01	30	22
23	...	01	02	...	...	...	23	...	...	...	01	43	23
24	07	02	18	03	...	...	...	...	01	...	09	27	24
25	03	04	19	01	03	01	85	...	...	...	...	02	25
26	17	10	42	05	07	02	04	...	...	...	10	12	26
27	25	03	31	12	04	28	12	...	...	01	04	59	27
28	70	...	17	02	14	06	02	...	...	...	...	07	28
29	10	...	25	04	17	04	24	...	...	...	06	56	29
30	06	~~X~~	41	25	04	18	02	...	28	...	27	22	30
31	17	~~X~~	19	~~X~~	...	~~X~~	02	...	~~X~~	53	~~X~~	10	31
TOTAL	3.96	1.54	4.08	6.57	1.90	3.87	4.98	1.01	3.00	4.60	1.49	4.08	YEAR'S TOTAL 41.08
Days with "01 in. or more	22	18	23	28	18	18	26	8	10	18	14	23	2268
Days with "04 in. or more	18	10	16	23	15	13	19	7	6	10	10	16	163

REGIS

WOOLHOPE
THE HYDE
HEREFORD

Kept at *The Hyde, W*
in the County of *Here*
by *J. A. Thomp*

1911 - 1920

5 in.
Ground 1 ft. in.
Sea Level 440 ft.
Name *Fawley*
Distance 5 m Direction N.E.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	^{in.} ·02	^{in.}	^{in.} ·01	^{in.} ·09	^{in.}	^{in.}	^{in.}	^{in.} ·25	^{in.}	^{in.}	^{in.} ·02	^{in.} ·02	1
2				·04	·08			·04		·04	·05	·08	2
3				·01	·42				·01		·02	·01	3
4	·01		·15	·03					·06	·04	·10	·49	4
5	·06		·03	·03				·10		·02	·05		5
6	·25		·07	·05							·19	·74	6
7	·01										·24	·01	7
8	·08		·15								·09	·32	8
9	·09		·04								·39	·27	9
10		·08	·25								·02	·41	10
11	·22										·54	·01	11
12		·01	·47						·05		·02	·11	12
13			·03		·07				·28		·17	·30	13
14											·01	·95	14
15		·01	·03			·06					·26	·12	15
16											·25	·08	16
17	·01			·01		·19				·01	·37	·46	17
18		·23	·03	·11		·03				·03	·01	·45	18
19	·02	·02		·12		·05			·28	·45		·29	19
20	·01	·05	·03	·02		·01			·16	·01		·59	20
21		·08	·28					·72	·23	·21		·09	21
22			·01	·03		·03				·12		·44	22
23		·14	·24			·12			·20	·04		·17	23
24		·04		·01		·52		·13	·01	·07		·08	24
25		·12	·01	·03		·04		·02	·02	·02		·08	25
26		·11		·16	1·40	·03	·03	·07		·22	·21	·13	26
27		·17	·19	·07				·38	·25		·05	·09	27
28		·20		·12				·02			·36		28
29						·12	·03		·11	·21			29
30			·02	·08	·01	·02	·01	·07	·04	·35		·02	30
31										·02		·01	31
Total	78	1·26	2·04	1·01	1·98	1·22	·07	1·80	1·70	1·86	3·42	6·82	TOTAL for year 23·96
No. of Rain Days	10	13	18	17	5	12	3	10	13	16	21	28	166

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL
5 JAN 1912

Kept at The Hyde, Woolhope,
in the County of Hereford,
by J. A. Thompson,

Pattern
RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 440 ft.
Time of Observation 9 a.m.
Nearest Railway Station { Name Fawley,
Distance 5 1/2 Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	<u>.02</u>		<u>.01</u>	<u>.09</u>				<u>.25</u>			<u>.02</u>	<u>.02</u>	1
2				<u>.04</u>	<u>.08</u>			<u>.04</u>		<u>.04</u>	<u>.05</u>	<u>.08</u>	2
3				<u>.01</u>	<u>.42</u>				<u>.01</u>		<u>.02</u>	<u>.01</u>	3
4	<u>.01</u>		<u>.15</u>	<u>.03</u>					<u>.06</u>	<u>.04</u>	<u>.10</u>	<u>.49</u>	4
5	<u>.06</u>		<u>.03</u>	<u>.03</u>				<u>.10</u>		<u>.02</u>	<u>.05</u>		5
6	<u>.25</u>		<u>.07</u>	<u>.05</u>							<u>.19</u>	<u>.74</u>	6
7	<u>.01</u>										<u>.24</u>	<u>.01</u>	7
8	<u>.08</u>		<u>.15</u>								<u>.09</u>	<u>.32</u>	8
9	<u>.09</u>		<u>.04</u>								<u>.39</u>	<u>.27</u>	9
10		<u>.08</u>	<u>.25</u>								<u>.02</u>	<u>.41</u>	10
11	<u>.22</u>										<u>.54</u>	<u>.01</u>	11
12		<u>.01</u>	<u>.47</u>						<u>.05</u>		<u>.02</u>	<u>.11</u>	12
13			<u>.03</u>		<u>.07</u>				<u>.28</u>		<u>.17</u>	<u>.30</u>	13
14											<u>.01</u>	<u>.95</u>	14
15		<u>.01</u>	<u>.03</u>			<u>.06</u>					<u>.26</u>	<u>.12</u>	15
16											<u>.25</u>	<u>.08</u>	16
17	<u>.01</u>			<u>.01</u>		<u>.19</u>				<u>.01</u>	<u>.37</u>	<u>.46</u>	17
18		<u>.23</u>	<u>.03</u>	<u>.11</u>		<u>.03</u>				<u>.03</u>	<u>.01</u>	<u>.45</u>	18
19	<u>.02</u>	<u>.02</u>		<u>.12</u>		<u>.05</u>			<u>.28</u>	<u>.45</u>		<u>.29</u>	19
20	<u>.01</u>	<u>.05</u>	<u>.03</u>	<u>.02</u>		<u>.01</u>			<u>.16</u>	<u>.01</u>		<u>.59</u>	20
21		<u>.08</u>	<u>.28</u>					<u>.72</u>	<u>.23</u>	<u>.21</u>		<u>.09</u>	21
22			<u>.01</u>	<u>.03</u>		<u>.03</u>				<u>.12</u>		<u>.44</u>	22
23		<u>.14</u>	<u>.24</u>			<u>.12</u>			<u>.20</u>	<u>.04</u>		<u>.17</u>	23
24		<u>.04</u>		<u>.01</u>		<u>.52</u>		<u>.13</u>	<u>.01</u>	<u>.07</u>		<u>.08</u>	24
25		<u>.12</u>	<u>.01</u>	<u>.03</u>		<u>.04</u>		<u>.02</u>	<u>.02</u>	<u>.02</u>		<u>.08</u>	25
26		<u>.11</u>		<u>.16</u>	<u>1.40</u>	<u>.03</u>	<u>.03</u>	<u>.07</u>		<u>.22</u>	<u>.21</u>	<u>.13</u>	26
27		<u>.17</u>	<u>.19</u>	<u>.07</u>				<u>.38</u>	<u>.25</u>		<u>.05</u>	<u>.09</u>	27
28		<u>.20</u>		<u>.12</u>				<u>.02</u>			<u>.36</u>		28
29						<u>.12</u>	<u>.03</u>		<u>.11</u>	<u>.21</u>			29
30			<u>.02</u>	<u>.08</u>	<u>.01</u>	<u>.02</u>	<u>.01</u>	<u>.07</u>	<u>.04</u>	<u>.35</u>		<u>.02</u>	30
31										<u>.02</u>		<u>.01</u>	31
Total	<u>.78</u>	<u>1.26</u>	<u>2.04</u>	<u>1.01</u>	<u>1.98</u>	<u>1.22</u>	<u>.07</u>	<u>1.80</u>	<u>1.70</u>	<u>1.86</u>	<u>3.42</u>	<u>6.82</u>	TOTAL for year
No. of Rain Days	<u>10</u>	<u>13</u>	<u>18</u>	<u>17</u>	<u>5</u>	<u>12</u>	<u>3</u>	<u>10</u>	<u>13</u>	<u>16</u>	<u>21</u>	<u>28</u>	<u>166</u>

REGISTER OF RAINFALL IN 1912

Kept at *The Hyde, Woolhope*
 in the County of *Hereford*
 by *J. A. Thompson*

Lat. _____ Long. _____
 Time of Observation *9 a.m.*
 Nearest Railway Station *Fawley*
 Diameter of Rain Gauge *5* in.
 Height of top of Gauge above Ground *1* ft. — in.
 " " " " Sea Level *440* ft.

BRITISH RAINFALL FORM A.
 3-JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.26	—	—	.58	.12	.01	.01	.43	—	.08	1
2	—	—	.30	.03	—	.36	.27	.03	—	—	—	—	2
3	.01	—	.13	—	.01	.16	.10	.76	.01	—	.04	.01	3
4	.09	—	.66	—	.11	.57	—	.03	—	—	.24	—	4
5	.28	.09	.11	—	.33	.27	—	.46	.01	—	—	.02	5
6	.19	.11	.02	—	—	.54	.03	.64	—	—	—	.01	6
7	.02	.20	.08	—	.08	.35	—	.04	—	—	.01	.03	7
8	.30	.10	.10	.01	—	.07	.01	.11	.11	.01	—	.01	8
9	.04	.01	.32	.06	—	.04	.02	.20	—	—	—	.15	9
10	.07	.08	.01	—	—	—	—	.06	—	—	.07	—	10
11	.07	.03	.01	—	—	—	—	.02	—	.01	.08	.46	11
12	.01	.27	.06	.03	.09	.06	.02	—	—	—	—	.03	12
13	.01	.01	—	.01	—	—	—	.04	.01	—	—	.02	13
14	.04	—	.50	—	.02	—	—	.07	—	.01	—	—	14
15	.30	.10	.03	.01	.39	.16	—	.06	—	—	—	.09	15
16	.95	—	.08	—	—	—	—	.08	—	.08	—	—	16
17	.80	—	.16	—	—	.04	—	.39	—	—	.03	.33	17
18	.19	.01	.04	—	—	—	—	.24	—	—	.01	.06	18
19	.09	—	—	—	.01	—	.15	.48	—	.01	—	.03	19
20	.02	.01	.22	—	—	—	.12	.04	—	.30	.02	—	20
21	.01	.01	.60	—	.67	—	.01	.60	—	.27	—	—	21
22	.33	.08	.07	—	.79	—	.19	.21	—	.01	.01	—	22
23	.27	.27	.30	—	—	.06	.33	.36	—	.04	.03	.25	23
24	.14	.01	—	—	—	.23	.06	.01	—	—	—	.16	24
25	—	—	—	—	—	.54	—	.73	—	.01	.31	.36	25
26	—	.06	.01	—	—	—	.29	.93	—	.72	.26	.26	26
27	.01	—	—	—	—	.43	.80	—	—	.74	—	.25	27
28	—	.01	—	—	—	.08	.78	.50	.25	.34	.40	.33	28
29	—	.18	.03	—	—	.11	.32	.41	.46	.35	—	.03	29
30	—	—	.06	—	—	.10	.05	—	—	.25	—	—	30
31	—	—	.30	—	.05	—	.51	.05	—	.01	—	.04	31
Total	4.24	1.64	4.46	1.5	2.55	4.75	4.18	7.56	8.6	3.59	1.51	3.01	38.50
Rain Days.	23	19	25	6	11	19	19	28	7	17	13	22	209

YEARS TOTAL

REGISTER OF RAINFALL IN 1913

Kept at *The Hyde, Woolhope,*
in the County of *Hereford*
by *J. A. Thompson*

Lat. *52° 10"* Long. *2° 30"*
Time of Observation *9 a.m.*
Nearest Railway Station *Fawley*
Diameter of Rain Gauge *5* in.
Height of top of Gauge above Ground *1* ft.
" " " " Sea Level *440* ft.

FORM A.
BRITISH RAINFALL
6-JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.06	.11	.01	.13	—	—	—	.73	—	.06	—	1
2	—	.22	.03	.10	—	—	.01	—	.14	.90	.10	—	2
3	.09	—	.11	—	.58	—	—	—	—	—	—	.06	3
4	<u>1.12</u>	—	.06	—	.24	—	—	—	.75	.57	.01	.09	4
5	.09	.03	—	—	.08	.09	.15	—	.02	.32	.06	.02	5
6	.02	.05	.14	—	.26	.11	.05	—	—	.35	.02	.47	6
7	—	.31	—	—	.28	.04	.05	—	—	.23	.19	.01	7
8	.01	.14	—	—	.24	.01	.01	.03	—	.62	—	.01	8
9	—	.23	.01	—	.03	.06	.32	.32	.22	—	.06	—	9
10	.29	—	—	.03	.15	—	—	.15	—	.06	.07	—	10
11	.68	—	—	.24	.03	—	—	—	—	.03	.87	—	11
12	—	.02	—	—	.32	—	—	—	—	—	.45	—	12
13	.03	—	.10	—	.01	—	—	.01	.25	—	.27	—	13
14	.17	.01	.40	.03	—	—	—	.05	.01	.11	—	—	14
15	.11	.07	.53	.67	—	—	—	.04	.17	—	—	—	15
16	.16	—	.90	.06	—	—	—	—	.04	—	—	—	16
17	.02	—	.20	.15	—	—	.17	—	.11	—	.01	—	17
18	.08	—	.45	.08	—	—	.08	—	—	—	.01	—	18
19	.22	—	.18	—	—	.24	.04	—	.08	.02	—	—	19
20	.18	—	.23	.09	—	—	—	—	—	.10	.29	—	20
21	.03	—	.31	.13	.06	—	.10	—	—	—	.22	—	21
22	.56	—	.63	.01	—	.15	—	.47	.37	—	—	—	22
23	.01	—	.04	—	—	.01	—	.01	.02	—	.05	.04	23
24	.02	—	—	.03	—	—	—	—	—	—	.01	—	24
25	—	—	—	.22	—	—	—	—	.04	.01	—	.02	25
26	—	—	—	.61	—	—	—	.25	—	—	—	.16	26
27	.01	.01	.11	.22	.27	—	—	—	—	.25	—	—	27
28	.28	.01	.13	.31	.05	—	—	—	—	.11	—	.01	28
29	—	—	.49	.58	—	—	—	.06	—	.25	—	—	29
30	.13	—	—	—	—	—	—	—	—	.59	.06	—	30
31	.01	—	.16	—	—	—	—	—	—	.02	—	—	31
Total	4.33	1.16	5.32	3.57	2.73	.71	.98	1.39	2.95	4.54	2.81	.89	31.38
Rain Days.	24	12	21	18	15	8	10	10	14	17	18	10	177

REGISTER OF RAINFALL IN 1914

Kept at The Hyde, Woolhope
in the County of Hereford
by J. G. Thompson

Lat. 52° 35" Long. 2° 30"
Time of Observation 9 a.m.
Nearest Railway Station Fawley
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 440 ft.

FORM A.
BRITISH RAINFALL
JAN 1915

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	.03	.02	.03	—	.01	.77	.19	—	—	.05	.14	1
2	—	.01	—	—	.03	—	.44	.09	—	—	.53	.35	2
3	—	—	—	.16	.25	—	.01	.03	—	—	—	.05	3
4	.20	—	—	.11	.04	—	.19	.10	—	—	.61	.46	4
5	.06	—	.05	.09	.10	—	.56	.01	—	—	.06	—	5
6	—	.13	—	.01	.03	.01	—	—	—	—	.11	.15	6
7	—	.20	.12	.09	.23	.02	.12	.03	—	—	.01	.18	7
8	—	—	.07	.02	.01	.65	.21	.05	—	—	—	.03	8
9	.03	.02	.28	.27	.08	1.24	—	.08	.03	—	—	—	9
10	—	.23	.01	.41	.01	.09	—	—	.30	—	—	—	10
11	—	.05	.18	.03	.10	.54	.13	—	.04	—	.11	.57	11
12	—	.26	.15	—	—	—	.05	—	.24	—	.05	.26	12
13	—	.20	.33	—	—	—	.01	—	.15	.13	.10	.40	13
14	—	.26	.21	—	—	—	.01	—	—	.30	.15	—	14
15	.03	.03	.11	—	—	—	.01	.41	—	.01	.04	—	15
16	.01	~~1~~	—	—	—	—	.10	—	.21	—	—	—	16
17	.02	.18	.15	—	—	—	.02	—	.06	—	—	.21	17
18	—	—	.02	—	—	—	.03	—	—	—	—	.29	18
19	—	.01	.08	—	—	—	.61	—	—	—	.05	.16	19
20	—	.24	.04	—	—	—	—	—	—	—	—	.20	20
21	—	.37	—	—	—	.02	—	—	—	.12	—	—	21
22	—	.10	.02	.01	.21	.01	.01	.08	—	.12	—	—	22
23	—	—	.14	—	.04	—	.02	—	—	.16	—	.01	23
24	—	—	.26	—	—	—	.01	.09	—	.13	.02	—	24
25	.08	—	.15	—	—	—	.02	.18	—	.22	—	.07	25
26	—	—	.01	—	—	—	.12	.12	—	.05	.25	.39	26
27	.02	—	—	—	—	—	—	—	—	—	.22	.10	27
28	—	.07	.12	—	.01	—	—	—	—	.02	.02	.89 snow	28
29	.05	~~X~~	.03	—	.12	—	—	—	—	.19	.37	—	29
30	—	~~X~~	.07	—	.01	.01	—	—	—	.09	.43	.46	30
31	.15	~~X~~	—	~~X~~	—	~~X~~	.23	—	~~X~~	.07	~~X~~	.03	31
Total	.65	2.39	2.62	1.23	1.27	2.60	3.68	1.46	1.03	1.61	3.18	5.40	27.12
Rain Days.	10	17	23	11	15	10	22	13	7	13	18	21	180

REGISTER OF RAINFALL IN 1915

Kept at The Hyde, Woolhope
in the County of Hereford.
by J. A. Thompson.

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Fawley S.W.R.
Diameter of Funnel of Rain Gauge 5 inches. in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 440 ft.

FORM A.
BRITISH RAINFALL
JAN 7 1916

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.29	.06	.01	—	.26	—	—	.01	.06	.22	.01	.04	1
2	.34	.22	.13	.15	—	.13	—	1.17	—	.18	—	.13	2
3	.79	.10	.01	.02	.06	—	.51	.42	—	—	.01	.20	3
4	.02	.03	—	—	.22	—	.42	.04	—	—	—	.61	4
5	—	.44	—	.02	—	—	.11	.08	—	—	—	.55	5
6	.17	.01	—	.15	—	—	.53	.04	—	.01	—	.14	6
7	.06	.36	—	—	—	—	.02	.11	—	—	—	.36	7
8	.24	.31	—	—	—	—	.06	.02	—	—	.07	—	8
9	.05	.05	—	.13	—	—	—	.02	—	—	.14	.43	9
10	.20	—	.07	.03	—	—	—	—	—	.05	.01	.01	10
11	.02	—	.01	.02	.01	—	—	—	—	—	.84	—	11
12	.12	.03	—	.24	.45	—	—	—	—	.07	.30	.01	12
13	.02	.49	—	—	.72	—	—	.05	.03	—	—	.01	13
14	—	—	—	—	—	—	—	.26	.09	.01	—	.25	14
15	.26	—	—	—	.09	—	—	.06	—	—	.04	.09	15
16	.07	.24	—	—	.27	—	1.31	.02	—	—	—	.02	16
17	—	.48	—	—	.93	—	—	.07	—	—	—	.01	17
18	—	.43	.02	—	—	—	—	—	—	.01	—	—	18
19	—	.03	—	—	.13	—	.09	—	—	—	—	—	19
20	.08	—	—	.10	—	—	—	—	—	.02	—	—	20
21	.08	.01	—	—	.02	—	.11	—	—	.14	—	.19	21
22	.08	.05	.30	.08	—	—	.46	—	—	—	—	.30	22
23	.04	.06	.05	—	—	.05	.38	—	—	1.04	—	.29	23
24	—	—	.04	.01	—	—	.33	—	.29	.69	—	.32	24
25	—	—	—	—	—	.52	.23	—	—	.04	—	.19	25
26	—	.05	—	—	—	—	.53	—	.01	—	—	.43	26
27	—	.05	—	—	—	—	.08	—	—	.28	—	—	27
28	—	.12	—	—	—	—	—	.07	.21	.07	—	—	28
29	—	X	—	—	—	.03	—	.01	—	—	.07	.06	29
30	—	X	—	—	—	.19	.28	—	—	.35	.08	.14	30
31	.06	X	—	X	—	X	.07	.02	X	1.30	X	.29	31
Total	2.99	3.62	.64	.95	3.16	.92	5.52	2.47	.69	4.48	1.57	5.07	32.08
Rain Days.	19	21	9	11	11	5	17	17	6	16	10	24	166

YEAR'S TOTAL

REGISTER OF RAINFALL IN 1916

Kept at The Hyde, Woolhope
in the County of Hereford
by J. A. Thompson

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Fawley 4 1/2 m.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
Sea Level 440 ft.

FORM A.
BRITISH RAINFALL.
13 JAN 1917

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.16	—	.03	—	.03	.12	.10	—	—	.14	.12	—	1
2	.18	.02	.27	—	.29	—	.02	—	.08	.79	.07	—	2
3	—	.70	—	—	.01	—	—	—	.05	.23	.11	—	3
4	.16	.14	—	—	.51	.50	—	—	.11	.02	.50	—	4
5	—	.02	.05	—	.30	—	.12	—	—	.11	.13	—	5
6	.08	.11	.06	—	.11	—	.63	—	—	.14	.50	—	6
7	—	—	.12	—	.12	—	.07	—	—	.31	.13	.20	7
8	—	—	.05	—	.24	—	—	—	—	—	.01	.16	8
9	—	—	.02	—	.11	.06	—	—	—	.02	.04	.01	9
10	.01	.50	.07	.02	.01	.15	—	—	—	.04	—	—	10
11	.05	.02	.08	.14	.01	.08	—	—	.04	—	—	.02	11
12	.01	.02	.05	—	.30	—	.27	.02	—	.02	—	—	12
13	—	.12	.14	.01	—	—	.08	.40	—	—	.01	—	13
14	—	.37	.08	.01	.01	—	—	.02	—	.09	—	.01	14
15	—	.14	.34	.10	.24	—	.01	.31	—	—	—	—	15
16	—	.05	—	.16	—	—	.14	.80	—	.06	—	—	16
17	.05	.14	—	.04	—	—	—	.11	.29	.35	—	—	17
18	.01	.02	.06	—	—	—	—	—	.09	.04	.45	—	18
19	.07	—	.48	.30	—	—	—	—	—	—	.16	—	19
20	.04	—	.68	.01	—	—	—	—	—	—	.02	.35	20
21	.02	—	.40	—	.09	—	.23	—	—	—	—	.15	21
22	—	—	—	.05	—	.03	—	—	—	.15	.01	.38	22
23	.01	.36	.03	.01	—	—	—	.16	—	.11	.01	.23	23
24	—	.18	.13	—	.54	.01	—	.07	—	.20	—	.17	24
25	—	.12	.15	—	—	—	—	.29	—	.04	.25	—	25
26	—	.20	.05	—	—	.13	—	.01	.04	.32	—	—	26
27	.03	.08	.05	—	—	.02	—	.40	.26	.27	—	.01	27
28	—	.65	.05	—	—	—	—	—	.01	.13	.01	.06	28
29	—	.16	—	—	—	.24	—	1.14	.02	.19	—	.08	29
30	—	X	—	—	—	.04	—	.07	—	.28	—	—	30
31	—	X	—	X	—	X	—	.01	X	.37	X	.01	31
Total	.88	4.12	4.44	.85	2.92	1.38	1.67	3.81	.99	4.42	2.53	1.84	29.85
Rain Days.	14	21	23	11	16	11	10	14	10	24	17	14	185

REGISTER OF RAINFALL IN 1917

Kept at The Hyde, Woolhope
 in the County of Hereford
 by J. A. Thompson

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Fawley
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. — in.
 " " " " Sea Level 440 ft.

2162
 FORM A.
 BRITISH RAINFALL
 JAN 1 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
9 a.m.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	1.01	.14	1.28	—	.21	—	.82	.18	—	.21	—	1
2	—	—	—	1.02	—	.03	—	.05	—	.05	.04	—	2
3	.01	1.06	—	1.05	—	—	—	.02	—	.31	—	—	3
4	—	1.30	1.52	—	—	—	—	.02	—	.40	—	—	4
5	.12	—	1.15	1.11	—	—	—	.06	.22	.20	.07	—	5
6	.01	—	.47	—	—	.30	—	—	—	.15	.26	—	6
7	.14	—	—	—	—	—	.08	.31	—	.19	.03	—	7
8	.57	—	.04	.14	—	—	.57	.45	.01	.30	.14	.04	8
9	—	—	.20	.06	.18	—	—	.43	.12	.10	—	—	9
10	.34	—	.32	.14	.14	—	—	.22	—	.01	—	—	10
11	.02	—	.12	.10	.08	—	—	.51	—	.13	.01	—	11
12	—	—	—	—	.49	—	—	—	—	.08	.01	—	12
13	.01	—	.10	.02	—	.01	—	.06	.12	.01	—	—	13
14	—	—	.25	.07	—	—	—	.33	—	—	.01	—	14
15	.01	—	—	—	.03	—	.02	.16	—	.04	—	.10	15
16	.01	.02	—	.14	—	—	—	—	—	—	—	.09	16
17	—	—	—	.12	.62	—	.35	.23	.12	.04	—	—	17
18	.02	.01	—	.01	.01	—	.32	—	1.34	—	—	—	18
19	.02	.39	.14	—	—	.52	—	—	.01	—	—	—	19
20	.01	.17	.07	—	.67	.25	.16	—	.03	—	—	—	20
21	—	.02	.20	—	.07	.22	—	.01	—	.02	.04	—	21
22	.01	—	.02	—	—	.03	—	.14	—	.01	—	—	22
23	—	.29	—	—	.05	—	—	.23	—	.05	—	.02	23
24	—	—	—	—	—	.07	—	.09	—	.20	.04	—	24
25	—	.08	.02	—	—	—	—	—	—	.03	.09	—	25
26	—	.01	—	—	.11	.01	—	.43	.13	—	.01	—	26
27	—	—	—	—	1.01	.16	.18	.64	—	—	—	—	27
28	—	—	.23	—	—	.26	—	.16	—	—	—	.01	28
29	—	X	.11	—	.44	.25	.05	.02	—	.45	—	.26	29
30	—	X	.02	—	—	—	—	.48	—	.12	.01	—	30
31	—	X	.08	X	.01	X	—	.03	X	—	X	—	31
Total	1.30	1.36	3.20	1.26	3.91	2.32	1.73	5.90	2.28	2.89	.97	.52	YEAR'S TOTAL 27.64
Rain Days.	14	11	19	13	14	13	8	24	10	21	14	6	167

REGISTER OF RAINFALL IN 1918

Kept at The Hyde, Woolhope,
in the County of Hereford
by J. A. Thompson

Lat. 52 Long. 3
Time of Observation 9 a.m.
Nearest Railway Station Fawley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 440 ft.

FORM A.
BRITISH RAINFALL
1-19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	.02	.07	—	—	.08	—	.02	.68	.01	1
2	—	.03	—	.02	—	—	—	.37	—	.03	.02	.03	2
3	—	.04	—	.10	.16	—	—	—	.44	—	.10	—	3
4	.02	.03	.01	—	—	—	—	.03	.10	.06	.52	.38	4
5	—	—	—	.02	.30	—	—	.04	.22	.10	—	.01	5
6	.03	.21	—	.09	—	.05	—	—	.08	.22	—	.03	6
7	.01	.12	—	.02	.42	—	—	—	.33	.03	.15	.02	7
8	—	.12	—	—	—	—	—	—	.12	.14	.01	.04	8
9	—	.06	—	.20	—	.15	.06	—	.17	.05	—	.02	9
10	.05	—	—	.05	—	—	.33	—	.06	.10	—	.12	10
11	.01	—	.07	.03	.01	—	.05	—	.08	—	.02	.09	11
12	—	—	.15	—	.11	—	.12	—	.01	—	—	—	12
13	—	.01	—	—	.02	—	.02	—	.12	.03	—	.05	13
14	.25	—	.10	—	—	.01	.07	—	.52	.07	—	.05	14
15	1.40	—	—	.17	—	—	.24	—	.01	.02	—	.33	15
16	.24	—	—	.82	—	.10	—	—	.35	.01	—	.02	16
17	.14	—	.02	.02	—	—	.18	—	.10	.09	—	.05	17
18	.30	—	—	—	—	.25	.08	—	.97	—	—	.55	18
19	.05	—	.22	—	—	—	.09	—	.01	.07	—	.02	19
20	.11	.03	—	.25	—	.06	.01	—	.17	—	.01	—	20
21	.06	—	—	.36	—	—	.03	—	.53	.03	—	.07	21
22	.02	—	—	—	.20	—	.04	—	.06	.01	—	.16	22
23	.02	—	—	—	.31	—	.12	—	—	—	.02	—	23
24	—	.04	—	—	—	—	.01	.01	.03	—	.08	—	24
25	—	—	—	.08	.03	—	.06	.48	—	.01	.01	—	25
26	—	—	—	—	—	—	.91	—	—	.01	.05	.11	26
27	—	—	.01	—	—	.02	—	.18	.03	—	.02	.04	27
28	—	.07	.26	.02	—	—	—	—	—	.01	.08	.06	28
29	—	X	.04	—	—	—	—	—	1.15	.01	.01	—	29
30	—	X	.25	—	—	—	—	—	.04	—	.10	.10	30
31	—	X	.07	X	—	X	—	.01	X	—	X	.01	31
Total	2.71	.76	1.20	2.27	1.63	.64	2.42	1.20	5.70	1.12	1.88	2.37	23.90
Rain Days.	15	11	11	16	10	7	17	8	24	21	16	24	180

REGISTER OF RAINFALL IN 1919.

Kept at The Hyde, Woolhope,
in the County of Hereford,
by J. A. Thompson

Lat. 52.5 Long. 2.30
Time of Observation 9 a.m.
Nearest Railway Station Fawley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 440 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.16	.02	.01	.04	.03	—	.12	—	.05	.14	—	.43	1
2	.11	—	—	—	.05	—	.51	—	.11	—	.12	.11	2
3	.22	—	.06	—	.01	.03	.03	—	.02	—	.10	.13	3
4	.10	.06	.34	—	—	.06	.31	.06	.11	—	—	.19	4
5	.06	.32	.21	—	.11	—	—	—	.22	—	—	.15	5
6	.13	.05	.04	—	.06	—	—	—	—	—	.02	.11	6
7	.19	—	.26	.17	.15	—	—	—	—	—	.01	—	7
8	.12	—	.03	—	—	.01	—	—	—	—	.01	—	8
9	.16	—	.03	.04	—	—	—	—	—	—	.01	—	9
10	.01	—	.66	—	—	—	—	—	—	.03	.01	.35	10
11	—	—	.55	—	.03	—	.64	—	—	.01	.02	.05	11
12	—	—	.03	.07	—	.22	—	—	.02	.05	.04	—	12
13	.05	.01	—	.15	—	—	—	—	.08	.07	—	.03	13
14	.18	.01	—	.15	—	—	.05	—	.01	—	—	.10	14
15	.21	.02	—	.01	.04	—	—	—	—	.04	—	.22	15
16	.11	.14	—	—	—	—	—	.04	—	—	.04	—	16
17	—	.79	—	.01	—	—	—	—	—	—	.04	—	17
18	.06	—	.62	—	—	—	.02	.11	.02	—	.02	.06	18
19	.16	.23	.90	—	—	.12	.98	.53	.12	—	.04	.02	19
20	.27	.01	.37	—	—	.03	.02	.22	.02	—	.02	.05	20
21	.03	.35	.04	—	—	.06	.08	—	.03	—	.03	.08	21
22	—	.01	—	—	—	—	.08	—	.22	—	—	.08	22
23	—	—	—	—	—	—	—	.04	—	.07	.02	—	23
24	—	—	—	—	—	.02	—	—	—	.78	.10	.21	24
25	.10	—	—	—	.07	—	—	.31	—	—	.01	.03	25
26	.03	—	.05	—	—	.02	.04	.03	.11	—	—	.22	26
27	.11	—	.72	—	—	—	—	.39	.05	—	.04	—	27
28	.05	—	.21	.01	—	—	—	.43	—	—	.32	.30	28
29	.04	.01	—	.06	—	—	—	.01	—	.16	.02	.19	29
30	—	—	—	.08	—	.21	—	.21	—	.04	.16	.23	30
31	.01	—	.01	—	—	—	—	—	—	.02	—	—	31
TOTAL	2.67	3.03	4.42	1.51	.55	.78	2.88	2.38	1.19	2.41	1.20	3.34	YEAR'S TOTAL 26.36
Days with .01 in. or more	24	14	18	12	9	10	12	12	15	11	22	22	181

REGISTER OF RAINFALL IN 1920.

Kept at The Hyae, Woodthorpe
in the County of Hereford
by J. A. Thompson

Lat. 52° 16' Long. 2° 60'
Time of Observation 9 a.m.
Nearest Railway Station Fawley
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 440 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	—	.03	.29	.26	—	.24	.02	.01	.18	—	.44	1
2	.03	—	—	.05	.01	—	.14	<i>Trace</i>	.06	.29	—	.12	2
3	.03	.02	—	.15	.04	.02	1.30	.05	.05	.42	—	—	3
4	—	—	—	.03	—	—	—	.18	—	.32	—	—	4
5	—	—	.15	.07	.07	—	.23	.03	—	.37	—	—	5
6	—	—	.16	.05	.09	—	.26	—	—	.14	—	.00½	6
7	—	—	.01	.08	—	—	.22	—	—	—	—	—	7
8	.31	.04	—	.42	.03	—	.18	—	—	.01	—	—	8
9	.15	—	—	.42	—	—	.07	—	—	—	—	—	9
10	.32	.04	.01	.10	—	.38	.16	—	—	—	.03	.01	10
11	.14	—	.11	.43	.32	.08	.04	—	—	—	—	.00½	11
12	.15	.01	—	.21	—	.66	—	—	—	.01	.03	—	12
13	.05	—	.28	.11	—	.01	—	.03	—	—	—	.01	13
14	—	.04	1.62	.31	—	.71	—	—	.32	.13	.25	—	14
15	.01	.06	1.03	.59	—	.04	—	—	.04	.01	.01	—	15
16	—	—	—	.10	.10	.22	.20	—	—	.50	—	—	16
17	—	—	—	—	.11	1.03	—	—	.67	.21	—	.02	17
18	.11	—	—	.01	.10	.01	—	.27	.46	—	—	.01	18
19	.01	.29	—	.20	.01	.18	—	—	—	—	—	—	19
20	—	.03	—	.16	—	.17	<i>Trace</i>	—	—	—	—	.11	20
21	—	—	—	—	—	—	.04	—	—	.03	—	.08	21
22	.02	—	—	.10	—	.01	.03	.09	—	—	—	.30	22
23	—	—	—	—	—	—	.38	.05	—	—	—	.37	23
24	—	—	.15	—	—	—	—	—	—	—	.03	.22	24
25	.01	.05	.12	.03	—	.06	.62	—	—	—	—	.01	25
26	.12	—	.28	—	.06	.01	.01	—	—	—	.05	.02	26
27	.41	.01	.10	.04	.26	.25	.03	—	—	—	.01	.53	27
28	1.12	—	.07	—	.06	.02	—	—	—	—	—	—	28
29	.22	—	.19	—	—	.01	.12	—	—	—	.05	.40	29
30	.01	~~X~~	.21	.12	.01	.06	.04	—	.28	—	.19	.13	30
31	.03	~~X~~	.12	~~X~~	—	~~X~~	.02	—	~~X~~	.44	~~X~~	.03	31
TOTAL	3.25	.59	2.64	4.07	1.53	3.93	4.33	.72	1.89	3.06	.65	2.82	YEAR'S TOTAL
Days with "01 in. or more	19	10	17	23	15	19	20	8	8	14	9	17	29.48
Days with "04 in. or more	11	6	13	20	11	12	16	5	7	10	4	10	179